

# **Bibliography**



# Bibliography

- [1] Abadi, M. A. M., Danyali, H., & Helfroush, M. S. (2010, December). Reversible watermarking based on interpolation error histogram shifting. In *Telecommunications (IST), 2010 5th International Symposium on* (pp. 840-845). IEEE.
- [2] Ahmed, M., & Younes, O. S. (2017, September). Secret Image Sharing Based on Elementary Cellular Automata. In *International Conference on Advanced Intelligent Systems and Informatics* (pp. 832-843). Springer, Cham.
- [3] Al-Qershi, O. M., & Khoo, B. E. (2013). Passive detection of copy-move forgery in digital images: State-of-the-art. *Forensic science international*, 231(1-3), 284-295.
- [4] An, L., Gao, X., Li, X., Tao, D., Deng, C., & Li, J. (2012). Robust reversible watermarking via clustering and enhanced pixel-wise masking. *IEEE Trans. Image Processing*, 21(8), 3598-3611.
- [5] Bai, J., & Chang, C. C. (2016). A High Payload Steganographic Scheme for Compressed Images with Hamming Code. *International Journal of Network Security*, 18(6), 1122-1129.
- [6] Belferdi, W., Behloul, A., & Noui, L. (2018). A Bayer pattern-based fragile watermarking scheme for color image tamper detection and restoration. *Multidimensional Systems and Signal Processing*, 1-20.
- [7] Bhardwaj, R., & Sharma, V. (2018). Effective Image Encryption Technique Through 2D Cellular Automata. In *Progress in Intelligent Computing Techniques: Theory, Practice, and Applications* (pp. 39-46). Springer, Singapore.
- [8] Cao, Z., Yin, Z., Hu, H., Gao, X., & Wang, L. (2016). High capacity data hiding scheme based on (7, 4) Hamming code. *SpringerPlus*, 5(1), 175.

- [9] Chamlawi, R., & Khan, A. (2010). Digital image authentication and recovery: employing integer transform based information embedding and extraction. *Information Sciences*, 180(24), 4909-4928.
- [10] Chang, C. C., Chou, Y. C., & Kieu, T. D. (2009, June). Information hiding in dual images with reversibility. In *Multimedia and Ubiquitous Engineering, 2009. MUE'09. Third International Conference on* (pp. 145-152). IEEE.
- [11] Chang, C. C., Hsieh, Y. P., & Lin, C. H. (2008). Sharing secrets in stego images with authentication. *Pattern Recognition*, 41(10), 3130-3137.
- [12] Chang, C. C., Kieu, T. D., & Chou, Y. C. (2008, August). A high payload steganographic scheme based on (7, 4) hamming code for digital images. *International Symposium on Electronic Commerce and Security* (pp. 16-21). IEEE.
- [13] Chang, C. C., & Chou, Y. C. (2007, October). Reversible data hiding scheme using two steganographic images. In *TENCON 2007-2007 IEEE Region 10 Conference* (pp. 1-4). IEEE.
- [14] Chang, C. C., Lu, T. C., Horng, G., Huang, Y. H., & Hsu, Y. M. (2013, December). A high payload data embedding scheme using dual stego-images with reversibility. In *Information, Communications and Signal Processing (ICICS) 2013 9th International Conference on* (pp. 1-5). IEEE.
- [15] Chuang, J. C., Hu, Y. C., Lo, C. C., & Chen, W. L. (2013). Grayscale image tamper detection and recovery based on vector quantization. *International journal of security and its applications*, 7(6), 209-228.
- [16] Coltuc, D., & Chassery, J. M. (2007). Very fast watermarking by reversible contrast mapping. *IEEE Signal processing letters*, 14(4), 255-258.
- [17] Cox, I. J., Kilian, J., Leighton, F. T., & Shamoon, T. (1997). Secure spread spectrum watermarking for multimedia. *IEEE transactions on image processing*, 6(12), 1673-1687.
- [18] Crandall, R. (1998). Some notes on steganography. Posted on steganography mailing list, 1-6, <http://os.inf.tudresden.de/westfeld/crandall.pdf>

- [19] Etemad, E., Samavi, S., Soroushmehr, S. R., Karimi, N., Etemad, M., Shirani, S., & Najarian, K. (2017). Robust image watermarking scheme using bit-plane of hadamard coefficients. *Multimedia Tools and Applications*, 1-23.
- [20] Fan, L., Gao, T., & Cao, Y. (2013). Improving the embedding efficiency of weight matrix-based steganography for grayscale images. *Computers & Electrical Engineering*, Elsevier, 39(3), 873-881.
- [21] Fan, L., Gao, T., Yang, Q., & Cao, Y. (2011). An extended matrix encoding algorithm for steganography of high embedding efficiency. *Computers & Electrical Engineering*, 37(6), 973-981.
- [22] Fan, M., & Wang, H. (2018). An enhanced fragile watermarking scheme to digital image protection and self-recovery. *Signal Processing: Image Communication*, 66, 19-29.
- [23] Fatema, M., Maheshkar, V., Maheshkar, S., & Agarwal, G. (2018, August). Tamper Detection Using Fragile Image Watermarking Based on Chaotic System. In *International Conference on Wireless Intelligent and Distributed Environment for Communication* (pp. 1-11). Springer, Cham.
- [24] Fridrich, J. (1998, October). Image watermarking for tamper detection. In *Image Processing, 1998. ICIP 98. Proceedings. 1998 International Conference on* (Vol. 2, pp. 404-408). IEEE.
- [25] Fridrich, J., & Soukal, D. (2006). Matrix embedding for large payloads. *IEEE Transactions on Information Forensics and Security*, 1(3), 390-395.
- [26] Fridrich, J., Goljan, M., & Du, R. (2001). Detecting LSB steganography in color, and gray-scale images. *IEEE multimedia*, 8(4), 22-28.
- [27] Funt, B., Shi, L. HDR Dataset Computational Vision Lab Computing Science, Simon Fraser University, Burnaby, BC, Canada, [http://www.cs.sfu.ca/colour/data/funt\\_hdr/](http://www.cs.sfu.ca/colour/data/funt_hdr/) accessed May 02, 2017.
- [28] Golea, N. E. H., & Melkemi, K. E. (2019). ROI-based fragile watermarking for medical image tamper detection. *International Journal of High Performance Computing and Networking*, 13(2), 199-210.

- [29] Guo, Z., Zhang, L. & Zhang, D. (2010). A completed modeling of local binary pattern operator for texture classification, *IEEE Transactions on Image Processing (TIP)*, 19(6), 1657-1663.
- [30] Hamming, R. W. (1950). Error detecting and error correcting codes. *Bell System technical journal*, 29(2), 147-160.
- [31] Hsia, S. C., Jou, I. C., & Hwang, S. M. (2002). A gray level watermarking algorithm using double layer hidden approach. *IEICE TRANSACTIONS on Fundamentals of Electronics, Communications and Computer Sciences*, 85(2), 463-471.
- [32] Hu, J., & Li, T. (2015). Reversible steganography using extended image interpolation technique. *Computers & Electrical Engineering*, 46, 447-455.
- [33] Hu, M. C., Lou, D. C., & Chang, M. C. (2007). Dual-wrapped digital watermarking scheme for image copyright protection. *computers & security*, 26(4), 319-330.
- [34] Hu, Y., Lee, H. K., & Li, J. (2009). DE-based reversible data hiding with improved overflow location map. *IEEE Transactions on Circuits and Systems for Video Technology*, 19(2), 250-260.
- [35] Hwang, J., Kim, J., & Choi, J. (2006, November). A reversible watermarking based on histogram shifting. In *International Workshop on Digital Watermarking* (pp. 348-361). Springer, Berlin, Heidelberg.
- [36] Jafar, I. F., Darabkh, K. A., Al-Zubi, R. T., & Saifan, R. R. (2016). An efficient reversible data hiding algorithm using two steganographic images. *Signal Processing*, 128, 98-109.
- [37] Jana, B. (2016). High payload reversible data hiding scheme using weighted matrix. *Optik-International Journal for Light and Electron Optics*, 127(6), 3347-3358.
- [38] Jana, B., Giri, D., & Mondal, S. K. (2017). Partial reversible data hiding scheme using (7, 4) hamming code. *Multimedia Tools and Applications*, 76(20), 21691-21706.
- [39] Jana, B., Giri, D., & Mondal, S. K. (2018). Dual image based reversible data hiding scheme using (7, 4) hamming code. *Multimedia Tools and Applications*, 77(1), 763-785.

- [40] Jin, J. (2012). An image encryption based on elementary cellular automata. *Optics and Lasers in Engineering*, 50(12), 1836-1843.
- [41] Johnson, M., & Cherian, R. (2017). Survey on image tampering detection and recovery techniques. *International Journal of Computer Applications*, 161(4), 18-20.
- [42] Jung, K. H. (2018). A survey of interpolation-based reversible data hiding methods. *Multimedia Tools and Applications*, 77(7), 7795-7810.
- [43] Jung, K. H. (2018). Authenticable reversible data hiding scheme with less distortion in dual stego-images. *Multimedia Tools and Applications*, 77(5), 6225-6241.
- [44] Jung, K. H., & Yoo, K. Y. (2009). Data hiding method using image interpolation. *Computer Standards & Interfaces*, Elsevier, 31(2), 465-470.
- [45] Kim, C., Shin, D., & Shin, D. (2011, April). Data hiding in a halftone image using hamming code (15, 11). In *Asian Conference on Intelligent Information and Database Systems* (pp. 372-381). Springer, Berlin, Heidelberg.
- [46] Kulkarni, P. R., Mulani, A. O., & Mane, P. B. (2017). Robust Invisible Watermarking for Image Authentication. In *Emerging Trends in Electrical, Communications and Information Technologies* (pp. 193-200). Springer, Singapore.
- [47] Kuo, W. C., Kuo, S. H., Wang, C. C., & Wu, L. C. (2016). High capacity data hiding scheme based on multi-bit encoding function. *Optik-International Journal for Light and Electron Optics*, 127(4), 1762-1769.
- [48] Lee, C. F., & Huang, Y. L. (2012). An efficient image interpolation increasing payload in reversible data hiding. *Expert Systems with Applications*, 39(8), 6712-6719.
- [49] Lee, C. F., Wang, K. H., Chang, C. C., & Huang, Y. L. (2009, February). A reversible data hiding scheme based on dual steganographic images. In *Proceedings of the 3rd international conference on ubiquitous information management and communication* (pp. 228-237). ACM.
- [50] Lee, C. F., & Huang, Y. L. (2013). Reversible data hiding scheme based on dual stego-images using orientation combinations. *Telecommunication Systems*, 52(4), 2237-2247.

- [51] Lee, C. W., & Tsai, W. H. (2013). A data hiding method based on information sharing via PNG images for applications of color image authentication and metadata embedding. *Signal Processing*, 93(7), 2010-2025.
- [52] Lee, T. Y., & Lin, S. D. (2008). Dual watermark for image tamper detection and recovery. *Pattern recognition*, 41(11), 3497-3506.
- [53] Lien, B. K., Chen, S. K., Wang, W. S., & King, K. P. (2015). Dispersed data hiding using hamming code with recovery capability. In *Genetic and Evolutionary Computing* (pp. 179-187). Springer, Cham.
- [54] Lin, P. L., Huang, P. W., & Peng, A. W. (2004, December). A fragile watermarking scheme for image authentication with localization and recovery. In *Multimedia Software Engineering, 2004. Proceedings. IEEE Sixth International Symposium on* (pp. 146-153). IEEE.
- [55] Lin, P. Y., & Chan, C. S. (2010). Invertible secret image sharing with steganography. *Pattern Recognition Letters*, 31(13), 1887-1893.
- [56] Lo, C. C., Hu, Y. C., Chen, W. L., & Chang, I. C. (2014). Probability-based image authentication scheme for indexed color images. *Journal of Electronic Imaging*, 23(3), 033003.
- [57] Lou, D. C., Liu, J. L., & Chang, M. C. (2003, October). Digital watermarking using multiresolution wavelet transform. In *Security Technology, 2003. Proceedings. IEEE 37th Annual 2003 International Carnahan Conference on* (pp. 370-377). IEEE.
- [58] Lu, T. C., Tseng, C. Y., & Wu, J. H. (2015). Dual imaging-based reversible hiding technique using LSB matching. *Signal Processing*, 108, 77-89.
- [59] Lu, T. C., Wu, J. H., & Huang, C. C. (2015). Dual-image-based reversible data hiding method using center folding strategy. *Signal Processing*, 115, 195-213.
- [60] Luo, L., Chen, Z., Chen, M., Zeng, X., & Xiong, Z. (2010). Reversible image watermarking using interpolation technique. *IEEE Transactions on information forensics and security*, 5(1), 187-193.
- [61] Mukherjee, M., Ganguly, N., & Chaudhuri, P. P. (2002, October). Cellular automata based authentication (CAA). In *International Conference on Cellular Automata* (pp. 259-269). Springer, Berlin, Heidelberg.



- [62] Ni, Z., Shi, Y. Q., Ansari, N., & Su, W. (2006). Reversible data hiding. *Circuits and Systems for Video Technology*, 16(3), 354-362.
- [63] Nottingham Trent University, UK, "UCID Image Database", <http://jasoncantarella.com/downloads/ucid.v2.tar.gz>, accessed May 02, 2018.
- [64] Ojala, T., Pietikainen, M., & Maenpaa, T. (2002). Multiresolution gray-scale and rotation invariant texture classification with local binary patterns. *IEEE Transactions on pattern analysis and machine intelligence*, 24(7), 971-987.
- [65] Ojala, T., Pietikainen, M., & Harwood, D. (1994, October). Performance evaluation of texture measures with classification based on Kullback discrimination of distributions. In *Pattern Recognition, 1994. Vol. 1-Conference A: Computer Vision & Image Processing, Proceedings of the 12th IAPR International Conference on (Vol. 1, pp. 582-585)*. IEEE.
- [66] Panchal, U. H., & Srivastava, R. (2015, April). A comprehensive survey on digital image watermarking techniques. In *Communication Systems and Network Technologies (CSNT), 2015 Fifth International Conference on (pp. 591-595)*. IEEE.
- [67] Parah, S. A., Sheikh, J. A., Loan, N. A., & Bhat, G. M. (2017). A Robust and Computationally Efficient Digital Watermarking Technique Using Inter Block Pixel Differencing. In *Multimedia Forensics and Security (pp. 223-252)*. Springer, Cham.
- [68] Peng, Y., Lan, H., Yue, M., & Xue, Y. (2017). Multipurpose watermarking for vector map protection and authentication. *Multimedia Tools and Applications*, 1-21.
- [69] Peng, Y., Niu, X., Fu, L., & Yin, Z. (2018). Image authentication scheme based on reversible fragile watermarking with two images. *Journal of information security and applications*, 40, 236-246.
- [70] Pinjari, S. A., & Patil, N. N. (2016, December). A pixel based fragile watermarking technique using LBP (Local Binary Pattern). In *Global Trends in Signal Processing, Information Computing and Communication (ICGTSPICC), 2016 International Conference on (pp. 194-196)*. IEEE.

- [71] Potdar, V., Han, S., & Chang, E. (2005). A survey of digital image watermarking techniques. In 3rd IEEE International Conference on Industrial Informatics (INDIN 2005) (pp. 709-716). IEEE, Chicago.
- [72] Qin, C., Chang, C. C., & Chen, P. Y. (2012). Self-embedding fragile watermarking with restoration capability based on adaptive bit allocation mechanism. *Signal Processing*, 92(4), 1137-1150.
- [73] Qin, C., Chang, C. C., & Hsu, T. J. (2015). Reversible data hiding scheme based on exploiting modification direction with two steganographic images. *Multimedia Tools and Applications*, 74(15), 5861-5872.
- [74] Rey, C., & Dugelay, J. L. (2002). A survey of watermarking algorithms for image authentication. *EURASIP Journal on applied signal processing*, 2002(1), 613-621.
- [75] Roy, S. K., Chanda, B., Chaudhuri, B. B., Banerjee, S., Ghosh, D. K., & Dubey, S. R. (2018). Local directional ZigZag pattern: A rotation invariant descriptor for texture classification. *Pattern Recognition Letters*, 108, 23-30.
- [76] Shieh, J. M., Lou, D. C., & Chang, M. C. (2005, March). A robust image watermarking technique based on singular value decomposition. In *Proceedings of the first international conference on information management and business (IMB 2005)*, Taipei, Taiwan, ROC (pp. 346-55).
- [77] Shin, S. H., & Jung, K. H. (2016). Reversible secret image sharing scheme in encrypted images. *Multimedia Tools and Applications*, 75(21), 13931-13949.
- [78] Sinha, S., Singh, A., Gupta, R., & Singh, S. (2018). Authentication and Tamper Detection in Tele-medicine using Zero Watermarking. *Procedia Computer Science*, 132, 557-562.
- [79] Soleymani, S. H., & Taherinia, A. H. (2017). High capacity image steganography on sparse message of scanned document image (SMSDI). *Multimedia Tools and Applications*, 76(20), 20847-20867.
- [80] Su, Q., Niu, Y., Wang, Q., & Sheng, G. (2013). A blind color image watermarking based on DC component in the spatial domain. *Optik-International Journal for Light and Electron Optics*, 124(23), 6255-6260.

- [81] Su, Q., & Chen, B. (2018). Robust color image watermarking technique in the spatial domain. *Soft Computing*, 22(1), 91-106.
- [82] Tafti, A. P., Malakooti, M. V., Ashourian, M., & Janosepah, S. (2011, August). Digital image forgery detection through data embedding in spatial domain and cellular automata. In *Digital Content, Multimedia Technology and its Applications (IDCTA), 2011 7th International Conference on* (pp. 11-15). IEEE.
- [83] Tang, M., Hu, J., & Song, W. (2014). A high capacity image steganography using multi-layer embedding. *Optik-International Journal for Light and Electron Optics*, 125(15), 3972-3976.
- [84] Tiwari, A., & Sharma, M. (2012). Comparative evaluation of semi fragile watermarking algorithms for image authentication. *Journal of Information Security*, 3(03), 189.
- [85] Tralic, D., Grgic, S., Sun, X., & Rosin, P. L. (2016). Combining cellular automata and local binary patterns for copy-move forgery detection. *Multimedia tools and applications*, 75(24), 16881-16903.
- [86] Tralic, D., Grgic, S., Sun, X., & Rosin, P. L. (2016). Combining cellular automata and local binary patterns for copy-move forgery detection. *Multimedia tools and applications*, 75(24), 16881-16903.
- [87] Tralic, D., Rosin, P. L., Sun, X., & Grgic, S. (2014). Copy-move forgery detection using cellular automata. In *Cellular Automata in Image Processing and Geometry* (pp. 105-125). Springer, Cham.
- [88] Tsai, Y. Y., Huang, Y. H., Lin, R. J., and Chan, C. S. (2016). An Adjustable Interpolation-based Data Hiding Algorithm Based on LSB Substitution and Histogram Shifting. *International Journal of Digital Crime and Forensics (IJDCF)*, 8(2), 48-61.
- [89] Tseng, Y. C., Chen, Y. Y. and Pan, H. K. (2002). A secure data hiding scheme for binary images. *IEEE Transactions on Communications*, IEEE, 50(8), 1227-1231.
- [90] Ulam, S. M. (1991). *Adventures of a Mathematician*. Univ of California Press.
- [91] University of California, San Diego, "STARE Image Database", <https://cecas.clemson.edu/~ahoover/stare/>, accessed May 02, 2018.

- [92] University of Southern California, "The USC-SIPI Image Database", <http://sipi.usc.edu/database/database.php>, accessed May 02, 2018.
- [93] Verma, V. S., Jha, R. K., & Ojha, A. (2015). Significant region based robust watermarking scheme in lifting wavelet transform domain. *Expert Systems with Applications*, 42(21), 8184-8197.
- [94] Wang, S. S., & Tsai, S. L. (2008). Automatic image authentication and recovery using fractal code embedding and image inpainting. *Pattern Recognition*, 41(2), 701-712.
- [95] Wei, X., Wang, H., Guo, G., & Wan, H. (2018). Multiplex image representation for enhanced recognition. *International Journal of Machine Learning and Cybernetics*, 9(3), 383-392.
- [96] Wenyin, Z., & Shih, F. Y. (2011). Semi-fragile spatial watermarking based on local binary pattern operators. *Optics Communications*, 284(16-17), 3904-3912.
- [97] Westfeld, A. (2001). F5: a steganographic algorithm. *Information hiding*, Springer Berlin Heidelberg, 289-302.
- [98] Willems, F. M. and Van Dijk, M. (2005). Capacity and codes for embedding information in gray-scale signals. *IEEE Transactions on Information Theory*, 51(3), 1209-1214.
- [99] Wong, P. W., & Memon, N. (2001). Secret and public key image watermarking schemes for image authentication and ownership verification. *IEEE transactions on image processing*, 10(10), 1593-1601.
- [100] Wong, P. W., & Memon, N. D. (2000, May). Secret and public key authentication watermarking schemes that resist vector quantization attack. In *Security and Watermarking of Multimedia Contents II* (Vol. 3971, pp. 417-428). International Society for Optics and Photonics.
- [101] Xiaoyang, Y., Yang, S., Yang, Y., Shuchun, Y., Hao, C., & Yanxia, G. (2013). An encryption method for QR code image based on ECA. *International Journal of Security and Its Applications*, 7(5), 397-406.
- [102] Yang, C. N., Hsu, S. C., & Kim, C. (2017). Improving stego image quality in image interpolation based data hiding. *Computer Standards & Interfaces*, 50, 209-215.

- [103] Yang, Q., Peng, F., Li, J. T., & Long, M. (2016). Image tamper detection based on noise estimation and lacunarity texture. *Multimedia Tools and Applications*, 75(17), 10201-10211.
- [104] Yao, H., Qin, C., Tang, Z., & Tian, Y. (2017). Improved dual-image reversible data hiding method using the selection strategy of shiftable pixels' coordinates with minimum distortion. *Signal Processing*, 135, 26-35.
- [105] Yao, H., Qin, C., Tang, Z., & Zhang, X. (2018). A general framework for shiftable position-based dual-image reversible data hiding. *EURASIP Journal on Image and Video Processing*, 2018(1), 41.
- [106] Ye, R., & Li, H. (2008, August). A novel image scrambling and watermarking scheme based on cellular automata. In *Electronic Commerce and Security, 2008 International Symposium on* (pp. 938-941). IEEE.
- [107] Yin, M. (2017, June). Multimedia authentication for copyright protection. In *IOP Conference Series: Earth and Environmental Science* (Vol. 69, No. 1, p. 012160). IOP Publishing.
- [108] Yoo, H., Lee, K., Lee, S., & Lim, J. (2001, December). Off-line authentication using watermarks. In *International Conference on Information Security and Cryptology* (pp. 200-213). Springer, Berlin, Heidelberg.
- [109] Zhang, H., Wang, C., & Zhou, X. (2017). An Improved Secure Semi-fragile Watermarking Based on LBP and Arnold Transform. *Journal of Information Processing Systems*, 13(5).
- [110] Zhang, W., Wang, S., & Zhang, X. (2007). Improving embedding efficiency of covering codes for applications in steganography. *IEEE Communications Letters*, 11(8), 680-682.