

# List of Figures

1.1	Standard color images ( $512 \times 512$ ) used in the thesis . . . . .	28
3.1	Schematic diagram of data embedding procedure in SSGN . . . . .	50
3.2	Illustration of hidden data retrieval and cover image recovery in SSGN . . . . .	52
3.3	Comparison graph of SSGN with existing schemes in terms of PSNR (dB) . . . . .	55
3.4	Comparison graph of SSGN with varying data embedding capacity . . . . .	56
3.5	Results of brute force attacks with unknown weighted matrix, threshold value and reference table in SSGN . . . . .	58
3.6	Numerical illustration of embedding process in SSPVD . . . . .	60
3.7	Numerical illustration of extraction process in SSPVD . . . . .	63
3.8	Comparison graph with other existing schemes in terms of PSNR (dB) and embedding capacity . . . . .	65
3.9	Histogram difference of cover and stego image in SSPVD . . . . .	67
4.1	Schematic diagram of data embedding process in DSGN . . . . .	77
4.2	Illustration of hidden data retrieval and cover image recovery in DSGN . . . . .	79
4.3	Experimental results of brute force attack with unknown weighted matrix and shared secret key in DSGN . . . . .	83
4.4	Schematic diagram of data embedding process in DSWM . . . . .	88
4.5	Schematic diagram of data extraction process in DSWM . . . . .	92
4.6	Comparison graph with existing schemes in terms of PSNR (dB) . . . . .	99
4.7	Comparison graph with existing schemes in terms of payload (bits) . . . . .	100
4.8	Secret information extraction from stego image when tampered by blurring, brightening and contrast stretching in DSWM . . . . .	101

4.9	Secret information extraction from stego image when tampered by cropping, median filtering and opaque in DSWM . . . . .	102
4.10	Secret information extraction from stego image when tampered by noise, rotation and jpeg compression in DSWM . . . . .	103
4.11	Experimental results of brute force attack with wrong weighted matrix and secret key in DSWM . . . . .	105
5.1	Schematic diagram of data embedding process in SSDCT . . . . .	116
5.2	Schematic diagram of data extraction process in SSDCT . . . . .	119
5.3	Comparison graph with existing DCT based schemes in terms of average PSNR (dB) in SSDCT . . . . .	122
5.4	Comparison of PSNR (dB) with respect to capacity and different quality factor in SSDCT . . . . .	123
5.5	Results of brute force attacks with unknown weighted matrix and secret key in SSDCT . . . . .	124
5.6	Schematic diagram of data embedding process in SSDWT . . . . .	128
5.7	Schematic diagram of data extraction process in SSDWT . . . . .	131
5.8	Comparison graph of SSDWTwith existing DWT based schemes in terms of average PSNR (dB) . . . . .	133
5.9	Comparison graph of SSDWTwith existing DWT based schemes in terms of average SSIM . . . . .	134
6.1	Comparison of the SSGN and SSPVD schemes in terms of PSNR (dB) and payload (bpp) . . . . .	141
6.2	Comparison of the DSGN and DSWM schemes in terms of PSNR (dB) and payload (bpp) . . . . .	142
6.3	Comparison of the SSDCT and SSDWT schemes in terms of PSNR (dB) and payload (bpp) . . . . .	143
6.4	Graphical representation of proposed schemes with respect to PSNR (dB) . . . . .	144
6.5	Graphical representation of proposed schemes with respect to payload (bpp) . . . . .	144
6.6	Graphical representation of proposed schemes with respect to SSIM . . . . .	145
6.7	Graphical representation of proposed schemes with respect to NCC . . . . .	145

6.8	Graphical representation of proposed schemes with respect to BER . . . . .	145
6.9	Graphical representation of proposed schemes with respect to Q-Index . . . . .	146