

**List of Tables**

<b>TABLE NO.</b>	<b>NAME OF TABLES</b>	<b>PAGE NO.</b>
<b>1.1</b>	Relation of altitude with barometric pressure, ambient PO <sub>2</sub> and PIO <sub>2</sub>	3
<b>1.2</b>	Categories of high altitude and their physiologic effects	5
<b>1.3</b>	List of selected commercial probiotics & its specification	22-23
<b>1.4</b>	Exposure to different barometric pressure	26
<b>1.5</b>	Different experimental parameters adopted in the present study	27-28
<b>2.1</b>	Different groups and their weirdness	30
<b>2.2</b>	List of selected probiotics & its specification	31
<b>2.3</b>	Preparation of different types of sample for different experiments	33-34
<b>3.1.1</b>	Changes in body weight of C (14.7 psia) and HA (11.8 psia; 9.3 psia; 7.3 psia) group on 7, 14, 21, 28th day	56
<b>3.1.2</b>	Kidney and liver somatic index of C (14.7 psia) and different HA (11.8 psia; 9.3 psia; 7.3 psia) exposure group on 7, 14, 21, 28th day.	57
<b>3.1.3</b>	Effect of different atmospheric pressure on hematological parameters (RBC, WBC & hemoglobin) of Control (C; 14.7 psia) and HA (11.8 psia; 9.3 psia; 7.3 psia) group on 1, 7, 14, 21, 28th day	58

<b>3.1.4</b>	Changes of blood electrolytes and uremia profile of rats at different altitude.	59
<b>3.1.5</b>	Changes of uremia profile and oxidative stress markers of rats at different altitude.	60
<b>3.1.6</b>	Changes in the enzyme profiles (luminal enzymes activities) on different days of acclimatization	64
<b>3.2.1</b>	Alteration of microbial population in human feces (Army Personnel - AP) on different days during acclimatization at high altitude (3500m).	70
<b>3.2.2:</b>	Changes physiological parameter on different days of acclimatization to 3500m.	71
<b>3.2.3</b>	Changes of blood parameter of Army Personnel (AP) on different days of acclimatization and its alteration after 7th days at 3500m.	71
<b>3.2.4</b>	Changes in the enzyme profiles on different days of acclimatization	72
<b>3.3.1</b>	Changes in body weight, kidney and liver somatic index of NC (14.7 psia), HA (11.8 psia; 9.3 psia; 7.3 psia) and probiotic treated group on 7th days of experiments.	77
<b>3.3.2</b>	Effect of different atmospheric pressure and probiotics supplementation on haematological parameters (RBC, WBC and haemoglobin) of male rats.	80
<b>3.3.3</b>	The activity of catalase and SOD level of the plasma, kidney, liver, large intestine and small intestine epithelia of the Control	83

	(C; 14.7 psia) HA (9.3 psia; 7.3 psia) and probiotic treated groups at the 7th days of hypobaric hypoxic stress	
<b>3.3.4</b>	Blood Cholesterol level, Total triglyceride level, Total VLDL level, Total HDL Level of different hypobaric exposure animals	87
<b>3.4.1</b>	Changes of uremic profile of rats at different altitude after supplementation of probiotic.	90
<b>3.6.1</b>	Alteration of Total aerobic bacterial populations of intestine luminal content and its changes with GDI after 7 days of hypobaric hypoxia at different altitude	101
<b>3.6.2</b>	Alteration of Total anaerobes populations of intestine luminal content and its changes with GDI after 7 days of hypobaric hypoxia at different altitude	102
<b>3.6.3</b>	Alteration of Escherichia coli populations of intestine luminal content and its changes with GDI after 7 days of hypobaric hypoxia at different altitude	103
<b>3.6.4</b>	Alteration of Bacteroidetes sp. populations of intestine luminal content and its changes with GDI after 7 days of hypobaric hypoxia at different altitude	104
<b>3.6.5</b>	Alteration of Total Lactic Acid Bacteria populations of intestine luminal content and its changes with GDI after 7 days of hypobaric hypoxia at different altitude	104
<b>3.6.6</b>	Alteration of Bifidobacteriumsp. populations of intestine luminal content and its changes with GDI after 7 days of hypobaric hypoxia at different altitude	105