

List of Figures

| | |
|--|----|
| Fig. 1.1. Powder XRD pattern of SnS nanosheets [57]..... | 10 |
| Fig. 1.2. Room temperature photoluminescence spectrum of SnS nanosheets [57]..... | 10 |
| Fig. 1.3. Raman spectrum of the as-prepared SnS nanoparticles at room temperature [58]..... | 11 |
| Fig. 1.4. SEM micrograph of the as-synthesized SnS nanoparticles. The inset is the SEM image detailing a region of the nanoparticles [58]..... | 11 |
| Fig. 1.5. X ray diffraction patterns of SnS nanoparticles synthesized with: (a) 0 ml,(b) 2 ml and (c) 4 ml of TEA..... | 12 |
| Fig. 1.6. TEM (a) and HRTEM (b) images of SnS nanocrystals grown in absence of TEA. FFT patterns of the area enclosed in the circular frames of the same HRTEM image are shown in figures (c) and (d) [99]..... | 12 |
| Fig. 1.7. Plots of (a) electrical resistivity versus temperature and (b) $\ln(\sigma)$ versus $1000 T^{-1}$ [100]..... | 13 |
| Fig. 1.8. PL spectra of undoped SnS and Al-doped SnS films with different Al-doping concentration [102]..... | 14 |
| Fig. 1.9. Variation of $(\alpha h\nu)^2$ with for undoped SnS and Al-doped SnS at different Al-doping concentrations [102]..... | 14 |
| Fig. 1.10. TEM image of undoped SnS [103]..... | 15 |
| Fig. 1.11. UV-Vis absorption spectra of OASnS with its Tauc plot (a) and ODASnS with its Tauc plot (b) [113]..... | 21 |

| | |
|---|----|
| Fig. 1.12. (a) TEM image (b) HRTEM and (c) SEAD images of as-synthesized hydrothermal SnS nanoparticles at reaction temperature 160 °C [120]..... | 25 |
| Fig. 1.13. XRD patterns of the SnS NCs synthesized at reaction temperatures of (a) 120 °C, (b) 140 °C and (c) 180 °C [129]..... | 30 |
| Fig. 1.14. TEM and HRTEM images of SnS NPs prepared at 120 °C (a, d), 140 °C (b, e), 180 °C (c, f) [129]..... | 31 |
| Fig. 1.15. TEM image of the as-prepared SnS NCs [130]..... | 31 |
| Fig. 1.16. SEM image of the as-prepared SnS NCs [130]..... | 31 |
| Fig. 1.17. Plot of $(\alpha h\nu)^2$ vs. $h\nu$ and UV-vis absorption curve of the as-prepared SnS NCs.[130]..... | 32 |
| Fig. 1.18. (a) Schematic diagram of SnS gas sensor device. Optical image of device (inset). (b) Real-time voltage relationship under exposure of NO ₂ gas with increased concentration. The electron transfer mechanism (inset) from SnS to NO ₂ . (c) Plot of response curve as a function of gas concentration. (d) Selectivity of the sensor of the test gases (1 ppm). The Q values of the test gases [140]..... | 36 |
| Fig. 1.19. (a) Dynamic gas sensing performance of SnS nanosheets under ethanol in different concentrations (1 ppm to 100 ppm) at 160 °C (b) Five reversible cycles of SnS nanosheets under 100 ppm ethanol at 160 °C. [146]..... | 39 |
| Fig. 1.20. Best response curve of SnS in acetone [148]..... | 41 |
| Fig. 1.21. Best response curve of SnS in methanol [148]..... | 41 |
| Fig. 1.22. Best response curve of SnS in ethanol [148]..... | 41 |
| Fig. 1.23. Best response curve of SnS in 1-butanol [148]..... | 41 |
| Fig. 1.24. I-V study of SnS/CdS heterojunction solar cell under illumination [149]..... | 42 |
| Fig. 1.25. I-V characteristics of SnS/CdS heterojunction under AM 1.5. [150]..... | 43 |

| | |
|---|----|
| Fig. 1.26. J-V curve of the heterojunction in different ratios of thiourea /SnCl ₂ (1:0.5, 1:0.7, 1:0.9, and 1:1.1) [152]. | 45 |
| Fig. 1.27. I-V study of the SnS/Si heterojunction solar cell under illumination [155]. | 46 |
| Fig. 1.28. Architecture of the fabricated device [159]. | 48 |
| Fig. 1.29. Current vs. voltage characterized of the Fabricated DSSCs under illumination [161]. | 50 |
| Fig. 1.30. J-V curve of the fabricated dye sensitized solar cells [162]. | 50 |
| Fig. 1.31. I-V graph of the fabricated DSSCs. [167]. | 53 |
| Fig. 1.32. (a) Quenching of BSA fluorescence with the variation of the amount of ZnO-PEI. (b) Stern-Volmer plot of the BSA –NP complex. [172]. | 55 |
| Fig. 2.1. X-ray diffraction measurement setup. | 62 |
| Fig. 2.2. Block diagram of Transmission Electron Microscope. | 63 |
| Fig. 2.3. Image of Transmission Electron Microscope. | 63 |
| Fig. 2.4. Schematic diagram of Atomic Force Microscopy (AFM). | 64 |
| Fig. 2.5. Block diagram of Raman Spectroscopy | 65 |
| Fig. 2.6. Image of Raman spectrophotometer instrument. | 66 |
| Fig. 2.7. Schematic diagram of optical absorption spectrophotometer. | 67 |
| Fig. 2.8. Image of absorption spectrophotometer instrument. | 68 |
| Fig. 2.9. Jablonski diagram. | 69 |
| Fig. 2.10. Schematic diagram of Photoluminescence spectrophotometer. | 70 |
| Fig. 2.11. Image of Photoluminescence spectrophotometer instrument. | 71 |
| Fig. 2.12. Block diagram of TCSPC. | 72 |
| Fig. 3.1. XRD pattern of as prepared SnS NPs. | 75 |
| Fig. 3.2. TEM image and SAED (inset) pattern of (a) 3 h sample, (b) 7 h sample, (c) 14 h sample | 76 |

| | |
|--|----|
| Fig. 3.3. FESEM of (a) 3 h SnS, (b) 7 h SnS, (c) 14 h SnS | 76 |
| Fig. 3.4. (a) EDAX pattern of 3 h SnS, (b) atomic ratio of Sn and S of 3 h SnS, (c) EDAX pattern of 7 h SnS, (d) atomic ratio of Sn and S of 7 h SnS, (e) EDAX pattern of 14 h SnS, (f) atomic ratio of Sn and S of 14 h SnS..... | 77 |
| Fig.3.5. Optical absorbance spectra of SnS nanoparticles grown at different time..... | 78 |
| Fig. 3.6. Graph for band gap determination of SnS nanoparticles..... | 78 |
| Fig. 3.7. PL spectra of SnS NPs..... | 79 |
| Fig. 3.8. 3-D AFM image of (a) 3 h SnS, (b) 7 h SnS, (c) 14 h SnS | 79 |
| Fig. 3.9. XRD pattern of SnS nanoparticles grown at room temperature..... | 82 |
| Fig. 3.10. (a) The TEM image of SnS nanoparticles ; (b) SAED pattern of SnS nanoparticles at R.T..... | 83 |
| Fig. 3.11. FESEM image of SnS nanoparticles at R.T..... | 84 |
| Fig. 3.12. AFM image of as prepared SnS at R.T..... | 84 |
| Fig. 3.13. UV–Vis spectra of SnS at R.T..... | 85 |
| Fig. 3.14. Band gap determination graph..... | 85 |
| Fig. 3.15. PL spectra of prepared SnS grown at room temperature..... | 86 |
| Fig. 3.16. (a) XRD pattern, (b) Raman spectra of as-prepared SnS growth in different temperatures..... | 90 |
| Fig. 3.17. TEM image and SAED (inset) pattern of (a)14 °C SnS (b) 30 °C SnS (c) 70 °C SnS, HRTEM image of (d) 14 °C SnS (e) 30 °C SnS (f) 70 °C SnS, FESEM image of (g) 14 °C SnS (h) 30 °C SnS (i) 70 °C SnS..... | 92 |
| Fig. 3.18. 3-D AFM image of (a)14 °C SnS (b) 30 °C SnS (c) 70 °C SnS..... | 92 |

| | |
|--|-----|
| Fig. 3.19. EDAX pattern of (a) 14 °C SnS, (b) atomic ratio of Sn and S of 14 °C SnS; EDAX pattern of (c) 30 °C SnS, (d) atomic ratio of Sn and S of 30 °C SnS ; EDAX pattern of (e) 70 °C SnS, (f) atomic ratio of Sn and S of 70 °C SnS..... | 93 |
| Fig.3.20. (a) UV–Vis spectra of SnS in different growth temperatures. Band gap determination graphs of (b) 14 °C SnS (c) 30 °C SnS (d) 70 °C SnS..... | 94 |
| Fig.3.21. Photoluminescence spectra of as-prepared SnS growth in different temperatures..... | 95 |
| Fig. 3.22. TCSPC spectra of as-prepared SnS growth in different temperatures..... | 96 |
| Fig. 3.23. Schematic diagram of hall measurement of SnS..... | 98 |
| Fig. 3.24. (a) Electrical conductivity (σ) as a function of substrate temperature of SnS (b) Plot of $\ln\sigma$ with $1/T$ of SnS (c) Variation carrier concentration with substrate temperature of SnS (d) Variation carrier drift mobility with substrate temperature of SnS..... | 100 |
| Fig. 3.25. Block diagram for sample preparation..... | 104 |
| Fig. 3.26. XRD image of SnS nanoparticles under different reagent ratio..... | 104 |
| Fig. 3.27. TEM image and SAED (inset) pattern of (a) 1:1 SnS (b) 1:3 SnS (c) 1:5 SnS, FESEM image of (d) 1:1 SnS (e) 1:3 SnS (f) 1:5 SnS..... | 105 |
| Fig. 3.28. (a) EDAX spectrum of SnS nanoparticles grown under the reagent ratio of 1:1; (b) EDAX spectrum of SnS nanoparticles grown under the reagent ratio of 1:3; (c) EDAX spectrum of SnS nanoparticles grown under the reagent ratio of 1:5..... | 106 |
| Fig. 3.29. (a) UV–Vis spectra of SnS nanoparticles under different reagent ratio; (b) Band gap determination graphs of (b) 1:1 SnS (c) 1:3 SnS (d) 1:5 SnS..... | 108 |
| Fig. 3.30. PL spectra of as synthesized SnS nanoparticles grown at different reagent ratio..... | 109 |

| | |
|--|-----|
| Fig. 3.31. Block diagram for synthesis process..... | 112 |
| Fig. 3.32. XRD pattern of pure SnS, Fe doped-SnS and Mn-doped SnS..... | 113 |
| Fig. 3.33. TEM image and SAED (inset) pattern of (a) pure SnS (b) Fe doped SnS (c) Mn doped SnS; FESEM image of (d) pure SnS (e) Fe doped SnS (f) Mn doped SnS..... | 114 |
| Fig. 3.34. EDAX spectrum of (a) pure SnS (b) Fe doped SnS (c) Mn doped SnS; Elemental percentages of (d) pure SnS (e) Fe doped SnS (f) Mn doped SnS..... | 115 |
| Fig. 3.35. (a) UV-VIS absorption spectra of as prepared samples; Plot of $(\alpha h\nu)^2$ vs. $h\nu$ of (b) pure SnS (c) Fe doped SnS (d) Mn doped SnS..... | 116 |
| Fig. 3.36. Photoluminescence spectra of the samples..... | 117 |
| Fig. 3.37. TCSPC spectra of the as prepared samples..... | 118 |
| Fig. 3.38. XRD pattern of SnS and SnS-Ag nanocomposite..... | 122 |
| Fig. 3.39. TEM image and SAED (inset) pattern of (a) SnS (b) SnS-Ag; FESEM image of (c) SnS (d) SnS-Ag..... | 123 |
| Fig. 3.40. EDAX spectrum of (a) SnS (b) SnS-Ag nanocomposite; Atomic weight percentage of (c) SnS (d) SnS-Ag nanocomposite..... | 124 |
| Fig. 3.41. (a) UV-VIS absorption spectra of as prepared SnS and SnS-Ag; (b) Band gap determination curve of SnS and SnS-Ag; (c) PL spectra of as synthesized samples; (d) TCSPC spectra of the samples..... | 126 |
| Fig.3.42. XRD image of chemically grown SnS and green synthesized SnS NPs..... | 130 |
| Fig. 3.43. TEM image and SAED (inset) pattern of (a) chemically grown SnS (b) green synthesized SnS; FESEM image of (c) chemically grown SnS (d) green synthesized SnS..... | 131 |

| | |
|---|-----|
| Fig. 3.44. EDAX spectrum and atomic percentage of (a,b) chemically grown SnS (c,d) green synthesized SnS..... | 132 |
| Fig. 3.45. (a) Optical absorption spectra of the samples; Plot of $(\alpha hv)^2$ vs. hv of (b) chemically grown SnS (c) green synthesized SnS; (d) Photoluminescence spectra of chemically grown SnS and green synthesized SnS..... | 134 |
| Fig. 4.1. Schematic diagram of gas sensor measurement of SnS nanoparticles..... | 140 |
| Fig. 4.2. Selectivity of (a) 3 h SnS, (b) 7 h SnS, (c) 14 h SnS..... | 141 |
| Fig. 4.3. Variation of resistance with time in dry air condition for 3 h SnS..... | 142 |
| Fig. 4.4. Variation of resistance with time in dry air condition for 7 h SnS..... | 142 |
| Fig. 4.5. Variation of resistance with time in dry air condition for 14 h SnS..... | 143 |
| Fig. 4.6. Sensitivity curve in humid condition of (a) 3 h SnS (b) 7 h SnS (c) 14 h SnS..... | 143 |
| Fig. 4.7. (a) Sensitivity as a function of crystal size of SnS NPs (b) relationship between sensitivity and operating temperature of SnS NPs..... | 144 |
| Fig. 4.8. Stability over 4 weeks of (a) 3 h SnS (b) 7 h SnS (c) 14 h SnS..... | 145 |
| Fig. 5.1. Illustration of the NP surface Plasmon mechanism..... | 154 |
| Fig. 5.2. Energy band diagram of the fabricated heterojunction..... | 154 |
| Fig. 5.3. Schematic diagram of (a) SnS (b) SnS-Ag based solar cell..... | 155 |
| Fig. 5.4. (a) J-V characteristics of SnS/Si and SnS:Ag/Si heterojunction; (b) Variation of power density with applied voltage of SnS/Si and SnS:Ag/Si heterojunction..... | 156 |
| Fig. 5.5. (a) Plot of $\ln(I)$ vs V graph to determine reverse saturation current of the fabricated heterojunction; (b) Plot of $dV/d(\ln I)$ vs. I to estimate series resistance and diode ideality factor of the heterojunction..... | 158 |

| | |
|---|-----|
| Fig. 6.1.1. Structure of the fabricated solar cell (left) and charge transfer mechanism (right) of fabricated dye sensitized solar cell..... | 163 |
| Fig. 6.1.2. (a) J-V study of pure SnS and doped SnS based DSSCs (b) Variation of power density with applied voltage of pure SnS and doped SnS based DSSCs..... | 166 |
| Fig. 6.2.1. (a) Current density (J) vs applied voltage (V) characteristics of chemically grown SnS and green synthesized SnS based DSSC; (b) Variation of power density (P) with applied voltage (V) of chemically grown SnS and green synthesized based SnS DSSC..... | 172 |
| Fig. 7.1. The XRD pattern of pure SnS NPs | 178 |
| Fig 7.2. (a) HRTEM of pure SnS NPs; (b) SAED pattern of pure SnS NPs; (c) HRTEM of SnS-BSA conjugate; (d) SAED of SnS-BSA conjugate (e) HRTEM of SnS-BSA conjugate with higher resolution..... | 179 |
| Fig. 7.3. PL decay life time of the pure SnS and BSA-SnS complex..... | 181 |
| Fig. 7.4. Absorption spectra of (a) pure BSA with 0.1mg/ml , and BSA – SnS NPs complex with 0.1mg/ml of BSA and 0.001, 0.003, 0.01 0.03, 0.05 mg/ml of SnS NPs, (b) Pure SnS NPs..... | 182 |
| Fig. 7.5. Emission spectra of (a) pure SnS NPs ; (b) pure BSA with 0.1mg/ml , and BSA – SnS NPs complex with 0.1mg/ml of BSA and 0.001, 0.003, 0.01 0.03, 0.05 mg/ml of SnS NPs ; (c) F_0/F vs $C(\text{mg/ml})$; (d) $\ln [(F_0-F)/F]$ vs $\ln[C]$ | 183 |