

List of Tables

1.1	SS (f, E) based on Example 1.1	9
1.2	FSS (\tilde{f}, E) based on Example 1.2	9
1.3	IFSS $(\tilde{\tilde{f}}, E)$ based on Example 1.3	10
1.4	CFSS $(\tilde{\tilde{F}}, E)$ based on Example 1.4	11
1.5	CNSS $(f_{\tilde{C}_N}, E)$ based on Example 1.5	12
1.6	LVSS (F^L, E) based on Example 1.6	12
2.1	Tabular form of a FSS (\tilde{f}, E) (in general case)	26
2.2	Tabular form of k fuzzy soft sets	28
2.3	Tabular form of k fuzzy soft sets at final decision round \mathfrak{F}	33
2.4	Resultant fuzzy soft set $(\tilde{f}_{\mathfrak{F}}, E)$ at final decision round \mathfrak{F}	35
2.5	Positive distances of the alternatives	37
2.6	Negative distances of the alternatives	37
2.7	Confidence grades of the alternatives	37
2.8	FSS (\tilde{f}_1^1, E) (Example 2.1)	38
2.9	FSS (\tilde{f}_1^2, E) (Example 2.1)	38
2.10	FSS (\tilde{f}_1^3, E) (Example 2.1)	38
2.11	FSS (\tilde{f}_1^1, E) (Example 2.1) (at $T=1$)	40
2.12	FSS (\tilde{f}_1^2, E) (Example 2.1) (at $T=1$)	40
2.13	FSS (\tilde{f}_1^3, E) (Example 2.1) (at $T=1$)	40
2.14	Ideal fuzzy soft set (\tilde{f}^I, E) (Example 2.1)	41
2.15	Weighted FSS $(\tilde{f}_{1\rho}^1, E)$ (Example 2.1)	41
2.16	Weighted FSS $(\tilde{f}_{1\rho}^2, E)$ (Example 2.1)	41
2.17	Weighted FSS $(\tilde{f}_{1\rho}^3, E)$ (Example 2.1)	41
2.18	Resultant fuzzy soft set (\tilde{f}_1, E) (at $T = 1$)	41
2.19	FSS (\tilde{f}_1^1, E) (Example 2.2)	43
2.20	FSS (\tilde{f}_1^2, E) (Example 2.2)	43
2.21	FSS (\tilde{f}_1^3, E) (Example 2.2)	43
2.22	FSS (\tilde{f}_1^1, E) after equalization (Example 2.2)	43
2.23	FSS (\tilde{f}_1^2, E) after equalization (Example 2.2)	43

2.24	FSS (\tilde{f}^3, E) after equalization (Example 2.2)	43
2.25	FSS (\tilde{f}^1, E) provided by d_1 (Example 2.3)	46
2.26	FSS (\tilde{f}^2, E) provided by d_2 (Example 2.3)	46
2.27	FSS (\tilde{f}^3, E) provided by d_3 (Example 2.3)	46
2.28	FSS (\tilde{f}^1, E) after equalization (Example 2.3)	47
2.29	FSS (\tilde{f}^2, E) after equalization (Example 2.3)	47
2.30	FSS (\tilde{f}^3, E) after equalization (Example 2.3)	47
2.31	Ideal fuzzy soft set (\tilde{f}^I, E) (Example 2.3)	48
2.32	Weighted FSS (\tilde{f}_ρ^1, E) (Example 2.3)	48
2.33	Weighted FSS (\tilde{f}_ρ^2, E) (Example 2.3)	48
2.34	Weighted FSS (\tilde{f}_ρ^3, E) (Example 2.3)	49
2.35	Resultant fuzzy soft set (\tilde{f}, E) (Example 2.3)	49
2.36	Final ranking order of the alternatives based on Example 2.1	51
2.37	Final ranking order of the alternatives based on Example 2.2	51
2.38	Final ranking order of the alternatives based on Example 2.3	51
4.1	Tabular form of a LVSS (F^L, E) (in general case)	71
4.2	LVSS (F_1^L, d_1^E) (Example 4.3)	76
4.3	LVSS (F_2^L, d_2^E) (Example 4.3)	76
4.4	LVSS (F_3^L, d_3^E) (Example 4.3)	76
4.5	LVSS (F_4^L, d_4^E) (Example 4.3)	76
4.6	Table of $C(d_1^E, \cap_{l'=2,3,4} d_{l'}^E)$	76
4.7	Table of $C(d_2^E, \cap_{l'=1,3,4} d_{l'}^E)$	76
4.8	Table of $C(d_3^E, \cap_{l'=1,2,4} d_{l'}^E)$	76
4.9	Table of $C(d_4^E, \cap_{l'=1,2,3} d_{l'}^E)$	76
4.10	LVSS (F_1^L, E) (Example 4.4)	77
4.11	LVSS (F_2^L, E) (Example 4.4)	77
4.12	Resultant linguistic valued soft set (P^L, E) (Example 4.4)	77
4.13	LVSS $(F_l^L, d_l^E); l = 1, 2, \dots, k$	78
4.14	Tabular form of the linguistic soft reference decision set (F_*^L, E)	80
4.15	Tabular form of linguistic valued soft set (F^L, E)	82
4.16	LVSS (F_1^L, d_1^E) (Example 4.6)	86
4.17	LVSS (F_2^L, d_2^E) (Example 4.6)	86
4.18	LVSS (F_3^L, d_3^E) (Example 4.6)	88
4.19	LVSS (F_4^L, d_4^E) (Example 4.6)	88
4.20	Tabular form of (F_*^L, E) (Example 4.6)	88
4.21	Tabular form of (\tilde{F}^L, E) (Example 4.6)	89
4.22	Tabular form of (F_*^L, E) (Example 4.7)	90
4.23	Tabular form of (\tilde{F}^L, E) (Example 4.7)	90
4.24	Performance analysis of two methods based on Example 4.3	92

4.25 Performance analysis of two methods based on Example 4.6	92
4.26 Performance analysis of two methods based on Example 4.4 (Example 4.7)	93
4.27 LVSS (F_1^L, E) (Example 4.8)	96
4.28 LVSS (F_2^L, E) (Example 4.8)	96
4.29 LVSS (F_3^L, E) (Example 4.8)	96
4.30 LVSS (F_1^L, E) after equalization	96
4.31 LVSS (F_2^L, E) after equalization	96
4.32 LVSS (F_3^L, E) after equalization	96
4.33 Tabular form of (F_*^L, E) (Example 4.8)	96
5.1 Six linguistic terms and their corresponding GTrFNs	104
5.2 Six linguistic terms and their corresponding GTrIFNs	104
5.3 Linguistic valued soft set (Example 5.2)	105
5.4 Trapezoidal fuzzy soft set (f_{Tr}, E) (Example 5.2)	105
5.5 Linguistic valued soft set (Example 5.3)	106
5.6 Generalized trapezoidal intuitionistic fuzzy soft set (\tilde{f}_{Tr}, E) (Example 5.3)	106
5.7 Complement of the GTrIFSS (\tilde{f}_{Tr}, E) (Example 5.3)	107
5.8 GTrIFSS (\tilde{f}_{Tr}, E) (Example 5.5)	107
5.9 GTrIFSS (\tilde{g}_{Tr}, E) (Example 5.5)	107
5.10 Tabular form of $(\tilde{f}_{Tr}, E) \cup (\tilde{g}_{Tr}, E)$ (Example 5.5)	108
5.11 Tabular form of $(\tilde{f}_{Tr}, E) \cap (\tilde{g}_{Tr}, E)$ (Example 5.5)	108
5.12 Tabular form of a GTrIFSS (\tilde{f}_{Tr}, E) (in general case)	111
5.13 Profile of these five patients (case study)	114
5.14 Linguistic soft set (\tilde{F}^L, E) (case study)	115
5.15 Tabular form of GrTIFSS (\tilde{f}_{Tr}, E) (case study)	115
5.16 Model solution u_M (in linguistic form)	115
5.17 Normalized generalized trapezoidal intuitionistic fuzzy soft set (\tilde{f}_{Tr}, E)	116
5.18 Weighted generalized trapezoidal intuitionistic fuzzy soft set (\tilde{f}_{WTr}, E)	116
5.19 Model solution u_M (in GTrIFN form)	117
6.1 TrIT2FSS $(\tilde{f}_{\text{TrIT2}}, A)$ (Example 6.1)	125
6.2 Tabular representation of a TrIT2FSSS $(\tilde{\tilde{f}}_{\text{TrIT2}}, E)$ (in general case)	126
6.3 TrIT2FSSS $(\tilde{\tilde{f}}_{\text{TrIT2}}, E)$ (Example 6.2)	128
6.4 Linguistic evaluation (based on our case study)	134
6.5 Seven linguistic terms and their corresponding TrIT2FNs [42]	134
6.6 TrIT2FSSS $(\tilde{\tilde{f}}_{\text{TrIT2}}, E)$ (based on our case study)	135
6.7 ETrIT2FSS $(\tilde{f}_{\text{ETrIT2}}, E)$ (based on our case study)	137
6.8 Normalized ETrIT2FSS $(\tilde{f}'_{\text{ETrIT2}}, E)$	137
6.9 Signed distance values (based on Table 6.8)	138
6.10 WETrIT2FSS $(\tilde{\tilde{f}}'_{\text{WETrIT2}}, E)$	138

6.11	\tilde{m}_p -level soft set of $(\tilde{f}'_{\text{WEHTT2}}, E)$	139
6.12	α -level soft set of $(\tilde{f}'_{\text{WEHTT2}}, E)$	139
7.1	CFSS (\tilde{F}, E) (Example 7.2)	150
7.2	CFSS (\tilde{G}, E) (Example 7.2)	150
7.3	Best approx complex fuzzy soft set (\tilde{F}^+, E)	153
7.4	Worst approx complex fuzzy soft set (\tilde{F}^-, E)	153
7.5	Tabular form of k complex fuzzy soft sets (in general case)	156
7.6	Collective complex fuzzy soft set (\tilde{F}, E) (in general case)	160
7.7	CFSS (\tilde{F}^1, E) (Example 7.3)	162
7.8	CFSS (\tilde{F}^2, E) (Example 7.3)	162
7.9	CFSS (\tilde{F}^3, E) (Example 7.3)	163
7.10	CFSS (\tilde{F}^1, E) after equalization (Example 7.3)	163
7.11	CFSS (\tilde{F}^2, E) after equalization (Example 7.3)	163
7.12	CFSS (\tilde{F}^3, E) after equalization (Example 7.3)	163
7.13	Best-approx complex fuzzy soft set (\tilde{F}^+, E) (Example 7.3)	164
7.14	Collective complex fuzzy soft set (\tilde{F}, E) (Example 7.3)	164
7.15	CFSS (\tilde{F}^1, E) given by d_1 (Example 7.4)	166
7.16	CFSS (\tilde{F}^2, E) given by d_2 (Example 7.4)	166
7.17	CFSS (\tilde{F}^3, E) given by d_3 (Example 7.4)	167
7.18	Best-approx complex fuzzy soft set (\tilde{F}^+, E) (Example 7.4)	167
7.19	Collective complex fuzzy soft set (\tilde{F}, E) (Example 7.4)	167
7.20	CFSS (\tilde{F}^1, E) (Example 7.3) (each $u^l_{s_j} = 0$)	169
7.21	CFSS (\tilde{F}^2, E) (Example 7.3) (each $u^l_{s_j} = 0$)	169
7.22	CFSS (\tilde{F}^3, E) (Example 7.3) (each $u^l_{s_j} = 0$)	169
7.23	(\tilde{F}^1, E) after equalization (each $u^l_{s_j} = 0$)	169
7.24	(\tilde{F}^2, E) after equalization (each $u^l_{s_j} = 0$)	169
7.25	(\tilde{F}^3, E) after equalization (each $u^l_{s_j} = 0$)	169
7.26	Collective complex fuzzy soft set	169
7.27	Resultant fuzzy soft set (F, E)	170
7.28	Weighted resultant fuzzy soft set	170
7.29	Comparison table	170
7.30	Top-level soft set	170
7.31	Mid-level soft set	170
7.32	Resultant fuzzy soft set (F, E)	171
7.33	Weighted resultant fuzzy soft set	171
7.34	Comparison table	171

7.35	Comparison of different methods based on Example 7.3	172
7.36	Comparison of different methods based on Example 7.4	172
8.1	Tabular form of a CNSS $(f_{\tilde{C}_N}, E)$ (in general case)	191
8.2	Complex neutrosophic bounded difference soft set $(f_{\tilde{C}_N}^{\ominus}, E)$	195
8.3	Tabular form of the score valued matrix $(\hat{S}_{cr}(d_{sj}^{\ominus}))_{m \times n}$	196
8.4	Tabular form of k complex neutrosophic soft sets	200
8.5	CNSS $(f_{\tilde{C}_N}, E)$ (Example 8.4)	206
8.6	Complex neutrosophic bounded difference soft set $(f_{\tilde{C}_N}^{\ominus}, E)$ (Example 8.4)	207
8.7	Score valued matrix (Example 8.4)	208
8.8	Normalized score valued matrix (Example 8.4)	208
8.9	Tabular form of the distance values (Example 8.4)	208
8.10	CNSS $(f_{\tilde{C}_N}, E)$ (Example 8.5)	210
8.11	CNSS $(f_{\tilde{C}_N}, E)$ (Example 8.5) (after equalization)	210
8.12	Complex neutrosophic bounded difference soft set $(f_{\tilde{C}_N}^{\ominus}, E)$ (Example 8.5)	211
8.13	Score valued matrix (Example 8.5)	211
8.14	Normalized score valued matrix (Example 8.5)	211
8.15	CNSS $(f_{\tilde{C}_{N_1}}, E)$ (Example 8.6)	213
8.16	CNSS $(f_{\tilde{C}_{N_2}}, E)$ (Example 8.6)	213
8.17	CNSS $(f_{\tilde{C}_{N_3}}, E)$ (Example 8.6)	213
8.18	Resultant CNSS $(f_{\tilde{C}_N}, E)$ (Example 8.6)	214
8.19	Complex neutrosophic bounded difference soft set $(f_{\tilde{C}_N}^{\ominus}, E)$ (Example 8.6)	216
8.20	Score valued matrix (Example 8.6)	216
8.21	Normalize score valued matrix (Example 8.6)	216
8.22	Score matrix based on Table 8.5 (Fuzzy soft set)	220
8.23	Weighted Score matrix (Weighted fuzzy soft set)	220
8.24	Comparison Table based on Example 8.4	220
8.25	Score matrix based on Table 8.11 (Fuzzy soft set) (Example 8.5)	221
8.26	Weighted score matrix (Weighted fuzzy soft set)	221
8.27	Comparison Table based on Example 8.5	221
8.28	Score matrix based on Table 8.15 (Fuzzy soft set) (Example 8.6)	222
8.29	Score matrix based on Table 8.16 (Fuzzy soft set) (Example 8.6)	222
8.30	Score matrix based on Table 8.17 (Fuzzy soft set) (Example 8.6)	222
8.31	Resultant score matrix (Fuzzy soft set)	223
8.32	Weighted resultant score matrix (Weighted fuzzy soft set)	223
8.33	Comparison Table based on Example 8.6	223