

# REFERENCES

## REFERENCES

- Addo OY, Himes JH. 2010. Reference curves for triceps and subscapular skinfold thicknesses in US children and adolescents. *Am J Clin Nutr* 91(3):635-42.
- Agarwal KN, Saxena A, Bansal AK, Agarwal DK. 2001. Physical growth assessment in adolescence. *Ind Pediatr* 38:1217-1235.
- Al-Sendi AM, Shetty P, Musaiger AO. 2003. Anthropometric and body composition indicators of Bahraini adolescents. *Ann Hum Biol* 30:367-379.
- Anand K, Kant S, Kapoor SK. 1999. Nutritional status of adolescent school children in rural North India. *Ind Pediatr* 36:810-815.
- Aneja S. 1997. Assessment of nutritional status of adolescents. *Ind Pediatr* 34:70-71.
- Anuradha, R. K. Sathyavathi, T. Muneeswara Reddy, R. Hemalatha, G. Sudhakar, P. Geetha, K. Kodanda Reddy. 2015. Effect of social and environmental determinants on overweight and obesity prevalence among adolescent school children. *Indian J Endocrinol Metab.* 19(2): 283-287.
- Arif AA, Rohrer JE. 2006. The relationship between obesity, hyperglycemia symptoms, and health-related quality of life among Hispanic and non-Hispanic white children and adolescents. *BMC Fam Pract* 7:3.
- Bamoshmoosh M, Massetli L, Aklan H, Al-karewany M, Goshae H.A, Modesti P.A. 2013. Central obesity in Yemeni children: A population based cross sectional study. *World J Cardiol.* 5(8): 295-304.
- Beghin I, Cap M, Dujardin B. 1988. A guide to nutritional assessment. Geneva: World Health Organization.
- Bener A, Kamal AA. 2005. Growth patterns of Qatari school children and adolescents aged 6-18 years. *J Health Popul Nutr* 23:250-258.
- Bhadra M, Mukhopadhyay A, Bose K. 2001. Body mass index, regional adiposity and central body fat distribution among Bengalee Hindu girls: a comparative study of pre-menarcheal and menarcheal subjects. *Acta Med Auxol* 33:39-45.
- Bhadra M, Mukhopadhyay A, Bose K. 2002. Adiposity, central body fat distribution and blood pressure among young Bengalee adults of Kolkata, India: sexual dimorphism. *J Physiol Anthropol Appl Hum Sci* 21:273-276.
- Bhadra M, Mukhopadhyay A, Bose K. 2004. Sex differences in anthropometric characteristics among 11-14 year old urban Bengalees of North 24 Parganas, West Bengal, India. *Anthropologie XLII*:137-140.

- Bhadra M, Mukhopadhyay A, Bose K. 2005a. Differences in body composition between pre-menarcheal and menarcheal Bengalee Hindu girls of Madhyamgram, North 24 Parganas, West Bengal, India. *Anthropol Sci* 113:141-145.
- Bhadra M, Mukhopadhyay A, Bose K. 2005b. Overweight and obesity among adult Bengalee Hindu women of Kolkata, India. In: Bose K (ed). *Human obesity: a major health burden. Human Ecology (Special Issue No. 13)*. Delhi: Kamla-Raj Enterprises. pp 77-83.
- Bhalla AK. 2000. Nutritional status of adolescent school children in rural north India: a study with questionable methodology. *Ind Pediatr* 37:114.
- Bhandari B, Jain AM, Karna P, Mathur A, Sharma VK. 1975. Nutrition and health status of rural school boys of Udaipur District. *Ind J Pediatr* 42:186-193.
- Bhasin SK, Singh S, Kapil U, Sood VP, Gaur DR. 1990. Skinfold thickness in well-nourished school children in Haryana. *Ind Pediatr* 27:817-820.
- Bishnoi P, Sehgal S, Kwatra A. 2004. Anthropometric measurements of preschool children as effected by socio-economic factors. *Asia Pac J Clin Nutr* 13(Suppl):S132.
- Bjorntorp P. 2000. Metabolic difference between visceral fat and subcutaneous abdominal fat. *Diabet Metab* 26:10-12.
- Bose K, Mascie-Taylor CGN. 1997. Interrelationships of age and the body mass index with some risk factors of non-insulin dependent diabetes in European and migrant Asian males. *Am J Hum Biol* 9:291-296.
- Bose K, Mascie-Taylor CGN. 1998. Conicity index and waist-hip ratio and their relationship with total cholesterol and blood pressure in middle aged European and migrant Pakistani men. *Ann Hum Biol* 25:11-16.
- Bose K, Das Chaudhuri AB. 2003. Age variations in adiposity and body fat composition among older Bengalee Hindu women of Calcutta, India. *Anthrop Anz* 61:311-321.
- Bose K, Mukhopadhyay A. 2004. Nutritional status of adolescent Bengalee boys. *Ind Pediatr* 41:633-634.
- Bose K, Chakraborty F. 2005. Anthropometric characteristics and nutritional status based on body mass index of adult Bathudis: a tribal population of Keonjhar District, Orissa, India. *Asia Pac J Clin Nutr* 14:80-82.
- Bose K, Bhattacharya S, Basu K, Ghosh S, Mukhopadhyay A, Bhadra M. 2005. Age trends in anthropometric characteristics among 6-9 years old Bengalee Hindu school girls of Kolkata, India. *Anthropol Anz* 63:439-448.
- Bose K, Banerjee S, Bisai S, Mukhopadhyay A, Bhadra M. 2006. Anthropometric profile and chronic energy deficiency among adult Santal tribals of Jhargram,

- West Bengal, India: comparison with other tribal populations of Eastern India. *Eco Food Nutr* 45:1-11.
- Bundak R, Furman A, Gunoz H, Darendeliler F, Bas F, Neyzi O. 2006. Body mass index references for Turkish children. *Acta Paediatr* 95:194-198.
- Burr ML, Phillips KM. 1984. Anthropometric norms in the elderly. *Br J Nutr* 51:165-169.
- Cameron N. 1984. *The measurements of human growth*. Sydney: Croom Helm.
- Cameron N. (ed). 2002. *Human growth and development*. New York: Academic Press.
- Cecil JE, Fischer B, Doney AS, Hetherington M, Watt P, Wrieden W, Bolton-Smith C, Palmer CN. 2005. The Pro12Ala and C-681G variants of the PPAR $\gamma$  locus are associated with opposing growth phenotypes in young schoolchildren. *Diabetologia* 48:1496-1502.
- Chamoun AJ, Curran-Chamoun DM. 2006. Childhood growth and coronary events. *N Engl J Med* 354:303-304.
- Chatterjee S, Mandal A. 1991. Physical growth pattern of girls (9-17 yrs) from rural West Bengal. *Ind J Med Res* 94:346-350.
- Chatterjee S, Mandal A. 1994. Physical growth pattern for boys (9-18 yrs) from rural West Bengal. *Ind J Med Res* 99:184-191.
- Chaudhuri S, Ghosh J, Tapaswi P. 1966. Anthropometric, haematological and biochemical study of Indian school children of two communities in Calcutta. *Ind Pediatr* 3:349-363.
- Chowdhury SD, Chakraborti T, Ghosh T. 2007. Fat patterning of Santhal children: a tribal population of West Bengal, India. *J Trop Pediatr* 53(2):98-102.
- Cookson ST, Woodruff BA, Slutsker L. 1998. Prevalence of anemia and low body mass index among adolescents 10-19 y of age in refugee camps in Dadaab District, Kenya. Atlanta, GA. Centers for Disease Control and Prevention.
- Cox BD, Wichlelow MJ, Ashwell M, Prevost AT, and Lejeune SRE. 1997. Association of anthropometric indices with elevated blood pressure in British adults. *Int J Obes* 21:674-680.
- Dasgupta P, Hauspie R (eds). 2001. *Perspectives in human growth, development and maturation*. Dordrecht. Kluwer Academic Publishers.
- de Onis M, Dasgupta P, Saha S, Sengupta D, Blossner M. 2001. The National Center for Health Statistics reference and the growth of Indian adolescent boys. *Am J Clin Nutr* 74:248-253.

- Demerath EW, Schubert CM, Maynard LM, Sun SS, Chumlea WC, Pickoff A, Czerwinski SA, Towne B, Siervogel RM. 2006. Do changes in body mass index percentile reflect changes in body composition in children? Data from the Fels Longitudinal Study. *Pediatr* 117:487-495.
- Dasgupta A, Butt A, Saha T, Basu G, Chattopadhyay A, Mukherjee A. 2010. Assessment of malnutrition among adolescents: can BMI be replaced by MUAC. *Indian J Community Med* 35(2): 276-279.
- Deshmukh PR, Gupta SS, Bharambe MS, Dongre AR, Maliye C, Kaur S, Garg BS. 2006. Nutritional status of adolescents in rural Wardha. *Ind J Pediatr* 73: 139-141.
- Deurenberg P, Pieters JJJ, Hautvast JGAJ. 1990. The assessment of body fat percentage by skinfold thickness measurements in childhood and young adolescence. *Br J Nutr* 63:293-303.
- Ducimetiere P, Richard J, Cambien F. 1986. The pattern of subcutaneous fat distribution in middle-aged men and the risk of coronary heart disease: The Paris prospective study. *Int J Obes* 10:229-240.
- Eveleth PB, Tanner JM. 1990. *Worldwide variation in human growth*. Cambridge: Cambridge University Press.
- Falkner F, Tanner JM. 1986. *Human growth: a comprehensive treatise*. New York: Plenum.
- Flora B, Vasiliki E, Georgios L, Anastasiors R, George P.C. 2015. Waist circumference, waist-to-hip ratio and waist-to-height ratio reference percentiles for abdominal obesity among Greek adolescents. *BMC Pediatr*. 15:50.
- Forbes GB. 1987. *Human body composition: growth, aging, nutrition and activity*. London: Springer-Verlag.
- Freedman DS, Wang J, Maynard LM, Thornton JC, Mei Z, Pierson RN, Dietz WH, Horlick M. 2005. Relation of BMI to fat and fat-free mass among children and adolescents. *Int J Obes* 29:1-8.
- Frisancho AR. 1990. *Anthropometric standards for the assessment of growth and nutritional status*. Ann Arbor, MI: University of Michigan Press.
- Gaur R, Singh NY. 1995. Pattern of growth among rural school-going children of Manipur. *Man in India* 75:269-281.
- Ghosh A. 2004. Receiver operating characteristics (ROC) curve analysis in 5-10 year old Bengalee girls from Calcutta, India. *Ann Hum Biol* 31:364-369.
- Ghosh A, Bose K, Das Chaudhuri AB. 2000. Comparison of anthropometric characteristics between normotensive and hypertensive individuals among a population of Bengalee Hindu elderly men in Calcutta, India. *J Roy Soc Hlth* 120:100-106.

- Ghosh A, Bose K, Chakravarti S, Das Chaudhuri AB, Chattopadhyay J, Dasgupta G, Sengupta S. 2004. Relationship of waist circumference and waist-hip ratio with metabolic risk factors of coronary heart disease among Bengalee Hindu men of Kolkata, India. *J Roy Soc Hlth* 124:86-91.
- Ghosh , A. 2010. Association of anthropometry, body composition and physiological measures with physical activity level among the children and adolescents of Asian Indian origin: the Calcutta obesity study. *J. Nutr. Health aging*. 14(9) 731-5.
- Gibson RS. 1990. Principles of nutritional assessment. New York: Oxford University Press.
- Goran, M.I., Ball, G.D. and Cruz, M.L. 2003. Obesity and risk of type 2 diabetes and cardiovascular disease in children and adolescents. *J Clin Endocrinol Metab* 2003,88:1417–1427.
- Griffiths PL, Bentley ME. 2001. The nutrition is underway in India. *J Nutr* 131: 2692-2700.
- Gulliford MC, Mahabir D, Rocke B, Chinn S, Rona R. 2001. Overweight, obesity and skinfold thicknesses of children of African or Indian descent in Trinidad and Tobago. *Int J Epidemiol* 30:999-1000.
- Guo, S.S., Chumlea ,W.C., Roche, A.F. and Siervogel, R.M. 1997. Age- and maturity-related changes in body composition during adolescence into adulthood: the Fels longitudinal study. *Int. J. Obesity*.21:1167–1175.
- Hamill PVV, Drizd TA, Johnson CL, Reed RB, Roche AF, Moore WM. 1979. Physical growth: National Center for Health Statistics percentiles. *Am J Clin Nutr* 32:607-629.
- Hauspie RC, Das SR, Preece MA, Tanner JM. 1980. A longitudinal study of the growth in height of boys and girls of West Bengal (India) aged six months to 20 years. *Ann Hum Biol* 7:429-441.
- Hauspie RC, Das SR, Preece MA, Tanner JM. 1982. Degree of resemblance of the pattern of growth among sibs in families of West Bengal (India). *Ann Hum Biol* 9:171-174.
- Himes JH, Roche AF, Webb P. 1980. Fat areas as estimates of total body fat. *Am J Clin Nutr* 33:2093-2100.
- Himes JH, Bouchard C. 1989. Validity of anthropometry in classifying youths as obese. *Int J Obes* 13:183-193.
- Hop LT, Gross R, Giay T, Schultink W, Thuan BT, Sastroamidjojo S. 1997. Longitudinal observation of growth of Vietnamese children in Hanoi, Vietnam from birth to 10 years of age. *Eur J Clin Nutr* 51:164-171.

- Indian Council of Medical Research (ICMR). 1989. Growth and physical development of Indian infants and children. (Technical Report Series No. 18). New Delhi: Indian Council of Medical Research.
- Indian Council of Medical Research (ICMR). 1996. Longitudinal study on growth of Indian Children during adolescence. An ICMR task force study. New Delhi: Indian Council of Medical Research.
- International Rescue Committee (IRC). 1997. Nutritional status of school aged children in Kakuma refugee camp. Nairobi. International Rescue Committee.
- Jackson RT, Al Hamad N, Prakash P, Somaie MA. 2010. Waist circumference percentiles for Kuwaiti children and adolescents. *Public Health Nutrition*. 14(1): 70-76.
- Kamei Y, Lwin H, Saito K, Yokoyama T, Yoshiike N, Ezaki O, Tanaka H. 2005. The 2.3 genotype of ESRRA23 of the ERR alpha gene is associated with a higher BMI than the 2.2 genotype. *Obes Res* 13:1843-1844.
- Kanade AM, Joshi SB, Rao S. 1999. Undernutrition and adolescent growth among rural Indian boys. *Ind Pediatr* 36:145-156.
- Kapoor S, Patra PK, Sandhu S, Kapoor AK. 1998. Fatness and its distribution pattern among Jat Sikhs. *J Ind Anthropol Soc* 33:223-228.
- Kar S, Khandelwal B. 2015. Fast foods and physical inactivity are risk factors for obesity and hypertension among adolescent school children in east district of Sikkim, India. *India J Nat Sci Biol Med* 6(2): 356-359.
- Khan AZ, Singh NI, Hasan SB, Sinha SN, Zaheer M. 1990. Anthropometric measurements in rural school children. *J R Soc Health* 110:184-186.
- Khongsdier R. 2002. Body mass index and morbidity in adult males of the War Khasi in Northeast India. *Eur J Clin Nutr* 56:484-489.
- Khongsdier R. 2005. BMI and morbidity in relation to the body composition: a cross-sectional study of a rural community in Northeast India. *Br J Nutr* 93: 101-107.
- Kimm SY, Barton BA, Obarzanek E, McMohan RP, Sabry ZI, Waclawiw MA, Schreiber GB, Morrison JA, Similo S, Daniels SR. 2001. Racial divergence in adiposity during adolescence: The NHLBI Growth and Heart Study. *Pediatrics* 107:E34.
- Kimm SY, Barton BA, Obarzanek E, McMohan RP, Kronsberg SS, Waclawiw MA, Morrison JA, Schreiber GB, Sabry ZI, Daniels SR. 2002. Obesity development during adolescence in a biracial cohort: The NHLBI Growth and Heart Study. *Pediatrics*, 110:E54.

- Kirchengast S, Steiner V. 2001. Sexual dimorphism in body composition, weight status and growth in prepubertal school children from rural areas of Eastern Austria. *Coll Antropol* 25:21-29.
- Ko GTC, Chan JCN, Cockram CS, Woo J. 1999. Prediction of hypertension, diabetes, dyslipidaemia or albuminuria using simple anthropometric indexes in Hong Kong Chinese. *Int J Obes* 23:1136-1142.
- Kopelman PG. 2000. Obesity as a medical problem. *Nature* 404:635–643.
- Koziel S, Malina RM. 2005. Variation in relative fat distribution associated with maturational timing: The Wroclaw Growth study. *Ann Hum Biol* 32:691-701.
- Kurz KM. 1996. Adolescent nutritional status in developing countries. *Proc Nutr Soc* 55:321-331.
- Landau S, Everitt BS. 2004. A handbook of statistical analyses using SPSS. London: Chapman & Hall/CRC.
- Lee RD, Nieman DC. 2003. Nutritional assessment. New York: McGraw Hill.
- Lee SW, Park GH, Lee SY, Song JH, Kimm MJ. 2005. Comparison of anthropometric data between end-stage renal disease patients undergoing hemodialysis and healthy adults in Korea. *Yonsei Med J* 46:658-666.
- Li S, Zhang M, Yang S, Okada T, Iwata F, Harada K. 2005. Age- and sex-specific body composition of Chinese children. *Acta Paediatr* 94:1139-1142.
- Lohman TG, Roche AF, Martorell R. (eds). 1988. Anthropometric standardization reference manual. Chicago: Human Kinetics Books.
- Lurbe E, Alvarez V, Redon J. 2001. Obesity, body fat distribution and ambulatory blood pressure in children and adolescents. *J Clin Hypertens* 3:362-367.
- Madrigal L. 1998. Statistics for Anthropology. Cambridge: Cambridge University Press.
- Maffeis C, Morandi A, Ventura E, Sabbion A, Contreas G, Tomasselli F, Tommasi M, Fasan I, Costantini S, Pinelli L. 2012. Diet, physical, and biochemical characteristics of children and adolescents with type 1 diabetes: relationship between dietary fat and glucose control. *Pediatr Diabetes* 13(2):137-46.
- Malina RM, Bouchard C. 1989. Growth, maturation, and physical activity. Champaign, Illinois. Human Kinetics Books.
- Mandal GC, Bose K, Koziet S. 2011. Impact of social class on body fatness among rural pre-school Bengalee Hindu children. *Homo* 62(3):228-36.
- Mascie-Taylor CGN. 1994a. Analysing cross-sectional anthropometric data. *Eur J Clin Nutr* 48:S190-S202.



- Mascie-Taylor CGN. 1994b. Statistical issues in anthropometry. In: Ulijaszek SJ Mascie-Taylor CGN (eds). *Anthropometry: the individual and the population*. Cambridge: Cambridge University Press. pp 56-77.
- McCarthy HD, Ashwell M. 2006. A study of central fatness using waist-to-height ratios in UK children and adolescents over two decades supports the simple message - 'keep your waist circumference to less than half your height'. *Int J Obes* [2006 Jan 24; Epub ahead of print]
- Meguid NA, Kandeel WA, Wakeel KE, El-Nofely AA. 2014. *World J Pediatr* 10(4):318-23.
- Microsoft Corp. 1999. Microsoft Excel 2000. Program version 9.0. Redmond, WA: Microsoft Corporation.
- Mingrone G, Marino S, De Gaetano A, Capristo E, Heymsfield SB, Gasbarrini G, Greco AV. 2001. Different limit to the body's ability of increasing fat free mass. *Metabolism* 50:1004-1007.
- Misra A, Vikram NK, Arya S, Pandey RM, Dhingra V, Chatterjee A, Dwivedi M, Sharma R, Luthra K, Guleria R, Talwar KK. 2004. High prevalence of insulin resistance in postpubertal Asian Indian children is associated with adverse truncal body fat patterning, abdominal adiposity and excess body fat. *Int J Obes* 28:1217-1226.
- Mitra M, Kumar PV, Ghosh R, Bharati P. 2002. Growth pattern of the Kamars: a primitive tribe of Chhattisgarh, India. *Coll Antropol* 26:485-499.
- Mueller WH, Reid RM. 1979. A multivariate analysis of fatness and relative fat patterning. *Am J Phys Anthropol* 50:199-208.
- Mueller WH, Martorell R. 1988. Reliability and accuracy of measurement. In: Lohman TG, Roche AF, Martorell R (eds). *Anthropometric standardization reference manual*. Champaign, Illinois: Human Kinetics Books. pp 83-86.
- Mueller WH, Chan W, Meininger JC. 2003. Utility of different body composition indicators: demographic influences and associations with blood pressures and heart rates in adolescents (Heartfelt Study). *Ann Hum Biol* 30:714-727.
- Mukherjee DP, Kumar N, Sarkar D. 1982. Physical growth in the children of three tribes: Nagesia, Kanwar and Oraon of Surguja district (M.P.) *Bull Anthropol Survey of India* XXXI:81-89.
- Mukhopadhyay A. 2007. Adiposity and body composition of 10-17 years old Bengalee boys of Nimta, North 24 Parganas, West Bengal, India. Ph.D. thesis, central library, Vidyasagar University, West Bengal.
- Mukhopadhyay A, Bhadra M, Bose K. 2005a. Physical exercise, body mass index, subcutaneous adiposity and body composition among Bengalee boys aged 10-17 years of Kolkata, India. *Anthropol Anz* 63:93-101.

- Mukhopadhyay A, Bhadra M, Bose K. 2005b. Regional adiposity, body composition and central body fat distribution of 10-16 years old Bengalee boys of Nimta, North 24 Parganas, West Bengal, India. *Coll Antropol* 29:487-492.
- Mukhopadhyay A, Bhadra M, Bose K. 2005c. Human obesity: a background. In: Bose K (ed). *Human obesity: a major health burden. Human Ecology (Special Issue No. 13)*. Delhi: Kamla-Raj Enterprises. pp 1-9.
- Mukhopadhyay A, Bhadra M, Bose K. 2005d. Anthropometric assessment of nutritional status of adolescents of Kolkata, West Bengal. *J Hum Eco* 18: 213-216.
- Murty KJ, Subba Rao J, Kabeer MA, Raju PS, Papiha SS, Roberts DF. 1983. Growth in Hyderabad boys of various language groups. *Anthropol Anz* 41:169-178.
- Musaiger AO, Gregory WB, Hass JD. 1989. Growth patterns of school-children in Bahrain. *Ann Hum Biol* 2:155-167.
- Musaiger AO, Al-Ansar M, Al-Mannai M. 2000. Anthropometry of adolescent girls in Bahrain, including body fat. *Ann Hum Biol* 27:507-515.
- Must A, Dallal GE, Dietz WH. 1991. Reference data for obesity: 85<sup>th</sup> and 95<sup>th</sup> percentiles of body mass index (wt/ht<sup>2</sup>) and triceps skinfold thickness. *Am J Clin Nutr* 53:839-846.
- Nandy S, Irving M, Gordon D, Subramanian SV, Davey Smith G. 2005. Poverty, child undernutrition and morbidity: new evidence from India. *Bull WHO* 83:210-216.
- National Health and Nutrition Examination Survey III 1988-94 (NHANES III). 1997. Hyattville. U. S. Department of Health and Human Services, Center for Disease Control and Prevention, National Center for Health Statistics.
- Ohlson LO, Larsson B, Svardsudd K, Welin L, Eriksson H, Wilhelmsem L, Bjorntorp P, Tibblin G. 1985. The influence of body fat distribution on the incidence of diabetes mellitus. *Diabetes* 34:1055-1058.
- Okada T, Kuromori Y, Miyashita M, Yoshino Y, Iwata F, Hara M, Harada K. 2005. Assessment of individual changes in body fatness in boys during early pubertal period. *Pediatr Int* 47:495-497.
- Orr CM, Dufour DL, Patton JQ. 2001. A comparison of anthropometric indices of nutritional status in Tukanoan and Achuar Amerindians. *Am J Hum Biol* 13: 301-309.
- Pakrasi K, Dasgupta P, Dasgupta I, Majumdar PP. 1988. Growth in height, weight and skinfold thickness of Bengali boys of Calcutta, India. *Anthrop Anz* 46:1-16.
- Pandit D, Chiplonkar S, Khadilkar A, Khadilkar V, Ekbote V. 2009. Body Fat Percentages by Dual-energy X-ray Absorptiometry Corresponding to Body

- Mass Index Cutoffs for Overweight and Obesity in Indian Children. *Clin Med Pediatr.* 3: 55-61.
- Parker KL, Wyatt DT, Blethen SL, Baptista J, Price L. 2003. Screening girls with Turner syndrome: the National Cooperative Growth Study experience. *J Pediatr* 143:133-135.
- Pawloski LR. 2002. Growth and development of adolescent girls from the Segou region of Mali (West Africa). *Am J Phys Anthropol* 117:364-372.
- Perez BM, Landaeta-Jimenez M. 2001. Relationship of weight and height with waist circumference, body mass index and conicity index in adolescents. *Acta Med Auxol* 33:61-71.
- Pi-Sunyer FX. 1994. Obesity. In: Shils ME, Olson JA, Shike M (eds). *Modern nutrition in health and disease*. London: Lea and Febiger. pp 50-70.
- Rahmathullah L, Underwood BA, Thulasiraj RD, Milton RC, Ramaswamy K, Rahmathullah R, Babu G. 1990. Reduced mortality among children in Southern India receiving a small weekly dose of vitamin A. *N Engl J Med* 323: 929-935.
- Raju PS, Prasad KV, Ramana YV, Ahmed SK, Murthy KJ. 2003. Study on lung function tests and prediction equations in Indian male children. *Ind Pediatr* 40:705-711.
- Ramachandran A, Snehalatha C, Vinitha R, Thayyil M, Kumar CK, Sheeba L, Joseph S, Vijay V. 2002. Prevalence of overweight in urban Indian adolescent school children. *Diabet Res Clin Pract* 57:185-190.
- Rao MN, Shyamalamba C, Ahmed M, Reddi YR. 1976. Nutritional status of residential school children in Andhra Pradesh: a rural study. *Ind Pediatr* 13:349-353.
- Rao VG, Yadav R, Dolla CK, Kumar S, Bhondeley MK, Ukey M. 2005. Undernutrition and childhood morbidities among tribal preschool children. *Ind J Med Res* 122:43-47.
- Rebato E, Salces I, Saha R, Sinha M, Susanne C, Hauspie RC, Dasgupta P. 2005. Age trends of sibling resemblance for height, weight and BMI during growth in a mixed longitudinal sample from Sarsuna-Barisha, India. *Ann Hum Biol* 32:339-350.
- Reddy PYB, Papa Rao A. 2000. Growth pattern of the Sugalis: a tribal population of Andhra Pradesh, India. *Ann Hum Biol* 27:67-81.
- Rolland-Cachera MF. 1993. Body composition during adolescence: methods, limitations and determinants. *Horm Res* 39(Suppl. 3):25-40.
- Rongen-Westerlaken C, Corel L, van den Broeck J, Massa G, Karlberg J, Albertsson-Wikland K, Naeraa RW, Wit JM. 1997. Reference values for

- height, height velocity and weight in Turner's syndrome. Swedish Study Group for GH treatment. *Acta Paediatr* 86:937-942.
- Sanjeev, Indech GD, Jit I, Johnston FE. 1991. Skinfold thicknesses, body circumferences and their relationship to age, sex, and socioeconomic status in adults from Northwest India. *Am J Hum Biol* 3:469-477.
- Satyanarayana K, Radhaiah G, Mohan KR, Thimmayamma BV, Rao NP, Rao BS, Akella S. 1989. The adolescent growth spurt of height among rural Indian boys in relation to childhood nutrition background: a 18 years longitudinal study. *Ann Hum Biol* 16:289-300.
- Savva SC, Kourides Y, Tornaritis M, Epiphaniou-Savva M, Tafouna P, Kafatos A. 2001. Reference growth curves for Cypriot children 6 to 17 years of age. *Obes Res.* 9: 754-762.
- Seidell JC, Cigolini M, Charzewsica J, Ellsinger B, Deslypere JP, Cruz A. 1992. Fat distribution in European men: a comparison of anthropometric measurements in relation to cardiovascular risk factors. *Int J Obes* 16:17-22.
- Seidell JC, Kahn HS, Williamson DF, Lissner L, Valdez R. 2001. Report from a Centers for Disease Control and Prevention workshop on use of adult anthropometry for public health and primary health care. *Am J Clin Nutr* 73: 123-126.
- Sen J, Mondal N .2013. Fat mass and fat-free mass as indicators of body composition among Bengalee Muslim children. *Ann Hum Biol* 40(3):286-93.
- Shephard RJ. 1991. *Body composition in biological anthropology*. Cambridge: Cambridge University Press.
- Singh HD, Meenakshi K. 1969. Some anthropometric measurements in South Indian school boys. *Ind J Pediatr* 36:205-212.
- Singh IP, Bhasin MK. 2004. *A manual of Biological Anthropology*. Delhi: Kamla-Raj Enterprises.
- Singh J, Mondal N. 2014. Use of upper arm anthropometry as measure of body composition and nutritional assessment in children and adolescents (6-20 years) of Assam, Northeast India. *Ethiop J Health Sci* 24(3): 243-252.
- Singh MB, Haldiya KR, Yadav SP, Lakshminarayana J, Mathur ML, Sachdeva R, Beniwal VK. 1996. Nutritional status of school age children of salt-workers in Rajasthan. *Ind J Med Res* 103:304-309.
- Singh N, Mishra CP. 2001. Nutritional status of adolescent girls of a slum community of Varanasi. *Ind J Pub Hlth* 45:128-134.
- Singh R. 1970. Growth in arm girth and other anthropometric parameters of the Punjabi boys aged 11-18 years. *Morphol Anthropol* 62:166-171.

- Slaughter MH, Lohman TG, Boileau RA, Horswill CA, Stillman RJ, van Loan MD, Bembien DA. 1988. Skinfold equations for estimation of body fatness in children and youth. *Hum Biol* 60:709-723.
- Smolin LA, Grosvenor MB. 1994. *Nutrition: science and application*. Philadelphia: Saunders College Publishing.
- Sood A, Sundararaj P, Sharma S, Kurpad AV, Muthayya S. 2007. BMI and Body Fat Percent: Affluent Adolescents Girls in Bangalore City. Division of nutrition, Institute of population health and clinical research.
- SPSS Inc. 1999. *Statistical Package for Social Sciences*. Standard version 16.0 for Windows. Chicago: SPSS Inc.
- Subramanian KS, Sharma KV, Vinayathan A. 2013. Comparison of effect of regular unstructured physical training and athletic level training on body composition and cardio respiratory fitness in adolescents. *J Clin Diagn Res*. 7(9): 1878-1882.
- Swaminathan S, Vaz M. 2012. Childhood physical activity, sports and exercise and non communicable disease: a Special Focus on India. *Indian J. Pediatr.* (epub ahead of print).
- Tahara Y, Moji K, Aoyagi K, Nishizawa S, Yukawa K, Tsunawake N, Muraki S, Mascie-Taylor CGN. 2002. Age-related pattern of body density and body composition in Japanese males and females, 11 and 18 years of age. *Am J Hum Biol* 14: 327-337.
- Talwar I, Singh AB. 1995. Growth pattern of adolescent Meitei boys and girls of Manipur. *Man In India* 75:231-240.
- Tanner JM. 1962. *Growth at adolescence*. Oxford: Blackwell Scientific Publications.
- Teramoto K, Otoki K, Komiya S. 1999. Age-related changes in body composition of 3 to 6 year old Japanese children. *Appl Human Sci* 18:153-160.
- Ulijaszek SJ, Lourie JA. 1994. Intra- and inter observer error in anthropometric measurement. In: Ulijaszek SJ, Mascie-Taylor CGN (eds). *Anthropometry: the individual and the population*. Cambridge: Cambridge University Press. pp 30-55.
- Ulijaszek SJ, Kerr DA. 1999. Anthropometric measurement error and the assessment of nutritional status. *Br J Nutr* 82:165-177.
- Vague J, Vague P, Jubelin J, Barre A. 1988. Fat distribution, obesities and health: evolution of concepts. In: Bouchard C, Johnston FE (eds). *Fat distribution during growth and later health outcomes*. New York: Alan R Liss Inc. p. 9-41.

- Valdez R, Seidel JC, Ahy YI, Weiss KM. 1993. A new index of abdominal adiposity as an indicator of risk for cardiovascular disease: a cross population study. *Int J Obes* 17:77-82.
- Van Gaal L, Rillaerts E, Creten W, de Leeuw I. 1988. Relationship of body fat distribution pattern to atherogenic risk factors in NIDDM: preliminary results. *Diabet Care* 11:103-106.
- Van Itallie TB, Yang MU, Heymsfield SB, Funk RC, Boileau RA. 1990. Height normalized indices of the body's fat free mass and fat mass: potentially useful indicators of nutritional status. *Am J Clin Nutr* 52:953-959.
- Venkaiah K, Damayanti K, Nayak MU, Vijayaraghavan K. 2002. Diet and nutritional status of rural adolescents in India. *Eur J Clin Nutr* 56:1119-1125.
- Vikram NK, Misra A, Pandey RM, Dwivedi M, Luthra K. 2004. Adiponectin, insulin resistance, and C-reactive protein in postpubertal Asian Indian adolescents. *Metabolism* 53:1336-1341.
- Vikram NK, Tandon N, Misra A, Srivastava MC, Pandey RM, Mithal A, Sharma S, Ajmani A, Madhu SV, Batra CM, Gupta N. 2006. Correlates of Type 2 diabetes mellitus in children, adolescents and young adults in north India: a multisite collaborative case-control study. *Diabet Med* 23:293-298.
- Walker SP, Grantham-McGregor SM, Himes JM, Williams S. 1996. Anthropometry in adolescent girls in Kingston, Jamaica. *Ann Hum Biol* 23:23-29.
- Wang ZM, Pierson RN Jr, Heymsfield SB. 1992. The five-model: a new approach to organizing body composition research. *Am J Clin Nutr*. 56:19-28.
- Weiner JS, Lourie JA. 1981. *Practical human biology*. London: Academic Press.
- Woodruff BA, Slutsker L, Cook ST. 1998. Prevalence of anemia and low body mass index in adolescents 10-19 y age in Kakuma camp, Kenya. Atlanta, GA: Centers for Disease Control and Prevention.
- Woodruff BA, Duffield A, Blanck H, Larson MK, Pahari S, Bhatia R. 1999. Prevalence of low body mass index and specific micronutrient deficiencies in adolescents 10-19 y of age in Bhutanese refugee camps, Nepal, October 1999. Atlanta, GA: Centers for Disease Control and Prevention.
- Woodruff BA, Duffield A. 2002. Anthropometric assessment of nutritional status in adolescent populations in humanitarian emergencies. *Eur J Clin Nutr* 56: 1108-1118.
- World Health Organization. 1983. *Measuring change in nutritional status*. Geneva: World Health Organization.
- World Health Organization. 1985. *Measuring nutritional status*. Geneva: World Health Organization.

- World Health Organization Working Group. 1986. Use and interpretation of anthropometric indicators of nutritional status. *Bull World Health Organ* 64: 929-941.
- World Health Organization. 1989. Global nutritional indicators. Anthropometric indicators update 1989. Geneva: Nutrition Unit. WHO 89:56-62.
- World Health Organization. 1995. Physical status: the use and interpretation of anthropometry. Report of the WHO Expert Committee, Technical Report Series, No. 854. Geneva: World Health Organization.
- Yanovski JA, Yanovski SZ, Filmer KM, Hubbard VS, Avila N, Lewis B, Reynolds JC, Flood M. 1996. Differences in body composition of Black and White girls. *Am J Clin Nutr* 64:833-839.
- Yasmin, Mascie-Taylor CGN. 2000. Adiposity indices and their relationship with some risk factors of coronary heart disease in middle-aged Cambridge men and women. *Ann Hum Biol* 27:239-248.
- Yassin Z, Terry R. 1991. Anthropometric characteristics of rural elderly females in Malaysia. *Ecol Food Nutr* 26:109-117.
- Zverev Y, Gondwe M. 2001. Growth of urban school children in Malawi. *Ann Hum Biol* 28:384-394.