NEW

2017

Part-I 3-Tier

CHEMISTRY

PAPER-I

(General)

Full Marks: 90

Time: 3 Hours

The figures in the margin indicate full marks.

Candidates are required to give their answers in their own words as far as practicable.

Illustrate the answers wherever necessary.

#### Group-A

Answer any three questions:

10×3

1. (a) Designate E/Z nomenclature of the following compounds:

(i) 
$$CH_3 \rightarrow C = N$$
 (ii)  $C_2H_5 \rightarrow C = C$  CHO  $CH_3 \rightarrow C$ 

(Turn Over)

(b) Indicate 1°, 2°, 3° & 4° carbons in 2, 2, 3-trimethyl

- 4 pentane. (c) What do you mean by optically active compounds? 2 Give one example. 1 (d) What is urotropine? 2. (a) Define Ionization Potential. Why electron affinity of F is lower than that of Cl? 4 (b) Why radius of Cl is smaller than that of Cl-? 3 (c) Write Pauli's Exclusion principle with example. 3 (a) Distinguish the following by chemical test: (i) HCOOH and CH3COOH (ii)  $C_6H_5NO_2$  and  $C_6H_5NH_2$ . 4 3 (b) Prove that fructose contains one keto group. (c)  $CH_3CH = CH_2 \xrightarrow{HBr} A \xrightarrow{Mg} B \xrightarrow{D_2O} C$ . 3
- 4. (a) State the postulates of Bohr's theory of atom. 3
  - (b) Prove that  $t_{1/2} = \frac{0.693}{K}$ .
  - (c) Distinguish between double salt and complex salt.

- **5.** (a) What are chelate compounds? State one use of chelate compound.
  - (b) Phenol is stronger acid than ethanol Explain. 2
  - (c) Arrange the following carbocations in order of stabilities with reasoning:

$$CH_3CH = CH - \overset{\dagger}{C}H_2$$
,  $CH_3 - CH_2 - \overset{\dagger}{C}H_2$ ,  $CH_5 \overset{\dagger}{C}H_2$ 

(d) Convert: Aldopentose ---> Aldohexose. 2

#### Group-B

Answer any five questions.

 $8 \times 5$ 

- 6. (a) Give IUPAC nomenclature of the following (any four):
  - (1) Na $\left[Co(CO)_4\right]$ 
    - (ii)  $K_4[Fe(CN)_6]$
    - (iii)  $\left[ \text{Co(NH}_3)_4 \text{Cl NO}_2 \right] \text{Cl}$
    - (iv)  $CH_3 C CH = CH COOH$ ||
      O

(v) 
$$O_2N \longrightarrow OH$$

(vi) 
$$HO - CH_2 - CH - CH_2OH$$
 1×4

OH

- (b) Write the structural formula of the following compounds:
  - (i) N, N-Dimethylformamide
  - (ii) Anthranilic Acid.

2

- (c) Why salicylic acid is more acidic than benzoic acid?
- 7. (a) Derive an expression for the energy of an electron moving in a circular orbit of a hydrogen atom.

5

- (b) What do you mean by nuclear binding energy and mass defect?
- 8. Write short notes on (any two):

 $4 \times 2$ 

- (a) Lattice energy
- (b) Optical isomers of complex salt

C/17/B.Sc./Part-I(G)/3T(N)/Chem./1

(Continued)

9. (a) Why m.p. of SnCl<sub>2</sub> is greater than that of SnCl<sub>4</sub>?

(c) Hisenburg uncertainity principle

(d) Electron affinity.

		-
	(b)	Explain the structures of $POCl_3$ and $XeF_5^-$ by $VSEPR$ Theory.
	(c)	Complete the following nuclear reactions:
		$_{3}^{7}\text{Li} + _{1}^{1}\text{H} \longrightarrow _{4}^{7}\text{B} + \dots$
		$^{27}_{14}$ Si $\longrightarrow$ + $^{0}_{-1}$ e
10.	(a)	How is ethylacetoacetate prepared in the laboratory? Why is it called active methylene compound? 3+1
•	(b)	What is Lucas reagent and give its application? 2
	<b>(</b> c)	Synthesize 2-methyl propanoic acid from ethyl acetoacetate.
11.	Wri	te short notes on (any $two$ ): $4 \times 2$
ě	(a)	SN <sub>2</sub> reaction
	(b)	Fridel Crafts reaction
	(c)	Cannizaro reaction
	(d)	Enantiomers and diastereomers.
C/1	7/B.	Sc./Part-I(G)/3T(N)/Chem./1 (Turn Over)

- 12. (a) Distinguish between  $[Co(NH_3)_5Cl]SO_4$  and  $[Co(NH_3)_5SO_4]Cl$  by chemical tests.
  - (b) Prove that  $\Delta E. \Delta t \ge \frac{h}{4\pi}$ .
  - (c) Why LiCl is insoluble in water?

•

- 13. (a) How does the Ionization Potential vary along the period and group in the periodic table?
  - (b) Calculate the no. of  $\alpha$  and  $\beta$  particles emitted for the following nuclear change:

$$^{235}_{92}U \longrightarrow ^{207}_{82}Pb$$
 2

(c) 
$$(CH_3)_3 C - ONa + CH_3 I \xrightarrow{A} A \xrightarrow{HI} B + C$$
.

- 14. Outline the steps in the following conversion (any four).
  - (a) Phenol -> Aspirin
  - (b) HCOOH  $\longrightarrow$  CH<sub>3</sub>COOH

(c) 
$$CH_3 - CH - CH_3 \longrightarrow CH_3 - CH_2 - CH_2OH$$
  
| OH

(e)  $CH_3MgBr \longrightarrow PhCOCH_3$ 

(g)  $PhNH_2 \longrightarrow PhNO_2$ 

 $2 \times 4$ 

15. What happens when (any four):

 $2 \times 4$ 

- (a) Pinacol is heated with conc H<sub>2</sub>SO<sub>4</sub>.
- (b) Benzamide is treated with bromine and NaOH solution.
- (c) Aniline is reacted with CHCl3 in presence of NaOH.
- (d) Glycerol is heated with oxalic acid at 260°C.
- (e) Benzaldehyde is warmed with  $(CH_3CO)_2O$  and  $CH_3COONa$ .
- (f) Benzaldehyde is treated with PCl<sub>5</sub>.

#### Group-C

16. Answer any ten questions:

 $2 \times 10$ 

- (a) Write down the ground state electronic configuration of elements with atomic number 29.
- (b) Why b.p. of HCOOH is greater than that of C<sub>2</sub>H<sub>5</sub>OH?

- (c) Write down the resonating structures of  $CH_2N_2$ .
- (d) Why PH<sub>5</sub> does not exist?
- (e) Why o-nitrophenol is more volatile than p-nitrophenol?
- (f) Write the name of EDTA.
- (g) Calculate the equivalent weight of Na2S2O3.
- (h) Why dipole moment of 1, 4 dihydroxy benzene is not zero?
- (i) Why KHF<sub>2</sub> is possible whereas KHCl<sub>2</sub> does not?
- (j)  $I_2$  is slightly soluble in water but readily soluble in presence of KI why?
- (k) Write the formula of Prussian blue.
- (l) Which one of the  $\mathrm{HClO}_3$  and  $\mathrm{HClO}_4$  is stronger and why?
- (m) Why the aqueous solution of SnCl2 in acidic?

(n) 
$$CH_3COCI \rightarrow A \xrightarrow{AlCl_3} B$$
.

(o) Write down the reaction between half life and average life time.

## বঙ্গানুবাদ

# দক্ষিণ প্রান্তস্থ সংখ্যাগুলি প্রশ্নমান নির্দেশক। পরীক্ষার্থীদের যথাস এব নিজের ভাষায় উত্তর দেওয়া প্রয়োজন।

#### বিভাগ-ক

যে কোন তিনটি প্রশ্নের উত্তর দাও:

OXO

১। (ক) নিম্নলিখিত যৌগগুলির E/Z নামকরণ কর ঃ

(i) 
$$CH_3$$
  $C = N$   $C_2H_5$   $C = C$   $CHO$   $CH_3$ 

(খ) 2, 2, 3-ট্রাইমিথাইল পেণ্টেন যৌগে 1°, 2°, 3° ও 4° কার্বন দেখাও

8

২

(গ) আলোক সক্রিয় যৌগ বলতে কি বোঝ? উদাহরণ দাও।

- (ঘ) ইউরোট্রপিন কি?
- ২। (ক) আয়নীভবন বিভব কাকে বলে? F-এর ইলেকট্রন আসক্তির মান Cl-এর চেয়ে কম হয় কেন?
  - (খ) Cl-এর ব্যাসার্ধ Cl--এর চেয়ে ছোট হয় কেন?
  - (গ) উদাহরণসহ পাউলির অপবর্জন নীতি লেখ। ৩

- ৩। (ক) রাসায়নিক পরীক্ষার সাহায্যে নিম্নলিখিত যৌগযুগ্মের পার্থক্য দেখাওঃ
  - (i) HCOOH & CH3COOH
  - (ii)  $C_6H_5NO_2 \le C_6H_5NH_2$ .
  - (খ) প্রমাণ কর ফুক্টোজে একটি কিটোগ্রুপ বর্তমান।
  - (গ)  $CH_3CH = CH_2 \xrightarrow{HBr} A \xrightarrow{Mg} B \xrightarrow{D_2O} C$  ৩
- ৪। (ক) বোরের পরমাণু গঠনের স্বীকার্যগুলি লেখ। ৩
  - (খ) প্রমাণ কর ঃ  $t_{1/2} = \frac{0.693}{K}$
  - (গ) যুগ্ম লবণ ও জটিল লবণের মধ্যে পার্থক্য লেখ।
- ৫। (ক) চিলেট যৌগ বলতে কি বোঝ? ইহার ব্যবহার উল্লেখ কর। 8
  - (খ) ফেনলের অ্যাসিড ধর্ম ইথানল অপেক্ষা বেশী হয় কেন?
  - (গ) নিম্নলিখিত কার্বোক্যাটায়নগুলিকে স্থায়িত্বের ক্রম অনুযায়ী যুক্তি দিয়ে সাজাওঃ

$$CH_3CH = CH - \overset{+}{C}H_2$$
  $CH_3 - CH_2 - CH_2 - \overset{+}{C}H_2$   $C_6H_5\overset{+}{C}H_2$ 

(ঘ) রূপান্তর করঃ অ্যালডোপেণ্টোজ → অ্যালডোহেক্সোজ। ২

#### বিভাগ—খ

যে কোন পাঁচটি প্রশ্নের উত্তর দাওঃ

**bx**@

- ৬। (ক) নিম্নলিখিত যৌগগুলির IUPAC নামকরণ করঃ (যে কোন ৪টি)
  - (i)  $Na[Co(CO)_4]$
  - (ii)  $K_4[Fe(CN)_6]$
  - (iii)  $\left[ \text{Co(NH}_3)_4 \text{Cl NO}_2 \right] \text{Cl}$
  - (iv)  $CH_3 C CH = CH COOH$ || O

(v) 
$$O_2N \longrightarrow OH$$

(vi) 
$$HO - CH_2 - CH - CH_2OH$$
  
 $\downarrow$   
 $OH$ 

>×8

- (খ) নিম্নলিখিত যৌগগুলির গঠন সংকেত লেখ ঃ
  - (i) N, N-ডাইমিথাইল ফর্মামাইড
  - (ii) অ্যানথ্রানিলিক অ্যাসিড।

2

- (গ) স্যালিসাইলিক অ্যাসিড বেঞ্জোয়িক অ্যাসিডের চেয়ে তীব্র অল্ল কেন?
- ৭। (ক) একটি হাইড্রোজেন পরমাণুর ক্ষেত্রে বৃত্তাকার কক্ষপথে ঘূর্ণায়মান একটি
   ইলেকট্রনের শক্তির পরিমাণ সম্বন্ধনীয় সমীকরণটি তৈরী কর।
  - (খ) নিউক্লিয় বন্ধনশক্তি ও ভর ক্রটি বলতে কি বোঝ?
- ৮। সংক্ষিপ্ত টীকা লেখ ঃ (যে কোন *দুটি*)

8×३

- (ক) জালক শক্তি
- (খ) জটিল লবণের আলোক সক্রিয় সমাবয়ব
- (গ) হাইসেনবার্গ অনিশ্চয়তা নীতি
- (ঘ) ইলেকট্রন আসক্তি।
- ৯। (ক) SnCl<sub>2</sub>-এর গলনাঙ্ক SnCl<sub>4</sub>-এর গলনাঙ্ক অপেক্ষা বেশী কেন?

২

(খ) VSEPR তত্ত্বের সাহায্যে  $POCl_3$  ও  $XeF_5^-$ -এর গঠন ব্যাখ্যা কর।

- (ক) SN<sub>2</sub> বিক্রিয়া
- (খ) ফ্রিডেল ক্র্যান্টস বিক্রিয়া
- (গ) ক্যান্নিজ্যারো বিক্রিয়া
- (घ) এনানসিওমার ও ডায়াস্টিরিওমার।
- ১২। (ক) রাসায়নিক বিক্রিয়ার সাহায্যে  $[Co(NH_3)_5CI]SO_4$  ও  $[Co(NH_3)_5SO_4]CI$ -কে পার্থক্য কর। ৩

- (খ) প্রমাণ কর  $\Delta E. \Delta t \ge \frac{h}{4\pi}$ .
- (গ) LiCl জলে অদাব্য কেন?
- ১৩। (ক) পর্যায় সারণীতে পর্যায় বরাবর ও শ্রেণী বরাবর কিভাবে আয়নীভবন বিভবের মান পরিবর্তিত হয়?
  - (খ) নিম্নলিখিত নিউক্লিয় বিক্রিয়ায়  $\alpha$  ও  $\beta$  কণার সংখ্যা নির্ণয় কর ঃ  $^{235}_{92}$ U  $\longrightarrow$   $^{207}_{82}$ Pb
  - (গ)  $(CH_3)_3C ONa + CH_3I \xrightarrow{\Delta} A \xrightarrow{Hi} B + C$
- ১৪। নিম্নলিখিত পরিবর্তনগুলি সম্পন্ন করঃ (যে কোন *৪টি*) ৩×২
  - (ক) ফেনল → অ্যাসপিরিন
  - (₹) HCOOH  $\longrightarrow$  CH<sub>3</sub>COOH
  - (1)  $CH_3 CH CH_3 \longrightarrow CH_3 CH_2 CH_2OH$ OH

$$(\forall) \bigcirc \bigcirc \longrightarrow \bigcirc$$

(§)  $CH_3MgBr \longrightarrow PhCOCH_3$ 

$$(5) \bigcirc \bigcirc \longrightarrow \bigcirc^{\mathrm{CH_3}}_{\mathrm{NO_2}}$$

(ছ) PhNH<sub>2</sub> → PhNO<sub>2</sub>

## ১৫। কখন কি ঘটবেঃ (যে কোন ৪টি)

XX8

- (ক) পিনাকলকে গাঢ় H<sub>2</sub>SO<sub>4</sub> সহ উত্তপ্ত করা হল।
- (খ) বেঞ্জামাইডকে ব্রোমিন ও NaOH সহ বিক্রিয়া করানো হল।
- (গ) অ্যানিলিনকে NaOH দ্রবণের উপস্থিতিতে CHCl<sub>3</sub>-এর সঙ্গে বিক্রিয়া করা হল।
- (ঘ) 260°C উষ্ণতায় গ্লিসারল ও অক্সালিক অ্যাসিডকে উত্তপ্ত করা হল।
- (৬) বেঞ্জালডিহাইডকে (CH,CO),O ও CH,COONa সহ উত্তপ্ত করা হল ৷
- (চ) বেঞ্জালডিহাইডকে PCl্-এর সঙ্গে বিক্রিয়া করানো হল।

### বিভাগ---গ

## ১৬। যে কোন *দশটি* প্রশ্নের উত্তর দাও ঃ

SXSO

- (ক) ২৭ প্রমাণু ক্রমাঙ্ক বিশিষ্ট মৌলের ইলেকট্রন বিন্যাস লেখ।
  - (খ) HCOOH-এর স্ফুটনাঙ্ক C2H5OH-এর চেয়ে বেশী হয় কেন?

C/17/B.Sc./Part-I(G)/3T(N)/Chem./1

(Turn Over)

- (গ) CH<sub>2</sub>N<sub>2</sub>-এর রেজোনেটিং গঠনগুলি লেখ।
- (ঘ) PH<sub>5</sub>-এর অস্তিত্ব নেই কেন?
- (৬) অর্থোনাইট্রোফেনল, প্যারানাইট্রোফেনলের চেয়ে বেশী উদ্বায়ী হয় কেন?
- (চ) EDTA-এর পুরো নাম লেখ।
- (ছ) Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>-এর তুল্যান্ধভার লেখ।
- (জ) 1, 4 ডাইহাইড্রক্সি বেঞ্জিনের দ্বিমেরু ভ্রামকের মান শূন্য হয় না কেন?
- (ঝ) KHF2 সম্ভব কিন্তু KHCl2 সম্ভব নয় একন ?
- (ঞ)  $I_2$  জলে স্বন্ধ দ্রাব্য কিন্তু KI-এর উপস্থিতিতে দ্রাব্যতা বৃদ্ধি পায় কেন?
- (ট) 'প্রুসিয়ান ব্লু'-এর সংকেত লেখ।
- (ঠ) HClO3 এবং HClO4-এর মধ্যে তীব্র অ্যাসিড কোনটি এবং কেন?
- (ড) SnCl2-এর জলীয় দ্রবণ আল্লিক হয় কেন?

(b) 
$$CH_3COCI \rightarrow A \xrightarrow{AlCl_3} B.$$
NaOH A  $AlCl_3 \rightarrow B.$ 

(ণ) গড় আয়ু ও অর্ধায়ুর মধ্যে সম্পর্ক লেখ।