

BIBLIOGRAPHY:

- Adholia, U. N., Vyas, A., 1992. Correlation between copepods and limnochemistry of Mansarower reservoir, Bhopal. J. Enviro. Biol. 13(4), 281-290.
- Adoni, A., Joshi, D. G., Gosh, K., Chourasia, S. K., Vaishya, A. K., Yadav, M., Verma, H. G., 1985. Work book on limnology. Pratibha publisher, sagar. pp.1-166.
- Adriano, D. C., 1986. Trace elements in terrestrial environments. New York: Springer.
- Agarwal, N. C., Bais, V. S., Shukla, S. N., 1995. Contrast effects of temperature and redox potential on the biology of the Sagar Lake. Ecol. Env. & Cons. 1(1-4), 31-33.
- Ahmad, M. S., Siddiqui, E. N., 1995. Freshwater diatoms of Darbhanga. J. Freshwater Biol 7, 41-48.
- Ahmed, S.H., Singh, A. K., 1992. Present status potentialities and strategies for development of reservoir fisheries in Bihar. Fishing Chimes 12(8), 49-57.
- Ajithkumar, C. R., Remadevi, K., Rajuthomas, K., Biju, C. R., 1999. Fish fauna, abundance and distribution in Chalakudy river system, Kerala. J. Bombay Nat. Hist. Soc. 96(2), 244-254.

- Aktar, M. W., Pramasivam, M., Ganguly, M., Purkait, S. and Sengupta, D., 2010. Assessment and occurrence of various heavy metals in surface water of Ganga River around Kolkata: a study for toxicity and ecological impact. *Environ. Monit. Assess.*, 160, 207-213.
- Alagarsamy, R., 2006. Distribution and seasonal variation of trace metals in surface sediments of the Mandovi Estuary, west coast of India. *Estuarine, Costal and Shelf Science* 67(1-2), 333-339.
- Alden, R. W., Dahia, R. C., and Young, R. J., 1982. A method for the enumeration of zooplankton samples, *J.Exp.Mar.Biol.Ecol.*, 59:185.
- Alfred, J. R. B., Bricice, S., Issac, M. L., Michael, R.G., Royan, J. P., Sumitra, V., and Wycliffe, J., 1973. A guide to the study of freshwater organisms. *J. Madaras Univ. Suppl.*, 1, 103-151.
- Allan J.D., 1995. Stream ecology of running waters. Kluwer; Academic publishers, London, UK.
- Allen, M. R., Lord, R., 2004. The indicators to assess the habitat indices. *Nature* 432-551.
- Ali, S., Choudhury, A., Roy, A. R., 1980. Ecology and seasonal abundance of zooplankton in pond at Tongi, Bangladesh. *Bangladesh J. Zool.* 8(1), 11-49.
- Annandale, N., 1922. The Marine Element in the Fauna of Ganges, *Bijdragen tot de Dierkunde*, 22 feest number Dr. Max Weber.

APHA, 1989. Standard methods for the examination of water and waste water. 17th edition.
American Public Health Association, Washington D.C., 1268 pp.

APHA, 1998. Standard methods for the examination of water and waste water. 20th edition.
American Public Health Association, New York.

APHA (American Public Health Association), American Water Work Association and water pollution control federation, 2000. Standard methods for the examination of water and wastewater. 20th edition. American Public Health Association. 1015 Fifteenth Street, N W, Washington.

Arora, J., Mehra, N. K., 2003. Species diversity of planktonic and epiphytic rotifers in the backwaters of the Delhi segment of the Yamuna River, with remarks on new records from India. *Zoological studies* 42(2), 239-247.

Arora, J., Mehra, N. K., 2002. Seasonal dynamics of rotifers in relation to physical and chemical condition of the river Yamuna (Delhi), India. *Hydrobiologia* 491, 101-109.

Atlas, R. M., 1981. Microbial degradation of petroleum hydrocarbons: an environmental perspective. *Microbiological Reviews* 45, 180-209.

ATSDR, 2000. Toxicological profile for polychlorinated biphenyl (PSBs). Agency for Toxic Substances and Disease Registry, Nov., 2000. Atlanta, Georgia.

Ballntine, D. j., Walling, D. E., Collins, A. L., Leeks, G. J. L., 2008. The phosphorus content of fluvial suspended sediment in three low land ground water-dominated catchments. *J. Hydrol.* 140,357.

Banerjea, S.M., Ghosh, S.M., 1970. Studies on the correlation between soil and different forms of bound phosphorus in pond soils. *J. Inland Fish. Soc. India*, 2, 113-120.

Banerjee, S. M., 1967. Water quality and soil condition of fish production. *Indian J. Fish.* 14(1 and 2), 115-144.

Barakat, A., Baghdadi, M. El., Rais, J., Nadem, S., 2012. Assessment of Heavy Metal in Surface Sediments of Day River at Beni-Mellal Region, Morocco.

Barceloux, D. G., 1999. Manganese. *Clinical Toxicology* 37, 293-307.

Beachler, M. M., Hill, D.F., 2003. Stirring up Trouble? Resuspension of bottom sediments by recreational watercraft. *Lake and reservoir Management* 19(1), 15-25.

Beg, K. R., Ali, S., 2008. Chemical contamination and toxicity of Ganga river sediment from up and down stream area at Kanpur. *American Journal of Environmental Sciences* 4(4), 362-366.

- Behera, B., Reddy, V. R., 2002. Environment and accountability: Impact of industrial pollution on rural communities. *Economic and political Weekly*. 37(3), 257-265.
- Besser, J. M., Brumbaugh, W. G., May, T. W., Church, S. E., Kimball, B. A., 2001. Bioavailability of metals in stream food webs and hazards to brook trout (*Salvelinus fontinalis*) in the upper Animas River watershed, Colorado. *Arch. Environ. Contam. Toxicol.* 40, 48-59.
- Bhardwaj, v., Singh, D. S., Singh, A. K., 2010. Environmental repercussions of cane sugar industries on the choti Gandak river basin, Ganga Action Plan, India. *Environ. Monit. Assess.* 171, 321-344.
- Bhattacharya, B., Sarkar, S. K., Maji, P. K., 1994. Bioaccumulation of heavy metals in flora and fauna of Hooghly estuary, east coast of India. *Taxocol. & Environ. Chem.* 42, 123-130.
- Bhave, S. K., Borse, P. V., 2001. Seasonal variation in temperature, dissolved oxygen, pH and salinity their influence on planktons in Aner river water Jalgaon, Maharashtra. *Polln. Res.* 20(1), 79-82.
- Bhuiyan, J. R., Gupta, S., 2007. A comparative hydrobiological study of a few pond of Baral Valley. Assam and their role as sustainable water resources. *J. Environ. Biol* 28, 799-802.

Bilgrami, K. S., Datta Munshi, J. S., Verma, S.K., 1992. Bioconservation and biomonitoring of river Ganga in Bihar. Final Technical Report, Ganga project Directorate, New Delhi.

BIS., 2012. Bureau of Indian Standard-Indian standard specification for drinking water, IS: 10500.

Bonde, G. J., 1977. Bacterial indication of water pollution advances in aquatic microbiology, in M. R. Droop and H. W. Januasch (eds), Academic Press, London and New York, 273-364.

Boyd, C. E., 1990. Water Quality in ponds for Aquaculture Birmingham Publishing C.O. Alabama, 482 pp.

Boyd, C. E., Scarsbrook, E., 1974. Effects of agricultural Limestone on phytoplankton communities of fish ponds. Arch. Hydrobiol. 74, 336-349.

Boyd, C. E.: the chemical oxygen demand of waters and biological materials from ponds. Trans. Amer. Fish Soc., 102, 606-611 (1973).

Bray, R. H., Kurtz, L. T., 1945. Determination of total organic carbon and available form of phosphorous in soils. Soil science.

Browdy, C. L., 1992. A review of the reproduction biology of Penaeus species: Perspective on controlled shrimp maturation system for high quality Naupli production. Proceedings of the special season on shrimp farming World Aquaculture Society. Edited by J. Wyban 22-51.

Buccolieri, A., Buccolieri, G., Cardelluccio, N., Dell'Attì, A., Di Leo, A., Maci, A., 2006. Heavy metals in marine sediments of Taranto Gulf Ionian sea, Southern Italy . Marine Chemistry 99(1-4), 227-235.

Buechler, S., Mekala, G. D., 2005. Local responses to water resource degradation in India: groundwater farmer innovations and the reversal of knowledge flows, J. of Environment and Development, 14(4), 410-438.

Bureau of Indian Standards (BIS) 10500, 2012. Specification for drinking water. Indian Standards Institution, New Delhi, pp 1-5.

Castro, B. B., Antunes, S. C., Pereira, R., Soares, A. M. V. M., Goncalves, F., 2005. Rotifer community structure in three shallow lakes seasonal fluctuation and explanatory factors. Hydrobiologia . Vol. 543(1), 221-232.

CCME, Canadian Council of Ministers for Environment. 1999. Eco health baranch, Ottawa, Ontario, Canada.

Cempel, M., Nikel, G., 2005. Nickel: a review of its sources and environmental toxicology. Pol. J. Environ. Stud. 15(3), 375-382.

Chakrapani, G. J., Subramanian, V., 1990. Preliminary Studies on the geochemistry of the Mahanadi river basin, India. Chem. Geol. 81, 241-253.

Chakrapani, G. J., Subramanian, V., 1995. Fractionation of heavy metals and phosphorous in suspended sediments of the Yamuna River, India. Environmental Monitoring and Assessment, 43, 117-124.

Chandra, R., Singh, S., Raj, A., 2006. Seasonal bacteriological analysis of Gola river water contaminated with pulp paper mill waste in Uttaranchal, India. Environmental Monitoring and assessment, 118, 393-406.

Chatterjee, M., Canario, J., Darkar, S. K., Brabco, V., Godhantaraman, N., Bhattacharya, B. D., Bhattacharya, A., 2012. Bio chemistry of mercury and methyl mercury in sediment cores from Sunderban mangrove wetlands, India-a UNESCO World Heritage Site. Environ. Monit. Assess. 184, 5239-5254.

Chatterjee, S. k., Bhattacharjee, I., Chandra, G., 2010. Water quality assessment near an industrial site of Damodar River, India. Environmental Monitoring and Assessment. 161, 177-189.

- Chatterjee, S., Chattopadhyay, B., Mukhopadhyaya, S. k., 2006. Trace metal distribution in tissues of cichlids (*Oreochromis niloticus* and *O. mossambicus*) collected from waste water-fed fish ponds in east Calcutta wetlands, a ramsar site. *Acta Chthyologica Et Piscatoria*. 36(2), 119-125.
- Chattopadhyaya, G. N., 1998. Chemical analysis of fish pond soil and water. Daya Publishing house, Delhi-110035. 73-75pp.
- Chaturvedi, R. K., Sharma, K. P., Sharma, K., Bhardwaj, S. M., Sharma, S., 1999. Plankton community of polluted water around Sanganer, Jaipur. *J. Environ. Pollut.* 61, 77-84.
- Chennakrishnan, C., Stephren, A., Manju, T., Raveen, R., 2008. Water Quality status of three vulnerable freshwater Lakes of Sundarban Chennai, India.
- Chhonkar, P. K., Datta, S. P., Joshi, H. C., Pathak, H., 2000. Impact of industrial effluents on soil health and Agriculture-Indian experience: Part II – Tannery and textile industrial effluents. *Journal of Scientific & Industrial Research*, 59, 446-454.
- Choudhary , S., Singh, D. K., 2001. Phytoplankton population of Boosra lake. *Env. Eco.* 19(1), 171-174.

Chutter, F. M., 1998. Research on the Papid Biological Assessment of Water Quality Impacts in Streams and Rivers. Water Research Commission, Pretoria. WRC Report No 422/1/98.

Clarke, K. R., and Warwick, R. M., 2001. Changes in marine communities, an approach to statistical analysis and interpretation, 2nd edition, PRIMER-E, Plymouth.

Clesceri, L. S., Green, A. E., and Eaton, A.D., 1998. Standards Methods for the Examination of Water and Wastewater. 20th edition., Wasington D.C., American Health Assoc., and water Environment., 2,1-90, 4, 52-160, 10, 1-28 pp.

Collvin, L., 1985. Effects of Copper on growth and starvation in perch, *Perch fluviatilis* L. Journal of Fish Biology 27, 757-764 pp.

Cornish, G., Mensahh, A., 1999. Water quality and peri-urban irrigation. Wallingford, UK.

Cooke, G. D., kennedy, R. L., 1970. Eutropication of Northern chie Lakes. :I. Introduction, morphometry and certain physic-chemical data of Poller Lakes. Ohio. J. sci. 70(3), 150-161.

CPCB, 2009. Central pollution Board Report on “Ganga water Quality trend” 2009.

CPCB., 2013. Central Pollution Control Board report on “Pollution assessment: river Ganga” 2013.

Cuong, D. T., Obbard, J. P., 2006. Metal speciation in costal marine sediments from Singapore using a modified BCR-sequential extraction procedure. *Appl. Geochem* 21, 1335-46.

Dadhich, N., Saxena, M. M., 1999. Zooplankton as indications of trophical status of some desert water near Bikanar, *J. Environ. Pollut.* 6, 251-254.

Daimari, P., Choudhury, M., and Dutta, A., 2005. Ecology and Fishery of River Subansiri (Arunachal Pradesh). *Environment & Ecology* 23 (1), 49-54.

Damodhar, U., Reddy, M. V., 2012. Assessment of Heavy metals Concentration in water and four fish species from the Uppanar River at Cuddalore (tamilnadu, India). *Wilolud Journal* 6 (3), 1-15.

Das, M. C., Konar, K., 2003. Ecological degradation of river Mathabhanga-Churni. *Environment and Ecology* 21 (spl.Pub.) 79-82.

Dassenakis, M., Adrianos, H., Depiazi, G., Konstantas, A., Karabela, M., Sakellari, A., Scoullos, M., 2003. The use of various methods for the study of metal pollution in Environ . *Monit. Assess* marine sediments, the case of Euvoikos Gulf, Greece. *Applied Geochemistry* 18, 781-794.

David, A., 1954. A preliminary survey of the fish and fisheries of five mile stretch of Hooghly River Barrackpore. Indian J. Fish. 1 (1&2), 231-255.

Davison, A. G., Taylor, A., Derbyshire, J., 1988. Cadmium fume inhalation and emphysema. Lancet 26, 663-667.

Din, Z. B., 1992. Use of aluminium to normalize heavy metal data from estuarine and coastal sediments of Straits of Melaka. Mar. Pollut. Bull. 24, 484-491.

Dodson, A. N., and Thomas, W. H., 1964. Concentration plankton in gentle fashion. *Limnol. Oceanogr.*, 9, 455.

Downing, A. L., 1971. Forecasting the effects of polluting discharges on natural waters-I, Rivers. The International Journal of Environmental Studies, 2(1), 101-110.

Duinker, J. C., Karamer, C. J. M., 1977. An experimental study on the speciation of dissolved Zinc, cadmium, lead and copper in river Rhine and North sea water by differential pulse anodic stripping voltammetry. Mar. Chem. 5, 207-228.

Dutta, K. K. and Ghosh, A: ibid, 85-91.

Dutta, S., Kole, R. K., Ghosh, S., Nath, D., Vass, K. K., 2005. Impact Assessment of Lead on Water Quality of River Ganga in West Bengal, India. Environ. Contam. Toxicol. 75, 1012-1019.

Dwivedi, A. C., Mayank, P., 2017. Reproductive profile of Indian Major carp, *Cirrhinus mrigala* (Hamilton, 1822) with Restoration from the Ganga River, India. J. Fish. Livestock prod. 5, DOI: 10.4172/2332-2608.1000212.

Dwivedi, A. C., Mishra, A. S., Mayank, P., Tiwari, A., 2016a. Persistence and structure of the fish assemblage from the Ganga river (Kanpur to Varanasi section), India. J. Geog. Nat. Disast. 6, 159. DOI: 10.4172/2167-0587.1000159.

Dwivedi, A. C., Mayank, P., Pathak, R. K., 2016b. Size composition and exploitation structure of Indian major carp, *Cirrhinus mrigala* (Hamilton, 1822) from the Ganga river, India. J. Fish. Life Sci. 1, 30-32.

Ecological Flux, Fishery Resources and production potential. Bulletin no 130. CIFRI, Barrackpore, 47pp.

Edds, D. R., 1993. Fish assemblage structure and environmental correlates in Nepal's Gandaki river. Copeia, 48-60.

Eggleton, J., Thomas, K. V., 2004. A review of factors affecting the release and bioavailability of contaminants during sediment disturbance events. *Environment International* 30, 973-980.

Elskens, M., Bacyens, W., Goeyens, L., 1997. Contribution of nitrate to the uptake of nitrogen by phytoplankton in an ocean margin environment. *Hydrobiologia* 353, 139-152.

EPA (Environmental Protection Agency), 1974. Manual methods of chemical analysis of water and wastes, methods development and quality assurance research laboratory. National Environmental Research Centre, U.S. Environmental Protection Agency, Cincinnati, Ohio 45268, Office of the technology transfer, Washington, D.C., 20460.

EPA, 1992. National recommended water quality criteria. EPA 822-R-02-047 (1992).

Fetter, C. W., 2001. Applied Hydrogeology 4th edition. Prentice- Hall Inc. Upper Saddle River, New Jersey.

Forstner, U., 1982. Accumulative phase for heavy metals in limnic sediments. *Hydrobiologia* 91, 269-284.

Gafny, S., Goren, M., Gasith, A., 2000. Habitat condition and fish assemblage structure in a coastal Mediterranean stream (Yarqon, Israel) receiving domestic effluent. *Hydrobiologia* 422/423, 319-330.

Gaikwad, G.S., Wankhede, A. V., Maldure, A. V., 2010. Hydrochemical characteristics of ground water (well and tube well) in the slum area of Bhoogaon, Wardha Dist.

Maharashtra J. of chemical and pharmaceutical research 2(3), 499-530.

Gale, R. J. B., Gale, S. J., Winchester, H. P. M., 2006. Inorganic pollution of the sediments of the River Torrens, South Australia. Environ. Geology 50, 62-75.

Gannon, J. E., 1971. Two counting cells for the enumeration of zooplankton micro crustacean. *Trans. Amer. Micros. Soc.*, 90,486.

Ganasan, V., Hughes, R. M., 1998. Application of an index of biological integrity (IBI) to fish assemblages of the rivers Klan and Kshipra (Madhya Pradesh), India, Freshwater Biology 40, 367-383.

Ganesan, V., Srinivasulu, K., Pandey, A. K., 1991. Trace metal concentration in water and sediments of the river Khan and Kshipra (Ujjain). Int. J. Eco. Env. Sci. 17(3), 225-236.

Ganguli, A., Tripathi A. K., 2002. Bioremediation of toxic chromium from electroplating effluent by chromate-reducing pseudomonas aeruginosa A2chr in two bioreactors. Appl Microbiol Biotechnol 58, 416-420.

Gasim, M. B., Ismail, B. S., Toriman, E., Mir, S. I., Chek, T. C., 2007. A physic-Chemical assessment of the Bebar River, Phang, Malaysia. Global Journal of Environmental Research 1(1), 7-11.

GESAMP., 1982. The health of the Oceans Rep Stad.
(IMO/FAO/IJNESCO/WMO/IAEA/UN/IJNEP), 15-08 and UNEP Res Rep Stud.pp.
6-108.

Geldermalsen, L. A. V., 1985. Evaluation of seas and nutrient dynamics in the ooosterschelde (S W Netherlands) Neth. J. Sea. Res. 19, 207-216.

Ghosh, B. B., Bagchi, M. M., De, D. K., 1983. Some observation on the status of pollution in the Hooghly estuary (West Bengal) with reference to heavy metals deposited through industrial wastes. J. Inland Fish. Soc. India 15 (1&2), 44-53.

Ghosh, S., Chattopadhyay, G. N., Vass, K. K., 2000. Environmental impact assessment of lower Ganga system. Environ. Ecol. 18 (10), 126-129.

Ghosh, A., 2008. Present Status of fish diversity in a 12 km stretch in the freshwater zone of the Hooghly estusry. J. Inland Fish Soc. India 40(1), 60-66.

Goldstein, R. M., 1981. Longitudinal succession in impact assessment of river system fish communities. Water Resources Bulletin 17, 75-81.

Gonzalvas, E. A., Joshi, D. B., 1946. Fresh water algae near Bombay. J. Bom. Nat. Hist. Soc. 46(1), 154-176.

Goswami, C. (Ed), Natural and Anthropogenic Hazards on Fish and Fisheries, Narendra Publishing House, India. 305-326.

Goswami, M. M., Goswami, N., 2001. Studies on productivity indicators in Mori beel of Assam. Tropical Zoology 2&3, 1-9.

Greenwood N. N., Earnshaw, A., 1984. Chemistry of the elements, 1st edn. Pergamon press, Oxford, p 248.

Guissani, B., Monticelli, D., Gambillara, R., Pozzi, A., Dossi, C., 2008. Three way principal component analysis of chemical data from lake Como watershed. Microchemical Journal. 88(2), 160-166.

Gupta, A. K., Raghubansi, A. K., 2002. Comparative study of Ghaghra and Ganga due to anthropogenic pressure. Poll. Res. 21(3), 261-263.

Gupta, A., Rai, D. K., Pandey, R. S., Sharma, B., 2009. Analysis of some heavy metal in the riverine water, sediments and fish from river Ganges at Allahabad. Environ. Monit. Assess. 157, 449-458.

Hamilton, B., 1822. An Account of the fishes from the river Ganges and its Branches (Edinburgh).

Hanlon, E.A., Soil pH and Electrical conductivity: A Country Extension Soil Laboratory Manual. CIR1081.UF/IFAS extension.(<http://edis.itas.ufl.edu/ss118>).

Hannan, H. H., Young, W. J., 1974. The influence of a deep storage reservoir on the physico-chemical limnology of a Central Texas river. *Hydrobiologia* 44(2-3), 177-207.

Hassan, S. S., Sinha, R. K., Ahsan, S. N., and Hassan, N., 1998. Impact of fishing operations and hydrological factors on recent fish catch in Ganga near Patna, Indian. *J. Inland Fish. Soc. India* 30(1), 1-12.

Hayes, F. R., Phillips, E., 1958. Limnol. Ocenography 3, 459-475.

Hedge, G. R., Sujatha, T. C., 1997. Distribution of planktonic algae in three freshwater lentic habitates of Dharwad (India) phykos 36(1 &2), 49-55.

Hiltibrant, R. C., 1971. Effects of cadmium, Zinc, manganese and calcium on oxygen and phosphate metabolism of bluegill liver mitochondria. *Journal Water Pollution Control Federation* 43(5), 818-823.

Hora, S. L., 1943. Evidence of distribution of fishes regarding rise in salinity of the river Hooghly. *Current Science* 3, 89-90.

- Hora, S. L., Nair, K. K., 1940. Further observation on the Bionomics and Fishery of the Indian Shad, Hilsa ilisha (Hamilton) in Bengal Waters. Rec. Ind. Mus. 42, 35-50.
- Hosokawa, Y., 1993. Remediation work for mercury contaminated-bay experiences of Minamata Bay Project, Japan. Water Sci. Technol. 28(8-9), 339-348.
- Hughes, R. M., Paulsen, S. G., Stoddard, I., 2000. EMAP- Surface Waters: a national, multiassemblage, probability survey of ecological integrity in the U.S.A. Hydrobiologia 422/423, 429-443.
- Hutchinson, G. E., 1967. A treatise on Limnology, Vol. II Introduction to lake biology and the Limnoplankton John Wiley and Sons, INC, N.Y., London 11-15p.
- Hutchinson, G. E., (1957). A treaties on Limnology. Geography, physics and chemistry. Joh Wiley and Sons. Inc. (U.S.A) 1:101pp.
- Hynes, H. B., 1960. The biology of polluted waters. Liverpool. Univ. Press. Liverpool.
- Ikem, A., Egiebor, N. O., 2005. Assessment of trace element in canned fishes (mackerel, tuna, salmon, sardines and herrings) marketed in Gerogia and Alabama (United States of America). J. Food Composition Anal., 18, 771-787.
- International Joint Commission. 1982. Criteria for sediment concentration of metals established by U. S. Environmental Protection Agency for open water disposal of polluted sediments.
- IPCS (International Programme on Chemical Safty), 1999. Manganese and its compounds: Environmental aspects. Concise International Chemical Document 63. United Kingdom.
- Iqbal, F., Ali, M., Salam, A., Khan, B. A., Ahmad, S., Qamae, M., Umar, K., 2004. Seasonal variations of Physico-Chemical Characteristics of River Soan water at Dhoak Pathan

- bridge (Chakwal), Pakistan. International Journal of Agriculture & Biology 6 (1), 89-92.
- ISI (Indian Standard Institute) 1982. Indian Standard tolerance limits for inland surface water subject to pollution (2nd revision). Indian Standard 2296 pp.
- Israili,Wahid, A., 1991. Occurrence of heavy metals in Ganga River Water and Sediments of western Uttar Pradesh. Poll. Res. 10(2), 103-109.
- Jackson, M. L., 1967. Soil chemical Analysis, Prentice Hall of India Pvt. Ltd, New Delhi.
- Jain, S. K., Agarwal, P. K., Singh, V. P., 2007. Hydrology and water resources of India. Dordrecht, The Netherland: Springer 13-978-1-4020-5180-7, e-book.
- Jenkins, D., and Medsker, L., 1964. A Brucine Method for the Determination of Nitrate in Ocean, Estuarine, and Fresh Waters, Anal Chem., 36, 610 p.
- Jeon, B. H., Dempsey, B. A., Burgos, W. D., Royer, R. A., 2003. Sorption kinetics of Fe(II), Zn(II), Co(II), Ni(II), Cd(II) and Fe(II)/Mn(II) onto hermatite. Water Res. 37, 4135-42.
- Jha, B. C., Nath, D., Srivastava, N. P., Satpathy, B. B., 2008. Estuarine fisheries management-options and strategies. CIFRI, Barrackpore.
- Jhingran, A. G., Sugunan, V. V., 1990. General guideline and planning criteria for small reservoir fisheries in India. Proceeding for National Workshop on Reservoir Fisheries, Jan 3-4.
- Jhingran, A.G., 1989. Impact of environmental perturbations on the fisheries ecology of river Ganga. Central Inland Capture Fisheries Research Institute, Barrackpore: 26.
- Jhingran, G., Arun and Joshi, H. c., 1987. Heavy metals in water sediments and fish in the river Yamuna. J. Inland Fish .Soc. India. 19(1),13-23.

- Jitts, H. R., 1959. The absorption of phosphate by estuarine bottom deposits. Aust. J. Mar. Freshwater Res. 10, 7-21.
- John, O. P., Srivastava, S., 1999. The Big-Five Trait Taxonomy: History, Measurement, and Theoretical Perspectives. Handbook of personality: Theory and research (2nd ed.). New York: Guilford. 1-71 pp.
- Joseph, K. O., (1998). Journal of Indian Soc. Soil. Sci. 37(3), 571-573.
- Joshi, H. C., 1986. In: Proceedings of the National Seminar on pollution Control and Environmental Management, Mar 17-19. NEERI, Nagpur. 80-86 pp.
- Joshi, H. C., 1994. Environmental constraints in management of fisheries in inland open water system in India. In M. K. das and P. K. Chakraborty (Eds), Contribution to the fisheries of inland open water systems in India part II, Inland Fisheries Society of India, Barrackpore. 8-19 pp.
- Joshi, H.C., 1991. Monitoring of toxic and hazardous substances in the river Ganga .In:R.Gupta (Ed), Proc.Work. Trg.Biomon, 62-68.
- Kamau J.N., 2001. Heavy metal distribution in sediments along the Killindini and Makupa creeks, Kenya, Hydrobiologia 458, 235-240.
- Kar, D., Sur, P., MandaI, S. K., Saha, T., Kole, R. K., 2008. Assessment of heavy metal pollution in surface water. Int. J. Environ. Sci .Tech. 5(1),119-124.
- Karr, J. R., Allan, D., Benke, A. C., 2000. River conservation in the United States and Canada: Science, Policy and Practice. Chichester, Global, 35 p.
- Karr, J. R., Chu, E. W., 1999. Restoring Life In Running Waters. Island Press, Washington, D. C. 206 pp.

- Karr, J. R., Fausch, K. D., Angermeier, P. L., Yant, P. R., Schlosser, I. J., 1986. Assessing biological integrity in running waters: a method and its rationale. Illinois Natural History Survey Special Publication, 5, 28p.
- Karthikeyani, T. P., Velavan, T. P., Ramesh, M., 2002. The physic-chemical and biological characterization of the river Sanmuganadhi, Tamilnadu. Environment and Ecology 20(2), 482-486.
- Khanna, D. R., Malik, D. S., Badsla, S. P., 2000. Impact of aquatic environmental changes on plankton diversity in river Ganga at Hardwar. Environ. Issues. Manag. National conservation. Publication. 6, 133-146.
- Khwaja A. R., Singh, R., Tandon, S. N., 2001. Monitoring of Ganga water and sediments Vis-a - Vis Tannery Pollution at Kanpur (India): Acase study. Environ. Moint. Assess. 68, 19-35.
- Kideys, A. E., Soydemir, N., Eker, E., Vladymyrov, V., Soloviev, D., Melin, F., 2005. Phytoplankton distribution in Caspian Sea during March 2001. Hydrobiologia Vol. 543(1), 159-168.
- Kiratli, N., Ergin, M., 1996. Partitioning of heavy metals in surface Black Sea sediments. Applied Geochemistry 11, 775-788.
- Klein, R. D., 1979. Urbanization and stream quality impairment. Water Resources Bulletin, 15, 948-963.
- Konhauser, K. O., Powell, M. A., Fyfe, W. S., Longstaffe, S., Tripathy, S., 1996. Trace element geochemistry of river sediment, Orissa state, India. Journal of Hydrology. 193,258-269.

- Koshy, M., Nayar, T. V., 2002. Trace metals in the sediments in river Pamba. Poll. Res. 21(3),235-242.
- Kowakal, Z., Sarkar, S. K., Bilinski, S. F., Bhattacharya, A., Bhattacharya, S., Chatterjee, M., 2012. Mercury concentration in sediment cores from sundarban mangrove wetlands, India. Soil and sediment contamination 21, 525-544.
- Krupadam, R. J., Sarin, R., Anjaneyulu, Y., 2003. Distribution of trace metals of organic matter in sediments of Godavari estuary of Kakinada Bay, East Coast of India. Water, Air and Soil Pollution, 150, 299-318.
- Kumar, S., Kumar, S., Mishra, M., Prakash, D., Singh, S. K., Sharma, C. S., Mukherjee, D. P., 2011. An assessment of Heavy metal in sediment from two tributaries of lower stretch of Hugli estuary in West Bengal. Archives of applied Science Research 3(4), 139-146.
- Kumar, S., 1989. Heavy metal pollution in Gomti river sediments around Lucknow, Uttar Pradesh. Current Science 58,557-559.
- Kumar, S.S., Puttaiah, E.T., Manjappa, S., Naik, S.P., and Kumara, V., (2006), Water Quality Assessment of river Tunga, Karnataka. Environment & Ecology 24S (1): 23-26.
- Kumawat, D. A., 2006. Biodiversity, Occurrence and succession of Diatoms in Yawal and Raver tahsils of jalgaon district, Maharashtra, India. J. Aqua. Biol. 21, 9-12.
- Kurup, B.M., Ranjeet, K., 2002. Invasion of exotic fish population in Eriyar lake, Kerala: a hotspot of fish biodiversity. In proc. Life History Traits of Freshwater Fish Population for its Utilization in Conservation. Lucknow, India, NBFGR-NATP, AC-15pp , 1-4.
- Kurup, B. M., Radhakrishna, K.V., Monojkumar, T. J., 2001. River and Streams of kerala part of Western Ghats as hotspot of exceptional biodiversity with great degree of endemism. In

- M.R. Meenakumari, B. Joseph, J. Sankar, T. V. Pravin and L. Edwin eds. Proc. Riverine and reservoir fisheries of India Boopendranath. Society of Fisheries Technologists India, Cochin 204-217
- Lagerwerff, V., 1972. Lead, mercury, and cadmium as environmental contaminants. In J. J. Mortvedt et al. (ED), Micronutrients in agriculture. Madison, Wis. Soil Science Society of America, Inc.
- Lal, B., 1990. Impact of Farakka barrage on the hydrological changes and productivity potential of Hooghly estuary. *J. Inland Fish Soc. India* 22(1&2), 38-42.
- Lammert, M., Allan, J. D., 1999. Assessing biotic integrity of streams: effects of scale in measuring the influence of land use/cover and habitat structure on fish and macroinvertebrates. *Environmental Management* 23, 257-270.
- Lasheen, M. R., Ammar, N. S., 2009. Speciation of some heavy metals in River Nile Sediments, Cairo, Egypt. *Environ.* 29, 8-16.
- Lind, O. T., Chrzanowski, H. T., Davalos-Lind, L., 1997. Clay turbidity and the relative production of bacterioplankton and phytoplankton. *Hydrobiologia* 353, 1-18.
- Liu, C., Xu, J., Liu, C., Zhang, P., Dai, M., 2009. Heavy metals in the surface sediments in Lanzhou Reach of yellow River, China. *Bulletin Environ. Contam. Toxicol.* 82, 26-30.
- Long, E.Rs., Morgan, L.G., 1991. The potential for biological effects of sediment-sorbed contaminants tested in the National Status and Trends Program. NOAA Technical Memorandum NOS OMA 52. National Oceanic and Atmospheric Administration. Seattle, Washington.

- Lyndersen, E., Lofgren, S., Arnese, R.T., 2002. Metals in Scandinavian surface waters: Effects of acidification, liming and potential reacidification. Critical Reviews in Environmental science and technology 32, 73-295.
- Mackey, A. P., Hodgkinson, M., 1996. Assessment of the impact of Naphthalene contamination on mangrove fauna using behavioral bioassays. Bulletin of Environmental Contamination and Toxicology. 56, 279-286.
- Mahdieh, E., Amirhossein, M., 2009. Water quality assessment of Bertam River and its tributaries in Cameron Highlands, Malaysia: World Applied Sciences Journal. Tronh, Perak, Malaysia.
- Maiti, P., Banerjee, S., 2003. Seasonal scenario of metals in the tissues of some fish species from wastewater wetlands of Kolkata. J. Natcon. 15(2),423-440.
- Maity, R., Mandal, B., Gupta, A., 2017. Impact of water quality on species composition and seasonal fluctuation of zooplankton in the mouth of Haldi River, West Bengal. Global Journal of Bio-science and Biotechnology 6(3), 470-474.
- Malu, R. A., 2001. Phytoplankton diversity in Lonar lake. Env. Ecol. 1, 244-246.
- Mandal, B., Some, S., Banerjee, B., 2010. Comparative studies on primary productivity of sewage fed freshwater fishpond in relation to production efficiency of phytoplankton. International Joutnal of Science and Nature 1(1), 89-94.
- Manjappa, S., Puttaioh, E. T., 2005. Evalution of trace metals in the sediments of river Bhadra near Bhadravathi town, Karnataka, India. Journal of Industrial Pollution Control 21 (2), 271-276.
- Manna, R. K., Satpathy, B. B., Roshith, C. M., Naskar, M., Bhaumik, Utpal and Sharma, A. P., 2013. Spatio-temporal changes of hydro-chemical parameters in the estuarine part of

- the river Ganges under altered hydrological regime and its impact on biotic communities. *Aquatic Ecosystem Health & Management* 16(4), 433-444.
- Margalef, R., 1951. Diversidad de species en las comunidades naturales. *Publ. Inst. Biol. Apl.*, 9, 5-27.
- Marques, J. C., Pardal, M. A., Neilsen, S. N., Jorgensen, J.E., 1997. Analysis of the properties of energy and biodiversity along an estuarine gradient of eutrophication. *Ecol. Model.* 102, 155-167.
- Martin, J. M., Meybeck, M., 1979. Elemental mass balance of material carried by major world rivers. *Marine Chemistry* 7, 173-206.
- Martinova, M. V., 1993. Nitrogen and phosphorus compounds in bottom sediments: Mechanisms in accumulation, transformation and release. *Hydrobiologia* 1-252.
- Mathew, K., Nayar, T., Vasudevan., 2002. Trace metals in the sediments of river Pamba. *Poll. Res.* 21(3), 235-242.
- Mathew, M., Mohanraj, R., Azeez, P. A., Pattabhi, S., 2003. Speciation of heavy metals in bed sediments of wetlands in urban Coimbatore, India. *Bulletin of Environmental Contamination and Toxicology* 70, 800-808.
- Mathuthu, A. S., Mwanga, K., Simoro, A., 1997. Impact Assessment of Industrial and sewage Effluents on Water Quality of receiving Marimba River in Harare.
- Mayank, P., Dwivedi, A. C., 2015a. biology of *Cirrhinus mrigala* and *Oreochromis niloticus*.. LAP LAMBERT Academic Publishing GmbH & Co. KG, Dudweiler Landstr. 99, 66123 Saarbrucken, Germany, pp. 188.

- Meador, M. R., Goldstein, R. M., 2003. Assessing water quality at large geographic scales: relations among land use, water physicochemistry, riparian condition, and fish community structure. *Environmental Management* 31, 504-517.
- Menon, A. G. K., Rama Rao, K.V., Sen, T. K., 1972. The Hooghly and its fisheries in the past, the present and the Future with special reference to the Farakka Barrage on the Ganga. *Sci. Cult.* 38(8), 338-343.
- Meyers, P. A., 1997. Organic geochemical proxies of paleoceanographic, paleolimnologic, and paleoclimatic processes. *Org. Geochem.* 27, 213-250.
- Miller, K. L., 13 co-authors., 1988. Regional application of an index of biotic integrity for use in water resource management. *Fisheries* 13, 13-38.
- Mishra, S.R and Saksena, D.N. (1991).pollutional ecology with reference to physicochemical characteristics of Morar (Kalpi) River, Gwalior (M.P.). In current trends of limnology. 1 (Ed. Nalin K. Shastree) Narendra publishing house. New Delhi: 159-184.
- Misra, P. C., Behera, P. C., Patel, R. K., 2005. Contamination of water due to major industries and open refuse dumping in the steel city of Orissa-a case study. *Journal of Environmental Science and Technology*. 47, 141-154.
- Mitra, A., Mondal, K., Banerjee, K., 2011. Spatidal and tidal variationof physicochemical parameters in the lower gangetic delta region, West bengal, India. *Journal of Spatial hydrology* 11, 52-69.
- Mitra, A., Trivedi, S., Gupta, A., Chaudhuri, A., Chaudhuri, A., 1996. Distribution of trace metals in the sediments from Hooghly estuary, India. *Pollution Research* 15, 137-141.

- Mitra, P. M., Ghosh, K. K., Saigal, S. N., Sarkar, N. D., Roy, A. K., Mondal, N. C., Paul, A. R., 1987. Fishing gear of the upper and the middle Hoogly estuary. bulletin no 49. CIFRI, Barrackpore, 22 pp.
- Mitra, P. M., Karmaker, H. C., Ghosh, A. K., Mandai, N. C., Sen, H. K., Das, B. N., 2001. Fisheries of Hooghly Matlah estuarine system-further appraisal. Bulletin no 109. CIFRI, Barrackpore, 18 pp.
- Mohammad, A., Rozi, U., Dllah, K. A., 1987. Monitoring of heavy metals in the water and sediment of Ganga River. India Water Sci. Tech. 19(9), 107-117.
- Mohiuddin, K. M., Ogawa, Y., Zakir, H. M., Otomo, K., Shikazono, N., 2011. Heavy metals contamination in water and sediments of an urban river in a developing country. Int J. Environ. Sci. Technol. 8(4), 723-736.
- Mohiuddin, K. M., Zakir, H. M., Otomo, K., Sharmin, S., Shikazono, N., 2010. Geochemical distribution of trace metal pollutants in water and sediments of downstream of an urban river. Int. J. Environ. Sci. Technol. 7(1), 17-28.
- Monbet, P., 2006. Mass balance of lead through a small macro tidal estuary: the Morlaix River estuary (Brittany, France). Marine Chemistry 98, 59-80.
- Morillo, J., Usero, J., Gracia, I., 2004. Heavy metal distribution in marine sediments from the southwest coast of Spain. Chemosphere 55(3), 431-442.
- Mount, D. I., 1973. Chronic effect of low pH of fat head minnow survival, growth and reproduction. Water Res. 7, 978 p.
- Mukherjee, D. P., 2012. Global Perspective of monitoring metal ions in Ganges River-A case study. Arch. Appl. Sc. Res. 4(2), 1007-1021.

- Mukhopadhyaya, S. K., 2003. The Hooghly estuarine system N E coast of Bay of Bengal, India. CSMCRI, Bhabnagar, Workshop on Indian Estuaries, NIO, Goa, June 25.
- Mukhopadhyay, M. K., Kolekar, Y., Chandra, K., Mandi, R., Das, S., 2004. Post Impoundment Impact of Ukai Reservoir on Tapti River system in Gujrat. Environment & Ecology 22(4), 810-815.
- Mukhopadhyay, S. K., Biswas, H., De, T. K., 2006. Fluxes of nutrients from the tropical river Hooghly at the land-ocean boundary of sundarbans, North east coast of Bay of Bengal, India. Journal of Marine System, 62, 9-21.
- Muller, P. J., 1977. Cr :N ratios in Pacific deep-sea sediments: Effect of inorganic ammonium and organic nitrogen compounds sorbed by clays. Geochim. Cosmochim. Acta 41, 765-776.
- Mulligan, C. N., Yong, R. N., Gibbs, B. F., 2001. An evaluation of technologies for the removal of heavy metals from sediments. J. Haz. Mat. 85, 145-163.
- Munshi, J. D., Singh, N. K., 1989. Heavy metal accumulation of fishes of the river Subarnarekha at Ghatsila. Env. Eco. 7(4), 790-792.
- Murugan, N., Murugavel, P., Koderkar, M. S., 1998. Freshwater cladocera; Indian Assoc. Of Aqua. Biologists(IAAB), Hyderabad. Pp. 1-47.
- Mustapha, M. K., 2009. Zooplankton assemblage of Oyun reservoir, Offa, Nigeria. Rev. Biol. Trop. (Int). Journal of Tropical Biology 57(4), pp 1027-1047.
- Muthu, M. S., 1983. Penaeid broodstock development Eindmanagement. Proc. National Syrrrp. Shrimp Seed Production and hatchery management 97-115.

- Muthu, M. S., Laxminarayana, A., 1982. Induced maturation of penaeid prawns-A review. Proc. Symp. Coastal Aquaculture Part I, 16-27.
- Nair, B. N., 2000. Report of the expert committee for fisheries management studies, Kerala. Directorate of Fisheries, Vlkas, Thiruvananthapuram pp 1-213.
- Nakai, N., Ohta, T., Fujisawa, H., Yoshida, M., 1982. Paleoclimatic and sea-level changes deduced from organic carbon isotope ratios, CrN ratios and pyrite contents of cored sediments from Nagoya Harbor, Japan. The Quaternary Research (Japan Assoc. for Quaternary Res.) 21, 169- 177 (in Japanese with English abstract).
- Namalar, P., 1985. Heavy metal pollution in Adayar estuary, Madras. National Symp .On Assess Environ .Proc. 235-238 pp.
- Nandi, N. C., Das, S. R., 2003. Diversity and population density of macrozoobenthos and zooplankton of south 24- Parganas District, West Bengal. J. Auacult. Biol. 18(1), 41-46.
- Nandy, A. C., Bagchi, M. M., Majumder, S. K., 1983. Ecological changes in the Hooghly estuary due to water release from Farakka barrage. Mahasagar 16(2),209-220.
- Nath, D., Mishra, R. N., Mondal, S., Saha, k. And Biswas, D. K., 2003. Heavy metal contents in Sundarban estuaries. 1. Inland Fish Soc. India 35(1), 78-84.
- Nemr, A. E., Khaled, A., Sikaily, A. E., 2006. Distribution and statistical analysis of leachable and total heavy metals in the sediments of the Suez Gulf. Environmental Monitoring and Assessment 118, 89-112.
- Ngiam, L. S., Lim, P. E., 2001. Speciation patterns of heavy metals in tropical estuarine anoxic and oxidized sediments by different sequential extraction schemes. Science of the Total Environment 275, 53-61.

- Nichols, B. A., Manny, D. W., Schloesser, T. A., Edsall. 1991. Heavy metal contamination of sediment in the upper connection channels of the great lakes. Environmental assessment and habitat evaluation 219, 307-315.
- NRCD.,2009. <http://moef.nic.in/downloads/public-infonnationisStatus%20paper%20-ganga.pdf>(last accessed, 11.09.2012).
- Ochieng, E. Z., Lalah, J. O., Wandiga, S. O., 2007. Analysis of heavy metals in water and surface sediment in five Rift Valley Lakes in Kenya for assessment of recent increase in anthropogenic activities. Bulletin Environ. Contam. Toxicol. 79, 570-576.
- Odum, W. E., 1978. The importance of tidal freshwater wetlands in coastal zone management. Coastal zone 78. American Society of Civil Engineers, New York.
- Odum, E. P., 1971. Fundamentals of Ecology 3rd Ed. W.B. Sanders Company. Philadelphia, London, Toronto 574pp.
- Olguin, H. F., Salibian, A., Puig, A., 2000. Comparative sensitivity of Scenedesmus Acutus and chlorella pyrenoidosa as sentinel organisms for aquatic ecotoxicity assessment studies on a highly polluted urban river 15-22.
- Ostrom, N. E., Macko, S. A., 1992. Sources, cycling, and distribution of water column particulate and sedimentary organic matter in Northern New-foundland Fjords and bays: A stable isotope study. Organic Matter Productivity, Accumulation, and Preservation in Recent and Ancient Sediments- (Whelan, I. and Farrington, I. W., eds.), 55-81, Columbia Univ. Press, New York.

- Pahwa, D. v., Melhrotra, S. N., 1966. Observation on fluctuations in the abundance of plankton in relation to certain hydrological conditions of river Ganga .Proc.Nat.Acad .Sci.India, 36 8 (2), 157-189.
- Pailwan, I. F., Muley, D. V., Maske, S. K., 2008. Limnological features, plankton diversity and fishery status of three fresh water perennial tanks of Kolhapur Dist. (M.S.) India. Proceeding of Taal 2007: The 12th world lake conference 1643-1649.
- Paller, M. H., Reichert, M. J. M., Dean, J. M., 1996. Use of fish communities to assess environmental impacts in South Carolina coastal plain streams. Transactions of the American Fisheries Society 125, 633-644.
- Pandey, B. N., Mishra, A. K., Jha, A. K., Lal, R. N., 1992. Studies on qualitative composition and seasonal fluctuation in Plankton composition of river Mahananda, Katihar (Bihar). J. Ecotoxicol. Environ. Monit 2(2), 93-97.
- Panda, U. C., Rath, P., Sahu, K. C., Majumdar, S., Sundaray, S. K., 2006. Study of geochemical association of some trace metals in the sediments of Chilika Lake: A multivariate statistical approach. Environmental Monitoring and Assessment 123, 125-150.
- Pande, Y. N., 1995. Impact of distillery and sugar mill effluents on hydrobiology of the Parvati Lake. Ecol. Env. & Cons. 1(1-4), 39-42
- Pandey, J., Shubhashish, K., Pandey, R., 2010. Heavy metal concentration of Ganga River at Varanasi in relation to atmospheric deposition. Toxicol. Ecology 51(2S), 365- 373.
- Pandey, K.S. and Sharma, S.D., 1999. Distribution of organic matter and toxic metals in the sediment of Ramganga River at Moradabad. Poll. Res. 18,43-47.

- Pang, H. J., Lou, Z. H., Jin, A. M., Yan, K.K., Yan, J., Yang, X. H., *et al.* 2015. Contamination distribution and sources of heavy metals in the sediments of Andon tidal flat, Hangzhou bay, China. *Continental Shelf Research* 11, 72-84.
- Panwar, R. S., Pathak, V., Mahavar, L. R., Mishra, J. P., 2001. Impact of Tributary Sone on Water Quality and Production Dynamics of River Ganga. *Applied Fisheries & Aquaculture*. 1 (1), 1-4.
- Park, K. S., Shin, H. W., 2007. Studies on phyto-and – zooplankton composition and its relation to fish productivity in a west coast fish pond ecosystem. *J. Environ. Biol* 28, 415-422.
- Parvateesam., Mishra, M., 1993. Algae of Pushkar Lake including pollution indicating forms. *Phykos* 32(1&2), 27-39.
- Pathak, R. K., Gopesh, A., Dwivedi, A. C., Joshi, K. D., 2014. Age and growth of alien fish species, *Cyprinus carpio* var. *communis* (common carp) in the lower stretch of the Yamuna river at Allahabad. *Natl. Acad. Sci. Lett.* 37, 419-422. DOI: 10.10007/s400009-014-0262-3.
- Pathak, R. K., Gopesh, A., Dwivedi, A. C., 2011a. Alien fish species, *Cyprinus carpio* var. *communis* (common carp) as powerful invader in the Yamuna river at Allahabad, India. *Natl. Acad. Sci. Lett.* 34, 367-373.
- Pathak ,So P., Kumar, S., Ramteke, P. W., Murthy, R. C., Singh, K. P., Bhattacherjee, J. W., Ray, P. K., 2001. Riverine pollution in some northern and north eastern states of India. *Environ. Monit. Assessment* 22, 227-236.

- Pathak, V., Choudury, M., Laal, A. K., Bhattacharjee, B. K., Sarkar, A., Mahavar, L. R., 2000. Ecology and production dynamics of river Brahmaputra with special emphasis on its tributaries. Bull.No.97.Central inland Fish .Res. Inst .Barrackpore, India.
- Patil, S. G., Singh, D. F., 2002. Limnological investigation Abiotic factors- Zool. Surv. India. Wetland Ecosystem series. No. 3, Fauna of Ujaini 5-26.
- Patra, R. W. R., Azadi, M. A., 1987. Ecological studies on the planktonic organisms of the Haldi rivar. Bangladesh J. Zool. 15(2), 109-123.
- Pawar, S. K., Pulley, J. S., Shendge, K. M., 2006. The study on phytoplankton of pethwadaj dam. Taluka- Kandhar, District-Nanded, Maharashtra, India. J. Aqua. Biol. 21, 1-6.
- Pejaver M., Vaishali, S., Mangala, B., 2002. Physicochemical studies of lake ambegosale, Thane, India. J. Ecobio. 14(4), 277-281.
- Pennak, R. W., 1955. Comparative Limnology of eight Colorado Mountain Lakes. Univ. Colorado. Stud. Sci. Biol. 2, 1-75
- Perin, G., Carboledda, L., Lucchese, M., Cirillo, R., Dotta, L., Zanette, M. L., Grio, A. A., 1985. Heavy Metal Speciation in the Sediments of Northern Adriatic Sea. A New Approach for Environmental Toxicity Determination, in lekkas,T. D. (ed), Heavy Metals in the Environment, Vol.2, CEP Consultants,Edinburgh.
- Persaud D., Jaagumani R., Hayton, A., 1993. Guidelines for the protection and management of aquatic sediment quality in Ontario, water resources branch, Ontario ministry of the environment, Toronto, pp 27.
- Pielou, E.C., 1966. The measurement of diversity of different types of biological collections. J. Theor.Biol., 13, 131-144.

- Ponmanickam, P., Rajagopal, T., Rajan, M. K., Achiraman, S., Palanivelu, K., 2007. Assessment of drinking water quality of Vembakkottai reservoir, Virudhunagar district, Tamil Nadu. J. Exp. Zool. India 10, 485-488.
- Prasad, S., Mathur, A., Rupainwar, D. D., 1989. Heavy metals distribution in the sediments and sewer-river confluence points of River Ganga in VaranasiMirzapur region. Asian Env. 11(2), 73-82.
- Primavera, J. H., 1983. Broodstock of sugpo (*Penaeus monodon*) (Fabricius). E Mension Manual No 7. SEAFVEC Aquaculture Dept. 25pp.
- Purkait, S., Ganguly, M., Aktar, M. W., Sengupta, D., Chowdhury, A., 2009. Impact Assessment of various parameters polluting Ganga water in Kolkata Region: a study for quality evaluation and environmental implication. Environ. Monit. Assess 155, 443-454.
- Purushothaman, P., Chakrapani, G. J., 2007. Heavy metal Fractional in Ganga River Sediments, India. Environ. Monit. Assess 132,475-489.
- Radenac, G., Fichet, D., Miramand, P., 2001. Bioaccumulation and toxicity of four dissolved metals in *Paracentrotus lividus* sea-urchin embryo. Marine Environmental Research 51(2), 151-166.
- Ragotham., Jaiswal., 1995. Environmental monitoring and Assessment 33, 85-89.
- Rajagopal, T., Thangamani, A., Archunan, G., Manimozhi, A., 2006. Studies on diurnal variation certain physic- chemical parameters and zooplankton components of Chinnapperkovil pond in sattur. J. Nat. Conser 18, 97-105.
- Ramesh R., Ramanathan, A. L., James, R. A, Subramanian, Y., Jacobsen, S. B., Holland, H. D., 1999. Rare earth elements and heavy metals distribution in estuarine sediments of east coast India. Hydrobiologia 397, 89-99.

- Ramteke, P. W., Pathak, S. P., Bhattacherjee, J. W., Gopal, K., Mathur, N., 1994. Evaluation of the presence-absence (P-A) test. A simplified bacteriology test for detecting coliform in rural drinking water of India, Environmental Monitoring Assessment. 33, 53-59.
- Rana, K. S., 1996. Assessment of pollution in the river Jamuna part II phytoplankton. J. Nat. Environ 13, 41-48.
- Rana, K. S., 1991. Impact of solar radiation on the aquatic ecosystem. A case study of soor sarowar, Agra. J. Nat. Environ. 8, 43-49.
- Ranjan, U. K., Singh Kohli, M. P., Saharan, N., 2001. Impact of Ganga Action Plan and the Present Physico-Chemical Status of River Ganga at Patna. Applied Fisheries & Aquaculture 1(1), 13-15.
- Ranjbar, A. G. H., 1998. Heavy metal concentration in surficial sediments from Anzali wetland, Iran. Water,Air and Soil Pollution 104, 305-312.
- Rantala, R. T. T., Loring, D. H., 1985. Partition and determination of cadmium, copper, lead, zinc in marine suspended particulate matter. Intern, J. Environ. Anal. Chem. 19, 165-173.
- Rao, L. M., Prasad, K. Y. S., Sivani, 1999. Ecology and ichthyofauna of some fresh water ponds of Amalapuram in Ease Godavari Dist., Andhra Pradesh. J. Aqua, Biol 13, 29-33.
- Rao, P. V., 1983. Maturation and spawning of penaeid prawns of the south west coast of India. FAO Fish. Rep. 57(2), 285-301.
- Rao, P., Ghosh, B. B., 1982. Some ecological consideration of the Hooghly estuary polluted by domestic and industrial waste water under tropical environment. FAG Document FI:ACMRRIBEI8. Sept 29.

- Rashid, M. A., Reinson, G. E., 1979. Organic matter 10 surficial sediments of the Miramichi Estuary, New Brunswick, Canada. *Estuarine Coastal Shelf Sci.* 8, 23-36.
- Rauret, G., 1998. Extraction procedures for the determination of heavy metals in contaminated soil and sediments . *Talanta* 46, 449-455.
- Ravanelli, M., Tubertini, O., Valcher, S., Martinotti, W., 1997. Heavy metal distribution in sediment cores from western Ross Sea (Antarctica). *Water, Air and Soil Pollution* 99, 697-704.
- Ray, P. K., 1992. Measurement of Ganga River quality -heavy metals and pesticides. Project report, Industrial Toxicology Research Center, Lucknow, India.
- Reddy, R. C., Kelkar, P. S., Rao, R. R., Pande, S. P., 2002. Eutrophic status of Hussainsagar lake in Hyderabad. *J. Inst. Engrs. India.* 83, 14-22.
- Reichwaldt, E. S., Wolf, I. D., Stibor, H., 2005. Effects of a fluctuating temperature regime experienced by daphnia during diel vertical migration on Daphnia life history parameters. *Hydrobiologia* 543, 199-205.
- Ricciardi, A., Rasmussen, J. B., 1998. Predicting the identity and impact of future biological invaders. A priority for aquatic resource management. *Can. J. Fish. Aquat. Sci.*, 55, 1759-1765.
- Rosenberg, D. M., Resh, V. H., 1993. Freshwater biomonitoring and benthic macroinvertebrates. Chapman and Hall, New York, 488p.
- Roth, N. E., Allan, J. D., Erickson, D. L., 1996. Landscape influences on stream biotic integrity assessed at multiple spatial scales. *Landscape Ecology* 11, 141-156.
- Saikia, O.K., Mathur, R. P., Srivastava, S. K., 1988. Heavy metals in water and sediments of upper Ganga. *Indian J. Environ. Health.* 31, 11-17.

- Sakai, H., Kojima, Y., Saito, K. (1986). Distribution of heavy metals in water and sieved sediment in the Toyohira River. *Water Research* 20(5),559-566.
- Salaskar, P. B., Yeragi, S. G., 2003. Seasonal fluctuations of plankton population correlated with physico-chemical factor in Powai lake Mumbai, Maharashtra. *J. Aquat. Biol.* 18(1), 19-32.
- Samanta, S., 2006A• Organochlorine Pesticide residue studies in fish of river Ganges in West Bengal. *Pestic. Res. J.* 18(1), 104-108.
- Samanta, S., 2006 B• Role of abiotic parameters in fish production. In: S. K. Mandal (ed.). Course Manual of Winter School on 'Inland Fisheries Management Using GIS Tools'. Central Inland Fisheries Research Institute, Barrackpore. 14th Nov. - 4th Dec., 2006. pp 171-182.
- Samanta, S., 2010. Water and sediment quality management in cage and pen farming of fishes. In Bandyopadhyay, M. K.; Hassan, M. A. and Roy, A. (eds.) Training Manual on "Pen and Cage Culture in Inland Waters" November, 18-27, CIFRI, Barrackpore. pp. 15-30.
- Samanta, S., 2013. Metal and pesticide pollution scenario in Ganga River System. *Aquatic Ecosystem Health and Management*. 16(4),454-464.
- Samanta, S., Chakrabarty, P. K., 1997. Seasonal distribution of nutrients in the lower Mahanadi Complex. In: K.K. Vass and M. Sinha (eds.) 'Changing Perspectives in Inland Fisheries'. Proceedings of the National Seminar, March 16-17, Inland Fisheries Society of India, Barrackpore, West Bengal. pp. 50-56.

- Samanta, S., Chandra, K., Manna, S. K. (2007). Sediment status of the Hoogly and Haldi estuaries at Haldia industrial area with special reference to trace metals. 1. Indian. Soc. Soil Sc. 55(3),349-359.
- Samanta, S., Das, A. K., 2002. Abiotic factors and their significance in reservoir fisheries management. In Training programme on 'Development of reservoir fisheries in India'. Central Inland Fisheries Research Institute, Barrackpore. pp. 47-57.
- Samanta, S., Mitra, K., Chandra, K., Saha, K., Bandopadhyay, S., Ghosh, A., 2005. Heavy metals in water of rivers Hooghly and Haldi at Haldia and their impact on fish. Journal of Environmental biology 26,517-523.
- Sarama,V. V., Sudhakar, U., Varaprasad, S. J. D., 1993. Behaviour of fluoride and dissolved silicon in Gomti Godavari estuarine environment. Mahasagar 26(2), 105-113.
- Sarkar, S. K., Saha, M., Takada, H., Bhattacharya, A., Mishra, P., Bhattacharya, B., 2007. Water Quality management in the lower stretch of the river Ganges, east coast of India: an approach through environmental education. J. Clean. Prod. 15(16), 1559-1567.
- Sarkar, U. K., Pathak, A. K., Lakra, W. S., 2008. Conservation of freshwater fish resources of India: new approaches, assessand challenges. Biodivers. Conserv. 17,2495-2511.
- Sarkar,U.K., Basheer, V.S., Singh, A. K. And Srivastava, S.M .. , 2003. Organochlorine pesticide residues in water and fish samples: first report from rivers and streams of Kumaon Himalayan region, India. Bull. Environ. Contam. Toxicol. 70, 485- 493.
- Schleiger, S. L., 2000. Use of an index of biotic integrity to detect the effects of land use on stream fish communities in West- Central Georgia. Transactions of the American Fisheries Society 129, 118-133.

- Scott, M. C. A., Hall Jr, L. W., 1997. Fish assemblages as indicators of environmental degradation in Maryland coastal plain streams. Transactions of the American Fisheries Society 126, 349-360.
- Sekhar, C. K., Chary, N. S., Kamala, C. T., Raj, D. S., Rao, S. A., 2003. Fractionation studies and bioaccumulation of sedimentbound heavy metals in Kolleru lake by edible fish, Environment International, 29, 1001-1008.
- Shah, P. K., David, A., 2005. Hazards from heavy metal in inland fisheris. Natural and anthropogenic hazards on fish and fisheries 291-303 pp.
- Shaikh, M. J., 2013. Analysis of heavy metal in water and fish Cirrhinas mrigala of river Godavari, At Nathsagar dam in Maharashtra, India. The bisscan 8(3), 1025- 1027.
- Shamsudin, 1993. The nutritional value of food organisms is related to their biochemical composition, especially the lipid and fatty acid contents. Journal of Plankton Research. Volume 30, Issue 12, 1417-1430.
- Shannon, C. E., and Weaver, W. 1949. The mathematical theory of communication (University of Ilionois press, Urbana), 117.
- Sharma, S., dixit, S., Jain, P., Shah, K. W., Vishwakarma, r., 2008. Statistical evaluation of hydrobiological parameters of Narmada River water at Hosangabad City, India. Environmental Monitoring and assessment, 143: 195-202.
- Sharma, B. K., 2005. Rotifer communities of floodplain lake of Brahmaputra basin of lower Assam (N.E. India) biodiversity, distribution and ecology. Hydrobiologia 533, 209-221.

- Shekhar, R. T., Kiran, B. R., Puttaiah, E. T., Shivaraj, Y., Mahadevan, K. M., 2008. Phytoplanton as index of water quality with reference to industrial pollution . J. Environ. Biol. 29, 233-236.
- Sheldon, A.L., 1969. Equitability indices, dependence on the species count . Ecol., 50, 466-467.
- Siegel, F. R., 2002. Environmental Geochemistry of potentially Toxic Metals. SpringerVerlag, Berlin.
- Simpson, E.H., 1949. Measurement of diversity. Nature., 163, 688.
- Singh H.P., R. Chandra and B. Singh, 1993b. J. Inland Fosh. Soc. India. 25 (1): 62-65.
- Singh, H. P., 1999. Limno - chemistry of river Ganga and some of its major tributaries. J. Inland Fish. Soc. India 31 (2), 31-35.
- Singh, H. P., Mahavar, L. R., 2003. Assessment of pollutant on limno-chemical factors of river Ganga between Kanpur and Varanasi. Fisheries Enhancement in Inland Water-Challages Ahed, 59-67 pp.
- Singh, H. P., Mahaver, L. R., 1997. Preliminary observation on heavy metals in water and sediments in stretch of River Ganga and some of its tributaries. J. Environ. BioI. 18(1),49-53.
- Singh, H. P., Mahaver, L. R., 1998. Status of soil in the lower stretch of river Ganga from Sultanpur to Farakka. J. Inland Fish. Soc. India 30(2), 75-79.
- Singh, H. P., Mahaver, L. R., Mishra, J. P., 1999. Limnochemical characterization of River Ghaghara in U. P. J. Inland Fish. Soc. India 31 (l), 28-32.
- Singh, H. P., Mishra, J. P., Mahaver, L. R., 1998. Observation on certain physic-chemical characteristics of water in relation to pollution of river Ramganga. J. Environ. BioI. 19(4),353-356.

- Singh, H.P., Mahaver, L. R., Misra, I. P., 1993a. Heavy metals in sediment and water in the river Ganga. *Journal of Assam Science Society* 34, 52-56.
- Singh, I. M., Muller, G., Singh, I. B., 2003. Geogenic distribution and baseline concentration of heavy metals in sediments of the Ganges River. *Journal of Geochemical Exploration* 80, 1-17.
- Singh, K. P., 1996. Data sheet (Pesticide residues in micrograms/I), Gomti river water, industrial toxicology research center, Lucknow. In: PoPs in South Asia. Appendices. 51-59 pp.
- Singh, K. P., Takroo, R., Malik, A., Mohan, D., 1992. Distribution of persistent organochlorine pesticide residues in Gomti River, India. *Bull. Environ. Contam. Toxicol.* 74, 146-154.
- Singh, L., Choudhary, S. K., Singh, P. K., 2011. Organophosphorous pesticides residues in water of River Ganga at Bhagalapur, Bihar, India, *Int. J. Res. Chern. Environ.* 1, 77-84.
- Singh, L., Choudhary, S. K., Singh, P. K., 2012. Status of heavy metal concentration in water and sediment of river Ganges at selected sites in the middle Ganga plain. *International journal of research in chemistry and environment* 2, 236-243.
- Singh, M., Muller, G., Singh, I. 8., 2003. Geogenic distribution and baseline concentration of heavy metals in sediments of the Ganges River. *India J. Geochem. Explor.* 80, 1-17.
- Singh, R.P., Dayal, G., Taneja A. And Kapoor R. C. 1993c. Enrichment of Zn, Cd, Pb and Cu in the surface micro layer of River Ganga along Kanpur City. *Poll. Res.* 12 (4), 261-265.
- Singh, V., Singh, K., Kumar, P., Mohan, D., 2005. Studies of heavy metal in water and bed sediments of Gomti River, a tributary of the Ganga River, India. *Environmental Monitoring Assessment* 105(1-3), 43-67.

- Singh, S. P., Pathak, D., Singh, R., 2002. Hydrobiological studies of two ponds of Satna (M.P.), India. *Ecol. Environ. Conser* 8, 289-292.
- Singh, S. P., Singh, B. K., 1993. Observation on hydrobiological feature of river, sonet at Diyapiper Bridge in Shahdo (M.P.) pp. 135-138.
- Sinha, R. K., Sinha, K. S., Kedia, D. K., Kumari, A., Rani, N., Sharma, G., Prasad, K., 2007. A holistic study on mercury pollution in the Ganga River System at Varanasi, India. *Curr. Sci.* 92(9), 1223-1228.
- Sinha, B., Islami, M. R., 2002. Seasonal variation in zooplankton population of two lentic bodies and Assam State Zoo cum Botanical garden, Guwahati, Assam. *Ecol. Environ. Conser.* 8, 273-278.
- Smith, S. L., MacDonald, D. D., Keenleyside, K. A., Ingersoll, C. G., Field, J., 1996. A preliminary evolution of sediment quality assessment values for freshwater eco system. *J. Great Lakes res.* 22, 624-638.
- Sorme, L., Lagerkvist, R., 2002. Sources of trace metals in urban wastewater in Stockholm. *Sci. Total Environ.* 298(1-3), 131-145.
- Spodniewska, I., 1979. Phytoplankton as the indicator of Lake Eutrophication 2 summer situation in 25 Masurian lakes. *Ekol. Pol.* 27, 481-496.
- Srivastava, U. S., Kulshrestha, A. K., 1990. Seasonal variations in certain physicochemical parameters in Ganga, Yamuna and tons in Allahabad region (U.P). In recent trends in limnology ,Eds. Agarwal, V. P. and Das, P., Society of Biosciences, Muzaffarnagar. India. 351-363 pp.

- Subramanian, V., 1993. Phosphorus, Silicon and some trace contaminants in the Ganges estuary. Estuaries 16, 453-458.
- Subramanian, V., Mohanchandran, G., 1990. Heavy metals distribution and enrichment in the sediments of southern east coast of India. Maar. Poll. Bull. 21 (7), 324-330.
- Subramanian, V., Van't Dack, L., Van Gricken, R., 1985. Chemical composition of river sediments from the Indian sub --continent. Chemical Geology 46, 271-276.
- Subramanian, V., Vangrieken, R., Vent Dack, L., 1987. Heavy metals distribution in the sediments of Ganga and Brahmaputra rivers. Environ. Geol. Water Sci. 9, 93- 103.
- Sudhakar, G., Jyothi, B., Venkateshwarla, V., 1994. Role of Diatoms as indicator of pollution gradients. Environment monitor: Assess. Vol. 139, 299-306.
- Sultan, S., Chauhan, M., Sharma, V. I., 2005. Commercial fisheries in pahunj reservoir under different fishing regimes. J. Inland fish. Soc. India 37(2), 48-53.
- Sutin, S., Jaroensutasinee, M., Jaroensutasinee, K., 2007. Water quality and Freshwater Fish Diversity at Khao Luang National Park, Thailand. Mt. J. App. Sci. Eng. Tech 4(1), 373-376.
- Swingle, H. S., 1967. Standardization of chemical abalysis for waters and pond muds. FAO Fish Rep. 44(4), 394-421.
- Tafas, T., Economou, A., 1997. Limnological survey of the warm monomictic lake Trichonis (Central Western Greece). Hydrobiologia 344, 141-153.
- Thompson, S., Foran, C. M., Benson, W. H., 2000. Effects of cadmium on the hypothalamus pituitary and gonadal axis in Japanese Medaka (*Oryzias latipus*). 21th SETAC- Annual meeting Nashville (p268). 12-16 Nvember. Nashville, Tennessee, USA.

- Thornton, S. F., McManus, J., 1994. Application of organic carbon and nitrogen stable isotope and C/ N ratios as source indicators of organic matter provenance in estuarine systems: evidence from the Tay Estuary, Scotland. *Estuarine Coastal Shelf Sci.* 38,219-233.
- Tiwari, A., Chauhan, S. V., 2006. Seasonal phytoplanktonic diversity of kitham lak, Agra. *J. Environ. Biol.*, 27, 35-38.
- Tiwari, M., Mahapatra, R., 1999. What goes down must come up. *Down to Earth* , 8(7).
- Train, R. E., 1979. Quality criteria for water. Castle house of publications limited, Washington. D. C. 54-64 pp.
- Tripathi, T., Gopesh, A., Joshi, K. D., Dwivedi, A. C., 2015. Size composition exploitation pattern, sex ratio and sex structure of *Eutropiichthysvacha* (Hamilton, 1822) from the middle stretch of the river Ganga at Allahabad, India. In. advances in biosciences and Technology NGBU, Allahabad, pp 116-120.
- Trivedi, R. C., 2010. Water quality of Ganga River -an overview. *Aquatic ecosystem health and management* 13(4),347-351.
- Trivedi, R. K., Goel, P. K., 1988. Chemical and biological methods for water and pollution studies. Environmental publication Karad- India.
- Tyagi, P., Buddi, D., Chowdary, R., Sawhney, R., 2000. Physicochemical quality of ground water in industrial area of India. *Pollution Research* 19, 443-445.
- Untoo, S.A., Praveen, S., Khan, A. A., 2002. Impact of toxic effluents in the River Ganga with particular reference to metal pollution near Rajghat (U.P.). *Poll. Res.* 1(4), 455-459.

USEPA standard- National Primary Drinking water standard, EPA 816-F-02-013 dated July, 2002

USEPA, "Sediment Classification Method compendium," EPA, Washington DC, 1992

USEPA., 2011(a). Manganese. Washington, DC, United States Environmental Protection Agency, Integrated Risk Infonnation System (IRIS). Available at <http://www.epa.gov/iris/substl0373.htm>.

USEP A., 2011 (b). The effects of mountain top mines and valley fills on aquatic ecosystem of the Central Appalachian coalfields. Office of Research Institute, Barrackpore. pp.34.

Usero, J., Gamero, M., Morillo, J., Gracia, I., 1998. Comparative study of three sequential extraction procedures for metals in marine sediments. Environment International 24, 478-496.

Vass, K. K., Mukhopadhyay, M. K., Mitra, K., Bagchi, M. M., Bandopadhyay, S., 1998. Fish as biomonitoring tool for environmental impact assessment in Ganga River system .P.15-23.In:K.K.Vass and M. Sinha (Eds.), Changing perspectives in Inland Fisheries.Proceedings of the National Seminar, 1998 March 16-17, Inland Fisheries Society of India, Barrackpore.

Vass, K. K., Samanta, S., Suresh, V. R., Katiha, P. K., MandaI, S. K., 2008. Current status of river Ganges.Bull No.1 52. Central Inland Fisheries Research Institute,Barrackpore. pp 34.

Venugopal, P., Sarala Devi, K., Remani, K. N., Unnithan, R. V., 1982. Trace metal levels in the sediments of the Cochin backwaters. Bull. Nat. Inst. Oceanogr. 15, 205-214.

- Waite, I. R., Carpenter, K. D., 2000. Associations among fish assemblage structure and environmental variables in Willamette Basin streams, Oregon. *Transactions of the American Fisheries Society* 129, 754-770.
- Veen, A., Ahlers, c., Zachmann, D. W., Friese, K., 2006. Spatial distribution and bonding forms of heavy metals in sediments along the middle course of the River Elbe, *Acta hydrochimica et . Hydrobiologica* 34,214-222.
- Venkateswarlu, V., Sudhakar, G., Jyoti, B., 1994. Role of diatoms as indicators of pollution gradients. *Environ. Monit. Assess* 33(2), 85-99.
- Vibrickas, T., 1998. Regularities of changes in the production of fish population and communities in Lithuanian rivers of different types. *Acta. Zool. Litu. Hydrobiol* 8(4), 1-65.
- Villar, C. A., Laura d. C., Bonetto, C. A., 1996. Macrophytic primary production and nutrient concentrations in a deltaic floodplain marsh of the Lower Parana River. *Hydrobiologia* 330, 59-66.
- Walkely, A., Black, I., 1943. An Exppenntation of the degtjareff methods for determining soil organic carbon mater and proposed modification of the chromic acid titration method. *Soil Science* 37, 29-37.
- Walling, D. E., Russel, M. A., Webb, B. W., 2001. Controls on the nutrient content of suspended sediment transported by British rivers. *Sci. Total. Environ.* 113, 266.
- Welch, P. S., 1948. Limnology. Migraw-Hill Book Co. Inc. New York.
- Welch, P. S., 1952. Limnology. Migraw-Hill Book Co.Ink (USA). 2nd edition. 538p.
- Wetzel, R.G. (1983) limnology, Second Ed. Saunders Co., Philadelphia, London, Toronto.

WHO, 2012. Guide lines for drinking water quality, 3rd edition Vol. 1 recommendation. World Health Organisation.

Wickins, J. F., 1976. The tolerance of warm water prawns to circulated water. Aquaculture 9, 19-37.

Windom, H., Schropp, S., Calder, F., Ryan, J., Smith, R., Burney, L., 1989. Natural trace metal concentrations in estuarine and coastal marine sediments of the southeastern United States. Environmental Science and Technology 23,314-320.

Yahiya, N. M. D., Souissi, S., Yahia-Kefi, O. D., 2004. Spatial and temporal structure of planktonic copepod in the Bay of Tunis Southwestern Mediterranean Sea. Zoological Studies 43(2), 366-375.

Yalavarthi Eswari., 2002. Hydrobiological studies at Red hills reservoir, north Chennai, Tamil Nadu. J. Aquatic Bio 17(1), 13-16.

Zhao Wen., Zheng Mian-ping., Xu Xian-Zhong., Liu Xi-Fang., Guo Gan-lin., He Zhi-hui., 2005. Biological and ecological features of saline lakes in northern Tibet, China.. Hydrobiologia 189-203.