

BIBLIOGRAPHY

BIBLIOGRAPHY

- Abhirama, B.R. and ShanmugaSundaram, R., 2018. Antiurolithic and antioxidant activity of ethanol extract of whole-plant *Biophytum sensitivum* (Linn.) DC in Ethylene-Glycol-induced urolithiasis in rats. *Pharmacognosy Research*, **10**(2), p.181.
- Abubakar, M.N. and Majinda, R.R., 2016. GC-MS analysis and preliminary antimicrobial activity of *Albizia adianthifolia* (Schumach) and *Pterocarpus angolensis* (DC). *Medicines*, **3**(1), p.3.
- Abutbul, S., Golan-Goldhirsh, A., Barazani, O., Ofir, R. and Zilberg, D., 2005. Screening of desert plants for use against bacterial pathogens in fish.
- Addisie, Y., 2012. Allelopathy in aquatic macrophytes: Effects on growth and physiology of phytoplanktons. *African Journal of Plant Science*, **6**(10), pp.270-276.
- Ahn, J.K. and Chung, I.M., 2000. Allelopathic potential of rice hulls on germination and seedling growth of barnyardgrass. *Agronomy Journal*, **92**(6), pp.1162-1167.
- Akinyemi, K.O., Oladapo, O., Okwara, C.E., Ibe, C.C. and Fasure, K.A., 2005. Screening of crude extracts of six medicinal plants used in South-West Nigerian unorthodox medicine for anti-methicillin resistant *Staphylococcus aureus* activity. *BMC complementary and alternative medicine*, **5**(1), p.6.
- Akujobi, C., Anyanwu, B.N., Onyeze, C. and Ibekwe, V.I., 2004. Antibacterial activities and preliminary phytochemical screening of four medicinal plants. *Journal of Applied Sciences*, **7**(3), pp.4328-4338.

BIBLIOGRAPHY

- Al-Snafi, A.E., 2016. The medical importance of *Cydonia oblonga*-A review. *IOSR Journal of Pharmacy*, **6**(6), pp.87-99.
- Amend, A., 2014. From dandruff to deep-sea vents: *Malassezia*-like fungi are ecologically hyper-diverse. *PLoS pathogens*, **10**(8), p.e1004277.
- Andersen, R.J., Luu, H.A., Chen, D.Z., Holmes, C.F., Kent, M.L., Le Blanc, M. and Williams, D.E., 1993. Chemical and biological evidence links microcystins to salmon 'netpen liver disease'. *Toxicon*, **31**(10), pp.1315-1323.
- Anjaria, J., Parabia, M. and Dwivedi, S., 2002. Indian Ethnoveterinary Medicine, an overview, pathik enterprise. Ahmedabad, India, p.420.
- Anon. 2005. The use of *Euphorbia hirta* in the treatment of sores, boils and wounds.
- Antony, M.B., 2003. Indigenous Medicinal Plants: their extracts and isolates as a value added export product. *Journal Agro bios*, **1**, pp.39-41.
- Ayethan, W.M., Sein, M.M. and Maybwin, M., 1970. The effects of some medicinal plants on smooth muscle. AB abstract, 1979.
- Bandara, B.R., Hewage, C.M., Karunaratne, V., Wannigama, G.P. and Adikaram, N.K.B., 1992. An antifungal chromene from *Eupatorium riparium*. *Phytochemistry*, **31**(6), pp.1983-1985.
- Baumgartner, B., Erdelmeier, C.A., Wright, A.D., Rali, T. and Sticher, O., 1990. An antimicrobial alkaloid from *Ficus septica*. *Phytochemistry*, **29**(10), pp.3327-3330.

BIBLIOGRAPHY

- Bautista Baños, S., Barrera Necha, L.L., Bravo Luna, L. and Bermúdez Torres, K., 2002. Antifungal activity of leaf and stem extracts from various plant species on the incidence of *Colletotrichum gloeosporioides* of papaya and mango fruit after storage. *Revista Mexicana de Fitopatología*, **20**(1), pp 8-12.
- Bell, S.G. and Codd, G.A., 1994. Cyanobacterial toxins and human health. *Reviews in Medical Microbiology*, **5**(4), pp.256-264.
- Bisht, R., Chanyal, S. and Agrawal, P.K., 2016. Antimicrobial and phytochemical analyses of leaf extract of medicinal fruit plants. *Asian Journal of Pharmaceutical and Clinical research*, **9**(4), pp.131-136.
- Biswas, S.M., Bhattacharya, S., Chanda, S. and Kumar, L., 2009. 3, 4-Dihydroxy Benzyl Ester Derivative, a Potent Biopesticide Isolated from Leaves of *Tectona grandis* L., *Biopesticide International*, **5**, pp.24-34.
- Blackman, G. and Robertson-Cuninghame, R. 1954. Interactions in the physiological effects of growth substances on plant development. *Journal of Experimental Botany*, **54**: 184–203.
- Blackman, G.E. and Robertson-Cuninghame, R.C., 1955. Interrelationships between Light Intensity, Temperature, and the Physiological Effects of 2: 4-dichlorophenoxyacetic Acid on the Growth of *Lemna minor*. *Journal of Experimental Botany*, **6**(2), pp.156-176.
- Blois, M.S., 1958. Antioxidant determinations by the use of a stable free radical. *Nature*, **181**(4617), 1199.

BIBLIOGRAPHY

- Boekhout, T., Guého-Kellermann, E., Mayser, P. and Velegraki, A. eds., 2010. Malassezia and the skin: science and clinical practice. Springer Science & Business Media., *Medical* - 319.
- Boekhout, T., Guého-Kellermann, E., Mayser, P. and Velegraki, A. eds., 2010. Malassezia and the skin: science and clinical practice. Springer Science & Business Media.
- Bouayed, J., 2011. Relationship between oxidative stress and anxiety: emerging role of antioxidants within therapeutic or preventive approaches. In Anxiety disorders. IntechOpen.
- Bowmer, K.H., Jacobs, S.W.L. and Sainty, G.R., 1995. Identification, biology and management of *Elodea canadensis*, Hydrocharitaceae. *Journal of aquatic plant management*, 33, pp.13-19.
- Brader, G., Bacher, M., Hofer, O. and Greger, H., 1997. Prenylated phenylpropenes from *Coleonema pulchellum* with antimicrobial activity. *Phytochemistry*, **45**(6), pp.1207-1212.
- Burits, M. and Bucar, F., 2000. Antioxidant activity of *Nigella sativa* essential oil. *Phytotherapy research*, **14**(5), pp.323-328.
- Bury, N., Flik, G., Eddy, F. and Codd, G., 1996. The effects of cyanobacteria and the cyanobacterial toxin microcystin-LR on Ca²⁺ transport and Na⁺/K⁺-ATPase in tilapia gills. *Journal of experimental biology*, **199**(6), pp.1319-1326.

BIBLIOGRAPHY

- Cahill, P., Heasman, K., Jeffs, A., Kuhajek, J. and Mountfort, D., 2012. Preventing ascidian fouling in aquaculture: screening selected allelochemicals for anti-metamorphic properties in ascidian larvae. *Biofouling*, **28**(1), pp.39-49.
- Çalışkan, M., 2000. The metabolism of oxalic acid. *Turkish Journal of Zoology*, **24**(1), pp.103-106.
- Carmen, S., 2007. Food Colorants: Chemical and Functional Properties: Chemical and Functional Properties of Food Components (Doctoral dissertation, CRC Press).
- Carmichael, W.W., 1992. Cyanobacteria secondary metabolites—the cyanotoxins. *Journal of Applied Bacteriology*, **72**(6), pp.445-459.
- Chakraborty, N., Das, A.K. and Mandal, B. 2016. Rapid Structural Characterization of Plant Extracts – a FT-IR study, *Chemical Sciences Review and Letters*, **5**(19), 250-255.
- Chakraborty, N., Mandal, B. and Das, A.K. 2015. *Vallisneria spiralis* L. - Rapid aquatic colonizers to anti dandruff dermatitis, *Journal of Ecosystem & Ecography*, **5** (3), 169-175.
- Chakraborty, N., Mandal, B., Das, A.K. and Manna, R.K., 2018. Phyto-chemical, antibacterial and brine shrimp toxicity studies of green banana leaves. *Environment and Ecology*, **36**(3), pp.767-776.
- Champion, P.D. and Clayton, J.S., 2000. Border control for potential aquatic weeds. Stage 1. Weed risk model (No. 141).

BIBLIOGRAPHY

- Chea, A., Jonville, M.C., Bun, S.S., Laget, M., Elias, R., Duménil, G. and Balansard, G., 2007. In vitro antimicrobial activity of plants used in Cambodian traditional medicine. *The American journal of Chinese medicine*, **35**(05), pp.867-873.
- Chen, J., Liu, Z., Ren, G., Li, P. and Jiang, Y., 2004. Control of *Microcystis aeruginosa* TH01109 with *Batangas mandarin* skin and dwarf banana peel. *Water SA*, **30**(2), pp.279-282.
- Chika, C.O., Jide, N.O., Beatrice, N.A. 2007. Effect of ethanolic and boiling water extracts of barks and leaves of *Uvaria chamae* on some hospital isolate. *American Journal of Sciences*, **3**: 68-73.
- Choma, I.M. and Grzelak, E.M., 2011. Bioautography detection in thin-layer chromatography. *Journal of Chromatography A*, **1218**(19), pp.2684-2691.
- Chopra, R.N., Nayar, S.I., Chopra, I.C. 1986. Glossary of Indian Medicinal plants.
- Christensen, P. B., Revsbech, N. P., and Sand-Jensen, K., 1994. Microsensor analysis of oxygen in the rhizosphere of the aquatic macrophyte *Littorella uniflora* (L.) Ascherson, *Plant Physiology*, **105**: 847-852.
- Cieśla, Ł.M., Waksmundzka-Hajnos, M., Wojtunik, K.A. and Hajnos, M., 2015. Thin-layer chromatography coupled with biological detection to screen natural mixtures for potential drug leads. *Phytochemistry letters*, **11**, pp.445-454.
- Clifford, M.N., 1999. Chlorogenic acids and other cinnamates—nature, occurrence and dietary burden. *Journal of the Science of Food and Agriculture*, **79**(3), pp.362-372.

BIBLIOGRAPHY

- Coulidiati, T.H., Millogo-Kone, H., Lamien-Meda, A., Yougbaré-Ziébrou, M., Milogo Rasolodimby, J. and Nacoulma, O.G., 2011. Antioxidant and antibacterial activities of two Combretum species from *Burkina Faso*. *Research Journal of Medicinal Plant*, **5**(1), pp.42-53.
- Cristea, V., Antache, A., Grecu, I., Docan, A., Dediu, L. and Mocanu, M.C., 2012. The use of phytobiotics in aquaculture. *Lucrări Științifice-Seria Zootehnie*, **57**, pp.250-255.
- Dahiya, P. and Purkayastha, S., 2012. Phytochemical screening and antimicrobial activity of some medicinal plants against multi-drug resistant bacteria from clinical isolates. *Indian journal of Pharmaceutical Sciences*, **74**(5), p.443.
- Denev, S.A., 2008. Ecological alternatives of antibiotic growth promoters in the animal husbandry and aquaculture. DSc (Doctoral dissertation, Thesis, Department of Biochemistry Microbiology, Trakia University, Stara Zagora, Bulgaria).
- Devi, S.R., Chitra, M. and Jayamathi, P., 2010. Hepatoprotectivity and an antioxidant study of *Ipomoea hederacea* on experimentally induced hepatotoxic rats. *Recent Research in Science and Technology*, **2**(11), pp.17-19.
- Dewanji, A., 1993. Amino acid composition of leaf proteins extracted from some aquatic weeds. *Journal of agricultural and food chemistry*, **41**(8), pp.1232-1236.
- Direkbusarakom, S., 2000. Application of herbs in aquaculture in Asia. *Aquatic Animal Health Research Institute Newsletter*, **9**(2), pp.3-5.

BIBLIOGRAPHY

- Duke, J.A. and Ayensu, E.S., 1985. Medicinal plants of China, Reference Publications, Inc., ISBN 0-917256-20-4.
- Duke, S.O., Dayan, F.E., Romagni, J.G. and Rimando, A.M., 2000. Natural products as sources of herbicides: current status and future trends. *Weed Research* (Oxford), **40**(1), pp.99-111.
- Duke, S.O., Dayan, F.E., Romagni, J.G. and Rimando, A.M., 2000. Natural products as sources of herbicides: current status and future trends. *Weed Research*. **40**: 99-111.
- Duraipandiyan, V., Ayyanar, M. and Ignacimuthu, S., 2006. Antimicrobial activity of some ethnomedicinal plants used by Paliyar tribe from Tamil Nadu, India. *BMC complementary and alternative medicine*, **6**(1), p.35.
- Efferth, T. and Kuete, V., 2010. Cameroonian medicinal plants: pharmacology and derived natural products. *Frontiers in Pharmacology*, **1**, p.123.
- El-Sayed, A.F.M., 1999. Alternative dietary protein sources for farmed tilapia, *Oreochromis spp.* *Aquaculture*, **179**(1-4), pp.149-168.
- Emelda, A. 2015. Polyphenol total content, IC50 and antioxidant activities of ethanol extract from some cocoa (*Theobroma cacao*) beans in South Sulawesi Indonesia. *Journal of Chemical and Pharmaceutical Research*, **7** (4): 1211-1214.
- Europeenne Commission. (2000). Proceedings from taken in charge of cereals by organismsd ' interventionainsique the methodesd ' analyses for determination of quality. *Official Journal of European Community*, **824**: 20.

BIBLIOGRAPHY

- Everitt, J.H., Lonard, R.I. and Little, C.R., 2007. Weeds in south Texas and northern Mexico. Texas Tech University Press.
- Faheed, F., Mazen, A. and Elmohsen, S.A., 2013. Physiological and ultrastructural studies on calcium oxalate crystal formation in some plants. *Turkish Journal of Botany*, **37**(1), pp.139-152.
- Falconer, I.R., 1996. Potential impact on human health of toxic cyanobacteria. *Phycologia*, **35**(6S), pp.6-11.
- FAO (Food and Agriculture Organization) Global production 1950-2012 [Internet] Rome: Fisheries and Aquaculture Department, Food and Agriculture Organization of the United Nations;2010–2015.
- Farnsworth, N.R., Akerele, O., Bingel, A.S., Soejarto, D.D. and Guo, Z., 1985. Medicinal plants in therapy. *Bulletin of the world health organization*, **63**(6), p.965.-981.
- Ferreira, A.A., Silveira, D., Alves, R.B., Oliveira, P.M. and Raslan, D.S., 2005. Constituents of *Ipomoea cairica* ethanolic extract. *Chemistry of natural compounds*, **41**(4), pp.465-465.
- Flessa, H., 1994. Plant-induced changes in the redox potential of the rhizosphere of the submerged vascular macrophytes *Myriophyllum verticillatum* L. and *Ranunculus circinatus* L., *Aquatic Botany*, **47**: 119-129.
- Fleury, B.G., Coll, J.C., Tentori, E., Duquesne, S. and Figueiredo, L., 2000. Effect of nutrient enrichment on the complementary (secondary) metabolite composition of

BIBLIOGRAPHY

- the soft coral *Sarcophyton ehrenbergi* (Cnidaria: Octocorallia: Alcyonaceae) of the Great Barrier Reef. *Marine Biology*, **136**(1), pp.63-68.
- Ghasemzadeh A, Ghasemzadeh N (2011) Flavonoids and phenolic acids: Role and biochemical activity in plants and human. *Journal of Medicinal Plants Research* **5**(31): 6697-6703.
- Gomathi Rajashyamala, L. and Elango, V., 2015. Identification of bioactive components and its biological activities of *Evolvulus alsinoides* linn.--A GC-MS study. *International Journal of Chemical Studies*, **3**(1), pp.41-44.
- Gopal, B. and Goel, U., 1993. Competition and allelopathy in aquatic plant communities. *The Botanical Review*, **59**(3), pp.155-210.
- Grayer, R.J. and Kokubun, T., 2001. Plant–fungal interactions: the search for phytoalexins and other antifungal compounds from higher plants. *Phytochemistry*, **56**(3), pp.253-263.
- Gross, E.M., 2003. Allelopathy of aquatic autotrophs. *Critical Reviews in Plant Sciences*, **22**(3-4), pp.313-339.
- Gross, E.M., 2003. Allelopathy of aquatic autotrophs. *Critical Reviews in Plant Sciences*, **22**(3-4), pp.313-339.
- Guo, S., Ward, M.D. and Wesson, J.A., 2002. Direct visualization of calcium oxalate monohydrate crystallization and dissolution with atomic force microscopy and the role of polymeric additives. *Langmuir*, **18**(11), pp.4284-4291.
- Harada, J., 1989. Piscicidal aquatic weeds in Thailand. *Shokucho*, **23**, pp.166-172.

BIBLIOGRAPHY

- Harborne, J.B.1998. *Phytochemical Methods, A Guide to Modern Techniques of Plant Analysis* (3rd ed.)Springer Pvt. Ltd., New Delhi, India.
- Hili, P., Evans, C.S. and Veness, R.G., 1997. Antimicrobial action of essential oils: the effect of dimethylsulphoxide on the activity of cinnamon oil. *Letters in Applied Microbiology*, **24**(4), pp.269-275.
- Hollman, P.H. and Katan, M.B., 1999. Dietary flavonoids: intake, health effects and bioavailability. *Food and Chemical Toxicology*, **37**(9-10), pp.937-942.
- Hornell, J., 1917. A new protozoan cause of widespread mortality among marine fishes. Government Press. **11**, pp. 53–56.
- Hosni, K., Msaâda, K., Taârit, M.B., Ouchikh, O., Kallel, M. and Marzouk, B., 2008. Essential oil composition of *Hypericum perforatum* L. and *Hypericum tomentosum* L. growing wild in Tunisia. *Industrial Crops and Products*, **27**(3), pp.308-314.
- Hovatta, I., Juhila, J. and Donner, J., 2010. Oxidative stress in anxiety and comorbid disorders. *Neuroscience research*, **68**(4), pp.261-275.
- Husain A. (1992). Dictionary of Indian Medicinal Plants, Central Institute of Medicinal and Aromatic Plants.
- ICES. (1984). “*Report of the ICES special meeting on the causes, dynamics and effects of exceptional marine blooms and related events,*” International Council Meeting Paper 1984/ E, 42.

BIBLIOGRAPHY

- Idowu, O.T., 2017. Antimicrobial Activity and Fatty Acids from Ipomea Ochraceae. International Journal of Advances in Agriculture Sciences, 2(6).
- Ilondu, E.M., Arimoro, F.O. and Sodje, A.P., 2009. The use of aqueous extracts of *Vernonia amygdalina* in the control of saprolegniasis in *Clarias gariepinus*, a freshwater fish. *African Journal of Biotechnology*, **8**(24).
- Inderjit, S. 1996. Plant phenolics in allelopathy. *Botanical Review*. **62**:186–202.
- Inderjit, S. and Mukerji, K.G. 2006. Discovery and evaluation of natural product based fungicides for Disease Control of Small Fruits. *Allelochemicals: Biological Control of Plant Pathogens and Diseases*. Springer, Dordrecht, Netherlands.
- Inderjit, S., Dakshini, K.M. and Einhelling, F. A. 1995. Allelopathy: Organisms, processes and application. *American Chemical Society*, 316.
- Innocent, B.X., 2011. Studies on the immouostimulant activity of *Coriandrum sativum* and resistance to *Aeromonas hydrophila* in *Catla catla*. *Journal of Applied Pharmaceutical Science*, **1**(7), p.132.
- Jayaprakasha, G.K. and Patil, B.S. eds., 2015. Nutraceuticals and Functional Foods:: Chemistry And Health Promoting Properties Of Fruits And Beverages Involved In Prevention Of Chronic Diseases. *Encyclopaedia of Life Support System*.
- Johnsen, P.B. and Adams, M.A., 1986. Chemical feeding stimulants for the herbivorous fish, *Tilapia zillii*. *Comparative Biochemistry and Physiology Part A: Physiology*, **83**(1), pp.109-112.

BIBLIOGRAPHY

- Junior, G.B., dos Santos, A.C., de Freitas Souza, C., Baldissera, M.D., dos Santos Moreira, K.L., da Veiga, M.L., de Vargas, A.P.C., da Cunha, M.A. and Baldisserotto, B., 2018. *Citrobacter freundii* infection in silver catfish (*Rhamdia quelen*): Hematological and histological alterations. *Microbial pathogenesis*, **125**, pp.276-280.
- Kathiresan, R., Koger, C.H. and Reddy, K.N., 2006. Allelopathy for weed control in aquatic and wetland systems. In *Allelochemicals: Biological Control of Plant Pathogens and Diseases* (pp. 103-122). Springer, Dordrecht.
- Kaur, R. and Shah, T.K., 2017. A review on role of plant waste products on fish growth, health and production. *Journal of Entomology and Zoology studies*, **5**(3), pp.583-589.
- Khanh, T.D., Chung, M.I., Xuan, T.D. and Tawata, S., 2005. The exploitation of crop allelopathy in sustainable agricultural production. *Journal of Agronomy and Crop Science*, **191**(3), pp.172-184.
- Khare, C.P. 2007. Indian medicinal plants: an Illustrated dictionary, Berlin, Heidelberg: Springer 667.
- Khatiwora, E., Adsul, V.B., Kulkarni, M., Deshpande, N.R. and Kashalkar, R.V., 2012. Antibacterial activity of Dibutyl Phthalate: A secondary metabolite isolated from Ipomoea carnea stem. *Journal of Pharmacy Research*, **5**(1), pp.150-152.
- Kim, S., Kubec, R. and Musah, R.A., 2006. Antibacterial and antifungal activity of sulfur-containing compounds from *Petiveria alliacea* L. *Journal of Ethnopharmacology*, **104**(1-2), pp.188-192.

BIBLIOGRAPHY

- Kohn, M.C. and Melnick, R.L., 2002. Biochemical origins of the non-monotonic receptor-mediated dose-response. *Journal of molecular endocrinology*, **29**(1), pp.113-123.
- Konno, K., Inoue, T.A. and Nakamura, M., 2014. Synergistic defensive function of raphides and protease through the needle effect. *PloS One*, **9**(3), p.e91341.
- Konyar, S.T., Öztürk, N. and Dane, F., 2014. Occurrence, types and distribution of calcium oxalate crystals in leaves and stems of some species of poisonous plants. *Botanical Studies*, **55**(1), p.32.
- Korth, K.L., Doege, S.J., Park, S.H., Goggin, F.L., Wang, Q., Gomez, S.K., Liu, G., Jia, L. and Nakata, P.A., 2006. *Medicago truncatula* mutants demonstrate the role of plant calcium oxalate crystals as an effective defence against chewing insects. *Plant Physiology*, **141**(1), pp.188-195.
- Kumar, K.H., Tamatam, A., Pal, A. and Khanum, F., 2013. Neuroprotective effects of *Cyperus rotundus* on SIN-1 induced nitric oxide generation and protein nitration: ameliorative effect against apoptosis mediated neuronal cell damage. *Neurotoxicology*, **34**, pp.150-159.
- Lakenbrink, C., Lapczynski, S., Maiwald, B. and Engelhardt, U.H., 2000. Flavonoids and other polyphenols in consumer brews of tea and other caffeinated beverages. *Journal of agricultural and food chemistry*, **48**(7), pp.2848-2852.
- Lee, J. W., Tsuchiya, K. and Hoshina, T. 1996. Studies on the allelopathy of hot pepper (*Capsicum annuum* L.). II. Effects of hot pepper root exudates on the germination and growth of hot pepper and lettuce. *Journal of Agricultural Science & Crop Protection*, **38**: 408-413

BIBLIOGRAPHY

- Lee, J.Y. and Gao, Y., 2012. Review of the application of garlic, *Allium sativum*, in aquaculture. *Journal of the World Aquaculture Society*, **43**(4), pp.447-458.
- Lin, R.J., Chen, C.Y. and Lo, W.L., 2008. Cytotoxic activity of *Ipomoea cairica*. *Natural Product Research*, **22**(9), pp.747-753.
- Lundholm, N., Hansen, P.J. and Kotaki, Y., 2005. Lack of allelopathic effects of the domoic acid-producing marine diatom *Pseudo-nitzschia multiseries*. *Marine Ecology Progress Series*, **288**, pp.21-33.
- Lynett, P.T., Butts, K., Vaidya, V., Garrett, G.E. and Pratt, D.A., 2011. The mechanism of radical-trapping antioxidant activity of plant-derived thiosulfinates. *Organic & biomolecular chemistry*, **9**(9), pp.3320-3330.
- Mandal, S., Nayak, A., Kar, M., Banerjee, S.K., Das, A., Upadhyay, S.N., Singh, R.K., Banerji, A. and Banerji, J., 2010. Antidiarrhoeal activity of carbazole alkaloids from *Murraya koenigii* Spreng (Rutaceae) seeds. *Fitoterapia*, **81**(1), pp.72-74.
- Mangi, J., Schmidt, K., Pankoco, J., Ganes, L. and Turner, P. 1978. *Environmental Pollution*, **16**: 285 - 289.
- Maqsood, S., Benjakul, S., Abushelaibi, A. and Alam, A., 2014. Phenolic compounds and plant phenolic extracts as natural antioxidants in prevention of lipid oxidation in seafood: a detailed review. *Comprehensive Reviews in Food Science and Food Safety*, **13**(6), pp.1125-1140.
- Martinez, R., 2015. Epidemiology of paracoccidioidomycosis. *Revista do Instituto de Medicina Tropical de São Paulo*, **57**, pp.11-20.

BIBLIOGRAPHY

- Matsui, T., Tanaka, T., Tamura, S., Toshima, A., Tamaya, K., Miyata, Y., Tanaka, K. and Matsumoto, K., 2007. α -Glucosidase inhibitory profile of catechins and the aflavins. *Journal of Agricultural and Food Chemistry*, **55**(1), pp.99-105.
- Mayrhofer, R., Menanteau-Ledouble, S., Pucher, J., Focken, U. and El-Matbouli, M., 2017. Leaves from banana (*Musa nana*) and maize (*Zea mays*) have no phytoprophylactic effects on the susceptibility of grass carp (*Ctenopharyngodon idella*) to *Aeromonas hydrophila* infection. *BMC Veterinary Research*, **13**(1), p.329.
- Medini, F., Fellah, H., Ksouri, R. and Abdelly, C., 2014. Total phenolic, flavonoid and tannin contents and antioxidant and antimicrobial activities of organic extracts of shoots of the plant *Limonium delicatulum*. *Journal of Taibah University for Science*, **8**(3), pp.216-224.
- Meissner, R., Nel, P.C. and Smit, N.S.H., 1980. Influence of red nutgrass (*Cyperus rotundus*) on growth and development of some crop plants. In Proceedings of the third national weeds conference of South Africa Cape Town (South Africa), AA Balkema, pp. 39-52.
- Mendoza, V.B., 1980. Katurai: a plant of many uses. *Canopy*. 12-13.
- Meyer, B.N., Ferrigni, N.R., Putnam, J.E., Jacobsen, L.B., Nichols, D.J. and McLaughlin, J.L., 1982. Brine shrimp: a convenient general bioassay for active plant constituents. *Planta medica*, **45**(05), pp.31-34.
- Miralto, A., Barone, G., Romano, G., Poulet, S.A., Ianora, A., Russo, G.L., Buttino, I., Mazzarella, G., Laabir, M., Cabrini, M. and Giacobbe, M.G., 1999. The insidious effect of diatoms on copepod reproduction. *Nature*, **402**(6758), p.173.

BIBLIOGRAPHY

- Mithun, N.M., Shashidhara, S. and Vivek Kumar, R., 2011. *Eclipta alba* (L.) A review on its phytochemical and pharmacological profile. *Pharmacologyonline*, **1**(1), pp.345-357.
- Mukerji, K.G. ed., 2006. Allelochemicals: biological control of plant pathogens and diseases (Vol. 2). The Netherlands: Springer.
- Munzuroglu, O. and Geckil, H., 2002. Effects of metals on seed germination, root elongation, and coleoptile and hypocotyl growth in *Triticum aestivum* and *Cucumis sativus*. *Archives of Environmental Contamination and Toxicology*, **43**(2), pp.203-213.
- Murray, P.R., Baron, E.J., Pfaller, M.A., Tenover, F.C., Tenover, R.H. and Morgan, D.R., 1995. Manual of Clinical Microbiology (6th edn). *Trends in Microbiology*, **3**(11), pp.449-449.
- Murthy, K.S. and Kiran, B.R., 2013. Review on usage of medicinal plants in fish diseases. *International Journal of Pharma and Bio sciences*, **4**(3), pp.975-986.
- Murthy, K.S., Kiran, B.R. and Venkateshwarlu, M., 2013. A review on toxicity of pesticides in Fish. *International Journal of Open Scientific Research*, **1**(1), pp.15-36.
- Neeru, J., Shaliesh, C., Vaishali, T., Purav, S. and Manoharlal, R., 2016. Role of Orthosilicic Acid (OSA) Based Formulation in Improving Plant Growth and Development. *Silicon*, pp.1-5.
- Oberholster, P.J., Botha, A.M. and Grobbelaar, J.U., 2004. *Microcystis aeruginosa*:

BIBLIOGRAPHY

- source of toxic microcystins in drinking water. *African Journal of Biotechnology*, **3**(3): 159 – 168.
- Olurinola, P.F., 1996. A laboratory manual of pharmaceutical microbiology: Nigeria: Idu. Abuja, 69, pp.1-105.
- Omoregie, E. and Ogbemudia, F.I., 1993. Effect of substituting fishmeal with palm kernel meal on growth and food utilization of the Nile tilapia, *Oreochromis niloticus*. *Israeli Journal of Aquaculture*, **45**, pp.113-113.
- Omoregie, E., 2001. Utilization and nutrient digestibility of mango seeds and palm kernel meal by juvenile *Labeo senegalensis* (Antheriniformes: Cyprinidae). *Aquaculture Research*, **32**(9), pp.681-687.
- Padmakumar KB, Menon NR and Sanjeevan VN. (2012). “Is Occurrence of Harmful Algal Blooms in the Exclusive Economic Zone of India on the Rise,” *International Journal of Oceanography*, Article ID 263946.
- Pakdel, F.M., Sim, L., Beardall, J. and Davis, J., 2013. Allelopathic inhibition of microalgae by the freshwater stonewort, *Chara australis*, and a submerged angiosperm, *Potamogeton crispus*. *Aquatic Botany*, **110**, pp.24-30.
- Pal, D.K. and Dutta, S., 2006. Evaluation of the Antioxidant activity of the roots and Rhizomes of *Cyperus rotundus* L. *Indian journal of Pharmaceutical sciences*, **68**(2), pp. 256-258.
- Pandey, G., Madhuri, S. and Mandloi, A.K., 2012. Medicinal plants useful in fish diseases. *Plant Archives*, **12**(1), pp.1-4.

BIBLIOGRAPHY

- Parekh, J. and Chanda, S., 2007. In vitro antimicrobial activity and phytochemical analysis of some Indian medicinal plants. *Turkish Journal of Biology*, **31**(1), pp.53-58.
- Parr, A.J. and Bolwell, G.P., 2000. Phenols in the plant and in man. The potential for possible nutritional enhancement of the diet by modifying the phenols content or profile. *Journal of the Science of Food and Agriculture*, **80**(7), pp.985-1012.
- Páska, C., Innocenti, G., Ferlin, M., Kunvári, M. and László, M., 2002. Pinoresinol from *Ipomoea cairica* cell cultures. *Natural Product Letters*, **16**(5), pp.359-363.
- Paul, A.K. 2010. Cambridge University Press, Cambridge, UK. 497.
- Péret-Almeida, L., Cherubino, A.P.F., Alves, R.J., Dufossé, L. and Gloria, M.B.A., 2005. Separation and determination of the physico-chemical characteristics of curcumin, demethoxycurcumin and bisdemethoxycurcumin. *Food Research International*, **38**(8-9), pp.1039-1044.
- Pohnert, G., 2004. Chemical defense strategies of marine organisms. In *The Chemistry of Pheromones and Other Semiochemicals I* (pp. 179-219). Springer, Berlin, Heidelberg.
- Prasad, S., Ram, P.C., Singh, M.P., Yadav, R.K. and Singh, J.P. 2008. Physio-chemical states and yield of maize genotypes under water logging regimes. *International Journal of Plant Sciences*, **3**:101-105.
- Rahman, A.H.M.M., Islam, A.K.M.R., Naderuzzaman, A.T.M., Hossain, M.D. and Afza, R., 2007. Studies on the aquatic angiosperms of the Rajshahi University

BIBLIOGRAPHY

- campus. Research Journal of Agriculture and Biological Sciences, **3**(5), pp.474-480.
- Rai, M.K., Kaushal, S.K. and Acharya, D., 2002. In vitro effect of five Asteraceous essential oils against *Saprolegnia ferax*, a pathogenic fungus isolated from fish. *The Antiseptic*, **99**(4), pp.136-137.
- Rambabu, M., Patro, B., Pal, A.K. and Venkateshwarlu, G., 2004. Feeding stimulatory effects of *Cyperus rotundus* tuber on *Cirrhinus mrigala*. *Journal of the Indian Fisheries Association*, **31**, pp.145-153.
- Ramsar convention 2011.
- Rath, R.K., 1990. Prevention and control of fish diseases by herbal medicine. *Fish Health Section newsletter*, 3, pp.1-4.
- Ray, S., Nagaiah, K. and Khan, N.F., 2011. Anti-inflammatory activity of Carumbelloside-III, isolated from *Caralluma umbellata*. *Journal of Pharmacy and Healthcare Management*, **2**, pp.83-88.
- Rehman, J., Khan, I.U. and Asghar, M.N., 2013. Antioxidant activity and GC-MS analysis of *Grewia optiva*. *E3 Journal of Biotechnology and Pharmaceutical Research*, **4**(1), pp.14-21.
- Reigosa, M. J., Sanchez-Moreiras, A., and Gonzalez, L., 1999. Ecophysiological approach in allelopathy, *Critical Reviews in Plant Sciences*, **18**: 577-608.

BIBLIOGRAPHY

- Reverter, M., Bontemps, N., Lecchini, D., Banaigs, B. and Sasal, P., 2014. Use of plant extracts in fish aquaculture as an alternative to chemotherapy: current status and future perspectives. *Aquaculture*, **433**, pp.50-61.
- Rice, E.L., 1984. Allelopathy. 2nd edition, Orlando: Academic Press.
- Rieser, M.J., Gu, Z.M., Fang, X.P., Zeng, L., Wood, K.V. and McLaughlin, J.L., 1996. Five novel mono-tetrahydrofuran ring acetogenins from the seeds of *Annona muricata*. *Journal of Natural Products*, **59**(2), pp.100-108.
- Roberts, R.J., 2002. SALMON Disease Impact With The Ban Of Malachite Green. *Aquaculture magazine-Arkansas*, **28**(6), pp.51-52.
- Rumsey, G.L., 1993. Fish meal and alternate sources of protein in fish feeds update 1993. *Fisheries*, **18**(7), pp.14-19.
- Sajak, A.A.B., Mediani, A., Dom, N.S.M., Machap, C., Hamid, M., Ismail, A., Khatib, A. and Abas, F., 2017. Effect of Ipomoea aquatica ethanolic extract in streptozotocin (STZ) induced diabetic rats via ¹H NMR-based metabolomics approach. *Phytomedicine*, **36**, pp.201-209.
- Salgueiro, L.R., Pinto, E., Goncalves, M.J., Pina-Vaz, C., Cavaleiro, C., Rodrigues, A.G., Palmeira, A., Tavares, C., Costa-de-Oliveira, S. and Martinez-de-Oliveira, J., 2004. Chemical composition and antifungal activity of the essential oil of *Thymbra capitata*. *Planta medica*, **70**(06), pp.572-575.
- Schneider, P. and Orelli, O., 1947. Entomologisches praktikum.

BIBLIOGRAPHY

- Schofield, J.J., 1989. Discovering wild plants: Alaska, western Canada, the Northwest. Alaska Northwest Books.G.T Discovery Publications, Inc., 22023 20th Ave. S.E.Bothell, WA 98021: 22.
- Schrader, K.K., Nanayakkara, N.D., Tucker, C.S., Rimando, A.M., Ganzera, M. and Schaneberg, B.T., 2003. Novel derivatives of 9, 10-anthraquinone are selective algicides against the musty-odor cyanobacterium *Oscillatoria perornata*. *Applied and Environmental Microbiology*, **69**(9), pp.5319-5327.
- Schultz, T.P., Boldin, W.D., Fisher, T.H., Nicholas, D.D., McMurtrey, K.D. and Pobanz, K., 1992. Structure-fungicidal properties of some 3-and 4-hydroxylated stilbenes and bibenzyl analogues. *Phytochemistry*, **31**(11), pp.3801-3806.
- Seal, A.N., Pratley, J.E., Haig, T. and Lewin, L.G., 2004. Screening rice varieties for allelopathic potential against arrowhead (*Sagittaria montevidensis*), an aquatic weed infesting Australian Riverina rice crops. *Australian Journal of Agricultural Research*, **55**(6), pp.673-680.
- Sepúlveda Jiménez, G., Porta Ducoing, H. and Rocha Sosa, M., 2003. The participation of secondary metabolites in the defense of plants. *Mexican Journal of Plant Pathology*, **21** (3).
- Seyyednejad, S.M., Koochak, H., Najafabade, F.P. and Kolahi, M., 2010. Allelopathic effect of aquatic hull extract of rice (*Oryza sativa* L.) on growth of *Silybum marianum* and *Echinochloa crus-galli*. *African Journal of Agricultural Research*, **5**(16), pp.2222-2226.

BIBLIOGRAPHY

- Shalaby, S.M., 2004. Response of Nile tilapia, *Oreochromis niloticus*, fingerlings to diets supplemented with different levels of fenugreek seeds (Hulba). *Journal of Agricultural Science Mansoura Univ*, **29**(29), pp.2231-2242.
- Simeon, S., Rios, J.L. and Villar, A., 1990. Antimicrobial activity of *Annona cherimolia* stem bark alkaloids. *Pharmazie*, **45**(6), pp.442-443.
- Singh, S.P., 1968, January. Presence of a growth inhibitor in the tubers of nutgrass (*Cyperus rotundus* L.). In *Proceedings of the Indian Academy of Sciences-Section B*, Springer India, **67**(1) pp. 18-23.
- Singleton, V.L. and Rossi, J.A., 1965. Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American journal of Enology and Viticulture*, **16**(3), pp.144-158.
- Sivagurunathan, A. and Innocent, B.X., 2012. Immunomodulatory effect of dietary *Nelumbo nucifera* (lotus) in growth and haematology of *Cirrhinus mrigala* challenged with *Pseudomonas aeruginosa*. *Journal of Applied Pharmaceutical Science*, **2**(7), p.191.
- Sivakumar, K., Patil, P. and Kennedy, R., 2013. Extraction and detection of quorum sensing N-acyl homoserine lactones from shrimp pathogen *Vibrio harveyi* and antagonistic effect of terrestrial plants against its growth. *African Journal of Microbiology Research*, **7**(26), pp.3275-3284.
- Sivaram, V., Babu, M.M., Immanuel, G., Murugadass, S., Citarasu, T. and Marian, M.P., 2004. Growth and immune response of juvenile greasy groupers

BIBLIOGRAPHY

- (*Epinephelus tauvina*) fed with herbal antibacterial active principle supplemented diets against *Vibrio harveyi* infections. *Aquaculture*, **237**(1-4), pp.9-20.
- SM, H.K. and Azizi, G., 2012. Isolation of Saprolegnia and the Influence of Root Ethanolic Extract of *Ruta graveolens* on Saprolegnia. Spp Growth. *International Journal of Bioscience, Biochemistry and Bioinformatics*, **2**(1), p.64.
- Solis, P.N., Wright, C.W., Anderson, M.M., Gupta, M.P. and Phillipson, J.D., 1993. A microwell cytotoxicity assay using *Artemia salina* (brine shrimp). *Planta medica*, **59**(3), pp.250-252.
- Sorreil, B. K. and Armstrong, W., 1994. On the difficulties of measuring oxygen release by root Systems of wetland plants, *Journal of Ecology*, **82**: 177-183.
- Sowmya, S., Perumal, P.C., Anusooriya, P., Vidya, B., Pratibha, P., Malarvizhi, D. and Gopalakrishnan, V.K., 2015. Comparative preliminary phytochemical analysis various different parts (Stem, Leaf and Fruit) of *Cayratia trifolia* (L.). *Indo American Journal of Pharmaceutical Research*, **5**(1), pp.218-223.
- Srinivasan, M.R. and Satyanarayana, M.N., 1987. Influence of capsaicin, curcumin and ferulic acid in rats fed high fat diets. *Journal of Biosciences*, **12**(2), p.143.
- Stom, D.I. and Roth, R., 1981. Some effects of polyphenols on aquatic plants: I. Toxicity of phenols in aquatic plants. *Bulletin of Environmental Contamination and Toxicology*, **27**(1), pp.332-337.

BIBLIOGRAPHY

- Subashini S, Kumar KS (2017) Physicochemical characteristics of calcium oxalate crystals in *Spinacia oleracea* L. *Indian Journal of Biochemistry and Biophysics*, **54**, pp.156-163.
- Sugunan, V.V. and Mukhopadhyaya, M. K. 1995. Conservation and sustainable use of floodplain wetlands: Case studies of Bandardaha and Beloon Beels. *In. Conservation and sustainable use of floodplain wetlands (Ed. Howes, J. R.). Asian Wetland Bureau, Kuala Lumpur*, pp.67-75.
- Suleiman, M.M., McGaw, L.I., Naidoo, V. and Eloff, J., 2010. Detection of antimicrobial compounds by bioautography of different extracts of leaves of selected South African tree species. *African Journal of Traditional, Complementary and Alternative Medicines*, **7**(1).
- Suslov, S., Stom, D., 1978. Oscillographic behavior of chlorosubstituted ortho-benzoquinones. *Journal of analytical chemistry of the USSR*, **33**(11), pp.1694-1698.
- Syahidah, A., Saad, C.R., Daud, H.M. and Abdelhadi, Y.M., 2015. Status and potential of herbal applications in aquaculture: A review. *Iranian Journal of Fisheries Sciences*, **14**(1), pp.27-44.
- Tacon, A.G., 1981. Speculative review of possible carotenoid function in fish. *The Progressive Fish-Culturist*, **43**(4), pp.205-208.
- Tambe, V. and Bhambar, R., 2014. Estimation of total phenol, tannin, alkaloid and flavonoid in *Hibiscus tiliaceus* Linn. wood extracts. *Research and Reviews: Journal of Pharmacognosy and Phytochemistry*, **2** (4): 42-45.

BIBLIOGRAPHY

- Tart, Charles T. 1990. Major Psychedelic Drugs: Altered states of consciousness, 3rd ed., San Francisco (Harper). 454-460.
- Thakare, V.M., Chaudhari, R.Y. and Patil, V.R., 2011. Promotion of cutaneous wound healing by herbal formulation containing *Azadirachta indica* and *Cynodon dactylon* extract in wistar rats. *Int J Pharm Res Dev*, **3**(4), pp.80-86.
- Thi, A.N.T., Nosedá, B., Samapundo, S., Nguyen, B.L., Broekaert, K., Rasschaert, G., Heyndrickx, M. and Devlieghere, F., 2013. Microbial ecology of Vietnamese Tra fish (*Pangasius hypophthalmus*) fillets during processing. *International Journal of Food Microbiology*, **167**(2), pp.144-152.
- Tsou, M.W., Liu, J.T., Hammitt, J.K. and Wang, K.H., 2008. Exporting and productivity growth: Evidence from the Taiwan electronics plants. *Scottish Journal of Political Economy*, **55**(2), pp.190-209.
- Turker, H. and Yıldırım, A.B., 2015. Screening for antibacterial activity of some Turkish plants against fish pathogens: a possible alternative in the treatment of bacterial infections. *Biotechnology & Biotechnological Equipment*, **29**(2), pp.281-288.
- Turner, P.C., Gammie, A.J., Hollinrake, K. and Codd, G.A., 1990. Pneumonia associated with contact with cyanobacteria. *BMJ: British Medical Journal*, **300**(6737), p.1440.
- Uva, R.H., Neal, J.C. and DiTomaso, J.M., 1997. Weeds of the Northeast. Ithaca, NY: Cornell University Press. p. 214-217.

BIBLIOGRAPHY

- Vajpayee, P., Rai, U.N., Ali, M.B., Tripathi, R.D., Yadav, V., Sinha, S. and Singh, S.N., 2001. Chromium-induced physiologic changes in *Vallisneria spiralis* L. and its role in phytoremediation of tannery effluent. *Bulletin of Environmental Contamination and toxicology*, **67**(2), pp.246-256.
- Van Donk, E., Ianora, A. and Vos, M., 2011. Induced defences in marine and freshwater phytoplankton: a review. *Hydrobiologia*, **668**(1), pp.3-19.
- Vul'fson, N.S. and Zaikin, V.G., 1976. Mass Spectrometry of Quinolizidine Alkaloids. *Russian Chemical Reviews*, **45**(10), p.959.
- Vyvyan, J.R., 2002. Allelochemicals as leads for new herbicides and agrochemicals. *Tetrahedron*, **58**, pp.1631-1636.
- Walakira, J., Molnar, J., Nankya, E. 2014. Sustainable strategy for controlling fish disease conditions using banana *Musa* sp. leaf extracts in uganda. *Aquac. Am. Seattle*.
- Walters, W.P. and Namchuk, M., 2003. A guide to drug discovery: designing screens: how to make your hits a hit. *Nature Reviews Drug Discovery*, **2**(4), p.259.
- Wang, L. X., Zhang, L., Zhang, Y. X., Jin, C. Y., Lu, C. M., Wu, G. R. 2006. The inhibitory effect of *Hydrilla verticillata* culture water on *Microcystis aeruginosa* and its mechanism. *Journal of Plant Physiology and Molecular Biology*, **32**, 672.
- Wang, T.D. 1991. Agricultural use of water resources in the Huang-Huai-Hai Plain- Water use efficiency. *Research of Agricultural Modernization*. **12**:33-37
- Wendel, T. and Jüttner, F., 1996. Lipxygenase-mediated formation of hydrocarbons

BIBLIOGRAPHY

- and unsaturated aldehydes in freshwater diatoms. *Phytochemistry*, **41**(6), pp.1445-1449.
- Wichitnithad, W., Jongaroonngamsang, N., Pummangura, S. and Rojsitthisak, P., 2009. A simple isocratic HPLC method for the simultaneous determination of curcuminoids in commercial turmeric extracts. *Phytochemical Analysis*, **20**(4), pp.314-319.
- Wium-Andersen, S., Anthoni, U., Christophersen, C. and Houen, G., 1982. Allelopathic effects on phytoplankton by substances isolated from aquatic macrophytes (Charales). *Oikos*, pp.187-190.
- Yang, C., Chowdhury, M.A., Huo, Y. and Gong, J., 2015. Phytogetic compounds as alternatives to in-feed antibiotics: potentials and challenges in application. *Pathogens*, **4**(1), pp.137-156.
- Yang, S.S., Cragg, G.M., Newman, D.J. and Bader, J.P., 2001. Natural product-based anti-HIV drug discovery and development facilitated by the NCI developmental therapeutics program. *Journal of Natural Products*, **64**(2), pp.265-277.
- Yanishlieva, N.V., Marinova, E. and Pokorný, J., 2006. Natural antioxidants from herbs and spices. *European Journal of lipid science and Technology*, **108**(9), pp.776-793.
- Yin, G., Jeney, G., Racz, T., Xu, P., Jun, X. and Jeney, Z., 2006. Effect of two Chinese herbs (*Astragalus radix* and *Scutellaria radix*) on non-specific immune response of tilapia, *Oreochromis niloticus*. *Aquaculture*, **253**(1-4), pp.39-47.

BIBLIOGRAPHY

- Yu, D., Suzuki, M., Xie, L., Morris-Natschke, S.L. and Lee, K.H., 2003. Recent progress in the development of coumarin derivatives as potent anti-HIV agents. *Medicinal Research Reviews*, **23**(3), pp.322-345.
- Zhang, S.H., Cheng, S.P., Wang, H.Q., He, F. and Wu, Z.B., 2009. Allelopathic interactions between the *Potamogeton* spp and toxic cyanobacteria (*Microcystis aeruginosa*). *Allelopathy Journal*, **23**(2), pp.379-390.
- Zhang, T.T., Chen, C.P., He, M., Wu, A.P. and Nie, L.W., 2007. Allelopathic effects of several higher aquatic plants on algae. *Journal of Biology*, **24**(4), pp.32-36.
- Zhishen, J., Mengcheng, T. and Jianming, W., 1999. The determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals. *Food chemistry*, **64**(4), pp.555-559.
- Zindler-Frank, E., 1976. Oxalate biosynthesis in relation to photosynthetic pathway and plant productivity—a survey. *Zeitschrift für Pflanzenphysiologie*, **80**(1), pp.1-13.