

References

- Agropedia. (2017, February 15). Eucalyptus plantation information guide. Retrieved from <http://agropedia.iitk.ac.in/content/eucalyptus-plantation-information-guide>
- Allison, M. A., Khan, S. R., Goodbred Jr, S. L., & Kuehl, S. A. (2003). Stratigraphic evolution of the late Holocene Ganges–Brahmaputra lower delta plain. *Sedimentary Geology*, 155(3-4), 317-342.
- Andersen, B. J. (2008). Research in the journal Landscape Ecology, 1987–2005. *Landscape Ecology*, 23(2), 129-134.
- Anderson, J. M., & Wilson, S. B. (1984). The physical basis of current infrared remote-sensing techniques and the interpretation of data from aerial surveys. *International Journal of Remote Sensing*, 5(1), 1-18.
- Anthony, E. J., Vanhee, S., & Ruz, M. H. (2006). Short-term beach–dune sand budgets on the north sea coast of France: Sand supply from shore face to dunes, and the role of wind and fetch. *Geomorphology*, 81(3-4), 316-329.
- Assessment, M. E. (2005). *Ecosystems and human well-being* (Vol. 5). Washington, DC: Island press.
- Bastian, O. (2001). Landscape Ecology—towards a unified discipline? *Landscape Ecology*, 16(8), 757-766.
- Bastian, O., Kröner, R., & Lipský, Z. (2006). Landscape diagnosis on different space and time scales—a challenge for landscape planning. *Landscape Ecology*, 21(3), 359-374.
- Begon, M., Harper, J. L., & Townsend, C. R. (1996). Ecology: Individuals, Populations. *Communities*.
- Bell, S. S., Fonseca, M. S., & Motten, L. B. (1997). Linking restoration and landscape ecology. *Restoration ecology*, 5(4), 318-323.
- Bhandari, G. N., & Das, S. C. (1998). A study of beach erosion for appropriate protection of Digha Coast. In *Coastal Zone Problems, Proceedings of National Workshop (March 20-22, 1998. Jadavpur University)* (pp. 51-60).
- Bhattacharya, B., Sarkar, S. K., & Mukherjee, N. (2003). Organochlorine pesticide residues in sediments of a tropical mangrove estuary, India: implications for monitoring. *Environment international*, 29(5), 587-592.
- Blei, D. M., & Lafferty, J. D. (2009). Topic models. In *Text Mining* (pp. 101-124). Chapman and Hall/CRC.
- Blozan, W. (2006). Tree measuring guidelines of the eastern native tree society. *Bulletin of the Eastern Native Tree Society*, 1(1), 3-10.
- Brereton, R. G. (Ed.). (1992). *Multivariate pattern recognition in chemometrics: illustrated by case studies* (Vol. 9). Elsevier.
- Chee, Y. E. (2004). An ecological perspective on the valuation of ecosystem services. *Biological conservation*, 120(4), 549-565.
- Choudhury, B. J. (1991). Multispectral satellite data in the context of land surface heat balance. *Reviews of Geophysics*, 29(2), 217-236.
- Cihlar, J., Latifovic, R., Beaubien, J., Guindon, B., & Palmer, M. (2003). Thematic Mapper (TM) based accuracy assessment of a land cover product for Canada derived from SPOT VEGETATION (VGT) data. *Canadian Journal of Remote Sensing*, 29(2), 154-170.
- Cihlar, J., Latifovic, R., Chen, J., Beaubien, J., & Li, Z. (2000). Selecting representative high resolution sample images for land cover studies. Part 1: Methodology. *Remote Sensing of Environment*, 71(1), 26-42.
- Climate Citizen. (2012, January 30). Freshwater wetlands are important carbon sinks says scientific study. Retrieved from <https://takvera.blogspot.com/2012/01/freshwater-wetlands-are-important.html>
- Cooke, R. V., & Doornkamp, J. C. (1990). *Geomorphology in environmental management: a new introduction*. Oxford University Press (OUP).
- Costanza, R., d'Arge, R., De Groot, R., Farber, S., Grasso, M., Hannon, B., & Raskin, R. G. (1997). The value of the world's ecosystem services and natural capital. *nature*, 387(6630), 253.
- Cracknell, A. P. (1999). Remote sensing techniques in estuaries and coastal zones an update. *International Journal of Remote Sensing*, 20(3), 485-496.

- Cracknell, A. P., & Hayes, L. W. B. *Introduction to Remote Sensing*. 1991. Taylor & Francis, 293p.
- Crooks, K. R., & Sanjayan, M. (Eds.).(2006). *Connectivity conservation* (Vol. 14).Cambridge University Press.
- Crosta, A. P., Sabine, C., & Taranik, J. V. (1998). Hydrothermal alteration mapping at Bodie, California, using AVIRIS hyperspectral data. *Remote Sensing of Environment*, 65(3), 309-319.
- Dahlgren, C. P., & Eggleston, D. B. (2000). Ecological processes underlying ontogenetic habitat shifts in a coral reef fish. *Ecology*, 81(8), 2227-2240.
- Daily, G. C. (1997). *Nature's services* (Vol. 19971). Island Press, Washington, DC.
- Davidson, E. A., Bustamante, M., & de Siqueira Pinto, A. (2001). Emissions of nitrous oxide and nitric oxide from soils of native and exotic ecosystems of the Amazon and Cerrado regions of Brazil. *The Scientific World Journal*, 1, 312-319.
- Davis, A. P., & Lettington, A. H. (1988). Principles of thermal imaging. *Applications of thermal imaging*, 1-34.
- De Carvalho, O. A., & Meneses, P. R. (2000, February). Spectral correlation mapper (SCM): an improvement on the spectral angle mapper (SAM). In Summaries of the 9th JPL Airborne Earth Science Workshop, JPL Publication 00-18 (Vol. 9). JPL Publication Pasadena, CA.
- De Groot, R. (2006). Function-analysis and valuation as a tool to assess land use conflicts in planning for sustainable, multi-functional landscapes. *Landscape and urban planning*, 75(3-4), 175-186.
- De Groot, R. S., Wilson, M. A., & Boumans, R. M. (2002). A typology for the classification, description and valuation of ecosystem functions, goods and services. *Ecological economics*, 41(3), 393-408.
- DeFries, R. S., Asner, G. P., & Houghton, R. (2004). Trade-offs in land-use decisions: towards a framework for assessing multiple ecosystem responses to land use change. *Ecosystems and land use change*, 153, 1-9.
- Elhassan, A., Goto, A., & Mizutani, M. (2003). Effect of conjunctive use of water for paddy field irrigation on groundwater budget in an alluvial fan.
- Erickson, H. E., & Keller, M. (1997). Tropical land use change and soil emissions of nitrogen oxides. *Soil use and management*, 13, 278-287.
- Erickson, H., Keller, M., & Davidson, E. A. (2001). Nitrogen oxide fluxes and nitrogen cycling during postagricultural succession and forest fertilization in the humid tropics. *Ecosystems*, 4(1), 67-84.
- ESA (European Space Agency). (2017, March 16). Sentinel-2 MSI User Guide. Retrieved from <https://sentinels.copernicus.eu/web/sentinel/user-guides/sentinel-2-msi>
- Ester, M., Kriegel, H. P., Sander, J., & Xu, X. (1996, August). A density-based algorithm for discovering clusters in large spatial databases with noise. In *Kdd* (Vol. 96, No. 34, pp. 226-231).
- Estes, J. E., Smith, T., & Star, J. L. (1986). Remote Sensing Information Sciences Research Group, Santa Barbara Information Sciences Research Group, year 3.
- European Commission. (2000). Building Environmental Quality Evaluation for Sustainability through Time Network (BEQUEST). European Commission
- Farley, J. (2008). Valuing natural capital: the limits of marginal valuation in complex systems. *Economics and Conservation in the Tropics: A Strategic Dialogue*. January 31 – February 1, 2008. Available at: <https://pdfs.semanticscholar.org/a253/ff4c07632e90c6a30dc5fc6d96ad0fc01c3d.pdf>
- Farley, J., & Costanza, R. (2010). Payments for ecosystem services: from local to global. *Ecological economics*, 69(11), 2060-2068.
- Florek, K., Łukaszewicz, J., Perkal, J., Steinhaus, H., & Zubrzycki, S. (1951). Surlalaison et la division des points d'un ensemble fini. In *Colloquium Mathematicum* (Vol. 2, No. 3-4, pp. 282-285).
- Forman, R. T. (1995). Some general principles of landscape and regional ecology. *Landscape ecology*, 10(3), 133-142.
- Foundations, T. E. E. B. (2010). The Economics of Ecosystems and Biodiversity. *Ecological and economic foundations, London and Washington*.
- Frohn, R. C., & Lopez, R. D. (2017). *Remote sensing for landscape ecology: new metric indicators: monitoring, modeling, and assessment of ecosystems*. CRC Press.

- Ganesan, P., & Gaonkar, S. S. (2006). *Seasonal beach profiling along Malvan and Kotharwadi coast, southern Maharashtra, central west coast of India*. National Institute of Oceanography, Goa..
- Gaston, K. J. (2000). Global patterns in biodiversity. *Nature*, 405(6783), 220.
- Gillanders, B. M., Elsdon, T. S., & Roughan, M. (2011). 7.06 Connectivity of Estuaries. *Treatise on Estuarine and Coastal Science*.
- Godron, M., & Forman, R. T. T. (1983). Landscape modification and changing ecological characteristics. In *Disturbance and ecosystems* (pp. 12-28). Springer, Berlin, Heidelberg.
- Goossens, R., D'Haluin, E., & Larnoe, G. (1991). Satellite image interpretation (SPOT) for the survey of the ecological infrastructure in a small scaled landscape (Kempenland, Belgium). *Landscape Ecology*, 5(3), 175-182.
- Graetz, R. D. (1990). Remote sensing of terrestrial ecosystem structure: an ecologist's pragmatic view. In *Remote sensing of biosphere functioning* (pp. 5-30). Springer, New York, NY.
- Greegor, D. H. (1986). Ecology from space. *BioScience*, 36(7), 429-432.
- Grober-Dunsmore, R., Pittman, S. J., Caldow, C., Kendall, M. S., & Frazer, T. K. (2009). A landscape ecology approach for the study of ecological connectivity across tropical marine seascapes. In *Ecological connectivity among tropical coastal ecosystems* (pp. 493-530). Springer, Dordrecht.
- Grober-Dunsmore, R., Wooninck, L., Field, J., Ainsworth, C., Beets, J., Berkeley, S., ...& Crowder, L. (2008). Vertical zoning in marine protected areas: ecological considerations for balancing pelagic fishing with conservation of benthic communities. *Fisheries*, 33(12), 598-610.
- Groom, G., Mücher, C. A., Ihse, M., & Wrbka, T. (2006). Remote sensing in landscape ecology: experiences and perspectives in a European context. *Landscape Ecology*, 21(3), 391-408.
- Gross, J. E., Goetz, S. J., & Cihlar, J. (2009). Application of remote sensing to parks and protected area monitoring: Introduction to the special issue. *Remote Sensing of Environment*, 113(7), 1343-1345.
- Grossman, L. (1977). Man environment relationships in anthropology and geography. *Annals of the Association of American Geographers*, 67(1), 126-144.
- Haines-Young, R. H. (1992). The use of remotely-sensed satellite imagery for landscape classification in Wales (UK). *Landscape Ecology*, 7(4), 253-274.
- Haines-Young, R. H., Bunce, R. G. H., & Parr, T. W. (1994). Countryside information system: an information system for environmental policy development and appraisal. *Geographical Systems*, 1, 329-345.
- Haines-Young, R., Green, D. R., & Cousins, S. H. (Eds.).(2003). *Landscape ecology and geographical information systems*. CRC Press.
- Hall, F. G., Strelbel, D. E., & Sellers, P. J. (1988). Linking knowledge among spatial and temporal scales: vegetation, atmosphere, climate and remote sensing. *Landscape Ecology*, 2(1), 3-22.
- Hampton, E. R. (1963). Ground water in the coastal dune area near Florence, Oregon.
- Hangarge, L. M., Kulkarni, D. K., Gaikwad, V. B., Mahajan, D. M., & Chaudhari, N. (2012). Carbon Sequestration potential of tree species in Somjaichi Rai (Sacred grove) at Nandghur village, in Bhor region of Pune District, Maharashtra State, India. *Annals of Biological Research*, 3(7), 3426-3429.
- Heywood, V. H., & Watson, R. T. (1995). *Global biodiversity assessment* (Vol. 1140). Cambridge: Cambridge University Press.
- Hobbs, R. (1997). Future landscapes and the future of landscape ecology. *Landscape and urban planning*, 37(1-2), 1-9.
- Hobbs, R. J. (1990). Remote sensing of spatial and temporal dynamics of vegetation. In *Remote sensing of biosphere functioning* (pp. 203-219). Springer, New York, NY.
- Holm, G. O., Perez, B. C., McWhorter, D. E., Krauss, K. W., Johnson, D. J., Raynie, R. C., & Killebrew, C. J. (2016). Ecosystem level methane fluxes from tidal freshwater and brackish marshes of the Mississippi River Delta: Implications for coastal wetland carbon projects. *Wetlands*, 36(3), 401-413.
- Huang, W. G., Cracknell, A. P., Vaughan, R. A., & Davies, P. A. (1991). A satellite and field view of the Irish Shelf front. *Continental Shelf Research*, 11(6), 543-562.

- Ikeda, M. and Dobson, F.W., 1995. *Oceanographic Applications of Remote Sensing*. Boca Raton, Florida: CRC Press
- Indiamart. (2018a, December 12). Natural, Industrial & Medical Gasses. Nitrogen Gas. Retrieved from <https://www.indiamart.com/proddetail/nitrogen-gas-9317363991.html>
- Indiamart. (2018b, December 12). Natural, Industrial & Medical Gasses. Methane Gas. Retrieved from <https://www.indiamart.com/proddetail/methane-gas-11691715730.html>
- Indiamart. (2018c, December 12). Natural, Industrial & Medical Gasses. Carbon Dioxide Gas. Retrieved from <https://www.indiamart.com/proddetail/carbon-dioxide-gas-11178548797.html>
- Indiamart. (2018d, December 12). Juices, Soups & Soft Drinks, Drinking Water. Mineral Water. Retrieved from <https://www.indiamart.com/proddetail/1-liter-mineral-water-10983801555.html>
- Irlandi, E. A., Ambrose Jr, W. G., & Orlando, B. A. (1995). Landscape ecology and the marine environment: how spatial configuration of seagrass habitat influences growth and survival of the bay scallop. *Oikos*, 307-313.
- Iverson, J. M., Capirci, O., & Caselli, M. C. (1994). From communication to language in two modalities. *Cognitive development*, 9(1), 23-43.
- Johnston, C. A. (1998). *Geographic information systems in ecology*. Blackwell Science.
- Jørgensen, S. E. (2000). 25 years of ecological modeling by Ecological Modeling. *Ecological Modeling*, 126(2-3), 95-99.
- Keller, M., & Reiners, W. A. (1994). Soil-atmosphere exchange of nitrous oxide, nitric oxide, and methane under secondary succession of pasture to forest in the Atlantic lowlands of Costa Rica. *Global Biogeochemical Cycles*, 8(4), 399-409.
- Keller, M., Kaplan, W. A., & Wofsy, S. C. (1986). Emissions of N₂O, CH₄ and CO₂ from tropical forest soils. *Journal of Geophysical Research: Atmospheres*, 91(D11), 11791-11802.
- Keller, M., Veldkamp, E., Weitz, A. M., & Reiners, W. A. (1993). Effect of pasture age on soil trace-gas emissions from a deforested area of Costa Rica. *Nature*, 365(6443), 244.
- Kramer, D. L., & Chapman, M. R. (1999). Implications of fish home range size and relocation for marine reserve function. *Environmental biology of Fishes*, 55(1-2), 65-79.
- Kruse, F. A., Lefkoff, A. B., Boardman, J. W., Heidebrecht, K. B., Shapiro, A. T., Barloon, P. J., & Goetz, A. F. H. (1993). The spectral image processing system (SIPS)—interactive visualization and analysis of imaging spectrometer data. *Remote sensing of environment*, 44(2-3), 145-163.
- Krutilla, J. V. (1967). Conservation reconsidered. *The American Economic Review*, 57(4), 777-786.
- Leimona, B. (2011). Fairly efficient and efficiently fair: success factors and constraints in payment and reward for environmental schemes in Asia. *Wageningen University, Wageningen(NL)*. Obtenu sur Internet à l'adresse <http://www.worldagroforestry.org/sea/publication>, 66-11.
- Lillesand, T. M., Kiefer, R. W., & Chipman, J. W. (1987). Concepts and foundations of remote sensing. *Remote Sensing and Image Interpretation*; Lillesand, T., Kiefer, R., Chipman, J., Eds, 1-57.
- Lo, C. P., Quattrochi, D. A., & Luval, J. C. (1997). Application of high-resolution thermal infrared remote sensing and GIS to assess the urban heat island effect. *International journal of Remote sensing*, 18(2), 287-304.
- Luizão, F., Matson, P., Livingston, G., Luizão, R., & Vitousek, P. (1989). Nitrous oxide flux following tropical land clearing. *Global Biogeochemical Cycles*, 3(3), 281-285.
- Luval, J. C., & Holbo, H. R. (1991). Thermal remote sensing methods in landscape ecology. *Ecological studies: analysis and synthesis (USA)*.
- Lyle, J. (1999). *Design for human ecosystems: landscape, land use, and natural resources*. Island press.
- MacDicken, K. G. (1997). A guide to monitoring carbon storage in forestry and agroforestry projects.
- Magurran, A. E. (1988). *Ecological diversity and its measurement*. Princeton university press.
- Maiti, S. (2013). Interpretation of coastal morphodynamics of Subarnarekha estuary using integrated cartographic and field techniques. *Current Science (00113891)*, 104(12).

- Maiti, S., & Bhattacharya, A. K. (2009). Shoreline change analysis and its application to prediction: A remote sensing and statistics based approach. *Marine Geology*, 257(1-4), 11-23.
- Markham, B., & Baker, J. (1986). EOSAT Landsat Technical Notes No. 1. *EOSAT, Lanham, Maryland*, 1-8.
- Masselink, G., Buscombe, D., Austin, M., O'HARE, T. I. M., & Russell, P. (2008). Sediment trend models fail to reproduce small-scale sediment transport patterns on an intertidal beach. *Sedimentology*, 55(3), 667-687.
- Matson, P. A., & Vitousek, P. M. (1987). Cross-system comparisons of soil nitrogen transformations and nitrous oxide flux in tropical forest ecosystems. *Global Biogeochemical Cycles*, 1(2), 163-170.
- Menon, S., & Bawa, K. S. (1997). Applications of geographic information systems, remote-sensing, and a landscape ecology approach to biodiversity conservation in the Western Ghats. *Current science*, 134-145.
- Metzger, J. P., & Muller, E. (1996). Characterizing the complexity of landscape boundaries by remote sensing. *Landscape Ecology*, 11(2), 65-77.
- Mikesell, M. (1968). Landscape, Sills, DL (Ed.) International Encyclopedia of the Social Sciences.
- Montagnini, F., & Nair, P. K. R. (2004). Carbon sequestration: an underexploited environmental benefit of agroforestry systems. In *New vistas in agroforestry* (pp. 281-295). Springer, Dordrecht.
- Moody, A., & Woodcock, C. E. (1995). The influence of scale and the spatial characteristics of landscapes on land-cover mapping using remote sensing. *Landscape Ecology*, 10(6), 363-379.
- Moran, M. S., Jackson, R. D., Slater, P. N., & Teillet, P. M. (1992). Evaluation of simplified procedures for retrieval of land surface reflectance factors from satellite sensor output. *Remote Sensing of Environment*, 41(2-3), 169-184.
- Mosier, A. R., Duxbury, J. M., Freney, J. R., Heinemeyer, O., & Minami, K. (1996). Nitrous oxide emissions from agricultural fields: Assessment, measurement and mitigation. In *Progress in nitrogen cycling studies* (pp. 589-602). Springer, Dordrecht.
- Murthy, M. R., Mani, J. S., & Subramanian, B. R. (2008). Evolution and performance of beach fill at Ennore Seaport, southeast coast of India. *Journal of Coastal Research*, 24(sp1), 232-243.
- Nagelkerken, I., & Van der Velde, G. (2002). Do non-estuarine mangroves harbour higher densities of juvenile fish than adjacent shallow-water and coral reef habitats in Curaçao (Netherlands Antilles)? *Marine Ecology Progress Series*, 245, 191-204.
- NASA (National Aeronautics and Space Administration). (2016, March 19). Landsat 7 Science Data Users Handbook. Retrieved from https://landsat.gsfc.nasa.gov/wp-content/uploads/2016/08/Landsat7_Handbook.pdf
- Naveh, Z. (1995). Interactions of landscapes and cultures. *Landscape and urban planning*, 32(1), 43-54.
- Neef, E. (1984). Applied landscape research. *Applied Geography and Development*, 24, 38-58.
- Nellis, M. D., & Briggs, J. M. (1989). The effect of spatial scale on Konza landscape classification using textural analysis. *Landscape Ecology*, 2(2), 93-100.
- Niyogi, D., (1970). Quaternary geology and geomorphology of the Kharagpur-Digha area W.B. Guide book for the field trips; Section of Geology and Geography. *57th Session of Indian Science Congress. Kharagpur*. 1-18.
- Norman, J. M., Kustas, W. P., & Humes, K. S. (1995). Source approach for estimating soil and vegetation energy fluxes in observations of directional radiometric surface temperature. *Agricultural and Forest Meteorology*, 77(3-4), 263-293.
- Norusis, M. J., & Inc, S. (2010). *PASW statistics 18: Statistical procedures companion*. Prentice-Hall.
- Noss, R. F. (1990). Indicators for monitoring biodiversity: a hierarchical approach. *Conservation biology*, 4(4), 355-364.
- Omi, P. N., Rideout, D. B., & Botti, S. J. (1999). An analytical approach for assessing cost-effectiveness of landscape prescribed fires. *Fire Economics, Planning, and Policy: Bottom Lines*, 237.
- Opdam, P., Foppen, R., & Vos, C. (2001). Bridging the gap between ecology and spatial planning in landscape ecology. *Landscape ecology*, 16(8), 767-779.

- Pacheco, A., Vila-Concejo, A., Ferreira, Ó., & Dias, J. A. (2008). Assessment of tidal inlet evolution and stability using sediment budget computations and hydraulic parameter analysis. *Marine Geology*, 247(1-2), 104-127.
- Parrish, J. T. (1998). *Interpreting pre-Quaternary climate from the geologic record*. Columbia University Press.
- Pattanayak , S., Hazra, A., & Dalabehera, L. (2014). Report on the strandline evolution of Digha coast, West Bengal. Project Sanction no. ENV/ER/WBAN/2013/001 during F.S. 2013-2014.
- Paul, A. K. (2002). *Coastal Geomorphology and Environment: Sundarban Coastal Plain, Kanthi Coastal Plain, Subarnarekha Delta Plain*. ACB publications.
- Pearson, T. R. H., Brown, S., Ravindranath, N. H., MacDicken, K., Shoch, D., Murthy, I. K., & Sahana, C. A. (2005). Integrating carbon benefit estimates into GEF projects. *UNDP, GEF*, 1-56.
- Pethick, J. S. (1990). *The Humber estuary. Humber Perspectives: a region throughthe ages*. Hull University Press, 54-70.
- Pickett, S. T., & Cadenasso, M. L. (1995). Landscape ecology: spatial heterogeneity in ecological systems. *Science*, 269(5222), 331-334.
- Pittman, S. J., & McAlpine, C. A. (2003). Movements of marine fish and decapod crustaceans: process, theory and application. *Advances in marine biology*, 44(1), 205-294.
- Pittman, S. J., Christensen, J. D., Caldow, C., Menza, C., & Monaco, M. E. (2007). Predictive mapping of fish species richness across shallow-water seascapes in the Caribbean. *ecological modelling*, 204(1-2), 9-21.
- Price, J. C. (1989). Quantitative aspects of remote sensing in the thermal infrared. *Theory and applications of optical remote sensing*, 578-602.
- Purkait, N. N., Sengupta, M. K., De, S., & Chakrabarty, D. K. (2005). Methane emission from the rice fields of West Bengal over a decade. 89.60. Fe; 92.60. Sz; 92.70. Cp.
- Quattrochi, D. A., & Pelletier, R. E. (1991). Remote sensing for analysis of landscapes: an introduction. *Ecological Studies*, 82, 51-76.
- Quattrochi, D. A., & Ridd, M. K. (1998). Analysis of vegetation within a semi-arid urban environment using high spatial resolution airborne thermal infrared remote sensing data. *Atmospheric Environment*, 32(1), 19-33.
- Quora. (2012, July 18). How much carbon (weight of CO₂ is fine) does the human body emit in a day/month/year/lifetime? Retrieved from <https://www.quora.com/How-much-carbon-weight-of-CO2-is-fine-does-the-human-body-emit-in-a-day-month-year-lifetime>
- Quora. (2016, August 19). How much Oxygen does an average person need in a year to live? Retrieved from <https://www.quora.com/How-much-Oxygen-does-an-average-person-need-in-a-year-to-live#>
- Quora. (2017, July 26). How much carbon dioxide we exhale and how much oxygen is given out by plants or trees? Retrieved from <https://www.quora.com/How-much-carbon-dioxide-we-exhale-and-how-much-oxygen-is-given-out-by-plants-or-trees>
- Ramasamy, S., & Kasturirangan, K. (2005). *Remote sensing in geomorphology*. NIPA Publication, New Delhi.
- Rao, A. D., Chittibabu, P., Murty, T. S., Dube, S. K., & Mohanty, U. C. (2007). Vulnerability from storm surges and cyclone wind fields on the coast of Andhra Pradesh, India. *Natural Hazards*, 41(3), 515-529.
- Ravindranath, N. H., & Ostwald, M. (2007). *Carbon inventory methods: handbook for greenhouse gas inventory, carbon mitigation and round wood production projects* (Vol. 29). Springer Science & Business Media.
- Redfern, H., & Williams, R. G. (1996). Remote sensing: Latest developments and uses. *Water and Environment Journal*, 10(6), 423-428.
- Reiners, W. A., & Driese, K. L. (2001). The Propagation of Ecological Influences through Heterogeneous Environmental Space: Events or conditions located within an environmental domain can lead to consequences elsewhere; the propagation of these influences through environmental space are the linkages that integrate ecological relationships over time and space. *BioScience*, 51(11), 939-950.
- Risser, P.G., Karr, J.R. and Forman, R.T.T. (1984). Landscape ecology: directions and approaches. Ill. *Nat. Hist. Surv. Spec. Publ.* 2: pp 1-18.

- Robbins, B. D., & Bell, S. S. (1994). Seagrass landscapes: a terrestrial approach to the marine subtidal environment. *Trends in Ecology & Evolution*, 9(8), 301-304.
- Rosenzweig, M. L. (1995). *Species diversity in space and time*. Cambridge University Press.
- Rouse Jr, J., Haas, R. H., Schell, J. A., & Deering, D. W. (1974). Monitoring vegetation systems in the Great Plains with ERTS.
- Sale, P. F., Van Lavieren, H., Lagman, M. A., Atema, J., Butler, M., Fauvelot, C., ...&Steneck, R. (2010). Preserving reef connectivity: A handbook for marine protected area managers. Connectivity Working Group. *Coral Reef Targeted Research & Capacity Building for Management Program, UNU-INWEH*.
- Sauer, C.O., 1963. The morphology of landscape. In Leighly J., (ed.). *Land and Life: A Selection from the writings of Carl Ortwin Sauer*, 315–50. University of California Press, Berkeley.
- Scott, R. W. (2002). Organizations: Rational, natural, and open systems.
- Selby, M. J. (1985). *Earth's changing surface: an introduction to geomorphology*. Oxford University Press.
- Sellers, P. J., Meeson, B. W., Hall, F. G., Asrar, G., Murphy, R. E., Schiffer, R. A., ... & Huemmrich, K. F. (1995). Remote sensing of the land surface for studies of global change: Models-algorithms-experiments. *Remote Sensing of Environment*, 51(1), 3-26.
- Sener, E., Davraz, A., & Sener, S. (2010). Investigation of Aksehir and Eber Lakes (SW Turkey) coastline change with multitemporal satellite images. *Water resources management*, 24(4), 727-745.
- Sharma, A., Tiwari, K. N., & Bhadaria, P. B. S. (2010). Vertical accuracy of digital elevation model from Shuttle Radar Topographic Mission—a case study. *Geocarto International*, 25(4), 257-267.
- Sheikh, M. A., Kumar, M., Bussman, R. W., & Todaria, N. P. (2011). Forest carbon stocks and fluxes in physiographic zones of India. *Carbon balance and management*, 6(1), 15.
- Sigma-Aldrich. (2018, December 12). 00476-Oxygen. Oxygen Gas. Retrieved from https://www.sigmapel.com/catalog/product/sial/00476?lang=en®ion=IN&cm_sp=Insite_-prodRecCold_xviews_-prodRecCold5-1
- Silbernagel, J., Martin, S. R., Gale, M. R., & Chen, J. (1997). Prehistoric, historic, and present settlement patterns related to ecological hierarchy in the Eastern Upper Peninsula of Michigan, USA. *Landscape Ecology*, 12(4), 223-240.
- Slater, J., & Brown, R. (2000). Changing landscapes: monitoring environmentally sensitive areas using satellite imagery. *International Journal of Remote Sensing*, 21(13-14), 2753-2767.
- Sobrino, J. A., Caselles, V., & Coll, C. (1993). Theoretical split-window algorithms for determining the actual surface temperature. *Il Nuovo Cimento C*, 16(3), 219-236.
- Sobrino, J. A., Jiménez-Muñoz, J. C., & Paolini, L. (2004). Land surface temperature retrieval from LANDSAT TM 5. *Remote Sensing of environment*, 90(4), 434-440.
- Steele, J. H. (1989). The ocean ‘landscape’. *Landscape Ecology*, 3(3-4), 185-192.
- Steiner, F. (1991). Landscape planning: a method applied to a growth management example. *Environmental Management*, 15(4), 519-529.
- Steudler, P. A., Melillo, J. M., Feigl, B. J., Neill, C., Piccolo, M. C., & Cerri, C. C. (1996). Consequence of forest-to-pasture conversion on CH₄ fluxes in the Brazilian Amazon Basin. *Journal of Geophysical Research: Atmospheres*, 101(D13), 18547-18554.
- Tang, J., Wang, J., Li, Z., Wang, S., & Qu, Y. (2018). Effects of Irrigation Regime and Nitrogen Fertilizer Management on CH₄, N₂O and CO₂ Emissions from Saline-Alkaline Paddy Fields in Northeast China. *Sustainability*, 10(2), 475.
- Teixidó, N., Garrabou, J., & Arntz, W. E. (2002). Spatial pattern quantification of Antarctic benthic communities using landscape indices. *Marine Ecology Progress Series*, 242, 1-14.
- The Economics of Ecosystems and Biodiversity (TEEB). (2010). Mainstreaming the economics of nature: a synthesis of the approach, conclusions and recommendations of TEEB. Available at: <http://www.teebweb.org/our-publications/teeb-study-reports/synthesis-report/>.
- ThoughtCo. (2018, November 05). Science, Tech, Math. Oxygen Produced by Photosynthesis. Retrieved from <https://www.thoughtco.com/how-much-oxygen-does-one-tree-produce-606785>

- Tilman, D. (1997). Community invasibility, recruitment limitation, and grassland biodiversity. *Ecology*, 78(1), 81-92.
- Troll, C. (1968). Landschaftsökologie. In *Pflanzensoziologie und Landschaftsökologie* (pp. 1-21). Springer, Dordrecht.
- Turner, M. G. (1989). Landscape ecology: the effect of pattern on process. *Annual review of ecology and systematics*, 20(1), 171-197.
- Turner, M. G. (2005). Landscape ecology: what is the state of the science?. *Annu. Rev. Ecol. Evol. Syst.*, 36, 319-344.
- Turner, M. G., & Gardner, R. H. (1991). *Quantitative methods in landscape ecologythe analysis and interpretation of landscape heterogeneity* (No. 574.5 T8).
- Turner, M. G., & Ruscher, C. L. (1988). Changes in landscape patterns in Georgia, USA. *Landscape ecology*, 1(4), 241-251.
- Turner, M. G., Gardner, R. H., O'Neill, R. V., & O'Neill, R. V. (2001). *Landscape ecology in theory and practice* (Vol. 401). New York: Springer.
- Turner, M. G., Pearson, S. M., Bolstad, P., & Wear, D. N. (2003). Effects of land-cover change on spatial pattern of forest communities in the Southern Appalachian Mountains (USA). *Landscape Ecology*, 18(5), 449-464.
- Urban, D. L., O'Neill, R. V., & Shugart Jr, H. H. (1987). A hierarchical perspective can help scientists understand spatial patterns. *BioScience*, 37(2).
- Verchot, L. V., Davidson, E. A., Cattâniao, H., Ackerman, I. L., Erickson, H. E., & Keller, M. (1999). Land use change and biogeochemical controls of nitrogen oxide emissions from soils in eastern Amazonia. *Global Biogeochemical Cycles*, 13(1), 31-46.
- Verchot, L. V., Davidson, E. A., Cattâniao, H., Ackerman, I. L., Erickson, H. E., & Keller, M. (1999). Land use change and biogeochemical controls of nitrogen oxide emissions from soils in eastern Amazonia. *Global Biogeochemical Cycles*, 13(1), 31-46.
- Verchot, L. V., Davidson, E. A., Cattâniao, J. H., & Ackerman, I. L. (2000). Land-use change and biogeochemical controls of methane fluxes in soils of eastern Amazonia. *Ecosystems*, 3(1), 41-56.
- Vitousek, P. M., & Walker, L. R. (1989). Biological invasion by Myrica faya in Hawai'i: plant demography, nitrogen fixation, ecosystem effects. *Ecological monographs*, 59(3), 247-265.
- Wadsworth, R., & Treweek, J. (1999). *GIS for Ecology*. Addison Wesley Longman.
- Wallace, K. J. (2007). Classification of ecosystem services: problems and solutions. *Biological conservation*, 139(3-4), 235-246.
- Waquoit Bay. (2018, March 26). Bringing Wetlands to Market. Phase 1 – Nitrogen & Coastal Blue Carbon (2011-2015). Retrieved from <https://www.waquoitbayreserve.org/research-monitoring/salt-marsh-carbon-project/>
- Ward, J. V., Robinson, C. T., & Tockner, K. (2002). Applicability of ecological theory to riverine ecosystems. *Internationale Vereinigung für theoretische und angewandte Limnologie: Verhandlungen*, 28(1), 443-450.
- Warran, A., & Patwardhan, A. (2008). Carbon sequestration potential of trees in and around pune city. *Case study Department of Environmental Sciences, University of Pune*.
- Wiens, J. A. (1995). Landscape mosaics and ecological theory. In *Mosaic landscapes and ecological processes* (pp. 1-26). Springer, Dordrecht.
- Wiens, J. A. (1997). Metapopulation dynamics and landscape ecology. In *Metapopulation biology* (pp. 43-62). Academic Press.
- With, K. A., Gardner, R. H., & Turner, M. G. (1997). Landscape connectivity and population distributions in heterogeneous environments. *Oikos*, 151-169.
- Wu, J. (2006). Landscape ecology, cross-disciplinarity, and sustainability science. *Landscape Ecology*, 21(1), 1-4.
- Wu, J. (2007). Past, present and future of landscape ecology. *Landscape Ecology*, 22(10), 1433-1435.

- Wu, J., & Hobbs, R. (2002). Key issues and research priorities in landscape ecology: an idiosyncratic synthesis. *Landscape ecology, 17*(4), 355-365.
- Wu, J., & Hobbs, R. J. (Eds.).(2007). *Key topics in landscape ecology*.Cambridge University Press.
- Zanne, A. E., Lopez-Gonzalez, G., Coomes, D. A., Ilic, J., Jansen, S., Lewis, S. L., & Chave, J. (2009). Global wood density database.
- Zeller, D. C. (1998).Spawning aggregations: patterns of movement of the coral trout Plectropomusleopardus (Serranidae) as determined by ultrasonic telemetry. *Marine Ecology Progress Series, 162*, 253-263.
- Zonneveld, I. S. (1989). The land unit-a fundamental concept in landscape ecology, and its applications. *Landscape ecology, 3*(2), 67-86.
- Zonneveld, I. S. (1990). Scope and concepts of landscape ecology as an emerging science. In *Changing landscapes: an ecological perspective* (pp. 3-20). Springer, New York, NY.