

List of Tables

2.1	Parity checking matrix of (7, 4) Hamming code	20
2.2	Redundant bits adjustment using odd parity for error detection and correction	21
2.3	CA rule with its next state update strategy	22
3.1	PSNR (dB), Payload (bpp), SD and CC results of different datasets in RWS-WM	43
3.2	Comparison with different block size to measure PSNR (dB) in RWS-WM	45
3.3	Comparison of PSNR (dB) with different benchmark image datasets in RWS-WM	45
3.4	Comparison with existing RWS in terms of average PSNR (dB) and Payload (bpp) in RWS-WM	47
3.5	Capacity, PSNR, Q-Index and Payload values for standard benchmark images in RWS-CA	63
3.6	Average PSNR of various yardstick image datasets considering 25 to 100 images in RWS-CA	64
3.7	MSE, PSNR, NCC, SSIM, Q-Index and BER results for different images in RWS-CA	65
3.8	Comparison of different RWT in sub-sample image with respect to PSNR and embedding capacity in RWS-CA	65
3.9	SD and CC results for different image datasets RWS-CA	67
3.10	PSNR, SSIM, Q-Index, NCC and BER results of distorted watermark images due to salt pepper noise, cropping and copy-move forgery attacks in RWS-CA	68
3.11	Comparison table in terms of computation time in RWS-CA	72
3.12	Effects of 10 different types of attacks	73
4.1	Capacity, PSNR, Q-Index, and Payload values for standard benchmark images in DRWS-LBP	84

4.2	Average PSNR of various yardstick image datasets considering 25 to 100 images DRWS-LBP	84
4.3	MSE, PSNR, NCC, SSIM, Q-Index and BER results for different benchmark datasets in DRWS-LBP	85
4.4	Comparison of different dual image based existing methods with respect to PSNR and embedding capacity in DRWS-LBP	86
4.5	Comparison graph in terms of PSNR (dB) with LBP based existing schemes in DRWS-LBP	87
4.6	Comparison results of PSNR and Payload with existing dual image based schemes in DRWS-LBP	88
4.7	PSNR, SSIM, Q-Index, NCC and BER results of distorted watermark images due to salt pepper noise, cropping and copy-move forgery attacks in DRWS-LBP	92
4.8	Comparison table in terms of execution time in DRWS-LBP	93
4.9	Capacity, PSNR, Q-Index, and Payload results are presented for standard benchmark images in RWS-LBP-HC	101
4.10	Average PSNR of various yardstick image datasets considering 25 to 100 images in RWS-LBP-HC	102
4.11	Comparison of different RWT in terms of PSNR, embedding capacity and Q-Index in RWS-LBP-HC	102
4.12	Comparison with existing LBP based scheme in terms of PSNR in RWS-LBP-HC	104
4.13	Results of MSE, PSNR, NCC, SSIM, Q-Index and BER for different image of four different benchmark datasets in RWS-LBP-HC	105
4.14	PSNR, SSIM, Q-Index, NCC and BER of distorted watermark images due to salt pepper noise, cropping and copy-move forgery attacks in RWS-LBP-HC . .	107
4.15	Comparison table in terms of execution time in RWS-LBP-HC	108
4.16	Effects of 10 different types of attacks	110
5.1	Results of MSE, PSNR, NCC, SSIM, Q-Index and BER for four different benchmark datasets in RWS-LBP-CA	122
5.2	Capacity, PSNR, Q-Index, and Bpp results for standard benchmark images in RWS-LBP-CA	123

5.3	Comparison of different RWT in sub-sample image with respect to PSNR and Payload in RWS-LBP-CA	123
5.4	Average PSNR for various yardstick image datasets considering 25 to 100 images in RWS-LBP-CA	124
5.5	Comparison with existing LBP based scheme in terms of PSNR in RWS-LBP-CA	125
5.6	PSNR, SSIM, Q-Index, NCC and BER of distorted watermark images due to salt pepper noise, cropping and copy-move forgery attacks in RWS-LBP-CA	125
5.7	RS analysis between Cover image and Watermarked image in RWS-LBP-CA	127
5.8	SD and CC results on different image datasets in RWS-LBP-CA	129
5.9	Comparison table in terms of execution time in RWS-LBP-CA	130
5.10	Capacity, PSNR, Q-Index and Payload values for standard benchmark images in RWS-LBP-WM-LIP	139
5.11	Average PSNR of various yardstick image datasets considering 25 to 100 images in RWS-LBP-WM-LIP	140
5.12	Results of MSE, PSNR, NCC, SSIM, Q-Index and BER for different image datasets in RWS-LBP-WM-LIP	141
5.13	Comparison of different RWT in sub-sample image with respect to PSNR and embedding capacity in RWS-LBP-WM-LIP	142
5.14	SD and CC results on different image datasets in RWS-LBP-WM-LIP	143
5.15	PSNR, SSIM, Q-Index, NCC and BER results on distorted watermark images due to salt pepper noise, cropping and copy-move forgery attacks in RWS-LBP-WM-LIP	145
5.16	Comparison table in terms of computation time in RWS-LBP-WM-LIP	149
5.17	Effects of 10 different types of attacks	150
6.1	Comparison of proposed schemes with respect to attacks	155