

LIST OF TABLES

| | |
|---|----|
| Table 3.1 Accession number on location, altitude, temperature and rainfall..... | 29 |
| Table 3.2 Correlation analysis for growths of <i>S. obtusifolia</i> | 39 |
| Table 3.3 Correlation analysis for flowering of <i>S. obtusifolia</i> | 42 |
| Table 3.4 Correlation analysis for fruiting of <i>S. obtusifolia</i> | 45 |
| Table 3.5 Phenological characteristics of <i>S. obtusifolia</i> | 46 |
| Table 3.6 Relationship Strength | 47 |
| Table 4.1 Abbreviation used in the analysis of morphological characteristics of <i>S. obtusifolia</i> | 60 |
| Table 4.2 Mean and SD of morphological characteristics of <i>S. obtusifolia</i> species of 20 accessions..... | 73 |
| Table 4.3 Mean and SD of morphological characteristics of <i>S. obtusifolia</i> species of 20 accessions..... | 74 |
| Table 4.4 Descriptive statistics and LSD of morphological characteristics of <i>S. obtusifolia</i> | 75 |
| Table 4.5 Correlation matrix of 22 morphological characteristics of <i>S. obtusifolia</i> (abbreviations of the characteristics are described in Table 4.1)..... | 78 |
| Table 4.6 Eigen values and variance of the observed characters under PCA..... | 80 |
| Table 4.7 Component matrix..... | 82 |
| Table 5.1 Chromosome morphometry of <i>S. obtusifolia</i> ($2n = 26$) of the accession ASN (Asansol)..... | 95 |
| Table 5.2 Chromosome morphometry of <i>S. obtusifolia</i> ($2n = 26$) of the accession BDG (Bandhavgarh)..... | 96 |

| | |
|--|-----|
| Table 5.3 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession BNP (Bishnupur) | 97 |
| Table 5.4 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession BPR (Bolpur)..... | 98 |
| Table 5.5 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession DHD (Dahod)..... | 99 |
| Table 5.6 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession DHN (Dehradun)..... | 100 |
| Table 5.7 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession DNG (Devendranagar)..... | 101 |
| Table 5.8 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession GBP (Gobindapur)..... | 102 |
| Table 5.9 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession HDR (Haridwar)..... | 103 |
| Table 5.10 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession JBP (Jabalpur) | 104 |
| Table 5.11 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession JPR (Jaipur)..... | 105 |
| Table 5.12 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession JRM (Jhargram)..... | 106 |
| Table 5.13 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession KLN (Kalyani) | 107 |
| Table 5.14 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession KPR (Kharagpur)..... | 108 |
| Table 5.15 Chromosome morphometry of <i>S. obtusifolia</i> (2n = 26) of the accession LKP (Lakshmikantapur) | 109 |

| | |
|---|-----|
| Table 5.16 Chromosome morphometry of <i>S. obtusifolia</i> ($2n = 26$) of the accession MGL (Mangalore)..... | 110 |
| Table 5.17 Chromosome morphometry of <i>S. obtusifolia</i> ($2n = 26$) of the accession NGP (Nagpur)..... | 111 |
| Table 5.18 Chromosome morphometry of <i>S. obtusifolia</i> ($2n = 26$) of the accession PRL (Purulia)..... | 112 |
| Table 5.19 Chromosome morphometry of <i>S. obtusifolia</i> ($2n = 26$) of the accession RPR (Raipur)..... | 113 |
| Table 5.20 Chromosome morphometry of <i>S. obtusifolia</i> ($2n = 26$) of the accession TNG (Tatanagar)..... | 114 |
| Table 5.21 Chromosome morphometry variations of <i>S. obtusifolia</i> of the twenty accessions..... | 115 |
| Table 6.1 Derivation of extracted rhein solution concentration from the calibration curve with rhein quantity per gram of dried leaf and its standard error. ... | 151 |
| Table 6.2 Differences between means and significance of pairwise comparisons of rhein quantity. The means are given in Table 6.1..... | 152 |
| Table 7.1 AFLP analysis pre-amplification primers sequence..... | 165 |
| Table 7.2 Selective Primers..... | 165 |
| Table 7.3 AFLP polymorphic bands scored for the primer combinations of pre and selective-amplification..... | 179 |
| Table 7.4 Jaccard's distance matrix of AFLP scores | 181 |
| Table 8.1 Multiple R and R square values for phenological characteristics..... | 187 |
| Table 8.2 Fitment of regression line for phenological characteristics..... | 188 |
| Table 8.3 Significance of regression coefficients for phenological characteristics . | 188 |
| Table 8.4 Multiple R and R square values for morphological characteristics | 190 |

| | |
|---|-----|
| Table 8.5 Fitment of regression equation for morphological characteristics..... | 191 |
| Table 8.6 Significance of regression coefficients of morphological characteristics | 191 |
| Table 8.7 Major components and eigenvalues of morphometric analysis..... | 193 |
| Table 8.8 Major significant characteristics associated with Rhein quantity..... | 193 |