

- Alberts, B., Johnson, A., Lewis, J., Raff, M., Roberts, K. and Walter, P. (2008) The molecular biology of the cell, Fifth Edition, (New York: Garland Science, Taylor and Francis Group), pp. 617-1204.
- Aschner, M. and Dorman, D. C. (2006) Manganese: pharmacokinetics and molecular mechanisms of brain uptake. *Toxicol. Rev.* **25**(3):174-154.
- Banfalvi, G., Gacsi, M., Nagy, G., Kiss, Z. B. and Basnakian A. G. (2005) Cadmium induced apoptotic changes in chromatin structure and subphases of nuclear growth during the cycle in CHO cells. *Apoptosis.* **10**(3): 631-642.
- Belanger, R. M., Corkum, L. D., Li, W. and Zielinski, B. S. (2006) Olfactory sensory input increases gill ventilation in ale round gobies (*Neogobius melanostomus*) during exposure to steroids. *Comparative Biochemistry and Physiology-Part A: Molecular & Integrative Physiology.* **144**:196-202.
- Bergman, D. A., Moore, P. A. (2005) Prolonged exposure to social odours alters subsequent interactions in crayfish (*Orconectes rusticus*). *Anim. Behav.* **70**:311-318.
- Borders, A. S., Hersh, M. A., Getchell, M. L., van, R. N., Cohen, D. A., Stromberg, A.J., *et al.*, (2007) Macrophage-mediated neuroprotection and neurogenesis in the olfactory epithelium. *Physiol. Genomics* **31**: 531-543.
- Bowman, A. B., Kwakye, G. F., Herrero Hernandez, E., Aschner, M. (2011) Role of manganese in neurodegenerative diseases. *J. Trace Elem. Med. Biol.* **25**: 191-203.

- Brann, J. H. and Firestein, S. (2014) A lifetime of neurogenesis in the olfactory system. *Front Neurosci.* **8**:1-11.
- Brann, J. H. and Firestein, S. (2010) Regeneration of new neurons is preserved in vomeronasal epithelia. *J. Neurosci.* **30**: 15686-15694.
- Breucker, H., Zeiske, E. and Melinkat, R. (1979) Development of the olfactory organ in the rainbow fish *Nematocentris maccullochi* (Atheriniformes, Melanotaeniidae). *Cell and Tissue Research.* **200**(1):53-68.
- Buck, L. and Axel, R. (1991) A novel multigene family may encode odorants receptors: a molecular basis for odor recognition. *Cell.* **65**(1): 175-187.
- Bühler, H. (1930) Die Verdauungsorgane der Stromateidae. *Zeitschrift Morphologie Ökologie der Tiere.* **19**: 59-115.
- Burne, R. H. (1909) The anatomy of the olfactory organ of teleostean fishes. *Proc. Zool. Soc. London* **2**: 610-663.
- Byrd, C. A. and Brunjes, P. C. (2001) Neurogenesis in the olfactory bulb of adult Zebrafish. *Neuroscience.* **105**: 793-801.
- Caggiano, M., Kauer, J. S. and Hunter, D. D. (1994) Globose basal cells are neuronal progenitors in the olfactory epithelium: A lineage analysis using a replication-incompetent retrovirus. *Neuron.* **13**: 339-352.
- Cayre, M., Malaterre, J., Scotto-Lomassese, S., Strambi, C., Strambi, A. (2002) The common properties of neurogenesis in the adult brain: from invertebrates to vertebrates. *Comp. Biochem. Physiol. B Biochem. Mol. Biol.* **132**: 1-15.

- Chen, M., Tian, S., Yang, X., Lane, A. P., Reed, R. R. and Liu, H. (2014) Wnt-responsive Lgr5+ globose basal cells function as multipotent olfactory epithelium progenitor cells. *J. Neurosci.* **34**(24): 8268-8276.
- Cox, J. P. L. (2008) Hydrodynamic aspects of fish olfaction. *J. R. Soc. Interface.* **5**(23): 575-593.
- Dahanukar, A., Hallem, E. A. and Carlson, J. R. (2005) Insect chemoreception. *Curr. Opin Neurobiol.* **15**: 423-430.
- Datta, N. C., Das, A. and Deb, S. (1982) Olfactory apparatus in two Indian Clupeid fishes. *Věst. čs. Společ. Zool.*, **46**:1-4.
- Datta, N. C., Saha, A. K. and Das, A. (1976) Investigation on the morphology of the olfactory apparatus of *Anabas testudineus* (Bloch). *Ind. J. Inland. Fish. Soc.* **8**: 13-18.
- Dezfuli B. S., Capuano, S., Simoni, E., Previati, M. and Giari, Luisa (2007) Rodlet Cells and the Sensory Systems in Zebrafish (*Danio rerio*). *The anatomical records.* **290**:367-374.
- Doty, R. L. editor (2003) Handbook of Olfaction and Gustation, 2<sup>nd</sup> edition. New York, NY: Marcel Dekker, Inc.
- Doving, K. B., Dubois-Dauphin M., Holley, A. and Jourdan, F. (1977) Functional Anatomy of the Olfactory Organ of Fish and the Ciliary Mechanism of Water Transport. *Acta Zoologica* **58**(4): 245-255.
- Engstrom, A., Wang, H. and Xia, Z. (2015) Lead decreases cell proliferation and neuronal differentiation of primary cultured adult neural precursor cells through activation of the JNK and p38 MAP kinases. *Toxicology In Vitro.* **29**(5): 1146-1155.

- Farbman, A. I. and Buchholz, J. A. (1996) Transforming growth factor- $\alpha$  and other growth factor stimulate cell division in olfactory epithelium *in vitro*. *J. Neurobiol.* **30**: 267-280.
- Fearnhead, E. A. and Fabian, B. C. (1971) The ultrastructure of the gill of *Monodactylus argenteus* (an euryhaline teleost fish) with particular reference to morphological changes associated with changes in salinity. *S. Afr. Ass. Mar. Biol. Res., Oceanogr. Res. Inst. Investigational Report No. 26*: 39.
- Frabman, A. I., Buchholz, J. A., Walters, E. and Margolis, F. L. (1998) Does Olfactory Marker Protein Participate in Olfactory Neurogenesis. *Annals of the New York Academy of Sciences.*
- Franziska, A. Oberhammer, Hochegger, K., Froschl, G., Tiefenbacher, R. and Pavelka, M. (1994) Chromatin Condensation during Apoptosis is Accompanied by Degradation of Lamin A+B, without Enhanced Activation of cdc2 Kinase. *The Journal of Cell Biology.* **126**(4): 827-837.
- Freitag J., Beck, A., Ludwig, G., von Buchholtz, L. and Breer, H. (1999) On the olfactory receptor family: receptor genes of the jawless fish (*Lamprocypris fluviatilis*) *Gene.* **226**:165-174.
- Freitag J., Ludwig, G., Andreini, I., Rössler P. and Breer H. (1998) Olfactory receptors in aquatic and terrestrial vertebrates. *J. Comp. Physiol. A* **183**: 635-650.
- Graziadei, P. P. C. and Monti- Graziadei, G. A. (1978) Continuous nerve cell renewal in the olfactory system, *In: Handbook of sensory physiology. Vol. IX, pp. 55-82. (Ed. Jacobson, M.) New York, Berlin, Heidelberg: Springer Verlag.*

- Graziadei, P. P. C. and Monti Graziadei, G. A. (1979a) Neurogenesis and neuro regeneration in the olfactory system of mammals. II. Degeneration and recontitution of of the olfactory sensory neurons after axotomy. *J. Neurocytol.* **8**:197-213.
- Graziadei, P. P. C. and Monti Graziadei, G. A. (1979b) Neurogenesis and neuro regeneration in the olfactory system of mammals. I. Morphological aspects of diferentiation and structural organization of the olfactory sensory neurons. *J. Neurocytol.* **8**:1-18.
- Gzyl J., Chmielowska-Bak, J., Przymusinski, R. and Gwóźdz, E. A. (2015) Cadmium affects microtubules organization and post-translational modification of tubulin in seedlings of soybean (*Glycine max* L.) *Front. Plant Sci.* **6**: 937.
- Hamdani, E. H. and Doving, K. B. (2002) The alarm reaction in crucian carp is mediated by olfactory neurons with long dendrites. *Chem. Senses.* **27**(4): 395-398.
- Hamdani, E. H. and Døving, K. B., (2007) The functional organization of the fish olfactory system. *Prog. Neurobiol.* **82**(2): 80–86.
- Hamdani, E. H., Alexander, G. and Doving, K. B. (2001) Projection of sensory neurons with microvilli to the lateral olfactory tract indicates theirparticipation in feeding behavior in crucian carp. *Chem. Senses.* **26**: 1139-1144.
- Hamdani, E. H., Lastein, S., Gregersen, F. and Døving K. B. (2008) Seasonal Variation in Olfactory Sensory Neurons- Fish Sensitivity to Sex Pheromones Explained? *Chem. Senses.* **33**: 119-123.

- Hansen, A. and Finger, T. E. (2000) Phyletic distribution of crypt type olfactory receptor neurons in fishes. *Brain Behav. Evol.* **55**(2): 100-110.
- Hansen, A., Rolen, S. H., Anderson, K., Morita, Y., Caprio, J. and Finger, T.E. (2003) Correlation between olfactory receptor cell type and function in the channel catfish. *J. Neurosci.* **23**: 9328-9339.
- Hara, T. J. (1971) Chemoreception. *In*: Hoar WS, Randall, D. J. (ed.) Fish physiology 5. Academic Press, New York, pp. 79-120.
- Hentig, J. T. and Byrd-Jacobs, C. A. (2016) Exposure to Zinc Sulphate Results in the Differential Effects on the Olfactory Sensory Neuron Subtypes in Adult Zebra fish. *Int. J. Mol. Sci.* **17**(9): E1445.
- Herzig, A. and Winkler, H. (1986) The influence of temperature on the embryonic development of three cyprinid fishes, *Abramis brama*, *Chalcalburnus chalcoides mento* and *Vimba vimba*. *Journal of Fish Biology.* **28**(2):171-181.
- Hoover, K. C. (2010) Smell with inspiration: the evolutionary significance of olfaction. *Am. J. Phys. Anthropol.* **143**(suppl 51): 63-74.
- Hyman, L. H. (1940) The invertebrates: Protozoa through Ctenophora. McGraw-Hill Book Co. Inc., New York.
- Iger, Y. and Abraham, M. (1997) Rodlet cells in the epidermis of the fish exposed to stress. *Tissue Cell.* **29**(4): 431-438.
- Jenkins, P. M., Mc Ewen, D. P. and Martens J. R. (2009) Olfactory cilia: Linking sensory cilia function and Human Disease. *Chem. Senses.* **34**(5): 451- 464.
- Kaupp, U. B. (2010) Olfactory signaling in vertebrates and insects: differences and commonalities. *Nat. Rev. Neurosci.* **11**(3):188-200.

- Kleerekoper, H. (1969) Olfaction in Fishes. Indiana University Press, Bloomington and London.
- Knouff, R. A. (1935) The developmental pattern of ectodermal placodes in *Rana pipiens*. *J. Comp. Neurol.* **62**: 17-71.
- Kotrschal, K., Krautgartner, W. D. and Hansen A. (1997) Ontogeny of the solitary chemosensory cells in the Zebrafish, *Danio rerio*. *Chem. Senses.* **22**:111-118.
- Marin, C., Vilas, D., Langdon, C., Alobid, I., López-Chacon M., Haehner, A., Hummel, T. and Mullol, J. (2018) Olfactory Dysfunction in Neurodegenerative Diseases. *Curr. Allergy Asthma Rep.* **18**(8): 42.
- Mazon, A. F., Huising, M. O., Taverne-Thiele, A. J., Bastiaans, J. Verburg-van Kemenade, B. M. L. (2007) The first appearance of rodlet cells in carp (*Cyprinus carpio* L.) Ontogeny and their possible roles during stress and parasite infection. *Fish Shellfish Immunol.* **22**: 27-37.
- Menco, B. P. (1984) Ciliated and microvillous structures of rat olfactory and nasal respiratory epithelia. A study using ultra-rapid cryo-fixation followed by freeze-substitution or freeze-etching. *Cell Tissue Res.* **235**: 225-241.
- Moberg, P J., Doty, R. L., Turetsky, B. L., Arnold, R. N., Mahr, R. N., Gur, R. C., Bilker, W. and Gur, R.C. (1997) Olfactory identification deficits in schizophrenia: correlation with duration of illness. *Am. J. Psychiatry.* **154** (7): 1016-1018.

- Morehead, D. J. and Hart, P. R. (2003) Effects of temperature on hatching success and size of striped trumpeter (*Latris lineate*) larvae. *Aquaculture*. **220**: 595-606.
- Nevitt, G. A. (1991) Do fish sniff? A new mechanism of olfactory sampling in pleuronectid flounders. *Journal of Experimental Biology*, **157**:1-18.
- Niimura, Y. and Nei, M. (2005) Comparative Evolutionary analysis of the olfactory receptor gene clusters between human and mice. *Gene*. **346**:13-21.
- Oehlmann, V. D., Berger, S., Sterner, C. and Korsching, S. I. (2004) Zebrafish beta tubulin 1 expression is limited to the nervous system throughout development, and in the adult brain is restricted to a subset of proliferative regions. *Gene. Expr. Patterns*. **4**: 191-198.
- Ojha, P. P. and Kapoor, A. S. (1974) Structure and Function of the olfactory organs in the fish *Sisor rabdophrus* Ham. *Acta Anat. (Basel)* **87**(1):124-130.
- Ord M. J., Bouffler, S. D. and Chibber, R. (1988) Cadmium induced changes in cell organelles: an ultrastructural study using cadmium sensitive and resistant muntjac fibroblast cell lines. *Arch. Toxicol.* **62**(2-3): 133-145.
- Pandey, K. C. and Misra, R. C. (1979) Olfactory organs and olfaction in a tetrodontiform fish, *Tetrodon hypselogenjon hypselogenion*. *Indian Journal of Zootomy*. **201**:55-57.
- Parker, G. H. (1910) Olfactory Reactions in a Fishes. *Journal of Experimental Zoology*. **8**(4): 535-542.



- Pipping, M. (1926) Der Geruchssinn der Fische mit besonderer Beruecktigung seiner Bedeutung fiir das aufsuchenm des Futters. Soc. Fennica., *Commentationes Biol.* **11**(4): 1-28.
- Sarkar S. K. and De, S K. (2016) Electron microscope based X-ray microanalysis on bioaccumulation of heavy metls and neural degeneration in mudskipper [*Psedapocryptes lanceolatus*]. *Journal of Microscopy and Ultrastructure.* **4**:211-221.
- Sarkar, S. K. Nag, T. C. and De, S. K. (2015) Ultrastructural studies on the nuclear elements in differentiating and degenerative ciliated olfactory neuron of *Pseudapocryptes lanceolatus* (Gobiidae: Oxudercinae). *Egyptian Journal of Basic and Applied Sciences.* **2**: 295-302.
- Sarkar, S. K., Acharya, A., Jana, S. and De, S. K. (2014) Macroanatomical variation of the olfactory apparatus in some Indian teleosts with special reference to their ecological habitat. *Folia Morphologica (Warsz).* **73**(2): 122 – 128.
- Sarkar, S. K., Biswas, S., Datta, N. C. and De, S. K. (2014) Postnatal development of olfactory apparatus in *Labeo rohita* (Hamilton, 1822). *International Journal of Science and Nature.* **5** (1): 480-485.
- Schwarzerova, K., Zelenkova, S., Nick, P. and Opatrny, Z. (2002) Aluminium-Induced Rapid Changes in the Microtubular Cytoskeleton of Tobacco Cell Lines. *Plant and Cell Physiology.* **43**(2): 207-2016.
- Shoji, T., Suzuki, K., Abe, T., Kaneko, Y., Shi, H., Zhu, J. K., Rus, A., Hasegawa, P. M. and Hashimoto, T. (2006) Salt Stress Affects Cortical Microtubule Organization and Helical Growth In Arabidopsis. *Plant and Cell Physiology.* **47**(8):1158-1168.

- Smearthenko, A., Blume, Y., Viklicky, V. and Draber, P. (1997) Exposure of tubulin structural domains in *Nicotiana tabacum* microtubules probed by monoclonal antibodies. *Eur. J. Cell. Biol.* **72**:104-112.
- Stoddart, D. M. (1980) Olfaction in Mammals. Symposium of the Zoological Society of London. No. 45 Academic Press, London and New York. Pp. 363.
- Takeda, A., Kikuchi, A., Matsuzaki-Kobayashi, M., Sugeno, N. and Itoyama, Y. (2007) Olfactory dysfunctions in Parkinson's disease. *Journal of Neurobiology.* **254** (Suppl.4): IV 2-IV 7.
- Templeton, D. M. and Liu, Y. (2010) Multiple roles of cadmium in cell death and survival. *Chem. Biol. Interact.* **188**(2): 267-275.
- Tierney, K. B., Sing, C. R., Ross, P. S. and Kennedy, C. J. (2007) Relating neurotoxicity to altered olfactory-mediated behaviors in rainbow trout exposed to three currently-used pesticides. *Aquatic Toxicology* **81**:55-64.
- vonKupffer, C. (1894) Studien zur vergleichenden Entwicklungsgeschichte des Kopfes der Kranioten. 2. Heft. Die Entwicklung des Kopfes von *Ammocoetes planeri*. Lehmann, Munich.
- Whitlock, K. E. (2004) A new model for olfactory placode development. *Brain Behav. Evol.* **64**(3): 126-140
- Xu, P., Liu, D. and Jiang, W. (2009) Cadmium effects on the organization of microtubular cytoskeleton in interphase and mitotic cells of *Allium sativum*. *Biol. Plant.* **53**: 387-390.
- Yamamoto, M., Hara, T. J. (1982) Comparative morphology of the peripheral organ in teleost. Chemoreception in Fishes. Amsterdam (The Netherlands) *Elsevier*. pp. 39-59.

- Zeiske, E., Kasumyan, A. Bartsch, P. and Hansen, A. (2003) Early development of the olfactory organ in sturgeons of the genus *Acipenser*: a comparative and electron microscopic study. *Anat. Embryol. (Bral)*. **206**(5): 357-372.
- Zielinaki, B. and Hara, T. J. (1998) Morphological and physiological development of olfactory receptor cells in rainbow trout (*Salmo gairden*) embryos, *J. Comp. Neurd.* **271**:300-311.
- Zieske, E., Theisen, B. and Breucker, H. (1992) Structure, development and evolutionary aspects of the peripheral olfactory system. *In*; Hara T. J., (ed.) *Fish Chemoreception*. Chapman and Hall; London, UK. pp. 13-39.

website: <http://www.iucnredlist.org/details/166586/0>