

Chapter 10: References

10. REFERENCES:

- Annual Report 2015-16. FARIDABAD, New Delhi: 1-126.
- Annual Report 2017-18. Kolkata, West Bengal Pollution Control Board: 219.
- Census 2011. New Delhi, Census Organization of India.
- HAND BOOK OF FISHERIES STATISTICS 2014-15. Kolkata, GOVERNMENT OF WEST BENGAL.
- HAND BOOK OF FISHERIES STATISTICS 2015-2016. Kolkata, GOVERNMENT OF WEST BENGAL.
- (2016). "Matir Katha." 2017, from <http://matirkatha.net/wp-content/uploads/2016/01/Paschim-Medinipur.pdf>.
- Abell, R., J. D. Allan, et al. (2007). "Unlocking the potential of protected areas for freshwaters." *Biological Conservation* **134**(1): 48-63.
- Alaric, S. V. (1994). Remote sensing and GIS in ecosystem management, Island Press.
- Alcamo, J., P. Döll, et al. (2003). "Development and testing of the WaterGAP 2 global model of water use and availability." *Hydrological Sciences Journal* **48**(3): 317-337.
- Aronoff, S. (1989). "Geographic information systems: a management perspective."
- Bagde, U. and A. Verma (1985). "Limnological studies on JNU Lake, New Delhi, India." *Bull. Bot. Soc. Sagar* **32**: 16-23.
- Balmford, A., A. Bruner, et al. (2002). "Economic reasons for conserving wild nature." *Science* **297**(5583): 950-953.
- Barman, R. (2007). "A review of the fresh water fish fauna of West Bengal, India with suggestions for conservation of the threatened and endemic species." *Records of the Zoological Survey of India, Occasional Paper* **263**: 1-48.
- Bartley, D. and J. Jorgensen (2010). "Inland Fisheries and Aquaculture1." FAO Aquaculture Newsletter(44): 12.
- Behera, M., S. Kushwaha, et al. (2005). "Rapid assessment of biological richness in a part of Eastern Himalaya: an integrated three-tier approach." *Forest Ecology and Management* **207**(3): 363-384.
- Béné, C., R. Arthur, et al. (2016). "Contribution of fisheries and aquaculture to food security and poverty reduction: assessing the current evidence." *World Development* **79**: 177-196.
- Bhakta, J. and P. Bandyopadhyay (2008). "Fish Diversity in Freshwater Perennial Water Bodies in East Midnapore District of West Bengal, India." *International Journal of Environmental Research* **2**(3).

- Bhatnagar, A. and P. Devi (2013). "Water quality guidelines for the management of pond fish culture." *International Journal of Environmental Sciences* **3**(6): 1980.
- Boyd, C. (1990). Water quality management for pond fish culture. Department of Fisheries and Allied Aquaculture. Agricultural Experiment Station, Auburn, Alabama, Birmingham Publishing Company, New York.
- Boyd, C. and S. Zimmermann (2010). "Grow-out systems-water quality and soil management." *Freshwater Prawns: Biology and Farming*: 239-255.
- Boyd, C. E. (1982). Water quality management for pond fish culture, Elsevier Scientific Publishing Co.
- Boyd, C. E. and V. Pillai (1985). "Water quality management in aquaculture." CMFRI special Publication **22**: 1-44.
- Briones, M., M. Dey, et al. (2004). "The future for fish in the food and livelihoods of the poor in Asia." NAGA, worldfish center quarterly **27**(3-4): 48-50.
- Brotén, M. D. and M. Said (1995). "Population trends of ungulates in and around Kenya's Masai Mara Reserve." Serengeti II: dynamics, management and conservation of an ecosystem: 169-193.
- Bruton, M. N. (1995). "Have fishes had their chips? The dilemma of threatened fishes." *Environmental Biology of Fishes* **43**(1): 1-27.
- Butler, D. (2006). Virtual globes: The web-wide world, Nature Publishing Group.
- Chao, A. (1984). "Nonparametric estimation of the number of classes in a population." *Scandinavian Journal of statistics*: 265-270.
- Choudhury, P. R. (1999). "Integrated remote sensing and GIS techniques for groundwater studies in part of Betwa basin."
- Clausen, R. and R. York (2008). "Global biodiversity decline of marine and freshwater fish: a cross-national analysis of economic, demographic, and ecological influences." *Social Science Research* **37**(4): 1310-1320.
- Clavero, M., F. Blanco-Garrido, et al. (2004). "Fish fauna in Iberian Mediterranean river basins: biodiversity, introduced species and damming impacts." *Aquatic Conservation: Marine and Freshwater Ecosystems* **14**(6): 575-585.
- Coates, D. (2002). "Inland capture fishery statistics of Southeast Asia: current status and information needs." RAP publication **11**: 114.
- Crivelli, A. (2002). "The role of protected areas in freshwater fish conservation." *Conservation of freshwater fishes: options for the future*: 373-388.

- Darwall, W. and J. C. Vié (2005). "Identifying important sites for conservation of freshwater biodiversity: extending the species-based approach." *Fisheries Management and Ecology* **12**(5): 287-293.
- Das, S., S. Behera, et al. (1997). "Hydrogeomorphological mapping in ground water exploration using remotely sensed data—a case study in keonjhar district, orissa." *Journal of the Indian Society of Remote Sensing* **25**(4): 247-259.
- De Silva, S. S., T. T. Nguyen, et al. (2006). "An evaluation of the role and impacts of alien finfish in Asian inland aquaculture." *Aquaculture Research* **37**(1): 1-17.
- Delgado, C. L. (2003). Fish to 2020: Supply and demand in changing global markets, WorldFish.
- Dhawan, A. and S. Kaur (2002). "Pig dung as pond manure: Effect on water quality, pond productivity and growth of carps in polyculture system." NAGA, the ICLARM quarterly **25**(1): 11-14.
- Dudgeon, D., A. H. Arthington, et al. (2006). "Freshwater biodiversity: importance, threats, status and conservation challenges." *Biological reviews* **81**(2): 163-182.
- Dunn, H. (2004). "Defining the ecological values of rivers: the views of Australian river scientists and managers." *Aquatic Conservation: Marine and Freshwater Ecosystems* **14**(4): 413-433.
- FAO (2016). State of World Fisheries and Aquaculture 2016 (spanish), Food & Agriculture Org.
- Fitzsimons, J. A. and H. A. Robertson (2005). "Freshwater reserves in Australia: directions and challenges for the development of a comprehensive, adequate and representative system of protected areas." *Hydrobiologia* **552**(1): 87-97.
- Froese, R. and D. Pauly (2018). "FishBase 2018, version (January, 2018)." World Wide Web electronic publication Retrieved from <http://www.fishbase.org>.
- Froese, R. and D. Pauly (2018). FishBase, version February 2018.
- Gamo, M., M. Shinoda, et al. (2013). "Classification of arid lands, including soil degradation and irrigated areas, based on vegetation and aridity indices." *International journal of Remote sensing* **34**(19): 6701-6722.
- Gascon, C., J. Collins, et al. "Mendelson Jr III.(Editors). 2007." *Amphibian Conservation Action Plan*.
- Georges, A. and P. Cottingham (2002). Biodiversity in Inland Waters--Priorities for its Protection and Management. Recommendations from the 2001 Fenner Conference on the Environment. Cooperative Research Centre for Freshwater Ecology Technical Report.
- Gibbs, J. P. (2000). "Wetland loss and biodiversity conservation." *Conservation biology* **14**(1): 314-317.

- Gopal, B. (1994). "Conservation of inland waters in India: an overview." Internationale Vereinigung für theoretische und angewandte Limnologie: Verhandlungen **25**(4): 2494-2497.
- Goswami, A. (1995). "A critical study of water resources of West Bengal." Unpublished PhD thesis, Jadavpur University: 57-65.
- Groombridge, B. and M. Jenkins (1998). "Freshwater biodiversity: a preliminary global assessment."
- Hayek, L.-A. C. and M. A. Buzas (2010). Surveying natural populations: quantitative tools for assessing biodiversity, Columbia University Press.
- Hazra, P. and B. Bhattacharya (1999). River shifting and bank failure problem of Ganga-Padma in West Bengal. Retrospective and Perspective. Proceedings of ISRS National Symposium on Remote Sensing Applications for Natural Resources. Dehradun.
- Hora, S. L. (1937). "Geographical distribution of Indian freshwater fishes and its bearing on the probable land connections between India and the adjacent countries." Current Science **5**(7): 351-356.
- Hortle, K., R. Troeung, et al. (2008). "Yield and value of the wild fishery of rice fields in Battambang Province, near the Tonle Sap Lake, Cambodia." MRC Technical Paper **18**.
- Hossain, M. S., S. R. Chowdhury, et al. (2009). "Integration of GIS and multicriteria decision analysis for urban aquaculture development in Bangladesh." Landscape and Urban Planning **90**(3-4): 119-133.
- Jenkins, M. (2003). "Prospects for biodiversity." Science **302**(5648): 1175-1177.
- Jenkins, M., R. E. Green, et al. (2003). "The challenge of measuring global change in wild nature: are things getting better or worse?" Conservation biology **17**(1): 20-23.
- Jhingran, V. (1991). "Fish and Fisheries of India, Hindustan Publishing Corp." India) New Delhi 727p.
- Kadmon, R. and R. Harari-Kremer (1999). "Studying long-term vegetation dynamics using digital processing of historical aerial photographs." Remote Sensing of Environment **68**(2): 164-176.
- Kang, B., D. He, et al. (2009). "Fish and fisheries in the Upper Mekong: current assessment of the fish community, threats and conservation." Reviews in Fish Biology and Fisheries **19**(4): 465.
- Kapetsky, J. (1989). "Malaysia-A Geographical Information System for Aquaculture Development in Johor State." Project report **5057**.

- Kapetsky, J. M. (1994). A strategic assessment of warm-water fish farming potential in Africa, Food & Agriculture Org.
- Kapetsky, J. M., J. M. Hill, et al. (1988). "A geographical information system for catfish farming development." *Aquaculture* **68**(4): 311-320.
- Kapetsky, J. M., J. M. Hill, et al. (1990). "Assessing potential for aquaculture development with a geographic information system." *Journal of the World Aquaculture Society* **21**(4): 241-249.
- Kapetsky, J. M., L. McGregor, et al. (1987). A geographical information system and satellite remote sensing to plan for aquaculture development: AFAO-UNEP/AGRID coopertative study in Costa Rica, FAO, Roma (Italia).
- Kapetsky, J. M., U. Wijkstrom, et al. (1991). "Where are the best opportunities for fish farming in Ghana? The Ghana Geographical Information System as a decision-making tool for fish farming development. Based on the work of JM Kapetsky, UN Wijkstrom, N. MacPherson, MMJ Vincke, E. Ataman, F. Caponera."
- Kar, A., M. Bhattacharya, et al. (2017). Ichthyofaunal Diversity of Kangsabati River at Paschim Medinipur District, West Bengal, India. *Proceedings of the zoological society*, Springer.
- Kasturirangan, K., R. Aravamudan, et al. (1996). "Indian Remote Sensing satellite IRS-1C—the beginning of a new era." *Current Science* **70**(7): 495-500.
- Kiran, B. (2010). "Physico-chemical characteristics of fish ponds of Bhadra project at Karnataka." *Rasayan journal of chemistry* **3**(4): 671-676.
- Knight, A. T., R. M. Cowling, et al. (2008). "Knowing but not doing: selecting priority conservation areas and the research–implementation gap." *Conservation biology* **22**(3): 610-617.
- Köppen, W., & Geiger, R. (1928). Klimate der Erde. Gotha: Verlag Justus Perthes. Wall-map 150cmx200cm.
- Krebs, C. J. (1989). Ecological methodology, Harper & Row New York.
- Kremen, C., V. Razafimahatratra, et al. (1999). "Designing the Masoala National Park in Madagascar based on biological and socioeconomic data." *Conservation biology* **13**(5): 1055-1068.
- Krishnamurthy, J., N. Venkatesa Kumar, et al. (1996). "An approach to demarcate ground water potential zones through remote sensing and a geographical information system." *International journal of Remote sensing* **17**(10): 1867-1884.

- Kumar, A. (1999). "Sustainable Utilisation of Water Resource in Watershed Perspective-A Case Study in Alaunja Watershed, Hazaribagh, Bihar." *Journal of the Indian Society of Remote Sensing* **27**(1): 13-22.
- Lake, P., N. Bond, et al. (2007). "Linking ecological theory with stream restoration." *Freshwater biology* **52**(4): 597-615.
- Lawson, T. B. (1995). Water quality and environmental requirements. *Fundamentals of Aquacultural Engineering*, Springer: 12-39.
- Levêque, C., T. Oberdorff, et al. (2007). Global diversity of fish (Pisces) in freshwater. *Freshwater animal diversity assessment*, Springer: 545-567.
- Lloyd, R. (1992). Pollution and freshwater fish, Fishing News Books Ltd.
- Malmqvist, B. and S. Rundle (2002). "Threats to the running water ecosystems of the world." *Environmental conservation* **29**(2): 134-153.
- Margalef, R. (1958). "Temporal succession and spatial heterogeneity in phytoplankton." *Perspectives in marine biology*: 323-349.
- Margules, C. and S. Sarkar (2007). *Systematic conservation planning*, Cambridge University Press.
- McCauley, J. and H. Yarger (1975). "Kansas water quality using ERTS-1." *Remote sensing of earth resources* **4**: 521-541.
- Meaden, G. J. and J. Aguilar-Manjarrez (2013). "Advances in geographic information systems and remote sensing for fisheries and aquaculture." *FAO Fisheries and Aquaculture Technical Paper*(552): I.
- Means, M. L. and J. E. Johnson (1995). "Movement of threatened Ozark cavefish in Logan Cave national wildlife refuge, Arkansas." *The Southwestern Naturalist*: 308-313.
- Menon, A. (1992). "Fauna of India." Cobitoidea: Cobitidae. Zoo/. Survey of India, Calcutta.
- Menon, S. and K. S. Bawa (1997). "Applications of geographic information systems, remote-sensing, and a landscape ecology approach to biodiversity conservation in the Western Ghats." *Current Science*: 134-145.
- Mertes, L. A. (2002). "Remote sensing of riverine landscapes." *Freshwater biology* **47**(4): 799-816.
- Mijkherjee, M., A. Praharaj, et al. (2002). "Conservation of endangered fish stocks through artificial propagation and larval rearing technique in West Bengal, India." *Aquaculture Asia* **7**(2): 8-11.
- Mishra, S. S. (2003). Ichthyofaunal Diversity of Midnapore, Bankura, and Hooghly Districts, South West Bengal, Zoological Survey of India.

- Mittermeier, R. A. (1997). Megadiversity: Earth's biologically wealthiest nations, Agrupacion Sierra Madre.
- Mogalekar, H., J. Canciyal, et al. (2017). "Freshwater fish diversity of West Bengal, India." *Journal of Entomology and Zoology Studies* **5**(2): 37-45.
- Mohan, S. and M. N. Shrestha (2000). A GIS based integrated model for assessment of hydrological changes due to land-use modifications. *Symposium on restoration of lakes and wetlands*.
- Molur, S. and S. Walker (1998). "Report of the Workshop on" Conservation assessment and management plan for freshwater fishes of India"."
- Nelson, J. (2006). "Fishes of the world 4th edition." Hoboken: Wiley.
- Nelson, J. (2006). "Fishes of the World (4thedn.) John Wiley and Sons." New York.
- Paria, T. and S. K. Konar (2003). "Ecological Degradation of Some Rivers in West Bengal." *River Pollution in India and Its Management*: 237.
- Pielou, E. C. (1966). "The measurement of diversity in different types of biological collections." *Journal of theoretical biology* **13**: 131-144.
- Plafkin, J. L., M. T. Barbour, et al. (1989). Rapid bioassessment protocols for use in streams and rivers: benthic macroinvertebrates and fish. *Rapid bioassessment protocols for use in streams and rivers: Benthic macroinvertebrates and fish*, EPA.
- Prasad, S., T. Ramachandra, et al. (2002). "Conservation of wetlands of India-a review." *Tropical Ecology* **43**(1): 173-186.
- Raghavan, R., G. Prasad, et al. (2008). "Fish fauna of Chalakudy River, part of Western Ghats biodiversity hotspot, Kerala, India: patterns of distribution, threats and conservation needs." *Biodiversity and conservation* **17**(13): 3119-3131.
- Raghu Prasad, R. (1956). "Further studies on the plankton of the inshore waters off Mandapam." *Indian Journal of Fisheries* **3**(1): 1-42.
- Rais, S. and A. Javed (2014). "Identification of artificial recharge sites in Manchi Basin, Eastern Rajasthan (India) using remote sensing and GIS techniques." *Journal of Geographic Information System* **6**(02): 162.
- Raju, P. (2003). Fundamentals of geographic information systems. Workshop: satellite remote sensing and GIS applications in agricultural meteorology, India Google Scholar.
- Ramachandran, S., S. Sundaramoorthy, et al. (1998). "Application of remote sensing and GIS to coastal wetland ecology of Tamil Nadu and Andaman and Nicobar group of islands with special reference to mangroves." *Current Science*: 236-244.

- Ross, L. G., E. M. QM, et al. (1993). "The application of geographical information systems to site selection for coastal aquaculture: an example based on salmonid cage culture." *Aquaculture* **112**(2-3): 165-178.
- Rudra, K. (2013). The Status of water resources in West Bengal.
- Sala, O. E., F. S. Chapin, et al. (2000). "Global biodiversity scenarios for the year 2100." *Science* **287**(5459): 1770-1774.
- Salim, M. and Z. Ahmed (1985). "Environmental factors and planktonic communities of Baigul and NanakSagar reservoirs, Nainital." *J. Bom. Nat. Hist. Soc* **82**: 13-23.
- Saraf, A. (1999). "A report on Landuse Modelling in GIS for Bankura District." DST, NRDMS.
- Saraf, A. and P. Choudhury (1998). "Integrated remote sensing and GIS for groundwater exploration and identification of artificial recharge sites." *International journal of Remote sensing* **19**(10): 1825-1841.
- Sarkar, S., R. L. Pressey, et al. (2006). "Biodiversity conservation planning tools: present status and challenges for the future." *Annual Review of Environment and Resources* **31**.
- Sarkar, U. K., P. K. Deepak, et al. (2005). "Captive breeding of climbing perch *Anabas testudineus* (Bloch, 1792) with Wova-FH for conservation and aquaculture." *Aquaculture Research* **36**(10): 941-945.
- Sasmal, S. and P. Raju (1996). Monitoring suspended load in estuarine waters of Hooghly with satellite data using PC based GIS environment. Proceedings of national symposium on coastal zone management.
- Saunders, D., J. Meeuwig, et al. (2002). "Freshwater protected areas: strategies for conservation." *Conservation biology* **16**(1): 30-41.
- Schröter, D., W. Cramer, et al. (2005). "Ecosystem service supply and vulnerability to global change in Europe." *Science*.
- Scott, J. M., F. Davis, et al. (1993). "Gap analysis: a geographic approach to protection of biological diversity." *Wildlife monographs*: 3-41.
- Shamsi, U. M. (2005). *GIS applications for water, wastewater, and stormwater systems*, CRC press.
- Shannon, C. E. (1948). "A mathematical theory of communication." *Bell system technical journal* **27**(3): 379-423.
- Sharma, S., S. Dixit, et al. (2008). "Statistical evaluation of hydrobiological parameters of Narmada River water at Hoshangabad City, India." *Environmental monitoring and assessment* **143**(1-3): 195-202.
- Simpson, E. H. (1949). "Measurement of diversity." *nature*.

- Singh, S. R. and K. Swarup (1979). "Limnological studies of Suraha lake (Ballia) II. The periodicity of phytoplankton." *J. Indian Bot. Soc* **58**(4): 319-329.
- Srivastava, V. (1997). "Study of drainage pattern of Jharia Coalfield (Bihar), India, through remote sensing technology." *Journal of the Indian Society of Remote Sensing* **25**(1): 41-46.
- Stoddard, J. L., D. P. Larsen, et al. (2006). "Setting expectations for the ecological condition of streams: the concept of reference condition." *Ecological Applications* **16**(4): 1267-1276.
- Sugunan, V. (1995). Reservoir Fisheries of India FAO Fisheries technical paper, 345 Rome, FAO.
- Tara, J., R. Kour, et al. (2011). "Studies on the occurrence and seasonal abundance of aquatic coleopteran in relation to some physicochemical parameters of water of Gharana wetland Wetland reserve Jammu (J and K)." *The Bioscan* **6**(2): 257-261.
- Tóthmérész, B. (1995). "Comparison of different methods for diversity ordering." *Journal of vegetation Science* **6**(2): 283-290.
- Turner, W., S. Spector, et al. (2003). "Remote sensing for biodiversity science and conservation." *Trends in ecology & evolution* **18**(6): 306-314.
- Welcomme, R. and D. Bartley (1998). "Current approaches to the enhancement of fisheries." *Fisheries Management and Ecology* **5**(5): 351-382.
- Welcomme, R. L. (1976). "Some general and theoretical considerations on the fish yield of African rivers." *Journal of Fish Biology* **8**(5): 351-364.
- Woodcock, C. E., C. H. Sham, et al. (1990). "Comments on selecting a geographic information system for environmental management." *Environmental management* **14**(3): 307-315.
- Yan, X., L. Zhenyu, et al. (2001). "Invasive species in China—an overview." *Biodiversity & Conservation* **10**(8): 1317-1341.
- Young, R., C. Townsend, et al. (2004). "Functional indicators of river ecosystem health—an interim guide for use in New Zealand." *Cawthon Rep* **870**: 495-523.
- Zacharia, P., A. Gopalakrishnan, et al. (2016). "Climate change impact on coastal fisheries and aquaculture in the SAARC region: Country paper—India."