

## BIBLIOGRAPHY:

- Abowei J.F.N., Davies A.O., 2009. Some Population Parameters of *Clarotes laticeps* (Ruppell, 1829) from the freshwater reaches of the Lower River, Niger Delta, Nigeria, A M. Journal of Science and Research. 2: 15 – 19.
- Abowei J.F.N., 2010. Advance Journal of Food Science and Technology. 2 (1):16-21.
- Adeyemi S. O., Bankole N. O., Adikwu I. A. and Akombo P.M., 2009. Age, Growth and Mortality of some commercially important Fish species in Gbadikere Lake, Kogi State, Nigeria, International Journal of Lakes and Rivers, Research India Publications. 2, 1, 63-69.
- Ajani E. Gloria., Bello O. Beatrice., Osowo Olufem., 2013. Comparative condition factor of two Penaeid shrimps, *Penaeus notialis* (Pink shrimp) and *Penaeus monodon* (Tiger shrimp) in a coastal state, Lagos, South West Nigeria. Journal of Nature and Science. 11(4):1-3.
- Alfred-Ockiya, J. F., Njoku, D.C., 1995. A comparative analysis of the length weight relationship and condition factors of four species of grey mullet (pisces/mugildae) from New Calabar River Rivers State, Nigeria. Journal of Technology and Design Education.5-10.
- Ama-Abasi, D., 2007. A review of length-weight relationship and its parameters in aquatic species. In: Proceedings of the 22nd Annual of the Fisheries Society of Nigeria, Kebbi, Kebbi State, Nigeria. 12th–16th November. 240-244.
- Amanat, Z., Qureshi, N., 2011. Ovarian Maturation Stages and Size at Sexual Maturity of *Penaeus indicus* (H. Milne Edwards, 1937) in the Lagoon Water of Sonmiani Bay, Balochistan. Pakistan Journal of Zoology. 43(3), 447-459.
- Andem, A. B., Idung, J. U., George, E. E., Ubong, G., 2013. Length-weight relationship and Fulton's Condition Factor of brackish water river prawn (*Macrobrachium*

- macrobrachion*, Herklots, 1851) from Great Kwa River, Obufa Esuk beach, Cross River state, Nigeria. European Journal of Experimental Biology. 3(3): 722-730.
- Anene, A., 2005. Condition factor of four Cichlid Species of a Man-made Lake in Imo State, South eastern Nigeria. Turkish Journal of Fisheries and Aquatic Sciences. 5: 43-47.
- Aragon-Noriega, E. A., Garcia-Juarez, A. R., 2007. Comparison of two methods to determine the maturity period in penaeid shrimps (Decapoda, Penaeidae). *Crustaceana*, 80(5): 513 -521.
- Asdell, A., 1946. Comparative chronological age in man and other animals. *Journal of Gerontology*. 1: 224-226.
- Babu, K. Ramesh., 2014. Fecundity variations of black tiger shrimp *Penaeus monodon* from two different geographical locations, east coast of Andhra Pradesh, India, *Journal of Global Biosciences*. Vol. 3(4): 725-730.
- Baskar, S. N., Narasimhan, G., Swamidas, D., Ravichelvan, R., Sukumaran, M., Anandaraj, T., 2013. Food and Feeding Habits of *Penaeus monodon* (Fabricius) from Mallipattinam Coast in Thanjavur Dist, Tamil Nadu, India. *International Journal of Research in Biological Sciences*. 3(1): 1-4.
- Basu, N. C., Pakrasi, B. B., 1979. Brackish water fish and prawn seed potentialities of Bakkhali area in lower Sunderbans, West Bengal. *Journal of Inland Fishery Society of India*. 11(1): 40-48.
- Bagenal T.B., Tesch F.W., 1978. Methods of Assessment of Fish Production in Fresh Waters. IBP Handbook No 3, 3<sup>rd</sup>ed.Oxford Blackwell Scientific Publication, London. pp.: 101-136.
- Bauer, R.T., Vega, L.W.R., 1992. Pattern of reproduction and recruitment in two sicyoniid shrimp species (Decapoda: Penaeoidea) from a tropical sea grass habitat. *Journal of Experimental Marine Biology and Ecology*. 161: 223-240.

- Begum, M., M. J., Islam, M. A., Pal, H. K., 2008. On the food and feeding habitat of an estuarine catfish (*Mystus gulio* Hamilton) in the south-west coast of Bangladesh. University Journal of Zoology, Rajshahi University. (27) pp. 91-94.
- Beverton, R. J. H., Holt, S. J., 1957. On the dynamics of exploited fish populations. Fisheries Investigation Series II. 19: 1-533.
- Beverton, R. J. H., Holt, S. J., 1966. Manual of methods for fish stock assessment. Tables of yield functions. FAO Fisheries Technical Paper/ FAO Document.38 (1): 1-67.
- Bhaumik, U., Saha, S., Chatterjee, J. G., 1992. Need for conservation to protect the brackish water finfish and shellfish seed resources in Sunderbans. Journal of Environmental Ecology. 10(4): 919-922.
- Bhowmik, M. L., 1993. Brackish water seed resources of Sunderbans with reference to availability of *Penaeus monodon* (Fabricius) post larvae. Journal of Environmental Ecology. 11(1): 38-41.
- Chakraborti, R. K., Subrahmanyam, M., Pakrasi, B. B., 1977. A note on the collection and segregation of prawn seed for selective stocking. Journal of Inland Fishery Society of India. 9: 181-183.
- Chaitiamvong S., 1980. Biological studies on planktonic shrimp and shrimp-like in the Gulf of Thailand. Annual report of the invertebrate fisheries unit of marine fisheries division, Bangkok.p. 18.
- Costa, R. C., Fransozo, A., 2004. Reproductive biology of the shrimp *Rimapenaeus Constrictus* (Decapoda: Penaeidae) in the Ubatuba region of Brazil. Journal of Crustacean Biology. 24: 274-281.
- Costa R.C., Branco J.O., Machado, I.F., Campos, B.R., Avilla, M.G., 2010. Population biology of shrimp *Artemesia longinaris* (Crustacea: Decapoda: Penaeidae) from the southern coast of Brazil. Journal of the Marine Biological Association of the United Kingdom 90(4): 663–669.

- Crocos, P. J., Kerr, J. D., 1983. Maturation and spawning of the banana prawn *Penaeus merguiensis* in Albatross Bay, Gulf of Carpentaria, Australia. Journal of Experimental Marine Biology and Ecology. 69: 37-59.
- Crocos, P. J., Coman, G.J., 1997. Seasonal and age variability in the reproductive performance of *Penaeus semisulcatus* brood stock: Optimizing brood stock selection. Aquaculture. 155: 55-67.
- Crocos, P. J., Park, Y. C., Die, D. J., Warburton, K., Manson, F., 2001. Reproductive dynamics of endeavour prawns, *Metapenaeus endeavouri* and *M. ensis*, in Albatross Bay, Gulf of Carpentaria. Australia Marine Biology. 138: 63-75.
- Dall, W., 1968. Food and feeding of some Australian Penaeid Shrimp. FAO Fish Repository. 2: 251-258.
- Dall, W., Hill, B. J., Rothlisberg, P. C., Staples, D. J., 1990. The biology of penaeidae. Advances in Marine Biology. 27: 1-488.
- Dall, W., Hill, B., Rothlisberg, P., Sharples, D., 1991. Advances in Marine Biology. Queensland, Australia: Academic Press.
- Delmendo, M. N., Rabanal, H. R., 1956. Cultivation of sugpo (Jumbo tiger prawn), *Penaeus monodon* (Fabricius) in the Philippines. Proceeding, Indo-Pacific Fisheries. Council. 6(2-3): 423-431.
- Desai, U. R., 1970. Studies on the fishery and biology of *Tor tor* (Hamilton) from river Narmada. Journal of Inland Fishery Society. India. 2: 101-112.
- Domantay, J. S., 1956. Prawn fisheries of the Philippines. Proceeding, Indo-Pacific Fisheries Council. 6(2-3): 359-366.
- Enin U.I., 1994. Length-weight parameters and condition factor of two West African prawns. Revue d'Hydrobiologie Tropicale. 27 (2), 121-127.
- El Hag, E.A., 1984. Food and food selection of the penaeid shrimp *Penaeus monodon* (Fabricius). Hydrobiologia. 110: 213-217.

- Fabricius, J. C., 1798. "Supplementum Entomologiae Systematicea".
- Fagade, S.O., 1979. Observations on the biology of species of *Tilapia* from Lagos Lagoon. Nigeria. Bulletin of d'Institut Français d'Afrique Noire.41(A3): 60-72
- FAO, 1968. Food and feeding of some Australian penaeid shrimp, by W. Dall, In M.N. Mistakidis, ed. Proceedings of the World Scientific Conference on the Biology and Culture of Shrimps and Prawns. Mexico City, Mexico, 12–21 June 1967, pp. 77–587. FAO Fisheries Report 57(2).
- Fisher, R. A., 1958. The genetical theory of natural selection. Dover, New York, 2nd edition.
- FRAD, CMFRI., 2015. Marine Fish Landings in India 2014, Technical Report, Central Marine Fisheries Research Institute, Kochi.
- Gaikwad, M. V., Pathan, T. S., Gaikwad, S. L. , Hiwarale, D. K. , Davne, P. M., Sonwane, D. L., Khillare, Y. K., (2009): Feeding and Growth Patterns in Three Freshwater Fishes From River Godavari in Maharashtra (India). Recent Research in Science and Technology. 1(5): 23-234.
- Garcia, S., 1985. Reproduction, stock assessment models and population parameters in exploited penaeid shrimp populations, pp. 139–158. In: Rothlisberg, P. C., Hill, B. J. and Staples, D. J. Proceedings of the Second Australian National Prawn Seminar. 22–26 October, 1984. Cleveland, Queensland, Australia. NPS2.361 p.
- Gaynilo, F. C., Pauly, D., 1997. FAO-ICLARM Stock Assessment Tools (FiSAT). FAO Computerized Information Series (fisheries), Rome.8: 262 p.
- Gaynilo, Jr., F. C., Sparre, P., Pauly, D., 2005. FAO-ICLARM Stock Assessment Tools II (FiSAT II).User's guide. FAO Computerized information Series (Fisheries). No. 8, Revised version, FAO, Roma, Italia. 126 p.
- Gopalakrishnan, V., Rao, R. M., 1968. Observations on the distribution of juveniles of brackish water prawns in the Hooghly-Matla estuarine system. In: Seminar on

Production of Quality Fish Seed for Fish Culture. Central Inland Fisheries Research Institute, Barrackpore, pp. 248-261.

Gopalakrishnan, V., 1973. An assessment of the prawn fishery of the seaward reaches of the Hooghly estuary. Journal of Marine Biological Association of India. 15: 406-418.

Gopalakrishnan, V., Bhanot, K. K., Datta, S. N., Saha, S. B., 1975. Procurement of stocking material for brackish water fish culture from the Hooghly-Matla estuarine system. Journal of Inland Fishery Society of India. 7: 216-224.

Gopalakrishnan, A., Rajkumar, M., Rahman, M. M., Sun, J., Antony, P. J., Venmathimaran, B. A., 2013. Length-weight relationship and condition factor of wild, grow-out and ‘loose-shell affected’ giant tiger shrimp, *Penaeus monodon* (Fabricius, 1798) (Decapoda: Penaeidae). Journal of Applied Ichthyology.

Gulland, J. A., 1979. Report of the FAO/UNDP workshop on the fishery resources of the Western Indian Ocean – South Equator. FAO, Rome, 10FC/DEV/79/, 45: 1-37.

Gulland, J. A., 1983. Fish Stock Assessment. A manual of Basic Method FAO/Wiley Series on Food and Agriculture, Rome, 241.

Hall, D.N.F., 1961. The Malayan Penaeidea (Crustacea, Decapoda). Part II. Further taxonomic notes on the Malayan species. Bulletin of the Raffles Museum. 26: 76-119.

Hall, D. N. F., 1962. Observations on the taxonomy and biology of some Indo-West-Pacific Penaeidae (Crustacea, Decapoda). Colonial Office Fishery Publications, London. 17, 1-229 pp.

Holthuis L.B. 1949. The identity of *Penaeus monodon* Fabr. Proceeding. Koninklijke Nederlandse Akademie Van Wetenschappen 52(9): 1051 - 1057.

Hossain, M.Y., Ahamed, Z.F., Leunda, P.M., Islam, A.K.M.R., Jasmine, S., Oscoz, J., Miranda, R. and Ohtomi, J. 2006. Length-weight and length –length relationships of

some small indigenous fish species from the Mathabhanga river, southwestern Bangladesh. Journal of Applied Ichthyology, 22:301-303.

Huolihan, D., Boujard, T., Jobling, M., 2001. Food Intake in Fish. Blackwell Science, Oxford, UK. pp. 130-143.

Jayawardane, P.A.A.T., Mcclusky, D.S.,Tytler, P., 2002. Reproductive biology of *Penaeus indicus* (H. Milne Edwards, 1837) from the western coastal waters of Sri Lanka. Asian Fishery Science., 15: 315-328.

Jayawardane, P. A. A. T., Mcclusky, D. S. and Tytler, P. 2003. Reproductive biology of *Metapenaeus dobsoni* (Miers, 1878) from the western coastal waters of Sri Lanka. Asian Fishery Science, 16: 91-106.

Joubert, L. S., Davies, D. H., 1966. The Penaeid Prawns of the St. Lucia Lake System. Investigation Report.Vol. 13.Oceanography Research Institute of South Africa, Association of Marine Biological Research, 40 pp.

Khan, M. A., Sada, N. U., Chowdhury, Z.A., 2003. Status of the demersal fishery resources of Bangladish, p. 63-82. In: G. Silvestre, L., Garces, I., Stobutzki, M., Ahmed, R. A., Valmonte-Santos, C., Luna, L., Lachica-Alino, P., Munro, V., Christensen and D. Pauly (eds.) Assessment, Management and Future Directions of Coastal Fisheries in Asian Countries. World Fish Center Conference Proceedings 67.1120 p.

King, M., 1995. Fisheries biology, assessment and management. Blackwell Science Ltd, London, UK. Fishing News Book. pp. 341.

King, M. G., 2007. Fisheries biology, assessment, and management. Second edition published by Blackwell Publishing Ltd., ISBN. 978-1-4051-5831-2, 189– 194.

Komi, Gentle W., Francis, A., Aleleye-Wokoma I.P., 2013. Mortality and Exploitation of *Penaeus monodon* in the Andoni River, Nigeria. Journal of Natural Sciences Research. 3 (15): 58-67.

- Kulkarni, B G., Deshmukh, V D., Kulkarni, V R., 1999. Food and feeding habit of a penaeid prawn *Metapeneopsis stridulans* (Alcock 1905). Journal of the Bombay Natural History Society. 96 (2). pp. 262-267.
- Kunju, M. M., 1955. Preliminary studies on the biology of the palaemonid prawn, *Leander styliferus* (Milne-Edwards) in West Bengal, India. Proceeding, Indo-Pacific Fisheries Council. 6(3): 404-416.
- Kuttiyamma, V. J., 1974. Observation on the food and feeding habits of some penaeid prawns of Cochin area. Journal of Marine Biological Association of India. 15(1): 189-194
- Lalithadevi, S., 1987. Growth and population dynamics of three penaeid prawns in the trawling grounds off Kakinada. Indian Journal of Fisheries. 34(2):245-264.
- Le Cren, C. D., 1951. The length-weight relationship and seasonal cycle in gonad weight and condition in perch, *Perca fluviatilis*. Journal of Animal Ecology. 20: 201-209.
- Leena, K., Deshmukh, V. D., 2009. Age and growth of Jhinga prawn *Metapenaeus affinis* Milne Edwards (Decapoda, Penaeidae) in Mumbai waters. Indian Journal of Fisheries. 56(1):1-5.
- Lovett, D.L., Felder, D.L., 1990. Ontogeny of kinematics in the gut of the white shrimp *Penaeus setiferus* (Decapoda; Penaeidae). Journal of Crustacean Biology. 10: 53–68.
- Maheswarudu, G., 2013. Prawn Fisheries West Bengal. In: Handbook of Marine Prawns of India. Rao, G Sudhakara and Radhakrishnan, E V and Josileen, Jose,(eds.)Central Marine Fisheries Research Institute, Kochi. pp. 167-174.
- Maheswarudu, G., Rao, G. S., Rajamani, M., Thangaraj S. V., Nair, K. R. M., Saleela, K. N., Dhanwanthari, E., Sreeram, M. P., Unnithan, K. A., 2014. Penaeid prawn resources along the east coast of India during 1991-2011. Marine Fisheries Information Service; Technical and Extension Series (219). pp. 8-14.

Maheswarudu, G., 2017. Diversity and exploitation status of crustacean fishery resources in India. In: Course Manual Summer School on Advanced Methods for Fish Stock Assessment and Fisheries Management. Lecture Note Series No. 2/2017. CMFRI; Kochi, Kochi.47-55.

Marte, C. L., 1980. The food and feeding habit of *Penaeus monodon* (Fabricius) collected from Makato River, Aklan, Philippines (crustacean, natantia). *Crustaceana*. 38(3): 225-236.

Marte, C. L., 1982. Seasonal variation in food and feeding of *Penaeus monodon* Fabricius (Decapoda, Natantia). *Crustaceana*. 42(3): 250-255.

Ma, K. Y., T. Y. Chan., K. H. Chu., 2009. Phylogeny of penaeoid shrimps (Decapoda: Penaeoidea) inferred from nuclear protein-coding genes. *Molecular Phylogenetics and Evolution* 53: 45-55.

Mayavu, P., Rajasegar, M., Ajmalkhan, S., 2005. Length-weight relationship of loose-shell affected *Penaeus monodon* (Fabricius, 1798) in grows -out system. *Indian Journnal of Fisheries*.52(2), 233-234.

Medina-Reyha, C. E., 2001. Growth and emigration of white shrimp, *Litopenaeus vannamei* in the Mar Muerto Lagoon, Southern Mexico. NAGA, ICLARM Q., 24(1-2): 30-34.

Minagawa, M., Yasumoto, S., Ariyoshi, T., Umemoto, T., Ueda, T., 2000. Interannual, seasonal, local and body size variations in reproduction of the prawn *Penaeus (Marsupenaeus) japonicus* (Crustacea:Decapoda: Penaeidae) in the Ariake Sea and Tachibana Bay, Japan. *Marine Biology*.136: 223-231.

Mohamed, K. H., 1970. Synopsis of biological data on the jumbo tiger prawn *Penaeus monodon* Fabricius 1798. FAO Fisheries Repository. 4(57): 1251-1266.

Motoh, H., 1981. Studies on the fisheries biology of the giant tiger prawn *Penaeus monodon* in the Philippines. Technical report No.7.Tigbauan, Illoilo, Aquaculture department, SEAFDEC. 128p.

- Motoh, H., 1985. Biology and ecology of *Penaeus monodon*. In Taki Y., Primavera J. H. and Llobrera J. A. (Eds.).Proceedings of the First International Conference on the Culture of Penaeid Prawns/Shrimps, 4-7 December 1984, Iloilo City, Philippines. pp. 27-36.
- Moutopoulos, D. K., Stergiou, K. I. 2002. Length-weight and length-length relationships of fish species from Aegean Sea (Greece). *Applied Ichthyology*. 18: 200-203.
- Nandakumar, G., Damodaran, R., 1998. Food and feeding habits of the speckled shrimp *Metapenaeus monoceros* (Fabricius).*Journal of the Marine Biological Association of India*. 40 (1 & 2): 30-40.
- Narciso, S., Morais, S., 2001. Comparative feeding behaviour of *Penaeus kerathurus* (Forskal, 1775) (Crustacea, Penaeidae) and *Palaemon serratus* (Pennant, 1777) (Crustacea, Palaemonidae) during larval development. *Ciencias Marinas*, 27(4): 559–575.
- Ndimele, P. E., Kumolu-Johnson, C. A., Aladetohun, N. F., Ayorinde, O. A., 2010. Length-weight relationship, condition factor and dietary composition of *Sarotherodon melanotheron*, Ruppell, 1852 (Pisces: Cichlidae) in Ologe Lagoon, Lagos Nigeria.: Agriculture and Biology Journal of North America. 1(4): 584-590.
- Panikkar, N. K., Menon, M. K., 1956. Prawn fisheries of India. Proceeding, Indo-Pacific Fisheries Council.6 (2-3): 328–344.
- Pauly, D., 1979.Theory and management of tropical multi-species stocks. A review with emphasis on the south-east Asian demersal fisheries. ICLARM Studies and Reviews 1: 35.
- Pauly, D., 1980. On the interrelationships between natural mortality, growth parameters and mean environmental temperature in 175 fish stocks. *L. Cons. Ciem.*, 39 (2): 175-192.
- Pauly, D., 1983a. Some simple methods for the assessment of tropical fish stocks. FAO Fisheries Technical Paper.243: 52 p.

- Pauly, D., 1983b. Length converted catch curves. A powerful tool for fisheries research in tropics (Part-1). ICLARM Fish byte. 1(2): 9-13.
- Pauly, D., Munro, J. L., 1984. Once more, on the composition of growth in fish and invertebrates. Fish byte. 2 (1): 21p.
- Pauly, D. 1984. Fish population dynamics in tropical waters: a manual for use with programmable calculators, (ICLARM) ICLARM Contrib.143, 325p.
- Petrakis, G., Stergiou, K. I., 1995. Weight-length relationships for 33 fish species in Greek waters. Fisheries Research.21: 465– 469.
- Pillay, T. V. R., 1952. A critique of the methods of study of food fishes. Journal of Zoological Society India.42 (2): 185-200.
- Pilling, G. M., Apostolaki, P., Failler, P., Floros, C., Large, P.A., 2008. Assessment and Management of Data-Poor Fisheries. In: Advances in Fisheries Science: 50 Years on from Beverton and Holt, Payne, A., Cotter, L. and Potter, T. (Eds.). Blackwell Publishing, New York. pp: 280-305.
- Piratheepa, S., Edrisinghe, U., Chitravadivelu, K., 2013. Investigation on length-weight relationship of *Penaeus monodon* (Fabricius, 1798) in Kakkaithevu coastal waters in the northern part of Sri Lanka, Tropical Agricultural Research Vol. 25 (1): 133 – 140.
- Prasad, G., 2001. Length-weight relationship of *Penaeus monodon* reared in semi-intensive culture systems of Kerala, India. NAGA, ICLARM Q., 24(1-2): 16-17.
- Primavera, J.H., 1980. Sugpo (*Penaeus monodon*) brood stock. Aqua Guide Series no. 1. Aquaculture Department, SEAFDEC. Iloilo, Philippines.
- Primavera, J. H., 1980. Broodstock of sugpo (*Penaeus monodon*) and other penaeid prawns. Extension Manual, no. 7. Tigbauan, Iloilo: SEAFDEC Aquaculture Department. 24 p.
- Primavera, J. H., 1989. Broodstock of sugpo, (*Penaeus monodon*, Fabricius) Aquaculture Extension Manual, No. - 7, (4th ed.). Tigbauan, Iloilo, Philippines: Aquaculture Dept., Southeast Asian Fisheries Development Center, 1-26.

Rafinesque, C. S. [-Schmaltz]. (1815). Analyse de la Nature ou Tableau de l'univers et des corps organisés. Palerme. 1-224.

Rajyalakshmi, T., 1961. Observation on the biology and fishery of *Metapenaeus brevicornis* (Milne Edwards) in the Hooghly estuarine system. Indian Journal of Fisheries. 8(2): 383-403.

Rajyalakshmi, T., 1966. On the age and growth of some estuarine prawns. Proceeding, Indo-Pacific Fisheries Council. 11 (2): 52-83.

Rajyalakshmi, T., Pillai, S. M. and Ravichandran, P., 1985. The biology of *Penaeus monodon* in the capture fisheries of Orissa coast in the context of occurrence of natural brood stock. In: Taki, Y., Primavera, J. H. and Liborera, J. A. (eds.), First International Conference on culture of penaeid prawn and shrimp, 1984 December 4-7; Iloilo city, Philipines Iloilo:SEAFDEC Aquaculture Deperment. 175 p.

Ramani, K., Ammini, P. L., Srinivasan, J., Haja Najeemudeen, S., Beena, M. R., George, K. P., Seynudeen, M. B., Subbaraman, G., Anandan, K., Khambadkar, L., Augustine, S. K., Pugazhendi, D., Rudramurthy, N., Subramani, S., Seetharaman, S., Kather Batcha, H. and Sankaralingam, S., 2010. Overview of marine fisheries in India during 2007. Marine Fisheries Information Service T&E series (203).1-14.

Rao, G. Sudhakara., 1993. An appraisal of the marine fishery resources of Visakhapatnam coast. Fishing Chimes., 13(1): 81-87.

Rao, G Sudhakara and Thangaraj Subramanian, V and Rajamani, M and Sampson Manickam, P E and Maheswarudu, G., 1993. Stock assessment of *Penaeus spp.* off the east coast of India. Indian Journal of Fisheries, 40 (1&2). pp. 1-19.

Rao, G Sudhakara., 2000. The Indian tiger prawn *Penaeus monodon* Fabricius. In: Marine Fisheries Research and Management. Pillai, V N and Menon, N G, (eds.) CMFRI; Kochi, Kochi. pp. 511-524

- Rao, G. Sudhakara., 1975. Prawn fishery of the Kakinada backwaters. Bulletin. Department of Marine Science, University. Cochin, 7: 427-446.
- Rao, A. V. P., 1967. Some observations on the biology of *Penaeus indicus* H.M. Edwards and *P.monodon* Fabricius from the Chilka Lake. Indian Journal of Fisheries.14(1-2): 423-425.
- Rao. P. V., 1968. Maturation and spawning of the penaeid prawns of the south-west coast of India. In:Proc. World Scientific Conf. on the Biology and Culture of shrimps and prawns, Mexico City, Mexico, 12- 21 June 1967, FAO Fish. Rep. 57(2): 285-302
- Rao, P. V., 1969. Genus Parapenaeopsis (Alcock, 1901) In: Prawn Fisheries of India. Bulletin of Central Marine Fisheries Research Institute. 14: 127-158.
- Rao, G. S., 1987. A preliminary study of the prawn fishery of big trawlers along the northeast coast of India. Indian Journal of Fisheries.34: 312-328.
- Rao, G. S., 1988. Prawn fishery of the big trawlers along the northeast coast of India. Marine Fishery Information Service., T&E Ser., No. 87, p. 15-30.
- Rao, G. S., 2003. Deep sea prawn fishery along the northeast coast of India - a critical appraisal. In: Symposium on Large Marine Ecosystems: Exploration and Exploitation for Sustainable Development and Conservation of Fish Stocks, Somvanshi, V. S. (ed.), Fishery Survey of India, pp. 668-682.
- Rao, G. S., 2013. Species *Penaeus monodon*. In: Handbook of Marine Prawns of India. Central Marine Fisheries Research Institute, Kochi, 267-282.
- Rickter W.E., 1973. Journal of the Fisheries Research Board of Canada. 30 (3): 409-434.
- Rothlisberg, P.C., 1998. Aspect of penaeid biology and ecology relevance to aquaculture: a review, Aquaculture. (164): 49-65
- Saigal, B. N.,Mitra, P. M.,Karmarkar, H. C., 1987. Migratory winter bag-net fishery in coastal waters of the Hooghly estuary. CMFRI: Bulletin National Symposium on Research and Development in Marine Fisheries Sessions (I & II) 44: 94-101.

Sarada, P. T., 2010. Fishery and biology of green tiger shrimp *Penaeus semisulcatus* (De Haan, 1844) landed at Puthiappa, Kozhikode, Kerala coast. Journal Marine Biological Association of India. 52(1): 24 – 28.

Sarkar, S. K., Bhattacharya, A. K., 2003. Conservation of biodiversity of the coastal resources of Sunderbans, northeast India: an integrated approach through environmental education. Marine Pollution Bulletin. 47: 260-264.

Shaikhmahmud, F. S., Tembe, V. B., 1960. Study of Bombay prawns. The seasonal fluctuation and variation in abundance of the commercially important species of Bombay prawns with a brief note on their size, state of maturity and sex ratio. Indian Journal of Fisheries. 7(1): 69–81.

Solis, N. B., 1988. Biology and ecology. In: Biology and culture of *Penaeus monodon* (pp. 3-36). Tigbauan, Iloilo, Philippines: SEAFDEC Aquaculture Department.

Snedecor G. W., Cochran, W. G., 1967. Statistical methods. Oxford and IBH Publishing Co., New Delhi, Sixth edition, 539.

Snedecor, G. W., Cochran, W. G., (1968) Statistical Methods, Oxford and IBH Publishing Co., Calcutta: 593.

Sparre, P., 1987. Computer programming for fish stock assessment of Length based fish stock assessment (LFSA) for Apple computers. FAO Fish. Tech. Pap., 101 (Spel 2), 217 pp.

Sparre, P., Venema, S. C., 1998. Introduction to tropical fish stock assessment, FAO Fisheries technical paper, Roma, 450 pp. Iran). World Journal of Fish and Marine Sciences, 4(2): 185-190.

Srinath, M., Kuriakose, S., Mini, K. G., 2005. Methodology for estimation of marine fish landings. Special Publication, Central Marine Fisheries Research Institute, 86: 57 pp.

Srinath, M., Beena, M R., Augustine, Sindhu K., Kuriakose, Somy, Sreenivasan, J., 2007. Marine Fisheries Profile West Bengal.

- Sriraman, K., Ajmalkhan, S., Natarajan, R., 1989. Age and growth in *Penaeus monodon* (Fabricius) of Porto Novo coast. Journal of marine Biological Association India, 31 (1-2): 261-265.
- Srivatsa, K. R., 1953. A survey and comparative analysis of the prawn (shrimp) fishery of the Gulf of Kutch in Saurashtra in Western India. Government of Saurashtra. India. Department of Industries and Supplies.
- Stergou, K. I., Moutopoulos, D. K., 2001. A review of Length-weight relationships of fishes from Greek marine waters. NAGA, ICLARM Q., 24:182.
- Subrahmanyam, C.B., 1965. On the reproductive cycle of *Penaeus indicus* (M. Edw.). Journal of Marine Biological Association of India, 7: 284-290.
- Subrahmanyam, M., 1965. Lunar, diurnal and tidal periodicity in relation to the prawn abundance and migration in the Godavari estuarine system. FisheriesTechnology.2(1): 26-41.
- Subrahmanyam, M., 1966. Fluctuations in prawn landings in the Godavari estuarine system. Proceeding, Indo-Pacific Fisheries Council.11(2): 44–51.
- Subrahmanyam, M., Rao K.J., 1968. Observations on post-larval prawns (penaeidae) in the Pulicat lake with notes on their utilization in capture and culture fisheries. Proceeding, Indo-Pacific Fisheries Council. 13(2): 113-127.
- Subrahmanyam, M., Ganapati, P. N., 1975. Biology of the prawn, *Penaeus monodon*, Fabricius from the Godavari estuarine system. Bulletin. Deferment of Marine Science. UnivesityofCochin.7(3): 653-670.
- Sultana, R., 2000. Bioeconomics and population structure of juvenile shrimp with special reference to the genus *Penaeus* occurring in Karachi backwaters. Ph.D. Thesis, Centre of Excellence in Marine Biology, University of Karachi.

- Su, M. S., Liao, L .C., 1986. Distribution and feeding ecology of *Penaeus monodon* along the coast of Tungkang, Taiwan. In: Proceeding of the First Asian Fisheries Forum (Maclean, J. L., Dizon, L. B. and Hisollos, L. V. eds.), pp. 207-210.
- Su, M. S., Liao, L. C., Hirano, R., 1990. Life history of grass prawn, *Penaeus monodon* in the coastal water of southwest Taiwan. In: The Second Asian Fisheries Forum (Hirano, R. and Hanyu, I. eds.), pp. 369-372.
- Tacon, A. G. J., 2002. Thematic review of feeds and feed management practices in shrimp aquaculture. Report prepared under the World Bank, NACA, WWF and FAO Consortium Program on Shrimp Farming and the Environment. Work in Progress for Public Discussion. Published by the Consortium.69 p.
- Teikwa, E.D., Mgaya, Y.D., 2003. Abundance and Reproductive Biology of the Penaeid Prawns of Bagamoyo Coastal Waters, Tanzania Western Indian Ocean Journal of Marine Science. Vol. 2, No. 2.117–126.
- Thakur, N. K., 1975. Observation of the availability of brackish water fish seed in the Kulti estuary. West Bengal. Journal of Inland Fishery Society of Indi.7: 105-108.
- Thomas, M. M., 1972.Food and feeding habits of *Penaeus monodon* Fabricius from Korapuzha estuary. Indian Journal of Fisheries.19 (1/2): 202-204.
- Thomas M M., 1980.Food and feeding habits of *Penaeus semisulcatus*. Dettaan at Mandapam.Ibid.27 (1&2): 130-139.
- Tsoumani, M., Liasko, R., Moutsaki, P., Kagalou, I., Leonardos, I., 2006. Length-weight relationships of an invasive cyprinid fish (*Carassius gibelio*) from 12 Greek lakes in relation to their trophic states. Journal of Applied Ichthyology, 22: 281-284.
- Villaluz, D. K., Ladrer, A., Sheik, M., Gonzaga, A., 1969.Production, larval development and cultivation of sugpo (*Penaeus monodon*, Fabricius). Philippine Journal of Science, 98(3-4): 205-233.

- Villegas, C. T., Trino, A., Travina, R., 1986. Spawners size and the biological components of the reproduction process in *Penaeus monodon* (Fabricius). In: Maclean, J. L. and Hosillos, L. V. (eds.), Proceedings of the First Asian Fisheries Forum, 26-31 May 1986, Manila, Philippines. Asian Fisheries Society, 701 p.
- Von Bertalanffy, L., 1938. A quantitative theory of organic growth (inquiries on growth laws II). Human biology, 10 (2): 181-213.
- Wassenberg, T.J., Hill, B.J., 1987. Natural diet of the tiger prawns *Penaeus esculentus* and *P. semisulcatus*. Australian Journal of marine and freshwater Research 38:169-182.
- Welcome, R.L., 1979. Fisheries Ecology of Flood Plain Rivers. Longman Press, London, pp. 317.
- Williams A .B., 1955. A contribution to the life histories of commercial shrimps (Penaeidae) in North Carolina. Bulletin of Marine Science of the Gulf and Caribbean, vol. 5, No. 2, pp. 116-146.
- Yakub, A. S., Ansa, E. J., 2007. Length-Weight relationships of the Pink shrimp *Penaeus notialis* and Giant tiger shrimp *P. monodon* of Buguma Creek in the Niger Delta, Nigeria. The Zoologist, 5: 47-53.
- Yem, I. Y., Sani, O. A., Mshelia, M. B., Onimisi, H. U., 2007. The length-weight Relationship and Condition Factor of the Banded Jewel Fish (*Hemichromis fasciatus*, Peters) from Kainji Lake, Nigeria. In: Proceedings of the 22nd Annual Conference of the Fisheries Society of Nigeria (FISON), Kebbi, Kebbi State, Nigeria. 12th to 16th November, 2007:15 – 23.
- Zacharia, P. U., 2003. Studies on the fishery, biology and population dynamics of the white fish *Lactarius lactarius* (Bloch and Schneider, 1801) along the Karnataka coast. Ph.D. thesis, Mangalore University, India, 188 p.