

9. Bibliography

- Acharya S, Chaudhuri S, Chatterjee S, Kumar P, Begum Z, Dasgupta S, Flora SJ, Chaudhuri S,. Immunological profile of arsenic toxicity: a hint towards arsenicinduced carcinogenesis. Asian Pac J Cancer Prev, 2010, 11, 479-90.
- Acharyya N, Ali SS, Deb B, Chattopadhyay S, Maiti S,. Green tea (*Camellia sinensis*) alleviates arsenic-induced damages to DNA and intestinal tissues in rat and in situ intestinal loop by reinforcing antioxidant system. Environ Toxicol, 2014a, doi: 10.1002/tox.21977.
- Acharyya N, Chattopadhyay S, Maiti S,. Chemoprevention against arsenic-induced mutagenic DNA breakage and apoptotic liver damage in rat via antioxidant and SOD1 up regulation by green tea (*Camellia sinensis*) which recovers broken DNA resulted from arsenic-H₂O₂ related in vitro oxidant stress. J Environ Sci Health C Environ Carcinog Ecotoxicol Rev, 2014b, 32, 338-361.
- Acharyya N, Deb B, Chattopadhyay S, Maiti S,. Arsenic-Induced Antioxidant Depletion, Oxidative DNA Breakage, and Tissue Damages are Prevented by the Combined Action of Folate and Vitamin B (12). Biol Trace Elem Res, 2015, Epub ahead of print, PubMed PMID: 25850544.
- Adebayo AH, Zeng G, Fan J, Ji C, He W, Xu J, et al,. Biochemical, hematological and histopathological studies of extract of *Ageratum conyzoides* L. in Spargue Dawley rats. J Med Plants Res, 2010, 4, 2264–72.
- Ademuyiwa O, Elsenhans B, Nguyen PT, Forth W,. Pharmacol. Toxicol, 1996, 78, 154.

- Ali SS, Acharyya N, Maiti S., Promising anti-oxidative therapeutic potentials of edible freshwater snail *Bellamya bengalensis* extract against arsenic-induced rat hepatic tissue and DNA damage. Int. J. Aquat. Biol, 2016, 4(4), 239-255.
- Amarsingham RD, Lee H, Med J, Malaya, 1969, 23, 220.
- Anwar S, Khan NA, Amin KM, Ahmad G, Effects of Banadiq-al buzoor in some renal disorders. J Int Med, 1999, 4, 21–9.
- Aposhian HV, Zakharyan RA, Avram MD, Kopplin MJ, Wollenberg ML,. Oxidation and detoxification of trivalent arsenic species. Toxicol. Appl. Pharmacol, 2003; 193, 1–8.
- Aposhian HV,. Biochemical toxicology of arsenic, In: Hodgson, E., Bend, J.R., Philpot, R.M. (Eds.). Reviews in Biochemical Toxicology, Elsevier., New York, pp, 1989, 265–299.
- Arul-Prakash A, Balasubramanian S, Gunasekaran G, Prakash M, Senthil-Raja P,. Control of Clinical Pathogens by the Haemolymph of Paratelphusa hydrodromous, a Freshwater Crab. ISRN Pharmacol, 2011, 642768. doi: 10.5402/2011/642768.
- Balakumar P, Kaur J. Arsenic exposure and cardiovascular disorders: an overview. Cardiovasc Toxicol,. 2009, 9, 169–176.
- Bansal SK, Haldar N, Dhand UK, Chopra JS,, Chest, 1991, 46, 288.
- Barrett NE, Grandison AS, Lewis MJ,. Contribution of the lactoperoxidase system to the keeping quality of pasteurized milk. The Journal of Dairy Research,1999, 66, 73-80.
- Beaudoin AR, Teratology. 1974, 10, 153.
- Bergmeyer HU, Horder M, Rej R,. International Federation of Clinical Chemistry (IFCC) Scientific Committee, Analytical Section: approved recommendation (1985) on IFCC methods for the measurement of catalytic concentration of enzymes. Part 2. IFCC

- method for aspartate aminotransferase (L-aspartate: 2-oxoglutarate aminotransferase, EC 2.6.1.1). J Clin Chem Clin Biochem, 1986, 24, 497-510.
- Bergström J, Fürst P, Norée LO, Vinnars E,. Intracellular free amino acid concentration in human muscle tissue. J Appl Physiol, 1974, 36, 693-697.
- Besra SE, Ray MM, Dey S, Roy S, Deb N,. Apoptogenic Activity of Secretion Extract of *Bellamya Bengalensis f. Annandalei* via Mitochondrial Mediated Caspase Cascade on Human Leukemic Cell Lines. Int. J. Pharm. Sci, 2013, 20(1). 146-152.
- Bhattacharya S, Chakraborty M, Bose M, Mukherjee D, Roychoudhury A, Dhar P, Mishra R,. Indian freshwater edible snail *Bellamya bengalensis* lipid extract prevents T cell mediated hypersensitivity and inhibits LPS induced macrophage activation. J Ethnopharmacol, 2014, 157, 320-329.
- Bowers LD,. Kinetic serum creatinine assays I. The role of various factors in determining specificity. Clin Chem, 1980, 26, 551-4.
- Brouwer OF, Onkenhout W, Edelbroek PM, de Kom JF, de Wolff FA and Peters AC,. Clin. Neurol. Neurosurg, 1992, 94, 307.
- Buchet JP, Lauwerys R, Roels H,. Comparison of the urinary excretion of arsenic metabolites after a single oral dose of sodium arsenite, monomethylarsonate, or dimethylarsinate in man. Int Arch Occup Environ Health, 1981, 48, 71-79.
- Bustamante J, Nutt L, Orrenius S, Gogvadze V,. Arsenic stimulates release of cytochrome c from isolated mitochondria via induction of mitochondrial permeability transition. Toxicol Appl Pharmacol, 2005, 207, 110-116.
- Byron WR, Bierbower GW, Brouwer JB, Hansen WH, Toxicol, Appl. Phartn, 1967, 10, 132.
- Calatayud M, Devesa V, Velez D,. Differential toxicity and gene expression in Caco-2 cells exposed to arsenic species. Toxicol Lett, 2013, 218, 70-80.

Carter DE, Environ. Health Perspect, 1995, 103 (Suppl 1), 17.

Cavigelli M., Li W., Lin A., Su B., Yoshioka K. and Karin M., The tumor promotor arsenite stimulates AP-1 activity by inhibiting a JNK phosphatase. EMBO J, 1996, 15, 6269 – 79.

Chakraborti D, Das B, Rahman MM, Chowdhury UK, Biswas B, Goswami AB, Nayak B, Pal A, Sengupta MK, Ahamed S, Hossain A, Basu G, Roychowdhury T, Das D. Status of groundwater arsenic contamination in the state of West Bengal. India: A 20-year study report. Mol Nutr Food Res, 2009, 53, 542–51.

Chattopadhyay S, Ghosh S, Debnath, J, Ghosh D,. Protection of sodium arsenite-induced ovarian toxicity by coadministration of L-ascorbate (vitamin C) in mature wistar strain rat. Arch Environ Contam Toxicol, 2001, 41, 83-89.

Chattopadhyay S, Maiti S, Maji G, Deb B, Pan B, Ghosh D,. Protective role of Moringa oleifera (Sajina) seed on arsenic-induced hepatocellular degeneration in female albino rats. Biol Trace Elem Res, 2011, 142, 200-212.

Chen CJ, Chen CW, Wu MM, Kuo TL,. Cancer potential in liver, lung, bladder and kidney due to ingested inorganic arsenic in drinking water. Br J Cancer, 1992, 66, 888-92.

Chen YC, Lin- Shiau SY, Lin JK , J Cell,. Physiol. 1998 177, 324.

Chen YC, Lin- Shiau SY, Lin JK,. J Cell. Physiol. 1998, 177, 324.

Copeland WH, Nealon DA, Rej R,.Effects of temperature on measurement of alkaline Crecelius EA, Environ. Health Prespect, 1977, 19, 147.

Curtis D, Klaassen CD,. The Pharmacological Basis of Therapeutics (Goodman and Gilman, eds), 9th ed, 1995, 1659.

- Das AK, Sahu R, Dua TK, Bag S, Gangopadhyay M, Sinha MK, Dewanjee S. Arsenic-induced myocardial injury: protective role of *Corchorus olitorius* leaves. *Food Chem Toxicol*, 2010, 48, 1210–1217.
- Das D, Chatterjee A, Mandal BK, Samanta G, Chakraborti D, Chanda B,. Arsenic in ground water in six districts of West bengal, India: the biggest arsenic calamity in the world. Part 2. Arsenic concentration in drinking water, hair, nails, urine, skin-scale and liver tissue (biopsy) of the affected people. *Analyst*, 1995, 120, 917–24.
- Das D, Chatterjee A, Mandal BK, Samanta G, Chakraborti D, Chanda B,. Arsenic in ground water in six districts of West bengal, India: the biggest arsenic calamity in the world. Part 2. Arsenic concentration in drinking water, hair, nails, urine, skin-scale and liver tissue (biopsy) of the affected people. *Analyst*, 1995, 120, 917–24.
- Deeths TM, Breeden JT, *J. Pediatr*, 1971, 78, 299.
- Delnomdedieu M., Basti MM, Otvos JD, Thomas DJ,. Reduction and binding of arsenate and dimethylarsinate by glutathione: a magnetic resonance study. *Chem.-Biol. Interact*, 1994, 90, 139–155.
- Dernehl CU, Stead FM, Nau CA,. *Ind. Med*, 1944, 13, 361.
- Derot M, Legrain M, Jacobs C, Prunier P, Hazebroucq E,. *J Urol Nephrol*, 1963, 169, 407.
- Dick L, Parker LA, Mauro MA,. *J Comput Assist Tomogr*, 1990, 14, 828.
- Dickinson JO (1972) *Am. J. Vet Res.* 33, 1889.
- Dixon HBF, The biochemical action of arsonic acids, especially as phosphate analogues. *Adv. Inorg. Chem*, 1997, 44, 191–227.

Dohofrio PD, Wilbourn AJ, Albers JW, Rogers L, Salanga V, Greenberg HS,. Muscle Nerve, 1987, 10, 114.

DPHE, Groundwater studies for arsenic contamination in Bangladesh. Rapid Investigation Phase. Final Report. Mott MacDonald International Ltd and British Geological Survey. Report prepared for Department of Public Health Engineering (Bangladesh) and Department for International Development, UK, 2000.

Druwe IL, Sollome JJ, Sanchez-Soria P, Hardwick RN, Camenisch TD, Vaillancourt RR,. Arsenite activates NFkappaB through induction of C-reactive protein. Toxicol Appl Pharmacol, 2012, 261, 263-70.

Ducoff HS, Neal WB, Straube RL, Jacobson LO, Brues AM,. Proc. Soc. Exp Biol. Med., 1948, 69, 548.

DuPont O, Ariel I, Warren SL, Am. J, Syph Gon, Ven. Dis, 1941, 26, 96.

Dutta K, Prasad P, Sinha D, Chronic low level arsenic exposure evokes inflammatory responses and DNA damage. Int J Hyg Environ Health, 2015, 218, 564-574.

Edmonds JS, Francesconi KA. Transformations of arsenic in the marine environment. Experimentia. 1987, 43, 553–7.

Eiji H,. Nihon iji shimpō, No 1649, 1955, 3-12.

Engvall E, Perlmann P, Enzyme-linked immunosorbent assay, Elisa. 3. Quantitation of specific antibodies by enzyme-labeled anti-immunoglobulin in antigen-coated tubes. J Immunol, 1972, 109, 129-135.

Environ Health Perspect, 2006, 114, A470-6.

Eugene P Sokolov,. An improved method for DNA isolation from mucopolysaccharide-rich molluscan tissues. J.moll.stud, 2000, 66. 573-575.

- Fatmi Z, Azam I, Ahmed F, Kazi A, Gill AB, Kadir MM, Ahmed M, Ara N, Janjua NZ., Core Group for Arsenic Mitigation in Pakistan. Health burden of skin lesions at low arsenic exposure through groundwater in Pakistan. Is river the source? Environ Res, 2009, 109,575–81.
- Fawcett JK, Scott JE,. A rapid and precise method for the determination of urea. J Clin Pathol, 1960, 13, 156-9.
- Ferm VH, Carpenter SJ,. Reprod. Fertil, 1968, 17, 199.
- Forman HJ, Critical methods in Free Radical Biology & Medicine. Free Radic Biol Med, 2009, 47, S207.
- Garcia-Martinez V, Macias D, Gañan Y,. Internucleosomal DNA fragmentation and programmed cell death (apoptosis) in the interdigital tissue of the embryonic chick leg bud. J Cell Sci, 1993, 106, 201–208.
- Gomes A, Alam MA, Datta P, Bhattacharya S., Hepatoprotective activity of the edible snail (*Bellamia bengalensis*) flesh extract in carbon tetrachloride induced hepatotoxicity in rats. Journal of Ethnopharmacology, 2011, 138, 228– 232.
- Gonsebatt MM, Vega L, Herrera LA, Montero R, Rojas E, Cebrian ME, Ostrosky-Wegman P,. Mutat. Res, 1992, 283, 91.
- Gonsebatt MM, Vega L, Herrera LA, Montero R, Rojas E, Cebrian ME, Ostrosky- Wegman P,. Mutat. Res, 1992, 283, 91.
- González AG, Herrador MA, Accuracy profiles from uncertainty measurements. Talanta, 2006, 15, 70(4),896-901.
- Gornall AG, Bardawill CJ, David MM,. Determination of serum proteins by means of

- Gresser MJ., ADP–arsenate, formation by submitochondrial particles under phosphorylating conditions. *J. Biol. Chem.*, 1981, 256, 5981–5983.
- Hayes WJ, Pirkle CI., *Arch. Environ. Health*, 1966, 12, 43.
- Hazari MA, Arifuddin MS, Muzzakar S, Reddy VD., Serum calcium level in hypertension. *N Am J Med Sci*, 2012, 4, 569-572.
- Hernandez-Zavala A, Del Razo LM, Aguilar C, Garcia-Vargas GG, Borja VH, Cebrian ME., Alteration in bilirubin excretion in individuals chronically exposed to arsenic in Mexico. *Toxicol Lett*, 1998, 99, 79-84.
- Hirata M, Tanaka A, Hissnaga A, Ishinishi N., *Toxicol Appl Pharmacol*, 1990, 106, 469.
- Hjelle jj, Grubbs JH, Beer DG, Petersen DR., Inhibition of mitochondrial aldehyde dehydrogenase by malondialdehyde. *Toxicol Lett*, 1982, 14, 35.
- Hjelle M, Grubbs JH, Petersen DR., *Toxicol. Lett*, 1982, 14, 35.
- Hocken AG, Bradshaw G, Br. J. Ind. Med, 1970, 27, 56.
- Hood E, The apple bites back: claiming old orchards for residential development. *Environ Health Perspect*, 2006, 114 (8), 470-476.
- IARC, World Health Organization. Some drinking-water disinfectants and contaminants, including arsenic. IARC Monograph on the Evaluation of Carcinogenic Risks to Humans, 2004, 84, 271–441.
- IARC. Some drinking – water disinfectants and contaminants, including arsenic. IARC Monogr Eval Carcinog Risks Hum, 2004, 84: 1- 477.

- IARC. Some metals and metallic compounds. Lyon, International Agency for Research on Cancer (IARC Monographs on the Evaluation of Carcinogenic Risk to Humans, 1980, Vol. 23.
- Inns RH, Rice P, Bright JE, Marrs TC,. Evaluation of the efficacy of dimercapto chelating agents for the treatment of systemic organic arsenic poisoning in rabbits. *Hum Exp Toxicol*, 1990, 9, 215-220.
- Jendryczko A, Dr'ozdz M, Lipid peroxidation in the nuclear fraction of rat lungs induced by hydralazine. *Neoplasma*, 1988, 35, 37–40.
- Jenkins GC, Ind JE, Kazantzis, Owen K,. *Br. Med. J*, 1965, 2, 78.
- Jolliffe DM, Budd AJ, Gwilt DJ,. *Anesthesia*, 1991.
- Karmohapatra SK, Chakraborty K, Kahn NN, Sinha AK, The role of nitric oxide in aspirin induced thrombolysis in vitro and the purification of aspirin activated nitric oxide synthase from human blood platelets. *Am J Hematol*, 2007, 82, 986-995.
- Katsura K, Shikoku Igaku Zasshi, 1953, 12, 706.
- Kaul D, Sharma S, Sharma M, Arora Z, Arora M,. Arsenic programmes cellular genomic-immunity through miR-2909 R Nomics. *Gene*. 2014, 536, 326-331.
- Keenan DM, Oe RD,. 1973, *Aust. Vet J* 49, 229.
- Kelynack TN, Kirkly W, Delepine S, Tattersall CH,. *Lancet*, 1900, 2, 1600.
- Kim, Advances in Food and Nutrition Research, Marine Medicinal Foods: Implications and Applications: Animals and Microbes. Se-Kwon (ed.). Academic Press, ELSEVIER, Vol. 65 (Suppl C), Waltham, MA 02451, USA, 2012.
- King JR, Riviere JE and Monteiro-Riviere NA. *Toxicol. Appl. Pharmacol*, 1992, 116, 189.

Kipling MD, Fothergill R., Br. J. Ind. Med, 1964, 21, 74.

Kitchin KT, Wallace K., The role of protein binding of trivalent arsenicals in As carcinogenesis and toxicity. J. Inorg. Biochem, 2008, 102, 532-539.

Klaassen C; Watkins J., Casarett and Doull's Essentials of Toxicology. McGraw-Hill, 2003, p. 512. ISBN 978-0-07-138914-3.

Labadie H, Stoessel P, Callard P, Beaugrand M., Gastroenterology, 1990, 99, 1140.

Landrigan PJ. Occupational and community exposures to toxic metals: lead,cadmium mercury and arsenic. West J Med, 1982, 137, 531–539.

Lawton AH, Ness AT, Brady FJ, Cowie DB,. Science, 1945, 102, 120.

Ledet AE, Duncan JR, Buck WB and Rampey FK, Clin. Toxicol, 1973, 6, 439.

Lee- Chen SF, Yu CT , Jan KY ,. Mutagenesis.1992, 7, 51.

Lee TC , Ho IC Arch,. Toxicol.1995, 69, 498.

Li M, Cai JF, Chiu JF,. Arsenic induces oxidative stress and activates stress gene expressions in cultured lung epithelial cells. J Cell Biochem, 2002, 87, 29- 38.

Lide DR, ed. CRC handbook of chemistry and physics, 73rd ed. Boca Raton, FL, CRC Press, 1992–1993.

Lindberg AL, Kumar R., Goessler W, Thirumaran R., Gurzau E, Koppova K., Metabolism of low-dose inorganic arsenic in a central European population: influence of sex and genetic polymorphisms. Environ Health Perspect, 2007, 115, 1081–6.

Lindgren A, Danielsson BR, Oencker L, Vahter M,. Acta. Pharmacol, Toxicol, 1984, 54, 311.

Lisella FS, Long KR, Scott HG,. J Environ Health, 1972, 34, 511.

Lovell MA, Farmer JG., Human. Toxicol, 1985, 4, 203.

Ma N, Sasoh M, Kawanishi S, Sugiura H, Piao F, Protection effect of taurine on nitrosative stress in the mice brain with chronic exposure to arsenic. J Biomed Sci, 2010, 1, S7.

Mahata, M.C., 2002. Edible Shell Fish (Molluscs) of Chotanagpur Plateau, Jharkhand (India). Baripada, Orissa. Bio-publications. 1-133.

Maiti S, Chatterjee AK,. Differential response of cellular antioxidant mechanism of liver and kidney to arsenic exposure and its relation to dietary protein deficiency. Environmental Toxicology and Pharmacology, 2000, 8, 227-235.

Maiti S, Chatterjee AK,. Effects on levels of glutathione and some related enzymes in tissues after an acute arsenic exposure in rats and their relationship to dietary protein deficiency. Arch Toxicol, 2001, 75, 531-537.

Maiti S, Chattopadhyay S, Acharyya N, Deb B, Hati AK,. *Embllica officinalis* (amla) ameliorates arsenic-induced liver damage via DNA protection by antioxidant systems. Mol Cell Toxicol, 2014, 10, 75-82.

Maiti S, Chattopadhyay S, Deb B, Samanta T, Maji G, Pan B, Ghosh A, Ghosh D,. Antioxidant and metabolic impairment result in DNA damage in arsenic-exposed individuals with severe dermatological manifestations in Eastern India. Environ Toxicol, 2012, 27, 342–350.

Maiti S,. Arsenic-Induced Mutagenesis and Carcinogenesis: A Possible Mechanism. Handbook of Arsenic Toxicology, in: Flora, S.J.S. (Eds.); Elsevier: Academic Press, London, 2015, 233-279.

Mandal BK, Suzuki KT. Arsenic round the world: a review. Talanta, 2002, 58, 201- 35.

Mandal P,. An insight of environmental contamination of arsenic on animal health. Emerging Contaminants, 2017, 3 (1), 17-22.

- Manna P, Sinha M, Sil PC. Arsenic-induced oxidative myocardial injury:protective role of arjunolic acid. *Arch Toxicol*, 2008, 82, 137–149.
- Marafante E, Vahter M, Norin H, Envall J, Sandstorm M, Christakopoulos A and Ryhage R. *J Appl Toxicol*, 1987, 7, 111.
- Mayne PD, Clinical Chemistry in Diagnosis and Treatment. The kidneys and renal calculi, 6th; Edward Arnold Publications; London, 1994, 2–24.
- Meng Z. *Biol. Trace. Elem. Res*, 1993, 39, 73.
- Messarah M, Saoudi M, Boumendjel A, Kadeche L, Boulakoud MS, El Feki A., Green tea extract alleviates arsenic induced biochemical toxicity and lipid peroxidation in rats. *Toxicol Ind Health*, 2013, 29, 349–359.
- Mohrit T, Hisanaga A, Ishinishi M,. *Food. Chem. Toxicol*, 1990, 28, 521.
- Montaser R., Luesch H, Marine natural products: a new wave of drugs? *Future Med Chem*, 2011, 3, 1475-1489.
- Moore SA, Moennich DM, Gresser MJ. Synthesis and hydrolysis of ADP-arsenate by beef heart submitochondrial particles. *J Biol Chem*, 1983, 258, 6266-6271.
- Morse KM, Setterlind AS,. *Arch. Ind. Hyg. Occup. Med*, 1950, 2, 148.
- Muehecke RC, Pirani CL,. *Ann. Int. Med*, 1968, 68, 853.
- Murer H, Forster I, Biber J. The sodium phosphate cotransporter family SLC34. *Pflugers Arch*, 2004, 447, 763-767.
- Nagai H, Okuda R, Nagami H, Yagi A, Mori C, Wada H,. Subacute-chronic "arsenic" poisoning in infants Subsequent clinical observations. Shonika Kiyo, (EPA translation No. TR113-74) 2, 11) 1956, 124-132.

- Nandi D, Patra RC, Swarup D,. Oxidative stress indices and plasma biochemical parameters during oral exposure to arsenic in rats. *Food Chem Toxicol*, 2006, 44, 1579–84.
- Nordenson I and Beckman L., *Hum Hered*, 1991, 42, 71.
- Nordenson I, Beckman, *Hum Hered*, 1991, 42, 71.
- Overby LR, Fredrickson RI. *Toxicol. Appl. Pharmacol*, 1965, 7, 855.
- Pederson N, Butler J, Whanger P,. Influence of arsenic on selenium metabolism and glutathione peroxidase activity in rats. *J Trace Elem Electrolytes Health Dis*, 1991, 5, 75-80.
- Perry K, Bowler RG, Buchell HM, Durett HA, Schilling Br,. *J. Ind. Med*, 1948, 5, 6. Phosphatase activity. *Clin Chem*, 1985, 31, 185-90.
- Prabhakar AK, Roy SP,. Ethno-medicinal Uses of Some Shell Fishes by People of Kosi River Basin of North-Bihar. *India Ethno-Med*, 2009, 3(1), 1-4.
- Prasad GV, Rossi NF,. *Am. J. Kidney Dis*, 1995, 26, 373.
- Quave CL, Pieroni A, Bennett BC,. Dermatological remedies in the traditional pharmacopoeia of Vulture-Alto Bradano, inland southern Italy. *Journal of Ethnobiology and Ethnomedicine*, 2008, 4, 5.
- Ramanathan K, Anusuyadevi M, Shila S, Panneerselvam C,. Ascorbic acid and tocopherol as potent modulators of apoptosis on arsenic induced toxicity in rats. *Toxicol Lett*, 2005, 156, 297-306.
- Rathus EM, *Queensland Agric J*, 1963, 366.
- Ratnaike RN. Acute and chronic arsenic toxicity. *Postgraduate Med J*, 2003, 79, 391–6.

Rossmann TG, Uddin AN, Burns FJ, Bosland MC., Arsenite is a cocarcinogen with solar ultraviolet radiation for mouse skin: an animal model for arsenic carcinogenesis. *Toxicol Appl Pharmacol*, 2001, *176*, 64-71.

Roy P, Saha A., Metabolism and toxicity of arsenic: A human carcinogen. *Current Science*, 2002, *82*, 38-45.

Rudel R, Slayton TM, Beck BD., *Regul. Toxicol. Pharmacol*, 1996, *23*, 87.

Rudel R, Slayton TM, Beck BD., *Regul. Toxicol. Pharmacol*, 1996, *23*, 87.

Santra A, Chowdhury A, Ghatak S, Biswas A, Dhali GK., Arsenic induces apoptosis in mouse liver is mitochondria dependent and is abrogated by N-acetylcysteine. *Toxicol Appl Pharmacol*, 2007, *220*, 146-155.

Satterlee HS., *New Engl J Med*, 1960, *263*, 676.

Schreiber M, Brouwer EA., Metabolism and toxicity of arsenicals. *Fed. Proc. Abstr.*, 1964, *23*, 199.

Schumann G, Bonora R, Ceriotti F, Ferard G, Ferrero CA, Franck PF, Gella FJ, Hoelzel W, Jorgensen PJ, Kanno T., IFCC primary reference procedures for the measurement of catalytic activity concentrations of enzymes at 37 degrees C. International Federation of Clinical Chemistry and Laboratory Medicine, Part 5. Reference procedure for the measurement of catalytic concentration of aspartate aminotransferase. *Clin Chem Lab Med*, 2002, *40*, 725-33.

Scott N, Hatlelid KM, MacKenzie NE, Carter DE ,*Chem. Res. Toxicol.* 1993, *6*, 102.

Scott N, Hatlelid KM, MacKenzie NE, Carter DE., *Chem. Res. Toxicol.* 1993, *6*, 102.

Shabelnikov S, Kiselev A, Cysteine-Rich Atrial Secretory Protein from the Snail *Achatina achatina*: Purification and Structural Characterization. *PLoS One*. 2015, *10*.

- Shila S, Subathra M, Devi MA, Panneerselvam C., Arsenic intoxication-induced reduction of glutathione level and of the activity of related enzymes in rat brain regions: reversal by DL-alpha-lipoic acid. *Arch Toxicol*, 2005, 79, 140-146.
- Singh NP, McCoy MT, Tice RR, Schneider EL,. A simple technique for quantitation of low levels of DNA damage in individual cells. *Exp Cell Res*, 1988, 175, 184–91.
- Singh R, Sharma M, Joshi P, Rawat DS,. Clinical status of anti-cancer agents derived from marine sources. *Anticancer Agents Med Chem*, 2008, 8, 603-617.
- Singh R., Sharma M., Joshi P, Rawat DS,. Clinical status of anti-cancer agents derived from marine sources. *Anticancer Agents Med Chem*, 2008, 8, 603-617.
- Singh V, Mitra S, Sharma AK, Gera R, Ghosh D,. Isolation and characterization of microglia from adult mouse brain: selected applications for ex vivo evaluation of immunotoxicological alterations following in vivo xenobiotic exposure. *Chem Res Toxicol*, 2014b, 27, 895-903.
- Sinha AK,. Colorimetric assay of catalase. *Anal Biochem*, 1972, 47, 389–94.
- Sinha D, Dey S, Bhattacharya RK, Roy M,. In vitro mitigation of arsenic toxicity by tea polyphenols in human lymphocytes. *J Environ Pathol Toxicol Oncol*, 2007, 26, 207–220.
- Snyder RD, Lachmann PJ,. *Mol. Toxicol*, 1989, 2, 117.
- Soria E, Eynard A, Bongiovanni G,. Cytoprotective effects of silymarin on epithelial cells against arsenic-induced apoptosis in contrast with quercetin cytotoxicity. *Life Sci*, 2010, 87, 309-15.
- Spolyar LW, Harger RN,. *Arch. hid. Hyg. Med* I, 1950, 119.

- Srivastava P, Yadav RS, Chandravanshi LP, Shukla RK, Dhuriya YK, Chauhan LK,. Unraveling the mechanism of neuroprotection of curcumin in arsenic induced cholinergic dysfunctions in rats. *Toxicol Appl Pharmacol*, 2014, 279, 428-440.
- Stachowicz M, Hiemstra T, van Riemsdijk WH,. Multi-competitive interaction of As (III) and As (V) oxyanions with Ca²⁺, PO₃ – and CO₂ – ions on goethite. *J. Colloid Interface Sci*, 2008, 320, 400–414.
- Steinman HM, The amino acid sequence of mangano superoxide dismutase from Escherichia coli. *J Biol Chem*, 1978, 253, 8708–20.
- Steinmaus C, Ferreccio C, Acevedo J, Yuan Y, Liaw J, Duran V, Cuevas S, Garcia J, Meza R, Valdes R,. Increased lung and bladder cancer incidence in adults after in utero and early-life arsenic exposure. *Cancer Epidemiol Biomarkers Prev*, 2014, 23, 1529-1538.
- Sumi D, Sasaki T, Miyataka H, Himeno S. Rat H9c2 cardiac myocytes are sensitive to arsenite due to a modest activation of transcription factor Nrf2. *Arch Toxicol*, 2011, 85, 1509–1516.
- Sun X, Li B, Li X, Wang Y, Xu Y, Jin Y, Piao F, Sun G,. Effects of sodium arsenite on catalase activity, gene and protein expression in HaCaT cells. *Toxicol in Vitro*, 2006, 20, 1139-44.
- Tabacova S, Baird DD, Balabaeva L, Lolova D, Petrov I,. *Placenta*, 1994, 15, 873.
- Tam GKH, Charbonneau SM, Bryce F, Pomroy C, Sandi R,. *Toxicol Appl Pharmacol*, 1979, 50, 319.
- Tamaki S, Frankenberger WT Jr,. Environmental biochemistry of arsenic. *Rev Environ Contam Toxicol*, 1992, 124, 79–110.

Tarrant RF, Allard J., Arch Environ Health, 1972, 24, 277.

Terada LS, Leff JA, Repine JE,. Measurement of xanthine oxidase in biological tissues.

Methods Enzymol, 1990, 186, 651–66. the biuret reaction. J Biol Chem, 1949, 177, 751-66.

Thomas KW, Pellizzari ED, Berry MR,. Population-based dietary intakes and tap water concentrations for selected elements in the EPA region V. National Human Exposure Assessment Survey (NHEXAS). J Expo Anal Environ Epidemiol, 1999, 9, 402–13.

Thompson DJ, Chem. Biol. Interact, 1993, 88, 89.

Tokanehara S, Akao S, Tagaya S,. Blood finding in infantile arsenic toxicosis caused by powdered milk. Shonika rinsho. (EPA translation No. TR110-74), 1956, 9, 1078-1084.

Treadwell FH,. Analytical chemistry. New York, USA: Based on the German Text of John Wiley & Sons, 1948.

Tripathi RM, Raghunath R, Krishnamoorthy TM,. Arsenic intake by the adult population in Bombay city. Sci Total Environ, 1997 208, 89–95.

Uchida K. Current status of acrolein as a lipid peroxidation product. Trends Cardiovasc Med, 1999, 9, 109-13.

Underwood EJ, Trace elements in human and animal nutrition, 3rd ed,, New York,
Vahter M, Concha G,. Role of metabolism in arsenic toxicity. Pharmacol Toxicol, 2001, 89, 1-5.

Vahter M, Envall J., Environ. Res, 1983, 32, 14.

- Valentine JL, He SY, Reisbord LS and Lachenbrtich PA. J. Chit Epidemiol 1992, 45, 487.
- Wagner SL, Weswig P,. Arch Environ Health, 1974, 28, 77.
- Wang TS, Huang H ,Mutagenesis.,1994, 9, 253.
- Watanabe G, Hasegawa K,. Clinical observations of chronic toxicosis by arsenic. Nihon Rinsho, 1960, 18, 2394- 403.
- Watrous RM, McCaughey MD,. Ind Med Surg, 1945, 14, 639.
- WHO. Arsenic and arsenic compounds (Environmental Health Criteria 224), 2nd ed. Geneva: World Health Organization, international Programme on chemical safety, 2001.
- World Health Organization, Arsenic in Drinking Water, accessed 5 Feb 2007.
- Xue A, Shen ZZ, Zhao B, Zhao HZ,. Arsenite removal from aqueous solution by a microbial fuel cell-zerovalent iron hybrid process. J. Hazard. Mater, 2013, 261, 621-627.
- Yamanaka K, Hasegawa A, Sawamura R, Okhada S,. Biochem. Biophys. Res. Commun, 1989, 168, 58.
- Yamanaka K, Hoshino M, Okamoto M, Sawamura R, Hasegawa A , Okada S,. Biochem. Biophys. Res. Commun. 1990, 168, 58.
- Yamanaka K, Hoshino M, Okamoto M, Sawamura R, Hasegawa A, Okada S,. Induction of DNA damage by dimethylarsine, a metabolite of inorganic arsenics, is for the major part likely due to its peroxy radical. Biochem Biophys Res Commun, 1990, 168, 58-64.
- Yamanaka K, Hasegawa A, Sawamura R, Okada S,. Dimethylated arsenics induce DNA strand breaks in lung via the production of active oxygen in mice. Send to Biochem Biophys Res Commun, 1989, 165(1), 43-50.

- Yamashita N, Doi M, Nishoi M, Hojo H, Tanaka M., Current state of Kyoto children poisoned by arsenic tainted moiinaga dry milk. *Nihon Eiseigaku Zasshi.* (EPA translation No. TR108-74), 1972, 27, 364-399.
- Young IS, Woodside IS, Antioxidants in health and disease. *J Clin Pathol.* 2001, 54, 176- 86.
- Yu BP ,*Physiol. Rev.* 1994, 74, 139.
- Zaman K, Macgill RS, Johnson JE, Ahmad S, Pardini RS., *Arch. Insect. Biochem. Physiol.*, 1995, 29, 199.
- Zarazúa S, Pérez-Severiano F, Delgado JM, Martínez LM, Ortiz-Pérez D, Jiménez-Capdeville ME,. Decreased nitric oxide production in the rat brain after chronic arsenic exposure. *Neurochem Res.* 2006, 31, 1069-1077.