

Table of Contents

Title Page		
Certificate		
Abstract		
Declaration		
Acknowledgements		
Contents		
List of Tables		
List of Figures		
List of Schemes		
List Abbreviations and Symbols		
Chapter I	Introduction	1-16
1.1	Low dimensional materials	1
1.2	Synthesis of Organic low dimensional materials	1
	1.2.1 Reprecipitation Method	2
	1.2.2 Physical vapour deposition (PVD) method	2
	1.2.3 Microemulsion Method	3
	1.2.4 Ultra-Sonication Method	4
	1.2.5 Microwave Method	4
1.3	Stabilization of Microparticles	4
	1.3.1 Soft Template Method	4
	1.3.2 Hard Template Method	5
1.4	AIEE based low dimensional materials	6
1.5	Principle of AIE/AIEE	8
1.6	Mechanism of AIEE phenomena	8
	1.6.1 Restriction of intramolecular rotation (RIR)	9
	1.6.2 Restriction of intramolecular vibration (RIV)	9
	1.6.3 Restriction of intramolecular motion (RIM)	10
1.7	Basic Parameters of AIEE Study	11
1.8	Concept of Chemosensor	11
1.9	Fluorescent Chemosensor	12
1.10	Mechanisms of Signal Transduction	12
	1.10.1 Photo-induced Electron Transfer (PET)	12
	1.10.2 Intramolecular Charge Transfer (ICT)	13
	1.10.3. Excited State Intramolecular Proton Transfer (ESIPT)	13
	1.10.4 Fluorescence Resonance Energy Transfer (FRET)	13
1.11	Development of AIEE based Chemosensor	14
1.12	Objectives of the Present Thesis Work	15

Chapter II	Brief Literature Survey on AIE/AIEE Based Low Dimensional Material as Fluorescence Chemosensors for TNP, Al & Zn		17-36
2.1	A Brief Overview of AIE/AIEE based Low dimensional material		17
2.2	A Brief Overview of Fluorescence Chemosensor of TNP		23
	2.2.1	AIE/AIEE Based Sensors	23
	2.2.2	Fluorescent Chemosensors Other than AIE/AIEE	28
2.3	A Brief Overview of Dual chemosensor for Al (III) and Zn (II) Ions:		30
Chapter III	Crystal induced phosphorescence from Benz(a)anthracene microcrystals at room temperature		37-51
3.1	Introduction		37
3.2	Experimental Section		38
	3.2.1	Materials	38
	3.2.2	Synthesis of P¹ Microparticles	38
	3.2.3	Characterization	39
	3.2.4	Computational study	40
3.3	Results and Discussion		41
	3.3.1	SEM study	41
	3.3.2	Optical microscopic study	41
	3.3.3	UV-Vis Study	43
	3.3.4	Emission Study	45
	3.3.5	Time resolved emission study	46
	3.3.6	Computation of Fukui Parameters as local reactivity descriptor	47
3.4	Conclusions		51
Chapter IV	Solvatochromism and turn-off fluorescence sensing property of N, N'-bis(3-pentyl)perylene-3, 4, 9, 10-bis(dicarboximide) towards nitroaromatics and photophysical study of its microstructures		52-67
4.1	Introduction		52
4.2	Experimental Section		53
	4.2.1	Materials	53
	4.2.2	Synthesis of P² Microparticles	54
	4.2.3	Characterization	54
	4.2.4	Computational method	55
	4.2.5	Detection Limit	55
4.3	Results and Discussion		55
	4.3.1	Solvatochromic Study	55

	4.3.2	Concentration Dependence Photophysical Study of P ²	57
	4.3.3	Sensing of nitroaromatics	59
	4.3.4	SEM study of aggregated hydrosol	61
	4.3.5	Optical microscopic study of aggregated hydrosol	63
	4.3.6	XRD Study of aggregated hydrosol	63
	4.3.7	UV-Vis Study of aggregated hydrosol	64
	4.3.8	Emission Study of aggregated hydrosol	66
4.4	Conclusions		67
Chapter V	Aggregation induced emission enhancement from antipyrine based schiff base and its selective sensing towards picric acid		68-87
5.1	Introduction		68
5.2	Experimental Section		69
	5.2.1	Materials	69
	5.2.2	Synthesis of P ³ and P ³ Microparticles	70
	5.2.3	Characterization	71
	5.2.4	Detection Limit	71
5.3	Results and Discussion		72
	5.3.1	SEM study	72
	5.3.2	Optical microscopic study	75
	5.3.3	UV-Vis Study	75
	5.3.4	Emission Study	78
	5.3.5	DFT Study	80
	5.3.6	Picric acid sensing	81
5.4	Conclusion		87
Chapter VI	Proton triggered emission and selective sensing of 2,4,6-trinitrophenol using a fluorescent hydrosol of 2-phenylquinoline		88-109
6.1	Introduction		88
6.2	Experimental Section		90
	6.2.1	Materials	90
	6.2.2	Synthesis of P ⁴ Microparticles	91
	6.2.3	pH study	91
	6.2.4	Fluorescence Quantum yield study	91
	6.2.5	Characterization	92
	6.2.6	Detection limit	92
6.3	Results and Discussion		93
	6.3.1	SEM study	93
	6.3.2	Optical microscopic study	94

	6.3.3	UV-Vis Study	94
	6.3.4	Emission Study	96
	6.3.5	Fluorescence anisotropy study	96
	6.3.6	pH dependent photophysical study	98
	6.3.7	Absorption spectra of P ⁴ at different pH	98
	6.3.8	Fluorescence emission of P ⁴ at different pH	98
	6.3.9	Time resolved fluorescence studies	100
	6.3.10	Reversibility studies	100
	6.3.11	DFT Study	102
	6.3.12	TNP Sensor	103
6.4	Conclusion		109
Chapter VIII			
	An Efficient Fluorogenic “Turn-on” Dual Chemosensor for Al³⁺ and Zn²⁺ with Distinct Colour Change and Its AIEE Behaviour		110-137
7.1	Introduction		110
7.2	Experimental section		112
	7.2.1	Materials	112
	7.2.2	Synthesis of P ⁵ and P ⁵ Microparticles	113
	7.2.3	Characterization	114
	7.2.4	Limit of Detection (LOD)	114
	7.2.5	Fluorescence Quantum Yield	114
7.3	Results and discussion		115
	7.3.1	Aggregation-induced Emission Enhancement (AIEE)	116
		7.3.1.1	Optical microscopic study
		7.3.1.2	UV-Vis Study
		7.3.1.3	Emission Study
		7.3.1.4	Time-Resolved Photoluminescence (TRPL) Measurements
		7.3.1.5	DLS Measurement
	7.3.2	Analytical Performance: Sensing Knack toward Al ³⁺ & Zn ²⁺ Ions	122
		7.3.2.1	UV-Vis Spectroscopic Studies of P ⁵ in the Presence of Metal Ions
		7.3.2.2	Fluorescence Spectroscopic Studies of P ⁵ in the Presence of Metal Ions
		7.3.2.3	Time-Resolved Photoluminescence (TRPL) Study
		7.3.2.4	Metal Ion Competition Studies
		7.3.2.5	Dissociation Constant
		7.3.2.6	Detection Limit
		7.3.2.7	Binding Sites and Reversibility

		7.3.2.8	Molecular Logic Operation	133
7.4	Conclusion			136
General Conclusions				
Summary				137-139
Bibliography				140-141
List of Publications				142-166
				167-169

