

15.0. Bibliography

- Acharyya N, Deb B, Chattopadhyay S, Maiti S.** Arsenic induced antioxidant depletion, oxidative DNA breakage, and tissue damages are prevented by the combined action of folate and vitamin B₁₂. *Biological Trace Element*. 2015;168:122–132.
- Acharyya N, Sajed Ali S, Deb B, Chattopadhyay S, Maiti S.** Green tea (*Camellia sinensis*) alleviates arsenic-induced damages to DNA and intestinal tissues in rat and *in situ* intestinal loop by reinforcing antioxidant system. *Environmental toxicology* 2015;30(9):1033-1044.
- Agarwal A, Aponte-Mellado A, Premkumar BJ, Shaman A, Gupta S.** The effects of oxidative stress on female reproduction: a review. *Reproductive biology and endocrinology*. 2012;10(1):49.
- Agarwal R, Goel SK, Behari JR.** Detoxification and antioxidant effects of curcumin in rats experimentally exposed to mercury. *Journal of Applied Toxicology*. 2010;30(5):457-468.
- Aggarwal BB, Harikumar KB.** Potential therapeutic effects of curcumin, the anti-inflammatory agent, against neurodegenerative, cardiovascular, pulmonary, metabolic, autoimmune and neoplastic diseases. *The international journal of biochemistry & cell biology*. 2009;41(1):40-59.
- Agrawal S, Flora G, Bhatnagar P, Flora SJ.** Comparative oxidative stress, metallothionein induction and organ toxicity following chronic exposure to arsenic, lead and mercury in rats. *Cell Mol Biol (Noisy-le-grand)*. 2014;60(2):13-21.
- Ahmad SA, Sayed MH, Barua S, Khan MH, Faruquee MH, Jalil A, Hadi SA, Talukder HK.** Arsenic in drinking water and pregnancy outcomes. *Environmental health perspectives*. 2001;109(6):629-631.
- Ahmed KM.** Management of the groundwater arsenic disaster in Bangladesh. InNatural Arsenic in Groundwater: Proceedings of the Pre-Congress Workshop" Natural Arsenic in

Groundwater", 32nd International Geological Congress, Florence, Italy, 18-19 August 2004 Mar 1 (p. 283). CRC Press.

Ajees AA, Marapakala K, Packianathan C, Sankaran B, Rosen BP. Structure of an As (III) S-adenosylmethionine methyltransferase: insights into the mechanism of arsenic biotransformation. *Biochemistry*. 2012;51(27):5476-5485.

Ak T, Gülcin İ. Antioxidant and radical scavenging properties of curcumin. *Chemico-biological interactions*. 2008;174(1):27-37.

Akhtar F, Rizvi MM, Kar SK. Oral delivery of curcumin bound to chitosan nanoparticles cured Plasmodium yoelii infected mice. *Biotechnology advances*. 2012;30(1):310-320.

Akila P, Vennila L. Chlorogenic acid a dietary polyphenol attenuates isoproterenol induced myocardial oxidative stress in rat myocardium: An in vivo study. *Biomedicine & Pharmacotherapy*. 2016;84:208-214.

Aktas C, Kanter M, Kocak Z. Antiapoptotic and proliferative activity of curcumin on ovarian follicles in mice exposed to whole body ionizing radiation. *Toxicology and industrial health*. 2012;28(9):852-863.

Altenburg JD, Bieberich AA, Terry C, Harvey KA, VanHorn JF, Xu Z, Davisson VJ, Siddiqui RA. A synergistic antiproliferation effect of curcumin and docosahexaenoic acid in SK-BR-3 breast cancer cells: unique signaling not explained by the effects of either compound alone. *BMC cancer*. 2011;11(1):149.

Ammon HP, Wahl MA. Pharmacology of Curcuma longa. *Planta medica*. 1991;57(01):1-7.

Anitha A, Maya S, Deepa N, Chennazhi KP, Nair SV, Tamura H, Jayakumar R. Efficient water soluble O-carboxymethyl chitosan nanocarrier for the delivery of curcumin to cancer cells. *Carbohydrate Polymers*. 2011;83(2):452-461.

- Anjana D**, Nair KA, Somashekara N, Venkata M, Sripathy R, Yelucheri R, Parmar H, Upadhyay R, Verma SR, Ramchand CN. Development of curcumin based ophthalmic formulation. *American Journal of Infectious Diseases*. 2012;8(1):41.
- Azmi AF**, Mustafa S, Hashim DM, Manap YA. Prebiotic activity of polysaccharides extracted from *Gigantochloa levis* (Buluh beting) shoots. *Molecules*. 2012;17(2):1635-1651.
- Ba X**, Garg NJ. Signaling mechanism of poly (ADP-ribose) polymerase-1 (PARP-1) in inflammatory diseases. *The American journal of pathology*. 2011;178(3):946-955.
- Bala T**, Arumugam SK, Pasricha R, Prasad BL, Sastry M. Foam-based synthesis of cobalt nanoparticles and their subsequent conversion to Co core Ag shell nanoparticles by a simple transmetallation reaction. *Journal of Materials Chemistry*. 2004;14(6):1057-1061.
- Bates MN**, Smith AH, Hoppenhayn-Rich C. Arsenic ingestion and internal cancers: a review. *American Journal of Epidemiology*. 1992;135(5):462-476.
- Bharti AC**, Donato N, Singh S, Aggarwal BB. Curcumin (diferuloylmethane) down-regulates the constitutive activation of nuclear factor- κ B and I κ B α kinase in human multiple myeloma cells, leading to suppression of proliferation and induction of apoptosis. *Blood*. 2003;101(3):1053-1062.
- Bhattacharjee SU**, Pal SU. Additive protective effects of selenium and vitamin E against arsenic induced lipidemic and cardiotoxic effects in mice. *International Journal of Pharmacy and Pharmaceutical Science*. 2014;6(5):406-413.
- Bhattacharya A**, Bhattacharya S. Induction of oxidative stress by arsenic in *Clarias batrachus*: involvement of peroxisomes. *Ecotoxicology and environmental safety*. 2007;66(2):178-187.

- Bhattacharya S**, Haldar PK. The triterpenoid fraction from Trichosanthes dioica root suppresses experimentally induced inflammatory ascites in rats. *Pharmaceutical biology*. 2013;51(11):1477-1479.
- Biswas J**, Sinha D, Mukherjee S, Roy S, Siddiqi M, Roy M. Curcumin protects DNA damage in a chronically arsenic-exposed population of West Bengal. *Human & experimental toxicology*. 2010;29(6):513-524.
- Brandt RB**, Laux JE, Spainhour SE, Kline ES. Lactate dehydrogenase in rat mitochondria. *Archives of Biochemistry and Biophysics*. 1987;259(2):412-422.
- Budrat P**, Shotipruk A. Extraction of phenolic compounds from fruits of bitter melon (*Momordica charantia*) with subcritical water extraction and antioxidant activities of these extracts. *Chiang Mai Journal of Science*. 2008;35(1):123-130.
- Byron WR**, Bierbower GW, Brouwer JB, Hansen WH. Pathologic changes in rats and dogs from two-year feeding of sodium arsenite or sodium arsenate. *Toxicology and applied pharmacology*. 1967;10(1):132-147.
- Caldecott KW**. Protein-protein interactions during mammalian DNA single-strand break repair. *Biochemical Society Transactions*. 2003;31:247–251.
- Calvo P**, Remunan-Lopez C, Vila-Jato JL, Alonso MJ. Novel hydrophilic chitosan-polyethylene oxide nanoparticles as protein carriers. *Journal of Applied Polymer Science*. 1997;63(1):125-132.
- Calvo P**, Vila-Jato JL, Alonso MJ. Effect of lysozyme on the stability of polyester nanocapsules and nanoparticles: stabilization approaches. *Biomaterials*. 1997;18(19):1305-1310.
- Cardin R**, Piocchi M, Bortolami M, Kotsafti A, Barzon L, Lavezzo E, Sinigaglia A, Rodriguez-Castro KI, Rugge M, Farinati F. Oxidative damage in the progression of chronic

- liver disease to hepatocellular carcinoma: an intricate pathway. World journal of gastroenterology: WJG. 2014;20(12):3078.
- Carleton** AB, Peters RA, Thompson RH. The treatment of arsenical dermatitis with dimercaptopropanol (BAL). Quarterly Journal of Medicine. 1948;17(65):49-79.
- Celino** FT, Yamaguchi S, Miura C, Miura T. Arsenic inhibits in vitro spermatogenesis and induces germ cell apoptosis in Japanese eel (*Anguilla japonica*). Reproduction. 2009;138(2):279-287.
- Chakraborti** D, Rahman MM, Paul K, Chowdhury UK, Sengupta MK, Lodh D, Chanda CR, Saha KC, Mukherjee SC. Arsenic calamity in the Indian subcontinent: what lessons have been learned? Talanta. 2002;58(1):3-22.
- Champlin** AK, Dorr DL, Gates AH. Determining the stage of the estrous cycle in the mouse by the appearance of the vagina. Biology of reproduction. 1973;8(4):491-494.
- Chang** MT, Tsai TR, Lee CY, Wei YS, Chen YJ, Chen CR, Tzen JT. Elevating bioavailability of curcumin via encapsulation with a novel formulation of artificial oil bodies. Journal of agricultural and food chemistry. 2013;61(40):9666-9671.
- Chao** CY, Huang CJ. Bitter gourd (*Momordica charantia*) extract activates peroxisome proliferator-activated receptors and upregulates the expression of the acyl CoA oxidase gene in H4IIEC3 hepatoma cells. Journal of biomedical science. 2003;10(6):782-791.
- Chappell** WR, Beck BD, Brown KG, Chaney R, Cothorn R, Cothorn CR, Irgolic KJ, North DW, Thornton I, Tsongas TA. Inorganic arsenic: a need and an opportunity to improve risk assessment. Environmental health perspectives. 1997;105(10):1060-1070.
- Chatjigakis** AK, Pappas C, Proxenia N, Kalantzi O, Rodis P, Polissiou M. FT-IR spectroscopic determination of the degree of esterification of cell wall pectins from stored peaches and correlation to textural changes. Carbohydrate Polymers. 1998;37(4):395-408.

- Chatterjee A**, Chatterji U. Arsenic abrogates the estrogen signaling pathway in the rat uterus. *Reproductive Biology and Endocrinology*. 2010;8:80.
- Chattopadhyay I**, Biswas K, Bandyopadhyay U, Banerjee RK. Turmeric and curcumin: Biological actions and medicinal applications. *Current Science-Bangalore*. 2004;87:44-53.
- Chattopadhyay S**, Bhaumik S, Purkayastha M, Basu S, Nag Chaudhuri A, Das Gupta S. Apoptosis and necrosis in developing brain cells due to arsenic toxicity and protection with antioxidants. *Toxicology Letters*. 2002;136(1):65–76.
- Chattopadhyay S**, Deb B, Maiti S. Hepato-protective role of vitamin B₁₂ and folic acid in arsenic intoxicated rats. *Drug and Chemical Toxicology*. 2012;35(1):81-88.
- Chattopadhyay S**, Ghosh D. Role of dietary GSH in the amelioration of sodium arsenite-induced ovarian and uterine disorders. *Reproductive Toxicology*. 2010;30:481–488.
- Chattopadhyay S**, Ghosh D. The involvement of hypophyseal-gonadal and hypophyseal-adrenal axis in arsenic mediated ovarian and uterine toxicity: modulation by hCG. *Journal of Biochemical Molecular Toxicology*. 2010;24:29–41.
- Chattopadhyay S**, Pal SG, Chaki S, Debnath J, Ghosh D. Effect of sodium arsenite on plasma levels of gonadotrophins and ovarian steroidogenesis in mature albino rats: duration-dependent response. *The Journal of toxicological sciences*. 1999;24(5):425-431.
- Chaturvedi P**. Bitter melon protects against lipid peroxidation caused by immobilization stress in albino rats. *International journal for vitamin and nutrition research*. 2009;79(1):48-56.
- Chaubey P**, Patel RR, Mishra B. Development and optimization of curcumin-loaded mannosylated chitosan nanoparticles using response surface methodology in the treatment of visceral leishmaniasis. *Expert opinion on drug delivery*. 2014;11(8):1163-1181.

- Chawananorasest** K, Saengtongdee P, Kaemchantuek P. Extraction and characterization of Tamarind (*Tamarind indica* L.) seed polysaccharides (TSP) from three difference sources. *Molecules*. 2016;21(6):775.
- Chen** CJ, Kuo TL, Wu MM. Arsenic and cancers. *The Lancet*. 1988;331(8582):414-5.
- Chen** H, Li S, Liu J, Diwan BA, Barrett JC, Waalkes MP. Chronic inorganic arsenic exposure induces hepatic global and individual gene hypomethylation: implications for arsenic hepatocarcinogenesis. *Carcinogenesis*. 2004;25(9):1779-1786.
- Cheng**, H.R., Feng, S.L., Xue, X.J., Li, Q.Q., Zhou, Y.H and Ding, C.B. Structural characterization and antioxidant activities of polysaccharides extracted from Epimedium. acuminatum, *Carbohydr. Polym* 2013;(1):63–68.
- Chiu** HF, Ho SC, Yang CY. Lung cancer mortality reduction after installation of tap-water supply system in an arsenias is-endemic area in South western Taiwan. *Lung Cancer*. 2004;46(3):265-270.
- Chokboribal** J, Tachaboonyakiat W, Sangvanich P, Ruangpornvisuti V, Jettanacheawchankit S, Thunyakitpisal P. Deacetylation affects the physical properties and bioactivity of acemannan, an extracted polysaccharide from Aloe vera. *Carbohydrate polymers*. 2015;133:556-566.
- Chung** JY, Yu SD, Hong YS. Environmental source of arsenic exposure. *Journal of preventive medicine and public health*. 2014;47(5):253.
- Ciaccio** PJ, Gicquel E, O'Neill PJ, Scribner HE, Vandenberghe YL. Investigation of the positive response of ethyl acrylate in the mouse lymphoma genotoxicity assay. *Toxicological Sciences*. 1998;46(2):324-332.
- Cunha** AP, Ribeiro AC, Ricardo NM, Oliveira AC, Dávila LS, Cardoso JH, Rodrigues DC, Azeredo HM, Silva LM, Brito ES, Mendes Filho J. Polysaccharides from Caesalpinia

- ferrea seeds—Chemical characterization and anti-diabetic effects in Wistar rats. *Food hydrocolloids.* 2017;65:68-76.
- Dai T**, Tanaka M, Huang YY, Hamblin MR. Chitosan preparations for wounds and burns: antimicrobial and wound-healing effects. *Expert review of anti-infective therapy.* 2011;9(7):857-879.
- Dairam A**, Limson JL, Watkins GM, Antunes E, Daya S. Curcuminoids, curcumin, and demethoxycurcumin reduce lead-induced memory deficits in male Wistar rats. *Journal of agricultural and food chemistry.* 2007;55(3):1039-1044.
- Daniel S**, Limson JL, Dairam A, Watkins GM, Daya S. Through metal binding, curcumin protects against lead-and cadmium-induced lipid peroxidation in rat brain homogenates and against lead-induced tissue damage in rat brain. *Journal of inorganic biochemistry.* 2004;98(2):266-275.
- Das J**, Ghosh J, Manna P, Sinha M, Sil PC. Taurine protects rat testes against NaAsO₍₂₎-induced oxidative stress and apoptosis via mitochondrial dependent and independent pathways. *Toxicology Letter.* 2009;187:201–210.
- Das RK**, Kasoju N, Bora U. Encapsulation of curcumin in alginate- chitosan-pluronic composite nanoparticles for delivery to cancer cells. *Nanomedicine* 2010;6(1):153-160.
- Dash M**, Maity M, Dey A, Perveen H, Khatun S, Jana LR, Chattopadhyay S. The consequence of NAC on sodium arsenite-induced uterine oxidative Stress. *Toxicological Reports* 2018;5:278–287.
- De Paula RC**, Heatley F, Budd PM. Characterization of *Anacardium occidentale* exudate polysaccharide. *Polymer International.* 1998;45(1):27-35.
- Deeyai P**, Suphantharika M, Wongsagonsup R, Dangtip S. Characterization of modified tapioca starch in atmospheric argon plasma under diverse humidity by FTIR spectroscopy. *Chinese Physics Letters.* 2013;30(1):018103.

- Devasagayam TP**, Boloor KK, Ramasarma T. Methods for estimating lipid peroxidation: an analysis of merits and demerits. Indian journal of biochemistry & biophysics. 2003;40(5):300-308.
- Dick L**, Parker LA, Mauro MA. Chronic arsenic poisoning as a cause of increased hepatic density with CT. Journal of Computer Assisted Tomography; 1990;14:828-839.
- Ding X**, Su Q, Jiang M, Xie H, Cong J, Wang L. Arsenic effects on cerebellar development of mice. Toxicology mechanisms and methods. 2013;23(9):672-7.
- Dinkova-Kostova AT**, Talalay P. Relation of structure of curcumin analogs to their potencies as inducers of Phase 2 detoxification enzymes. Carcinogenesis. 1999;20(5):911-914.
- Duan ZZ**, Zhou XL, Li YH, Zhang F, Li FY, Su-Hua Q. Protection of Momordica charantia polysaccharide against intracerebral hemorrhage-induced brain injury through JNK3 signaling pathway. Journal of Receptors and Signal Transduction. 2015;35(6):523-529.
- Dulbecco P**, Savarino V. Therapeutic potential of curcumin in digestive diseases. World journal of gastroenterology: World Journal of Gastroenterology. 2013;19(48):9256.
- Edman CD**. The effect of steroid on endometrium. Semin Reprod Endocrinol. 1983;1:179–187.
- El-Demerdash FM**, Yousef MI, Radwan FM. Ameliorating effect of curcumin on sodium arsenite-induced oxidative damage and lipid peroxidation in different rat organs. Food and Chemical Toxicology. 2009;47(1):249-254.
- El-Zoghbi M**, Sitohy MZ. Mineral absorption by albino rats as affected by some types of dietary pectins with different degrees of esterification. Food/Nahrung. 2001;45(2):114-117.
- Ellickson KM**, Meeker RJ, Gallo MA, Buckley BT, Lioy PJ. Oral bioavailability of lead and arsenic from a NISTStandard reference soil material. Archives of Environmental Contamination and Toxicology. 2001;40(1):128-135.

Esatbeyoglu T, Huebbe P, Ernst IM, Chin D, Wagner AE, Rimbach G. Curcumin—from molecule to biological function. *Angewandte Chemie International Edition*. 2012;51(22):5308-5332.

Espinoza MA. “ Distribution of arsenic pollution in the groundwater of the South West basin of Sebaco Valley - Matagalpa, Nicaragua Centro para la Investigation en Recursos Acuáticos de Nicaragua - CIRA/UNAN”.(2005).

Faraci FM, Didion SP. Vascular protection: superoxide dismutase isoforms in the vessel wall. *Arteriosclerosis, thrombosis, and vascular biology*. 2004;24(8):1367-1373.

Fei DL, Koestler DC, Li Z, Giambelli C, Sanchez-Mejias A, Gosse JA, Marsit CJ, Karagas MR, Robbins DJ. Association between In Utero arsenic exposure, placental gene expression, and infant birth weight: a US birth cohort study. *Environmental Health*. 2013;12(1):58.

Ferreccio C, Gonzalez C, Milosavjlevic V, Marshall G, Sancha AM, Smith AH. Lung cancer and arsenic concentrations in drinking water in Chile. *Epidemiology*. 2000;11(6):673-679.

Fiers W, Beyaert R, Declercq W, Vandenabeele P. More than one way to die: apoptosis, necrosis and reactive oxygen damage. *Oncogene*. 1999;18(54):7719.

Firdaus F, Zafeer MF, Anis E, Ahmad M, Afzal M. Ellagic acid attenuates arsenic induced neuro-inflammation and mitochondrial dysfunction associated apoptosis. *Toxicology reports*. 2018;5:411-417.

Flora SJ, Bhaduria S, Pant SC, Dhaked RK. Arsenic induced blood and brain oxidative stress and its response to some thiol chelators in rats. *Life sciences*. 2005;77(18):2324-3237.

- Flora SJ**, Dube SN, Arora U, Kannan GM, Shukla MK, Malhotra PR. Therapeutic potential of meso 2, 3-dimercaptosuccinic acid or 2, 3-dimercaptopropane 1-sulfonate in chronic arsenic intoxication in rats. *Biometals*. 1995;8(2):111-116.
- Flora SJ**. Arsenic and dichlorvos: Possible interaction between two environmental contaminants. *Journal of Trace Elements in Medicine and Biology*. 2016;35:43-60.
- Flora SJ**. Structural, chemical and biological aspects of antioxidants for strategies against metal and metalloid exposure. *Oxidative Medicine and Cellular Longevity*. 2009;2(4):191-206.
- Fournier L**, Thomas G, Garnier R, Buisine A, Houze P, Pradier F, Dally S. 2, 3-Dimercaptosuccinic acid treatment of heavy metal poisoning in humans. *Medical toxicology and adverse drug experience*. 1988;3(6):499-504.
- Fowler BA**, Weissburg JB. Arsine poisoning. *New England Journal Medicine*. 1974;291:1171-1174.
- Freeman GB**, Schoof RA, Ruby MV, Davis AO, Dill JA, Liao SC, Lapin CA, Bergstrom PD. Bioavailability of arsenic in soil and house dust impacted by smelter activities following oral administration in cynomolgus monkeys. *Fundamental and Applied Toxicology*. 1995;28(2):215-222.
- Gamble MV**, Liu X, Ahsan H, Pilsner JR, Ilievski V, Slavkovich V, Parvez F, Chen Y, Levy D, Factor-Litvak P, Graziano JH. Folate and arsenic metabolism: a double-blind, placebo-controlled folic acid-supplementation trial in Bangladesh. *The American journal of clinical nutrition*. 2006;84(5):1093-1101.
- Garcia-Martinez V**, Macias D, Ganan Y, Garcia-Lobo JM, Francia MV, Fernandez-Teran MA, Hurle JM. Internucleosomal DNA fragmentation and programmed cell death (apoptosis) in the interdigital tissue of the embryonic chick leg bud. *Journal of Cell Science*. 1993;106(1):201-208.

Garelick H, Jones H, Dybowska A, Valsami-Jones E. Arsenic pollution sources. In Reviews of Environmental Contamination Volume 197,2009 (pp.17-60). Springer. New York, NY.

Gebel TW. Arsenic methylation is a process of detoxification through accelerated excretion. International journal of hygiene and environmental health. 2002;205(6):505-8.

Gelperina S, Kisich K, Iseman MD, Heifets L. The potential advantages of nanoparticle drug delivery systems in chemotherapy of tuberculosis. American journal of respiratory and critical care medicine. 2005;172(12):1487-1490.

Ghersevich S, Nokelainen P, Poutanen M, Orava M, Autio-Harmainen H, Rajaniemi H, Vihko R. Rat 17 beta-hydroxysteroid dehydrogenase type 1: Primary structure and regulation of enzyme expression in rat ovary by diethylstilbestrol and gonadotropins in vivo, Endocrinology. 1994;135:1477– 1487.

Ghosh D, Chattopadhyay S, Debnath J. Effect of sodium arsenite on adrenocortical activity in immature female rats, evidence of dose dependent response. Journal of Environmental Science. 1999;11(4):419–422.

Girotti AW. Lipid hydroperoxide generation, turnover, and effector action in biological systems. Journal of lipid research. 1998;39(8):1529-1542.

Golub MS, Macintosh MS, Baumrind N. Developmental and reproductive toxicity of inorganic arsenic: animal studies and human concerns. Journal of Toxicology and Environmental Health, Part B Critical Reviews. 1998;1(3):199-237.

Gong J, Sun F, Li Y, Zhou X, Duan Z, Duan F, Zhao L, Chen H, Qi S, Shen J. Momordica charantia polysaccharides could protect against cerebral ischemia/reperfusion injury through inhibiting oxidative stress mediated c-Jun N-terminal kinase 3 signaling pathway. Neuropharmacology. 2015;91:123-134.

- Grover JK**, Yadav SP. Pharmacological actions and potential uses of *Momordica Charantia*: a review. *Journal of ethnopharmacology*. 2004;93(1):123-312.
- Gubrelay U**, Mathur R, Flora SJS. Treatment of arsenic poisoning: an update. *Indian Journal of Pharmacology*. 1998;30:209–217.
- Guha Mazumder DN**, Ghoshal UC, Saha J, Santra A, De BK, Chatterjee A, Dutta S, Angle CR, Centeno JA. Randomized placebo-controlled trial of 2,3-dimercaptosuccinic acid in therapy of chronic arsenicosis due to drinking arsenic-contaminated subsoil water. *Journal of Toxicology and Clinical Toxicology*. 1998;36:683–690.
- Guha Mazumder DN**, Haque R, Ghosh N, De BK, Santra A, Chakraborty D, et al. Arsenic levels in drinking water and the prevalence of skin lesions in West Bengal, India. *International Journal of Epidemiology* 1998;27:871-877.
- Gurel A**, Coskun O, Armutcu F, Kanter M, Ozen OA. Vitamin E against oxidative damage caused by formaldehyde in frontal cortex and hippocampus: biochemical and histological studies. *Journal of Chemical Neuroanatomy*. 2005;29(3):173-178.
- Hadwan MH**. New method for assessment of serum catalase activity. *Indian Journal of Science and Technology*. 2016;9(4):1-5.
- Hall MN**, Gamble MV. Nutritional manipulation of one-carbon metabolism: effects on arsenic methylation and toxicity. *Journal of toxicology*. 2012;2012.
- Hamdi M**, Yoshinaga M, Packianathan C, Qin J, Hallauer J, McDermott JR, Yang HC, Tsai KJ, Liu Z. Identification of an S-adenosylmethionine (SAM) dependent arsenic methyltransferase in *Danio rerio*. *Toxicology and applied pharmacology*. 2012;262(2):185-193.
- Hasan HR**, Aburahma NN. Electrophoresis Profile of Total Peroxidases in Saliva and Sera of Patients with Different Oral Tumors. *Oriental Journal of Chemistry*. 2014;30(1):81-86.

- Heath-Engel HM**, Chang NC, Shore GC. The endoplasmic reticulum in apoptosis and autophagy: role of the BCL-2 protein family. *Oncogene*. 2008;27(50):6419.
- Henning SM**, Swendseid ME, Ivandic BT, Liao F. Vitamins C, E and A and heme oxygenase in rats fed methyl/folate-deficient diets. *Free Radical Biology and Medicine*. 1997;23(6):936-942.
- Hinshelwood MM**, Demter-Arlotto M, Means GD, Simpson ER. Expression of genes encoding steroidogenic enzymes in the ovary. In: Findlay JK (ed) *Molecular biology of the female reproductive system*. London, Academic Press. 1994;129–145.
- Hoffbrand AV**, Kremenchuzky S, Butterworth PJ, Mollin DL. Serum lactic dehydrogenase activity and folate deficiency in myelosclerosis and other haematological diseases. *British medical journal*. 1966;1(5487):577.
- Hopenhayn C**, Ferreccio C, Browning SR, Huang B, Peralta C, Gibb H, Hertz-Pannier I. Arsenic exposure from drinking water and birth weight. *Epidemiology*. 2003;14(5):593-602.
- Hopenhayn-Rich C**, Biggs ML, Smith AH. Lung and kidney cancer mortality associated with arsenic in drinking water in Cordoba, Argentina. *International journal of epidemiology*. 1998;27(4):561-569.
- Htike NT**, Maekawa F, Soutome H, Sano K, Maejima S, Aung KH, Tokuda M, Tsukahara S. Arsenic exposure induces unscheduled mitotic S phase entry coupled with cell death in mouse cortical astrocytes. *Frontiers in neuroscience*. 2016;10:297.
- Hultberg B**, Andersson A, Isaksson A. Interaction of metals and thiols in cell damage and glutathione distribution: potentiation of mercury toxicity by dithiothreitol. *Toxicology*. 2001;156(2-3):93-100.

IARC Working Group on the Evaluation of Carcinogenic Risks to Humans, World Health Organization, International Agency for Research on Cancer. Some drinking-water disinfectants and contaminants, including arsenic. IARC; 2004.

Iqbal M, Sharma SD, Okazaki Y, Fujisawa M, Okada S. Dietary supplementation of curcumin enhances antioxidant and phase II metabolizing enzymes in ddY male mice: possible role in protection against chemical carcinogenesis and toxicity. *Pharmacology & toxicology*. 2003;92(1):33-38.

Itokawa H, Shi Q, Akiyama T, Morris-Natschke SL, Lee KH. Recent advances in the investigation of curcuminoids. *Chinese Medicine*. 2008;3(1):11.

Jahan-Abad AJ, Morteza-Zadeh P, Negah SS, Gorji A. Curcumin attenuates harmful effects of arsenic on neural stem/progenitor cells. *Avicenna journal of phytomedicine*. 2017 ;7(4):376.

Jakopitsch C, Auer M, Regelsberger G, Jantschko W, Furtmüller PG, Rüker F, Obinger C. The catalytic role of the distal site asparagine-histidine couple in catalase-peroxidases. *European journal of biochemistry*. 2003;270(5):1006-1013.

Jana K, Jana S, Samanta PK. Effects of chronic exposure to sodium arsenite on hypothalamo-pituitary-testicular activities in adult rats: possible an estrogenic mode of action. *Reproductive Biology and Endocrinology*. 2006;4(1):9.

Jana S, Chattopadhyay S, Dey A, Perveen H, Dolai D. Involvement of metallothionein, homocysteine and B-vitamins in the attenuation of arsenic-induced uterine disorders in response to the oral application of hydro-ethanolic extract of *Moringa oleifera* seed: a preliminary study. *Drug and chemical toxicology*. 2018;10:1-2.

Jarabak J, Adams JA, Williams-Ashman HG, Talalay P. Purification of a 17 β -hydroxysteroid dehydrogenase of human placenta and studies on its transhydrogenase function. *Journal of Biological Chemistry*. 1962;237(2):345-357.

- Jena NR.** DNA damage by reactive species: Mechanisms, mutation and repair. *Journal of biosciences*. 2012;37(3):503-517.
- Ji G, Yang Q, Hao J, Guo L, Chen X, Hu J, Leng L, Jiang Z.** Anti-inflammatory effect of genistein on non-alcoholic steatohepatitis rats induced by high fat diet and its potential mechanisms. *International immunopharmacology*. 2011;11(6):762-768.
- Jomova K, Jenisova Z, Feszterova M, Baros S, Liska J, Hudecova D, Rhodes CJ, Valko M.** Arsenic: toxicity, oxidative stress and human disease. *Journal of Applied Toxicology*. 2011;31(2):95-107.
- Joseph B, Jini D.** Antidiabetic effects of *Momordica Charantia* (bitter melon) and its medicinal potency. *Asian Pacific Journal of Tropical Disease*. 2013;3(2):93-102.
- Kalmbach R, Paul L, Selhub J.** Determination of unmetabolized folic acid in human plasma using affinity HPLC. *The American journal of clinical nutrition*. 2011;94(1):343S-7S.
- Kanakkaparambil R, Singh R, Li D, Webb R, Sinclair KD.** B-vitamin and homocysteine status determines ovarian response to gonadotropin treatment in sheep. *Biology of reproduction*. 2009;80(4):743-752.
- Karim MR, Salam KA, Hossain E, Islam K, Ali N, Haque A, Saud ZA, Yeasmin T, Hossain M, Miyataka H, Himeno S.** Interaction between chronic arsenic exposure via drinking water and plasma lactate dehydrogenase activity. *Science of the total environment*. 2010;409(2):278-783.
- Karimov K, Inoiatova FK, Inoiatov F.** Toxic effects of various water pollutants on structural and functional parameters of hepatocytes. *Voprosy meditsinskoi khimii*. 2002;48(2):174-179.
- Kartal SN, Imamura Y.** Removal of copper, chromium, and arsenic from CCA-treated wood onto chitin and Chitosan. *Bioresour Technology* 2005;96:389-395.

- Kaushal P, Kumar P, Dhar P.** Ameliorative role of antioxidant supplementation on sodium-arsenite induced adverse effects on the developing rat cerebellum. *Journal of Ayurveda and integrative medicine.* 2019; S0975-9476(17)30630-7.
- Kazi AA, Molitoris KH, Koos RD.** Estrogen rapidly activates the PI3K/AKT pathway and hypoxia-inducible factor 1 and induces vascular endothelial growth factor A expression in luminal epithelial cells of the rat uterus. *Biology of reproduction.* 2009;81(2):378-387.
- Kim YJ, Kim JM.** Arsenic toxicity in male reproduction and development. *Development and Reproduction* 2015;19:167–180.
- Kitchin KT, Wallace K.** Toxicology and Applied Pharmacology. 2008;15;232(2):252-270.
- Kitchin KT.** Recent advances in arsenic carcinogenesis: modes of action, animal model systems, and methylated arsenic metabolites. *Toxicology and applied pharmacology.* 2001;172(3):249-261.
- Kizil R, Irudayaraj J, Seetharaman K.** Characterization of irradiated starches by using FT-Raman and FTIR spectroscopy. *Journal of agricultural and food chemistry.* 2002;50(14):3912-8.
- Knoefler D, Tienson HL, Jakob U.** Role of oxidative stress in aging, in: U. Jakob, D. Reichman (Eds.), *Oxidative Stress and Redox Regulation*, Springer, New York, 2013, pp. p389–p417.
- Koehler Y, Luther EM, Meyer S, Schwerdtle T, Dringen R.** Uptake and toxicity of arsenite and arsenate in cultured brain astrocytes. *Journal of Trace Elements in Medicine and Biology.* 2014;28(3):328-337.
- Kosnett MJ.** The role of chelation in the treatment of arsenic and mercury poisoning. In *Journal of Medical Toxicology* 2013 Dec 1 (Vol. 9, No. 4, pp. 347-354). Springer US.
- Kulin HE, Reiter EO.** Gonadotrophins during childhood and adolescence: A review. *Pediatrics.* 1973;51(2):260-271.

- Kumar** A. Effect of simuastation on paraxonase 1 (PON1) activity and oxidation stress. Significance of Lipid Profile Assay as Diagnostic and Prognostic Tool, Create Space Independent Publishing Platform, California. 2012:105-109.
- Kumar** MR, Muzzarelli R, Muzzarelli C, Sashiwa H, Domb AJ. Chitosan chemistry and pharmaceutical perspectives. *Chemical reviews*. 2004;104(12):6017-6084.
- Kumar** R, Balaji S, Sripriya R, Nithya N, Uma TS, Sehgal PK. In vitro evaluation of antioxidants of fruit extract of *Momordica charantia* L. on fibroblasts and keratinocytes. *Journal of agricultural and food chemistry*. 2010 Jan;58(3):1518-1522.
- Kurokawa** M, Ogata K, Idemori M, Tsumori S, Miyaguni H, Inoue S, Hotta N. Investigation of skin manifestations of arsenicism due to intake of arsenic-contaminated groundwater in residents of Samta, Jessore, Bangladesh. *Archives of dermatology*. 2001;137(1):102-113.
- Kutlubay** R, Oğuz EO, Can B, Güven MC, Sinik Z, Tuncay ÖL. Vitamin E protection from testicular damage caused by intraperitoneal aluminium. *International Journal of Toxicology*. 2007;26(4):297-306.
- Lao** CD, Ruffin MT, Normolle D, Heath DD, Murray SI, Bailey JM, Boggs ME, Crowell J, Rock CL, Brenner DE. Dose escalation of a curcuminoid formulation. *BMC complementary and alternative medicine*. 2006;6(1):10.
- Larasati** YA, Yoneda-Kato N, Nakamae I, Yokoyama T, Meiyanto E, Kato JY. Curcumin targets multiple enzymes involved in the ROS metabolic pathway to suppress tumor cell growth. *Scientific reports*. 2018;8(1):2039.
- Lauretta** R, Sansone A, Sansone M, Romanelli F, Appeteccchia M. Endocrine Disrupting Chemicals: Effects on Endocrine Glands. *Frontiers in endocrinology*. 2019;10.
- Le Tien** C, Lacroix M, Ispas-Szabo P, Mateescu MA. N-acylated chitosan: hydrophobic matrices for controlled drug release. *Journal of Controlled Release*. 2003;93(1):1-3.

- Lee MY, Bae ON, Chung SM, Kang KT, Lee JY, Chung JH.** Enhancement of platelet aggregation and thrombus formation by arsenic in drinking water: a contributing factor to cardiovascular disease. *Toxicology and applied pharmacology*. 2002;179(2):83-88.
- Lee MY, Bae ON, Chung SM, Kang KT, Lee JY, Chung JH.** Enhancement of platelet aggregation and thrombus formation areas of Hungary, Romania, and Slovakia: a case-control study. *Environmental Health Perspectives*. 2012;120(5):721-726.
- Leonardi G, Vahter M, Clemens F, Goessler W, Gurzau E, Hemminki K, Hough R, Koppova K, Kumar R, Rudnai P, Surdu S, Fletcher T.** Inorganic arsenic and basal cell carcinoma in areas areas of Hungary, Romania, and Slovakia: a case-control study. *Environmental Health Perspect*. 2012;120(5):721-726.
- Lerman S, Clarkson TW.** The metabolism of arsenite and arsenate by the rat. *Toxicological Sciences*. 1983;3(4):309-314.
- Lewis A, Du J, Liu J, Ritchie JM, Oberley LW, Cullen JJ.** Metastatic progression of pancreatic cancer: changes in antioxidant enzymes and cell growth. *Clinical & experimental metastasis*. 2005;22(7):523-532.
- Li J, Luo M, Xie N, Wang J, Chen L.** Curcumin protects endothelial cells against homocysteine induced injury through inhibiting inflammation. *American journal of translational research*. 2016;8(11):4598.
- Li J, Wang Y, Huang J, Xu XE, Xiang CN.** Characterization of antioxidant polysaccharides in bitter gourd (*Momordica charantia L.*) cultivars. *Journal of the Science of Food and Agriculture. Environ*. 2010;8(3&4):117-120.
- Li M, Cai JF, Chiu JF.** Arsenic induces oxidative stress and activates stress gene expressions in cultured lung epithelial cells. *Journal of cellular biochemistry*. 2002;87(1):29-38.

- Li X, Li B, Xu Y, Wang Y, Jin Y, Itoh T, Yoshida T, Sun G.** Arsenic methylation capacity and its correlation with skin lesions induced by contaminated drinking water consumption in residents of chronic arsenicosis area. *Environmental toxicology*. 2011;26(2):118-123.
- Liu J, Du J, Zhang Y, Sun W, Smith BJ, Oberley LW, Cullen JJ.** Suppression of the malignant phenotype in pancreatic cancer by overexpression of phospholipid hydroperoxide glutathione peroxidase. *Human gene therapy*. 2006;17(1):105-116.
- Liu J, Waalkes MP.** Liver is a target of arsenic carcinogenesis. *Toxicological sciences*. 2008;105(1):24-32.
- Liu KT, Wang G, Ma L, Jang P, Xiao BY, Zhang C.** Adverse effects of combined arsenic and fluoride on liver and kidney in rats. *Fluoride*. 1999;32(4):243-247.
- Lu M, Wang H, Li XF, Arnold LL, Cohen SM, Le XC.** Binding of dimethylarsinous acid to Cys-13 α of rat hemoglobin is responsible for the retention of arsenic in rat blood. *Chemical research in toxicology*. 2007;20(1):27-37.
- Luetscher JA, Eagle H, Longcope WT, Watson EB.** Clinical uses of 2,3-dimercaptopropanol (BAL). VIII. The effect of BAL on the excretion of arsenic in arsenical intoxication. *Journal of Clinical Investigation*. 1946;25(4):534–540.
- Ly JD, Grubb DR, Lawen A.** The mitochondrial membrane potential ($\Delta\psi_m$) in apoptosis; an update. *Apoptosis*. 2003;8(2):115-128.
- Ma J, Stampfer MJ, Christensen B, Giovannucci E, Hunter DJ, Chen J, Willett WC, Selhub J, Hennekens CH, Gravel R, Rozen R.** A polymorphism of the methionine synthase gene: association with plasma folate, vitamin B12, homocyst (e) ine, and colorectal cancer risk. *Cancer Epidemiology and Prevention Biomarkers*. 1999;8(9):825-829.
- Maiti S, Chattopadhyay S, Acharyya N, Deb B, Hati AK.** Emblica officinalis (amla) ameliorates arsenic-induced liver damage via DNA protection by antioxidant systems. *Molecular & Cellular Toxicology*. 2014;10(1):75-82.

- Maity M**, Perveen H, Dash M, Jana S, Khatun S, Dey A, Chattopadhyay S. Arjunolic Acid Improves the Serum Level of Vitamin B12 and Folate in the Process of the Attenuation of Arsenic Induced Uterine Oxidative Stress. *Biological Trace Element Research*. 2018;182(1):78-90.
- Maji PK**, Sen IK, Behera B, Maiti TK, Mallick P, Sikdar SR. Structural characterization and study of immune enhancing properties of a glucan isolated from a hybrid mushroom of Pleurotus florida and Lentinulaedodes. *Carbohydrate Research*. 2012;358:110-115.
- Manrique GD**, Lajolo FM. FT-IR spectroscopy as a tool for measuring degree of methyl esterification in pectins isolated from ripening papaya fruit. *Postharvest Biology and Technology*. 2002;25(1):99-107.
- Marafante E**, Vahter M, Envall J. The role of the methylation in the detoxication of arsenate in the rabbit. *Chemico-biological interactions*. 1985;56(2-3):225-238.
- Marapakala K**, Qin J, Rosen BP. Identification of Catalytic Residues in the As(III) S-Adenosylmethionine Methyltransferase. *Biochemistry*. 2012;51:944–951.
- Marcus J**, Sarnak MJ, Menon V, Verma S. Homocysteine lowering and cardiovascular disease risk: lost in translation. *Canadian Journal of Cardiology*. 2007;23(9):707-710.
- Marshall G**, Ferreccio C, Yuan Y, Bates MN, Steinmaus C, Selvin S, Liaw J, Smith AH. Fifty-year study of lung and bladder cancer mortality in Chile related to arsenic in drinking water. *Journal of the National Cancer Institute*. 2007;99(12):920-928.
- Martinez VD**, Vucic EA, Becker-Santos DD, Gil L, Lam WL. Arsenic exposure and the induction of human cancers. *Journal of toxicology*. 2011;2011.
- Masuda T**, Maekawa T, Hidaka K, Bando H, Takeda Y, Yamaguchi H. Chemical studies on antioxidant mechanism of curcumin: analysis of oxidative coupling products from curcumin and linoleate. *Journal of agricultural and food chemistry*. 2001;49(5):2539-2547.

Mathews VV, Binu P, Paul MS, Abhilash M, Manju A, Nair RH. Hepatoprotective efficacy of curcumin against arsenic trioxide toxicity. *Asian Pacific Journal of Tropical Biomedicine*. 2012;2(2):706-711.

Menon VP, Sudheer AR. Antioxidant and anti-inflammatory properties of curcumin. In the molecular targets and therapeutic uses of curcumin in health and disease 2007 (pp. 105-125). Springer, Boston, MA.

Mieyal JJ, Gallogly MM, Qanungo S, Sabens EA, Shelton MD. Molecular mechanisms and clinical implications of reversible protein S-glutathionylation. *Antioxidant and redox signaling*. 2008;10, 1941–1988.

Miller EW, Dickinson BC, Chang CJ. Aquaporin-3 mediates hydrogen peroxide uptake to regulate downstream intracellular signaling. *Proceedings of the National Academy of Sciences of the United States of America*. 2010;107:15681–15686.

Mishra D, Mehta A, Flora SJS. Reversal of hepatic apoptosis with combined administration of DMSA and its analogues in guinea pigs: role of glutathione and linked enzymes. *Chemical Research in Toxicology*. 2008;21:400–407.

Mishra S, Palanivelu K. The effect of curcumin (turmeric) on Alzheimer's disease: An overview. *Annals of Indian Academy of Neurology*. 2008;11(1):13.

Mohammad R, Ahmad A, Jan BL, Alkharfy KM, Ansari MA, Mohsin K, al Jenoobi F, Al-Mohizea A. *Momordica charantia* polysaccharides mitigate the progression of STZ induced diabetic nephropathy in rats. *International journal of biological macromolecules*. 2016;91:394-399.

Mohammad R. *Momordica Charantia* polysaccharides ameliorate oxidative stress, hyperlipidemia, inflammation, and apoptosis during myocardial infarction by inhibiting the NF- κ B signaling pathway. *International journal of biological macromolecules*. 2017;97:544-551.

- Mohammed M**, Syeda J, Wasan K, Wasan E. An overview of chitosan nanoparticles and its application in non-parenteral drug delivery. *Pharmaceutics*. 2017;9(4):53.
- Moore LE**, Lu M, Smith AH. Childhood cancer incidence and arsenic exposure in drinking water in Nevada. *Archives of Environmental Health: An International Journal*. 2002;57(3):201-206.
- Mukherjee AB**, Bhattacharya P. Arsenic in groundwater in the Bengal Delta Plain: slow poisoning in Bangladesh. *Environmental Reviews*. 2001;9(3):189-220.
- Mukherjee S**, Das D, Mukherjee M, Das AS, Mitra C. Synergistic effect of folic acid and vitamin B12 in ameliorating arsenic-induced oxidative damage in pancreatic tissue of rat. *The Journal of nutritional biochemistry*. 2006;17(5):319-327.
- Mukherjee S**, Roy M, Dey S, Bhattacharya RK. A mechanistic approach for modulation of arsenic toxicity in human lymphocytes by curcumin, an active constituent of medicinal herb Curcuma longa Linn. *Journal of clinical biochemistry and nutrition*. 2007;41(1):32-42.
- Muzzarelli RA**. Natural chelating polymers; alginic acid, chitin and chitosan. In *Natural chelating polymers; alginic acid, chitin and chitosan* 1973. Pergamon Press.
- Naranmandura H**, Suzuki N, Iwata K, Hirano S, Suzuki T. Arsenic metabolism and thioarsenicals in hamsters and rats. *Chemical research in toxicology*. 2007;20(4):616-624.
- Negrette-Guzmán M**, García-Niño WR, Tapia E, Zazueta C, Huerta-Yepez S, León-Contreras JC, Hernández-Pando R, Aparicio-Trejo OE, Madero M, Pedraza-Chaverri J. Curcumin attenuates gentamicin-induced kidney mitochondrial alterations: possible role of a mitochondrial biogenesis mechanism. *Evidence-Based Complementary and Alternative Medicine*. 2015;2015.
- Neiger RD**, Osweiler GD. Effect of subacute low level dietary sodium arsenite on dogs. *Toxicological Sciences*. 1989;13(3):439-451.

- Nie JS, Pei QL, Han G, Xu JX, Mu JJ.** Semen quality decreased by inorganic arsenic. Journal of Occupational and Environmental Medicine. 2006;23:189-190.
- Nishikawa T, Wanibuchi H, Ogawa M, Kinoshita A, Morimura K, Hiroi T, Funae Y, Kishida H, Nakae D, Fukushima S.** Promoting effects of monomethylarsonic acid, dimethylarsinic acid and trimethylarsine oxide on induction of rat liver preneoplastic glutathione S-transferase placental form positive foci: a possible reactive oxygen species mechanism. International journal of cancer. 2002;100(2):136-139.
- Nriagu JO, Azcue JM.** Arsenic in the environment. Part I: cycling and characterization. New York, NY.: John Wiley & Sons; 1994 Dec 31.
- Odell WD, Swerdloff RS, Bain J, Wallesen F, Grover PK.** The effect of sexual maturation testicular response to LH stimulation of testosterone secretion in the intact rat. Endocrinology. 1963;72:452- 464.
- Ohara K, Mizukami W, Tokunaga A, Nagaoka SI, Uno H, Mukai K.** Kinetic study of the mechanism of free-radical scavenging action in curcumin: effects of solvent and pH. Bulletin of the Chemical Society of Japan. 2005;78(4):615-621.
- Olaisen C, Müller R, Nedal A, Otterlei M.** PCNA-interacting peptides reduce Akt phosphorylation and TLR-mediated cytokine secretion suggesting a role of PCNA in cellular signalling. Cellular signalling. 2015;27(7):1478-1487.
- Oliveira-Marques V, Marinho HS, Cyrne L, Antunes F.** Role of hydrogen peroxide in NF- κ B activation: from inducer to modulator. Antioxidants & redox signaling. 2009;11(9):2223-2243.
- Osawa T, Sugiyama Y, Inayoshi M, Kawakishi S.** Antioxidative activity of tetrahydrocurcuminoids. Bioscience, biotechnology, and biochemistry. 1995;59(9):1609-1612.

- Paglia DE**, Valentine WN. Studies on the quantitative and qualitative characterization of erythrocyte glutathione peroxidase. *The Journal of laboratory and clinical medicine*. 1967;70(1):158-169.
- Panda BC**, Mondal S, Devi KS, Maiti TK, Khatua S, Acharya K, Islam SS. Pectic polysaccharide from the green fruits of *Momordica charantia* (Karela): structural characterization and study of immunoenhancing and antioxidant properties. *Carbohydrate research*. 2015;401:24-31.
- Pannunzio NR**, Lieber MR. AID and reactive oxygen species can induce DNA breaks within human chromosomal translocation fragile zones. *Molecular cell*. 2017;68(5):901-912.
- Pant N**, Murthy RC, Srivastava SP. Male reproductive toxicity of sodium arsenite in mice. *Human & experimental toxicology*. 2004;23(8):399-403.
- Patel KS**, Shrivas K, Brandt R, Jakubowski N, Corns W, Hoffmann P. Arsenic contamination in water, soil, sediment and rice of central India. *Environmental Geochemistry and health*. 2005;27(2):131-145.
- Patil SR**, Ravindra PSR, Londonka R, Saraswati BP. Nicotine induced ovarian and uterine changes in albino mice. *Indian Journal of Physiology and Pharmacology*. 1998;42:503–508.
- Pattichis K**, Louca LL, Glover V. Quantitation of soluble superoxide dismutase in rat striata, based on the inhibition of nitrite formation from hydroxylammonium chloride. *Analytical biochemistry*. 1994;221(2):428-431.
- Peng H**, Wang N, Hu Z, Yu Z, Liu Y, Zhang J, Ruan R. Physicochemical characterization of hemicelluloses from bamboo (*Phyllostachys pubescens* Mazel) stem. *Industrial Crops and Products*. 2012;37(1):41-50.

- Peng Z, Peng L, Fan Y, Zandi E, Shertzer HG, Xia Y.** A critical role for I κ B kinase β in metallothionein-1 expression and protection against arsenic toxicity. *Journal of Biological Chemistry*. 2007;282(29):21487-21496.
- Person RJ, Ngalame NN, Makia NL, Bell MW, Waalkes MP, Tokar EJ.** Chronic inorganic arsenic exposure in vitro induces a cancer cell phenotype in human peripheral lung epithelial cells. *Toxicology and applied pharmacology*. 2015;286(1):36-43.
- Perveen H, Chattopadhyay S, Maity M, Dash M, Islam SS.** Involvement of proinflammatory cytokines and metallothionein in the repairing of arsenic-mediated uterine tissue damage by curcumin. *Journal of basic and clinical physiology and pharmacology*. 2019;30(4).
- Perveen H, Dash M, Khatun S, Maity M, Islam SS, Chattopadhyay S.** Electrozymographic evaluation of the attenuation of arsenic induced degradation of hepatic SOD, catalase in an in vitro assay system by pectic polysaccharides of *Momordica Charantia* in combination with curcumin. *Biochemistry and biophysics reports*. 2017;11:64-71.
- Perveen H, Dey A, Nilavar NM, Chandra GK, Islam SS, Chattopadhyay S.** Dietary CCPS from bitter gourd attenuates sodium arsenite induced female reproductive ailments cum infertility in wistar rats: anti-inflammatory and anti-apoptotic role. *Food and Chemical Toxicology*. 2019;131:110545.
- Peters BA, Liu X, Hall MN, Ilievski V, Slavkovich V, Siddique AB, Alam S, Islam T, Graziano JH, Gamble MV.** Arsenic exposure, inflammation, and renal function in Bangladeshi adults: effect modification by plasma glutathione redox potential. *Free Radical Biology and Medicine*. 2015;85:174-182.
- Pi J, Horiguchi S, Sun Y, Nikaido M, Shimojo N, Hayashi T, Yamauchi H, Itoh K, Yamamoto M, Sun G, Waalkes MP.** A potential mechanism for the impairment of nitric

oxide formation caused by prolonged oral exposure to arsenate in rabbits. Free Radical Biology and Medicine. 2003;35(1):102-113.

Plummer SM, Hill KA, Festing MF, Steward WP, Gescher AJ, Sharma RA. Clinical development of leukocyte cyclooxygenase 2 activity as a systemic biomarker for cancer chemopreventive agents. Cancer Epidemiology and Prevention Biomarkers. 2001;10(12):1295-1299.

Poddar R, Sivasubramanian N, DiBello PM, Robinson K, Jacobsen DW. Homocysteine induces expression and secretion of monocyte chemoattractant protein-1 and interleukin-8 in human aortic endothelial cells: implications for vascular disease. Circulation. 2001;103(22):2717-23.

Poltanov EA, Shikov AN, Dorman HD, Pozharitskaya ON, Makarov VG, Tikhonov VP, Hiltunen R. Chemical and antioxidant evaluation of Indian gooseberry (*Emblica officinalis* Gaertn., syn. *Phyllanthus emblica* L.) supplements. Phytotherapy Research: An International Journal Devoted to Pharmacological and Toxicological Evaluation of Natural Product Derivatives. 2009;23(9):1309-1315.

Priyadarsini KI, Maity DK, Naik GH, Kumar MS, Unnikrishnan MK, Satav JG, Mohan H. Role of phenolic OH and methylene hydrogen on the free radical reactions and antioxidant activity of curcumin. Free Radical Biology and Medicine. 2003;35(5):475-484.

Rafati-Rahimzadeh M, Rafati-Rahimzadeh M, Kazemi S, Moghadamnia AA. Current approaches of the management of mercury poisoning: need of the hour. DARU Journal of Pharmaceutical Sciences. 2014;22(1):46.

Rahaman R, Rakibuz-Zaman R, Parvez M F. Genome-wide association study identifies chromosome 10q24. 32 variants associated with arsenic metabolism and toxicity phenotypes in Bangladesh. PLOS Genetics 2012; 8, e1002522.

- Rahman K.** Studies on free radicals, antioxidants, and co-factors. Clinical interventions in aging. 2007;2(2):219.
- Rahman MA, Rahman A, Khan MZ, Renzaho AM.** Human health risks and socio-economic perspectives of arsenic exposure in Bangladesh: A scoping review. Ecotoxicology and environmental safety. 2018;150:335-343.
- Raju GA, Chavan R, Deenadayal M, Gunasheela D, Gutgutia R, Haripriya G, Govindarajan M, Patel NH, Patki AS.** Luteinizing hormone and follicle stimulating hormone synergy: a review of role in controlled ovarian hyper-stimulation. Journal of human reproductive sciences. 2013;6(4):227.
- Ramírez T, Garcíá-Montalvo V, Wise C, Cea-Olivares R, Poirier LA, Herrera LA.** S-adenosyl-L-methionine is able to reverse micronucleus formation induced by sodium arsenite and other cytoskeleton disrupting agents in cultured human cells. Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis. 2003 ;528(1-2):61-74.
- Ramsés W, Niño G, Pedraza-Chaverri J.** Curcumin from Curcuma longa have been showing potential of preventing arsenic induced hepatotoxicity in vitro and in vivo. Food and Chemical Toxicology. 2014:182-201.
- Rao CV, Rivenson A, Simi B, Reddy BS.** Chemoprevention of colon carcinogenesis by dietary curcumin, a naturally occurring plant phenolic compound. Cancer research. 1995 ;55(2):259-266.
- Ratnaike RN.** Acute and chronic arsenic toxicity. Postgraduate medical journal. 2003;79(933):391-396.
- Ravenscroft P, Brammer H, Richards K.** Arsenic pollution: a global synthesis. John Wiley & Sons; 2009;8.
- Ray G, Husain SA.** Oxidants, antioxidants and carcinogenesis. Indian Journal of Experimental Biology. 2002;40(11):1213-1232.

- Reddy** AC, Lokesh BR. Studies on the inhibitory effects of curcumin and eugenol on the formation of reactive oxygen species and the oxidation of ferrous iron. *Molecular and cellular biochemistry*. 1994;137(1):1-8.
- Reed** BG, Carr BR. The normal menstrual cycle and the control of ovulation. In Endotext [Internet] 2015 May 22. MDText. com, Inc.
- Reichard** JF, Puga A. Effects of arsenic exposure on DNA methylation and epigenetic gene regulation. *Epigenomics*. 2010;2(1):87-104.
- Rizvi** SA, Saleh AM. Applications of nanoparticle systems in drug delivery technology. *Saudi Pharmaceutical Journal*. 2018;26(1):64-70.
- Robitaille** L, Hoffer LJ. A simple method for plasma total vitamin C analysis suitable for routine clinical laboratory use. *Nutrition journal*. 2015;15(1):40.
- Rodriguez** KF, Ungewitter EK, Crespo-Mejias Y, Liu C, Nicol B, Kissling GE, Yao HH. Effects of in utero exposure to arsenic during the second half of gestation on reproductive end points and metabolic parameters in female CD-1 mice. *Environmental health perspectives*. 2015;124(3):336-343.
- Romdhane** MB, Haddar A, Ghazala I, Jeddou KB, Helbert CB, Ellouz-Chaabouni S. Optimization of polysaccharides extraction from watermelon rinds: Structure, functional and biological activities. *Food chemistry*. 2017;216:355-364.
- Rossmann** TG, Klein CB. Genetic and epigenetic effects of environmental arsenicals. *Metalomics*. 2011;3(11):1135-1141.
- Roussel** RR, Barchowsky A. Arsenic inhibits NF- κ B-mediated gene transcription by blocking I κ B kinase activity and I κ B α phosphorylation and degradation. *Archives of Biochemistry and Biophysics*. 2000;377(1):204-212.

- Roy M, Sinha D, Mukherjee S, Biswas J.** Curcumin prevents DNA damage and enhances the repair potential in a chronically arsenic-exposed human population in West Bengal, India. *European Journal of Cancer Prevention*. 2011;20(2):123-131.
- Roychowdhury T, Tokunaga H, Uchino T, Ando M.** Effect of arsenic-contaminated irrigation water on agricultural land soil and plants in West Bengal, India. *Chemosphere*. 2005;58(6):799-810.
- Rydberg B, Lindahl T.** Nonenzymatic methylation of DNA by the intracellular methyl group donor S-adenosyl-L-methionine is a potentially mutagenic reaction. *The EMBO journal*. 1982;1(2):211-216.
- Sadasivan S, Manickam A.** Peroxidase. In: Sadasivan S, Manickam A (eds) *Methods in biochemistry*. New Age International Publishers, New Delhi. 1966;108–110.
- Sadeghi B, Garmaroudi FS, Hashemi M, Nezhad HR, Nasrollahi A, Ardalan S, Ardalan S.** Comparison of the anti-bacterial activity on the nanosilver shapes: nanoparticles,nanorods and nanoplates. *Advanced Powder Technology*. 2012;23(1):22-26.
- Sak ME, Soydinc HE, Sak S, Evsen MS, Alabalik U, Akdemir F, Gul T.** The protective effect of curcumin on ischemia-reperfusion injury in rat ovary. *International Journal of Surgery*. 2013;11:967–970.
- Sankar P, Gopal Telang A, Kalaivanan R, Karunakaran V, Manikam K, Sarkar SN.** Effects of nanoparticle-encapsulated curcumin on arsenic-induced liver toxicity in rats. *Environmental toxicology*. 2015;30(6):628-637.
- Sankar P, Telang AG, Kalaivanan R, Karunakaran V, Suresh S, Kesavan M.** Oral nanoparticulate curcumin combating arsenic-induced oxidative damage in kidney and brain of rats. *Toxicology and industrial health*. 2016;32(3):410-421.

- Sankar** P, Telang AG, Suresh S, Kesavan M, Kannan K, Kalaivanan R, Sarkar SN. Immunomodulatory effects of nanocurcumin in arsenic-exposed rats. International immunopharmacology. 2013;17(1):65-70.
- Santhiya** D, Subramanian S, Natarajan KA, Colloid IJ. Surface chemical studies on sphalerite and galena using extracellular polysaccharides isolated from *Bacillus polymyxa*. Science. 2002;256(2):237–248.
- Santra** A, Maiti A, Das S, Lahiri S, Charkabarty SK, Mazumder DN. Hepatic damage caused by chronic arsenic toxicity in experimental animals. Journal of Toxicology Clinical Toxicology. 2000;8(4):395-405.
- Saric** M, Manganese IF, Nordberg G, Vouk V. Handbook on the Toxicology of Metals. Ed., GF Friberg, Nordberg, VB Vouk. 1986:354-386.
- Sarin** SK, Sharma G, Banerjee S, Kathayat R, Malhotra V. Hepatic fibrogenesis using chronic arsenic ingestion: studies in a murine model. Indian Journal of Experimental Biology. 1999;37:147-151.
- Sarkar** M, Biswas NM, Ghosh D. Effect of sodium arsenite on testicular and Δ^s , 3β , 17β -HSD activities in albino rats: Dose and duration dependent responses. Medical Science and Research. 1991;19:789-790.
- Schoolmeester** WL, White DR. Arsenic poisoning. Southern Medical Journal. 1980;73:198-208.
- Selby** LA, Case AA, Osweiler GD, Hayes Jr HM. Epidemiology and toxicology of arsenic poisoning in domestic animals. Environmental Health Perspectives. 1977;19:183-190.
- Shahidi** F, Synowiecki J. Isolation and characterization of nutrients and value-added products from snow crab (*Chionoecetes opilio*) and shrimp (*Pandalus borealis*) processing discards. Journal of agricultural and food chemistry. 1991;39(8):1527-1232.

- Shalaby MA**, Mouneir SM. Effect of Zingiber officinale roots and Cinnamon zeylanicum bark on fertility of male diabetic rats. *Global Veterinaria*. 2010;5(6):341-347.
- Shalat SL**, Walker DB, Finnell RH. Role of arsenic as a reproductive toxin with particular attention to neural tube defects. *Journal of toxicology and environmental health*. 1996;48(3):253-272.
- Sharma A**, Sharma MK, Kumar M. Modulatory role of *Emblica officinalis* fruit extract against arsenic induced oxidative stress in Swiss albino mice. *Chemico-biological interactions*. 2009;180(1):20-30.
- Shen S**, Li XF, Cullen WR, Weinfeld M, Le XC. Arsenic binding to proteins. *Chemical reviews*. 2013;113(10):7769-7792.
- Shi H**, Shi X, Liu KJ. Oxidative mechanism of arsenic toxicity and carcinogenesis. *Molecular and cellular biochemistry*. 2004;255(1-2):67-78.
- Shoba G**, Joy D, Joseph T, Majeed M, Rajendran R, Srinivas PS. Influence of piperine on the pharmacokinetics of curcumin in animals and human volunteers. *Planta medica*. 1998;64(04):353-356.
- Silva RF**, Borges CDS, de Almeida Lamas C, Cagnon VHA, de Grava Kempinas W. Arsenic trioxide exposure impairs testicular morphology in adult male mice and consequent fetus viability. *Journal of Toxicology Environmental Health A*. 2017;80:1166–1179.
- Singh NP**, McCoy MT, Tice RR, Schneider EL. A simple technique for quantitation of low levels of DNA damage in individual cells. *Experimental cell research*. 1988;175(1):184-191.
- Smith AH**, Marshall G, Yuan Y, Ferreccio C, Liaw J, von Ehrenstein O, Steinmaus C, Bates MN, Selvin S. Increased mortality from lung cancer and bronchiectasis in young adults after exposure to arsenic in utero and in early childhood. *Environmental Health Perspect*. 2006;114(8):1293-1296.

- Soppimath KS**, Aminabhavi TM, Kulkarni AR, Rudzinski WE. Biodegradable polymeric nanoparticles as drug delivery devices. *Journal of controlled release*. 2001;70(1-2):1-20.
- Stefova M**, Stafilov T, Stojanoski K, Cepreganova-Krstic B. Determination of vitamin B₁₂ in multivitamin tablets by high performance liquid chromatography. *Analytical Letters*. 1997;30:2723–2731.
- Stohs SJ**, Bagchi D. Oxidative mechanisms in the toxicity of metal ions. *Free radical biology and medicine*. 1995;18(2):321-136.
- Strzalka, W** and Ziemienowicz, A., 2011. Proliferating cell nuclear antigen (PCNA): a key factor in DNA replication and cell cycle regulation. *Ann. Bot* 107(7):1127–1140.
- Styblo M**, Del Razo LM, Vega L, Germolec DR, LeCluyse EL, Hamilton GA, Reed W, Wang C, Cullen WR, Thomas DJ. Comparative toxicity of trivalent and pentavalent inorganic and methylated arsenicals in rat and human cells. *Archives of toxicology*. 2000;74(6):289-299.
- Summers AO**. Damage control: regulating defenses against toxic metals and metalloids. *Current opinion in microbiology*. 2009;12(2):138-144.
- Sun D**, Zhuang X, Xiang X, Liu Y, Zhang S, Liu C, Barnes S, Grizzle W, Miller D, Zhang HG. A novel nanoparticle drug delivery system: the anti-inflammatory activity of curcumin is enhanced when encapsulated in exosomes. *Molecular Therapy*. 2010;18(9):1606-1614.
- Talalay P**, 1962. Hydroxysteroid dehydrogenase. In: *Methods in enzymology*. (Colowick S.P., Kaplan N.O., eds). New York: Academic Press.512–6.
- Tan HF**, Gan CY Polysaccharide with antioxidant, α -amylase inhibitory and ACE inhibitory activities from *Momordica Charantia*. *International Journal of Biological Macromolecules*. 2016;85:487-496.
- Tan LT**, Chan KG, Lee LH, Goh BH. Streptomyces bacteria as potential probiotics in aquaculture. *Frontiers in microbiology*. 2016;7:79.

- Thomas DJ**, Styblo M, Lin S. The cellular metabolism and systemic toxicity of arsenic. *Toxicology and applied pharmacology*. 2001;176(2):127-144.
- Thomas DJ**, Waters SB, Styblo M. Elucidating the pathway for arsenic methylation. *Toxicology and applied pharmacology*. 2004;198(3):319-326.
- Tice RR**, Yager JW, Andrews P, Crecelius E. Effect of hepatic methyl donor status on urinary excretion and DNA damage in B6C3F1 mice treated with sodium arsenite. *Mutation Research/Reviews in Mutation Research*. 1997;386(3):315-334.
- Tiwari-Pandey R**, Ram Sairam M. Modulation of ovarian structure and abdominal obesity in curcumin-and flutamide-treated aging FSH-R haploinsufficient mice. *Reproductive Sciences*. 2009;16(6):539-550.
- Tseng WP**, Chen WY, Sung JL, Chen JS. A clinical study of blackfoot disease in Taiwan: An epidemic peripheral vascular disease. *Mem Coll Med Natl Taiwan Univ*. 1961;7:1-18.
- Uddin R**, Huda NH. Arsenic poisoning in Bangladesh. *Oman medical journal*. 2011;26(3):207.
- Umakoshi H**, Shimanouchi T, Kuboi R. Liposome membrane can act like molecular and metal chaperones for oxidized and fragmented superoxide dismutase. *Enzyme and Microbial Technology*. 2009 Feb 5;44(2):101-106.
- Umerska A**, Gaucher C, Oyarzun-Ampuero F, Fries-Raeth I, Colin F, Villamizar-Sarmiento M, Maincent P, Sapin-Minet A. Polymeric nanoparticles for increasing oral bioavailability of curcumin. *Antioxidants*. 2018;7(4):46.
- Usoh IF**, Akpan EJ, Etim EO, Farombi EO. Antioxidant actions of dried flower extracts of Hibiscus sabdariffa L. on sodium arsenite-induced oxidative stress in rats. *Pakistan Journal of Nutrition*. 2005;4(3):135-141.
- Vahter M**, Concha G. Role of metabolism in arsenic toxicity. *Pharmacology & toxicology*. 2001;89(1):1-5.

- Vahter M.** Mechanisms of arsenic biotransformation. *Toxicology*. 2002;181:211-117.
- Vahter M.** Methylation of inorganic arsenic in different mammalian species and population groups. *Science progress*. 1999;82:69-88.
- Valavanidis A**, Vlachogianni T, Fiotakis C. 8-hydroxy-2'-deoxyguanosine (8-OHdG): a critical biomarker of oxidative stress and carcinogenesis. *Journal of environmental science and health Part C*. 2009;27(2):120-319.
- Valko MM**, Morris H, Cronin MT. Metals, toxicity and oxidative stress. *Current medicinal chemistry*. 2005;12(10):1161-1208.
- Vasken Aposhian H**, Carter DE, Hoover TD, Hsu CA, Maiorino RM, Stine E. DMSA, DMPS, and DMPA—as arsenic antidotes. *Toxicological Sciences*. 1984;4(2part2):58-70.
- Vauthier C**, Dubernet C, Chauvierre C, Brigger I, Couvreur P. Drug delivery to resistant tumors: the potential of poly (alkyl cyanoacrylate) nanoparticles. *Journal of Controlled Release*. 2003;93(2):151-160.
- Veljkovic E**, Jiricny J, Menigatti M, Rehrauer H, Han W. Chronic exposure to cigarette smoke condensate in vitro induces epithelial to mesenchymal transition-like changes in human bronchial epithelial cells, BEAS-2B. *Toxicology in Vitro*. 2011;25(2):446-453.
- Verderame M**, Limatola E, Scudiero R. Metallothionein expression and synthesis in the testis of the lizard *Podarcis sicula* under natural conditions and following estrogenic exposure. *European journal of histochemistry: EJH*. 2017;61(2).
- Waalkes MP**, Liu J, Diwan BA. Transplacental arsenic carcinogenesis in mice. *Toxicology and applied pharmacology*. 2007;222(3):271-280.
- Waalkes MP**, Liu J, Ward JM, Diwan BA. Mechanisms underlying arsenic carcinogenesis: hypersensitivity of mice exposed to inorganic arsenic during gestation. *Toxicology*. 2004;198(1-3):31-38.

- Wang H, Zhang S, Guo L, Irfan M, Kan G, Ren D, Chen H.** Study on correlation between antioxidant and hypoglycemic activity polysaccharide isolation from *Momordica Charantia*. *Bothalia Journal*. 2013;43:117-128.
- Wang Q, Wu X, Shi F, Liu Y.** Comparison of antidiabetic effects of saponins and polysaccharides from *Momordica charantia* L. in STZ-induced type 2 diabetic mice. *Biomedicine & Pharmacotherapy*. 2019;109:744-750.
- Wang XN, Zhang CJ, Diao HL, Zhang Y.** Protective effects of curcumin against sodium arsenite-induced ovarian oxidative injury in a mouse model. *Chinese medical journal*. 2017;130(9):1026.
- Wang Y, Wei Y, Zhang H, Shi Y, Li Y, Li R.** Arsenic trioxide induces apoptosis of p53 null osteosarcoma MG63 cells through the inhibition of catalase. *Medical oncology*. 2012 ;29(2):1328-1334.
- Weinstein D, Leininger J, Hamby C, Safai B.** Diagnostic and prognostic biomarkers in melanoma. *The Journal of clinical and aesthetic dermatology*. 2014;7(6):13.
- Weiss N.** Mechanisms of increased vascular oxidant stress in hyperhomocysteinemia and its impact on endothelial function. *Current drug metabolism*. 2005;6(1):27-36.
- Weydert CJ, Cullen JJ.** Measurement of superoxide dismutase, catalase and glutathione peroxidase in cultured cells and tissue. *Nature protocols*. 2010;5(1):51.
- WHO**, Environmental Health Criteria-224. Arsenic and Arsenic Compounds, second ed., World Health Organization, Geneva, 2003.
- Yadav A, Lomash V, Samim M, Flora SJ.** Curcumin encapsulated in chitosan nanoparticles: a novel strategy for the treatment of arsenic toxicity. *Chemico-biological interactions*. 2012;199(1):49-61.
- Yang H, Shu Y.** Cadmium transporters in the kidney and cadmium-induced nephrotoxicity. *International journal of molecular sciences*. 2015;16(1):1484-94.

- Yedjou** CG, Tchounwou PB. In-vitro cytotoxic and genotoxic effects of arsenic trioxide on human leukemia (HL-60) cells using the MTT and alkaline single cell gel electrophoresis (Comet) assays. *Molecular and cellular biochemistry*. 2007;301(1-2):123-130.
- Younes** I, Rinaudo M. Chitin and chitosan preparation from marine sources. Structure, properties and applications. *Marine drugs*. 2015;13(3):1133-1174.
- Younes** M, Siegers CP. Inhibitory action of some flavonoids on enhanced spontaneous lipid peroxidation following glutathione depletion. *Planta medica*. 1981;43(11):240-244.
- Yousef** MI, El-Demerdash FM, Radwan FM. Sodium arsenite induced biochemical perturbations in rats: ameliorating effect of curcumin. *Food and Chemical Toxicology*. 2008;46(11):3506-3511.
- Zettel** H. Der Einfluss chronischer Arsenschädigung auf Herz und Gefäße. *Z Klin Med*. 1943;142:689-703.
- Zhang** C, Chen H, Bai W. Characterization of *Momordica charantia* L. polysaccharide and its protective effect on pancreatic cells injury in STZ-induced diabetic mice. *International journal of biological macromolecules*. 2018;115:45-52.
- Zhang** J, Wang X, Vikash V, Ye Q, Wu D, Liu Y, Dong W. ROS and ROS-mediated cellular signaling. *Oxidative medicine and cellular longevity*. 2016;2016.
- Zhang** TC, Cao EH, Li JF, Ma W, Qin JF. Induction of apoptosis and inhibition of human gastric cancer MGC-803 cell growth by arsenic trioxide. *European Journal of Cancer*. 1999;35(8):1258-1263.
- Zhao** B, Zhang J, Yao J, Song S, Yin Z, Gao Q. Selenylation modification can enhance antioxidant activity of *Potentilla anserina* L. polysaccharide. *International journal of biological macromolecules*. 2013;58:320-328.