List of Tables

Table No	Legends	Page No
6.1.	Effects of sodium arsenite on liver SOD and catalase activities in dose-dependent fashion. Table represents mean ± SE, N = 6. The data of the current investigation is analyzed using one-way ANOVA with Dunnett's Post Hoc t-test *, *** indicate $p<0.05$, $p<0.001$ versus control group with vehicle.	44
6.2.	Protective effects of curcumin and CCPS on MDA and CD in hepatic tissues slices against arsenic exposed rats in duration dependent fashion. Table represents mean ± SE, N = 6. Presented values here are expressed by one-way ANOVA with Dunnett's Post Hoc t-test *, **, *** indicates $p<0.05$, $p<0.01$, $p<0.001$ versus control group with vehicle, whereas #, ##, ### indicate $p<0.05$, $p<0.01$ and $p<0.001$ versus As^{III} treatment.	45
7.1.	Effect of different doses of the curcumin on body mass and reproductive organs. Table represents mean ± SE, N = 6. Presented values here are expressed by one-way ANOVA with Dunnett's post Hoc t-test *** indicate $p<0.001$ versus control with vehicle, whereas #, ## and ### indicate $p<0.05$, $p<0.01$ and $p<0.001$ versus As^{III} treatment.	60
7.2.	Effects of three doses of curcumin on uterine oxidative related stress markers against arsenic challenged group. Table represent mean ± SE, N = 6, Presented values here are expressed using one-way ANOVA with Dunnett's	62

	post Hoc t-test *, *** indicate p<0.05 and p<0.001 against control with vehicle, whereas ### indicate p<0.001 against As^{III} treatment.	
8.1.	Effects of three doses of CCPS on body mass and reproductive organs. Table represents mean ± SE, N = 6. Presented values here are expressed using one-way ANOVA with Dunnett's post Hoc t-test *, **, *** indicate p<0.05, p<0.01, p<0.001 versus the control with vehicle, whereas ### indicate p<0.001 versus As^{III} treatment.	73
8.2.	Effects of three doses of CCPS on oxidative stress markers in uterine organ. Table represents mean ± SE, N = 6. Presented values here are expressed using one-way ANOVA with Dunnett's post Hoc t-test *indicate p<0.05 versus the control with vehicle, whereas #indicate p<0.05 versus As^{III} treatment.	75
9.1.	Protective effects of curcumin and CCPS on body mass and reproductive organs weight in arsenicated rats. Table represent mean ± SE, N = 6. Presented values here are expressed using one-way ANOVA with Dunnett's post Hoc t-test * indicate p<0.05 versus with vehicle whereas # and ## indicates p<0.05, p<0.01 versus As^{III} treatment.	87
10.1.	Represents the effects of curative mode of arsenic and CCPS on body weight, organo-somatic indices (uterus & ovary). These data were represented as mean ± SE, N=6 using one way ANOVA in association with Dunnett's post Hoc t-test. Significant variations of data were expressed at *p<0.05 with the control group with vehicle and at #p<0.05, with the arsenic challenged group.	109
12.1.	Effect of different doses of ECNPs on somatic weight and reproductive organs' weight. Table represent mean ± SE, N = 6. Presented values here are expressed using one way ANOVA in association with Dunnett's post Hoc t-	141

	test. *,**,*** indicate p<0.05, p<0.01and p<0.001 versus the control with vehicle group, whereas # and ### indicate p<0.05, p<0.001 versus As^{III} treatment.	
12.2.	Effects of different doses of ECNPs on lipid peroxidation in uterine tissue. Table represent mean ± SE, N = 6. Presented values here are expressed using one way ANOVA in association with Dunnett's post Hoc t-test. *, *** indicates p<0.05 and p<0.001 versus the control with vehicle group, whereas #, ### indicates p<0.05 and p<0.001 versus As^{III} treatment.	143