
References

- Abe J., Bergeman F., Obeta W. K., Hizukuri S. (1988). Production of the raw starch degrading amylase of *Aspergillus* sp. K-27. *Appl. Microbiol. Biotechnol.*, 27:447-450.
- Abu E. A., Ado S. A., Jamesi D. B. (2005). Raw starch degrading amylase production by mixed culture of *Aspergillus niger* and *Saccharomyces cerevisiae* grown on sorghum pomace. *Afr. J. Biotechnol.*, 4: 785-790.
- Abdulaal W. H. (2018). Purification and characterization of α - amylase from *Trichoderma pseudokoningii*. *BMC Biochem.*, 19: 1-6.
- Ahlawat S., Dhiman S. S., Battan B., Mandhan R. P., Sharma J. (2009). Pectinase production by *Bacillus subtilis* and its potential application in biopreparation of cotton and micropoly fabric. *Process Biochem.*, 44:521-526.
- Ahmed K., Valeem E. E., Haq Q., Mehmood I., M. U. Dahot. (2014). Optimal conditions for the production of industrial enzymes by *Aspergillus niger* using agricultural wastes as sources of carbon. *FUUAST J Biol.*, 4: 129-136.
- Ahmed K., Valeem E. E., Khan M. A., Haq Q. U. (2015). Biosynthesis of alpha amylase from *Aspergillus fumigatus* (fresenius1863) in submerged fermentation. *Pak J Biotechnol.*, 12: 87 - 92.
- Aiyer P.V.D. (2004). Effect of C: N ratio on alpha amylase production by *Bacillus licheniformis* SPT 27. *Afr. J. Biotechnol.*, 3:519-522.
- Akpan I., Bankole M.O., Adesemowo A.M., Latunde Dada G.A. (1999). Production of amylase by *Aspergillus niger* in liquid and solid medium using rice bran and agricultural materials. *Tro. Sci.* 39: 77- 79.
- Alariya S. S., Sethi S., Gupta S., Gupta B.L. (2013). Amylase activity of starch degrading bacteria isolated from soil *Arch Appl Sci Res.*, 5:15-24.
- Ali I., Akbar A., Anwar M., Yanwisetpakdee B., Prasongsuk S., Lotrakul P., Punnapayak H. (2014). Purification and characterization of extracellular, polyextremophilic α - amylase obtained from halophilic *Engyodontium album*. *Iran J Biotechnol.*, 12: 35-40.

Alva S., Anupama J., Savia J., Chiu Y. Y. (2005). Characterization of fungal amylase enzyme isolated from *Aspergillus* sp. JGI 12 in solid state culture. Afr. J. Biotechnol, 6: 576-581.

Annamalai N., Thavasi R., Vijaylakshmi S., Balasubramanian T. (2011). Extraction, purification and characterization of thermostable alkaline tolerant α - amylase from *Bacillus cereus*. Indian J Microbiol, 51: 424-429.

Anto H., Trivedi U., Patel K. (2006). Apha amylase production by *Bacillus cereus* MTCC 1305 usind solid state fermentation. Food Technol Biotechnol, 44: 241-245.

Ashwini K., Kumar G., Karthik L., Bhaskara Rao K.V. (2011). Optimization, production and partial purification of extracellular alpha amylase from *Bacillus* sp marini. Arch. Appl.Sci. Res, 3: 33-42.

Asrat B., Girma A. (2018). Isolation, production and characterization of amylase enzyme using the isolate *Aspergillus niger* FAB-211. Int J Biotechnol Mol Biol Res, 9:7-14.

Ayer P. V. (2005). Amylase and their applications. Afri J Biotechnol, 4: 1525- 1529.

Aygan A., Arikan B., Korkmaz H., Dinçer S., Colak O. (2008). Highly thermostable and alkaline α - amylase from a halotolerant-alkaliphilic *Bacillus* sp. AB68. Braz J Microbiol, 39: 547-53.

Azad A. K., Jae-Han B., Kim J. S., Lim J. K., Kyung-Sik S., Beom-Soo S., Hak- Ryul K. (2009). Isolation and characterization of a novel thermostable α - amylase from Korean pine seeds. New Biotechnol. 26: 143-9.

Baks T., Bruins M. E., Matser A. M., Jansen A. E. M., Boom R. M. (2008). Effect of gelatinization and hydrolysis conditions on the selectively of starch hydrolysis with alpha amylase from *Bacillus licheniformis*. J. Agri. Food Chem, 56:488-495.

Balkan B., Ertan F. (2007). Production of alpha amylase from *Penicillium Chrysogenum*. Food Technol Biotechnol, 45:339-442.

Beazell J. M. (1942). The effect of supplemental amylase on digestion. J. Lab. Clin. Med, 27:308-319.

Bedan D. S., Aziz G. M., AlSa'ady A . J . R . (2014). Optimum conditions for α - amylase production by *Aspergillus niger* mutant isolate using solid state fermentation. Curr Res Microbio Biotechnol, 2:450-456.

Berg J. M., Tymoczko J. L., Stryer L. (2002). Biochem., 01- 20.

Bergeman F., Abe J., Hizukuri S. (1988). Selection of microorganism which produce raw starch degrading amylase. Appl. Microbiol. Biotechnol, 27:443-446.

Bernfeld P. (1955). Amylases, α and β . In: Methods in enzymology. New York: Academic Press.

Bezbaruah R. L., Gogoi B. K., Pillai K. R., Nigam J. N. (1991). Amylase production by three *Bacillus* strains active at alkaline pH. J. Basic. Microbiol, 31: 13-20.

Bhardwaj S., Vedamurthy A. B, Bhattacharya S., Das A. (2012). Effect of inorganic salts and surfactants on the production of α - amylase by a mangrove isolate of *Aspergillus flavus* using solid-state fermentation. J Chem Biol Phys Sci., 2: 1390-1397.

Bhargav S., Panda B.P., Ali M., Javed S. (2008). Solid state fermentation : An overview. Chem. Biochem. Eng, 22: 49-70.

Bilal B., Figen E. (2007). Production and Properties of alpha amylase from *Penicillium chrysogenum* and its Application in Starch Hydrolysis. Prep Biochem Biotechnol, 35: 169–178

Boel E., Brady L., Brozozowski A. M., Derewenda Z., Dodson G. G., Jensen V. J., Peterson S. B., Swift H., Thim L., Woldike H. F. (1990). Calcium binding in α - amylases: an X- ray diffraction study at 2.1-. ANG. resolution of two enzymes from *Aspergillus*. Biochem, 29: 6244- 6249.

Bolton D. J., Kelly C. T., Fogarty W. M. (1997). Purification and characterization of the α - amylase of *Bacillus flavothermus*. Enz. Microb. Technol, 20: 340-343.

Bortolato M., Godar S. C., Alzghoul L., Zhang J., Darling R. D., Simpson K. L., Bini V., Chen K., Wellman C. L., Lin R. C. S., Shih J. C. (2013). Monoamine oxidase A and A/B knockout mice display autistic like features. Int J Neuropsychopharmacol, 16: 869-888.

Bozic N., Ruiz J., Lopez- santin J., Vujcic Z. (2011). Production and properties of the highly efficient raw starch digesting alpha amylase from a *Bacillus licheniformis* ATCC 9945a. Biochem. Eng. J, 53: 203-206.

Carlsen M., Spohr B. A., Nielsen J., Villadsen J. (2000). Morphology and physiology of an α - amylase producing strain of *Aspergillus oryzae* during batch cultivations. Biotechnol. Bioeng, 49: 266–276.

Castro A. M. D., Carvalho D. F., Freire D. M. G., Castilho L. D. R. (2010). Economic analysis of the production of amylases and other hydrolases by *Aspergillus awamori* in solid state fermentation of babassu cake. Enzyme Res. 1: 1-9.

Chakraborty K., Bhattacharyya B. K., Sen S. K. (2000). Purification and characterization of a thermostable α -amylase from *Bacillus stearothermophilus*. Folia Microbiol, 45: 207-210.

Cheesbrough M. (2005). District laboratory practice in Tropical countries, 2nd edition, ScheckWah Tong printing press Ltd. Hong Kong, 362-363.

Choudhary D. K., Mishra A. (2017). In vitro and in silico interaction of porcine α - amylase with Vicia faba crude seed extract and evaluation of antidiabetic activity. Bioengineered, 8: 393- 403.

Conrad B., Hoang V., Polley A., Hofemeister J. (1995). Hybrid *Bacillus amyloliquefaciens* \times *Bacillus licheniformis* α -amylases. Construction, properties and sequence determinants. Eur J Biochem. 230: 481– 490.

Danilewsky A. J. (1862). Separated pancreatic amylase from trypsin. Virchows archive fur pathologische Anatomie und Physiologie, und fur Klinische Medizin, 5: 279-307.

Dash K. B., Rahman M. M., Sarker K. P. (2015). Molecular identification of a newly isolated *Bacillus subtilis* BI19 and optimization of production conditions for enhanced production of extracellular amylase. BioMed Res Int., 2015: 1-9.

Date K., Satoh A., Lida K., Ogawa H. (2005). Pancreatic α - amylase controls glucose assimilation by duodenal retrieval through N- glycan specific binding, Endocytosis and degradation. J Biol Chem., 290: 17439-17450.

David H., Alpers M. D., Solin M. (1970). The characterization of rat intestinal amylase. Gastroenterology. 58: 833-842.

Dehkordi M. M., Javan F. A. (2012). Application of alpha -amylase in biotechnology. *J Biol. Today's World*, 1:15-20.

Demirjian D. C., Morys- Varas F., Cassidy C. S. (2001). Enzymes from extremophiles. *Curr Opin. Chem. Biol.*, 5: 144-151.

Demirkhan E. S., Utsumi S. (2005). α - amylase from *Bacillus amyloliquefaciens* purification, characterization, raw starch degradation and expression in *Escherichia coli*. *Process Biochem*, 40: 2629-2636

Deng S., Yu G., Ting Y. P. (2005). Production of a bioflocculant by *Aspergillus parasiticus* and its application in dye removal, *Colloids and Surfaces. Biointerfaces*, 44: 179–186.

Divakaran D., Chandran A., Chandran P. R. (2011). Comparative study on production α -amylase from *Bacillus licheniformis* strain. *Braz J. Microbiol*, 42: 1397-1404.

Dixon M., Webb E. C. (1979). Enzyme kinetics. *Enzymes*, 3: 47-206.

Djkrif- Dakhmouche S., Gheribi- Aoulmi Z., Meraihi Z., Bennamoun L. (2005). Application of a statistical design to the optimization of culture medium for α -amylase production by *Aspergillus niger* ATCC 16404 grown on orange waste powder. *J Food Process Eng*, 73: 190–197.

EI- Safety E. M., Ammar M. S. (2004). Purification and characterization of -amylase isolated from *Aspergillus flavus*. *Environ Res*, 7: 93- 100.

Elliah P., Adinarayana K., Bhavani Y., Padmaja P., Srinivasulu B. (2002). Optimization of process parameters for glucoamylase production under solid state fermentation by newly isolated *Aspergillus* sp. *Process Biochem*, 38: 615-620.

Erdal S., Taskin M. (2010). Production of alpha amylase by *Penicillium expansum* MT-1 in solid state fermentation using waste loquat (*Eriobotrya japonica* Lindley) kernels as substrate. *Rom Biotechnol Lett.*, 15: 5342- 5350.

Eriksen S., Jensen B., Olsen J. (1998). Effect of glycosylation on secretion, activity and stability of amylase from *Aspergillus oryzae*. *Currr Microbiol*, 37: 117-122.

Ertan F., Yagar H., Balkan B. (2006). Some propertoes of free and immobilized α - amylase from *Penicillium griseofulvum* by solid state fermentation. *Prep Biochem Biotechnol*, 36: 81-91.

Esfahani Z. B, Rostami K., Mirdamadi S. S. (2008). Some studies of α - amylase production using *Aspergillus oryzae*. *Pak J. Biol. Sci*, 11: 2553-2559.

Farouk Q., Akel H., Natshi, R. (2009). Characteristics of a novel highly thermostable and extremely thermophilic alkali tolerant amylase hyper thermophilic *Bacillus* strain HUTBS71. *Online J Biol Sci*, 9: 67-74.

Fattah Y. R. A., Solima N. A., Toukhy N. M. E., Gendi H. E., Ahmed R. S. (2013). Production, purification and characterization of thermostable alpha amylase produced by *Bacillus licheniformis* isolate AI20. *J Chem*, 2013: 1-11.

Forgarty W. M., Kelly C. T. (1979). Developments in microbial extracellular enzymes. In: Topics in Enzyme and Fermentation Biotechnology. Appl Sci Publishers, London, UK V (Ed A.Wiseman) 3: 45-108.

Francis F., Sabu A., Nampoothiri K. M., Ramachandran S., Ghosh S., Szakacs G., Pandey A. (2003). Use of response surface methodology for optimizing process parameters for the production of α -amylase by *Aspergillus oryzae* *Biochem Eng J*, 15: 107–115.

Gangadharan D., Sivaramakrishnan S., Nampothiri K. M., Pandey A. (2006). Solid culturing of *Bacillus amyloliquefaciens* for alpha amylase production. *Food Technol. Biotechnol* 44: 269-274.

Garg R., Kumari R., Tiwari S., Goyal S. (2014). Genomic survey, gene expression analysis and structural modelling suggest diverse roles of DNA methyltransferase in legumes. *Plosone*, 9: 1-14.

Gbenga A., David S., Femi B., Saanu A. B. (2017). Purification and characterization of α - amylase from *Bacillus subtilis* isolated from cassava processing sites. *J Bioremediat Biodegrad*, 8: 1-7.

Giraud E., Gosselin L., Marlin B., Parada J. L., Raimbault L. (1993). Purification and characterization of an extracellular amylase from *Lactobacillus plantarum* strain A6. *J. Appl. Bacteriol.*, 75: 276-282.

Gomes E., Regina Souza S., Grandi R. P., Dasilva R. (2005). Production of thermostable glucoamylase by newly isolated *Aspergillus flavus* A1.1 and *Thermomyces lanuginosus* A 13.37. *Braz J Microbiol*, 36: 10-20.

Gopal B. A., Muralikrishna G. (2009). Porcine pancreatic α - amylase and its isoforms: Purification and kinetic studies. *Int J Food Properties*, 12: 571-586.

Gopinath C. B. S., Anbu P., Arshad M. K. M., Lakshmipriya T., Voon C. H., Hashim U., Chinni S. V. (2017). Biotechnological processes in microbial amylase production. *BioMed Res Int*, 2017: 1-9

Goto C. E., Barbosa E. P., Kistner L-do-CL., Gandra R. F., Arrias V. L., Peralta R. M. (1998). Production of amylase by *Aspergillus fumigatus*. *Revista De Microbiologica*, 29: 99-103.

Goyal N., Gupta J. K., Soni S. K. (2005). A novel raw starch digesting thermostable α -amylase from *Bacillus* sp.I3 and its use in the direct hydrolysis of raw potato starch. *Enzyme Microbiol. Technol*, 37:723-734.

Guerra N. P., Pastrana, L. (2002). Nisin and pediocin production on mussel- processing waste supplemented with glucose and five nitrogen sources. *Lett Appl Microbiol*, 34:114-118.

Gupta A., Gupta V. K., Modi D. R., Yadava L. P. (2008). Production and characterization of α - amylase from *Aspergillus niger*. *Biotechnol*, 7:551-556.

Gupta R., Gigras P., Mohapatra H., Goswami V. K., Chauhan B. (2003). Microbial alpha amylase: a biotechnological perspective. *Process Biochem*, 38:1599-1616.

Hadrich F., Boullagui Z., Junkyu H., Isoda H., Sayadi S. (2015). The α - glucosidase and α -amylase enzyme inhibitory of hydroxytyrosol and oleuropein. *J oleo Sci*, 64:835-43.

Haki G. D., Rakshit S. K. (2003). Developments in industrially important thermostable enzymes: a review. *Bioresour Technol*, 89:17-34.

Halder S. K, Jana A., Paul T., Das A. P., Ghosh K., Pati B. R, Mondal K. C. (2016). Purification and biochemical characterization of chitinase of *Aeromonas hydrophila* SBK1 biosynthesized using crustacean shell. *Biocat Agri Biotechnol*, 5:211–218.

Hamilton L. M., Kelly C. T., Fogarty W. M. (1999). Purification and properties of the raw starch degrading α - amylase of *Bacillus* sp. IMD 434. Biotechnol. Lett., 21:111-115.

Hassan B. A., Alsalami N. Y., Jebor M. A. (2018). Amylase production, purification and characterization from *Escherichia coli*. J Pharm Sci Res, 10: 1691-1696.

Haq I., Abdullah R., Ashraf H., Shah A. H. (2002). Isolation and screening of fungi for biosynthesis of α - amylase. Biotechnol, 2: 61-66.

Haq I., Ashraf H., Iqbal J., Qadeer M. A. (2003). Producton of α - amylase by *Bacillus licheniformis* using an economical medium. Bioresource Technol, 87: 57- 61.

Haq I., Ashraf H., Qadeer M. A., Iqbal J. (2005). Pearl millet, a source of alpha amylase production by *Bacillus licheniformis*. Bioresource Technol, 96: 17-34.

Hasemi M., Shojaosadati S. A., Razavi S. H., Mousavi S. M., Khajeh K., Safari M. (2012). The effieciency of temperature shift strategy to improve the production of alpha amylase by *Bacillus* sp. in a solid state fermentation system. Food. Bioprocess. Technol, 5: 1093-1099.

Hassan H., Karim K. A. (2015). Optimization of alpha amylase production from rice straw using solid state fermentation of *Bacillus subtilis*.Int. J. Sci. Environ. Technol, 4: 1-16.

Hernandez M. S., Rodriguez M. R., Guerra N. P., Roses R.P. (2006). Amylase production by *Aspergillus niger* in submerged cultivation on two wastes from food industries. J Food Process Eng, 73: 93–100.

Hiller P., Wase D. A. J., Emery A. N. (1996). Production of α - amylase by *Bacillus amyloliquefaciens* in batch and continuous culture using a defined synthetic medium. Biotechnol. Lett., 18: 795-800.

Holker U., Hofer M., Lenz J. (2004). Biotechnological advantages of laboratory scale solid state fermentation with fungi. Appl Microbiol Biotechnol, 64: 175-186.

Hirata A., Adachi M., Sekine A., Kang Y. N., Utsumi S., Mikami B. (2004). Structural and enzymatic analysis of soybean β - amylase mutants with increased pH optimum. J Biol Chem. 279: 7287- 7295.

Huson D. H., Richter D. C., Rausch C., Dezulian T., Franz M., Rupp R. (2007) Dendroscope: An interactive viewer for large phylogenetic trees. BMC Bioinform, 8: 460-464.

Hussain I., Siddique F., Mahmood M. S., Ahmed S. I. (2013). A review of the microbiological aspect of α - amylase production. Int J Agri Bios., 55: 1029-1034.

Hussein A. A., Al- janabi S. (2006). Identification of Bacitracin produced by local isolate of *Bacillus licheniformis* thermophilic microorganisms and life at high temperatures. Afr. J. Biotechnol., 18: 1600-1601.

Hyun H. H., Zeikus J. G. (1985). General biochemical characterization of thermostable pullulanase and glucoamylase from Clostridium thermohydrosulfuricum. Appl Environ Microbiol, 49: 1168-1173.

Irfan M., Nadeen M., Sayed Q. (2012). Media optimization for amylase production in solid state fermentation of wheat bran by fungal strains. J cell mol Biol, 10: 55-64.

Jadhav S. A., Kataria P. K., Bhise K. k., Chougule S. A. (2013). Amylase production from potato peel and banana peel waste. Int. J. Curr. Microbiol. Appl. Sci, 2: 410-414.

Jaiswal N., Prakash O. (2013). An organic solvent and surfactant stable α - amylase from soybean seeds. Acta Biochim Pol 60: 387-393.

Jana M., Chattopadhyay D. J., Pati B. R. (1997). Thermostable, high salt tolerant amylase from *Bacillus megaterium* VUMB- 109. Acta. Microbiol. et . Immunol. Hungarica. 44: 281- 289.

Jana M., Maity C., Samanta S., Pati B. R., Islam S. S., Das Mohapatra P. K., Mondal K. C. (2013). Salt- independent thermophilic α - amylase from *Bacillus megaterium* VUMB- 109: An efficacy testing for preparation of maltooligosaccharide. 41: 396-391.

Jensen B., Olsen J. (1992). Physicochemical properties of purified alpha amylase from thermophilic fungus *Thermomyces lanuginosus*. Enzyme. Microbiol. Technol, 14: 112-116.

Juliana H. C., Braun A., Viccini G., Krieger N., Mitchell D. A. (2011). A three dimentional discrete lattice- based system for modelling the growth of areal hyphae of filamentous fungi on solid state fermentation. Biochem Eng J, 54:164-171.

Kalaiarasi K., Parvatham R. (2013). Optimization of process parameters for α -amylase production under solid-state fermentation by *Bacillus Cereus* MTCC 10202. Afr J Microbiol. Res, 7: 5166-5177.

Kalaiarasi K., Parvatham R. (2015). Optimization of process parameters for α -amylase production under solid state fermentation by *Aspergillus awamori* MTCC 9997. J Sci Ind Res, 74: 286-289.

Kalllio P., Palva A., Palva I. (1987). Enhancement of alpha amylase production by integrating and amplifying the amylase gene of *Bacillus amylolequefaciens* in the genome *Bacillus subtilis*. Appl. Microbiol. Biotechnol, 27: 64-74.

Karim K. M. R., Hussaini A., Sing N. N., Sinang F.M., Roslan H. A., Hussain H. (2018). Purification of an α amylase from *Aspergillus flavus* NSH9 and molecular characterization of its nucleotide gene sequence. Biotechnol, 8: 402-416.

Karri S., Talla G., Renuka S., Dholpuri S. (2014). Screening and production optimization of alpha amylase from *Aspergillus* strains by using solid state fermentation. Int J Curr Microbiol Appl Sci, 3: 623-631.

Kathiresan K., Manivannan S. (2006). Alpha amylase production by *Penicillium fellutanum* isolated from mangrove rhizosphere soil. Afri. J. Biotechno, 15: 829-832.

Kesalkar V. P., Khedikar I. P., Sudame A. M. (2012). Physico-chemical characteristics of waste water from paper industry. Int J Eng Res Appl. 2: 137- 143.

Khajeh K., Manesh N. H. (2006). Acidic and proteolytic digestion of α - amylases from *Bacillus licheniformis* and *Bacillus amyloliquefaciens*: stability and flexibility analysis. Enzyme Microbiol Technol, 38: 422-428.

Kingspohn K., Bader J., Kruse P. V., Schugerl K. (1993). Utililization of potato pulp from potato starch processing. Proc. Biochem, 28: 91-98.

Knox A. M., Preez J. C., Kilian S. G. (2004). Starch fermentation characteristics of *Saccharomyces cerevisiae* strains transformed with amylase genes from *Lipomyces kononenkoae*, *Saccharomyces fibuligera*. Enzyme Microb. Technol, 34:453-460.

Koch R., Spreinat A., Lemke K., Antranikian G. (1991). Purification and properties of a hyperthermoactive α - amylase from the archaeobacterium *Pyrococcus woesei*. Arch Microbiol, 15: 572-578.

- Konsula Z., Kyriakdes M. L. (2004). Hydrolysis of starches by the action of an α - amylase from *Baillus subtilis*. *Process Biochem.*, 39:1745-1749.
- Krishnan T., Chandra A. K. (1983). Purification and characterization of α -amylase from *Bacillus licheniformis* CUMC 305. *Appl. Environ. Microbiol*, 46: 430–437.
- Kuhn R. (1924). The constitution of starch and the different modes of action of amylases. *Ann.*, 433: 1.
- Kumar A., Duhan J. S. (2011). Production and characterization of amylase enzyme isolated from *Aspergillus niger* MTCC-104 employing solid state fermentation. *Int J Pharma Biosci*, 2: 250-258.
- Kumari N., Jain V., Malhotra S. (2013). Purification and characterization of extracellular acidophilic amylase from *Bacillus cereus* MTCC 10205 isolated from soil. *Afr J Microbiol Res*, 7: 5440-5448.
- Kumari N., Jain V., Malik K., Sushil. (2017). Production and Optimization of Amylase from *Bacillus cereus* using Submerged fermentation. *Int. J. Curr. Microbiol. Appl.Sci*, 6: 263-271.
- Kunamneni L. A., Permaul K., Singh S. (2005). Amylase production in solid state fermentation by the thermophilic fungus *Thermomyces*. *J. Bioscienc. Bioengin.*, 100: 168-171.
- Kvesitadze G. I., Svanidze R. S., Buachidze T. S. H., Bendianishvili M. B. (1978). Acid stable and acid unstable alpha amylases of the mold fungi *Aspergillus*. *Biokhimiiia*, 43: 1688-94.
- Kwatia S., Dzogbefia V. P., Ofosu I. W. (2017). Optimization of amylase production by *Aspergillus niger* cultivated on yam peels in solid state fermentation using response surface methodology. *Afr J Biochem Res*, 11: 34-42.
- Laddish M. R., Lin K.W., Voloch M., Tsao G. T. (1983). Process consideration in the enzymatic hydrolysis of biomass. *Enzyme Microbial Technol*, 5: 8 –16.
- Laemmli U. K. (1970) Cleavage of Structural Proteins during the Assembly of the Head of Bacteriophage T4. *Nature*, 227: 680–685.

Leveque E., Janecek S., Haye B., Belarbi A. (2000). Thermophilic archaeal amylolytic enzymes. Enzy. Microbiol. Technol, 26: 3-14.

Li M., Huang Y., Xiao Y. (2008). Effect of external interactions on protein sequence-structure relations of beta-trefoil fold, Proteins: struct., funct., Bioinfor, 72: 1161-1170.

Li S., Yang X., Yang S., Zhu M., Wang X. (2012). Technology prospecting on enzymes: Application, marketing and engineering. Comput. Struct. Biotechnol. J., 2: 1-11.

Liebl W., Stemplinger I., Ruile P. (1997). Properties and gene structure of the *Thermotoga meritima* alpha amylase Amy A, a putative lipoprotein of a hyperthermophilic bacterium. J. Bacteriol, 179:941-948.

Lin L. L., Chyau C. C., Hsu W. H. (1998). Production and properties of a raw starch degrading amylase from thermophilic and alkaliphilic *Bacillus* sp. TS-23. Biotechnol. Appl. Biochem., 28: 61-68.

Lineweaver H., Burk D. (1934). The determination of enzyme dissociation constants. Acc. Chem. Res 56: 658–666.

Lonsane B. K., Ramesh M. V. (1990). Production of bacterial thermostable alpha amylase by solid state fermentation: a potential tool for achieving economy in enzyme production and starch hydrolysis. Adv Appl Microbiol, 35: 1-56.

Lowry O. H., Rosebrough N. J., Farr A. l., Randall R. J. (1951). Protein estimation with the folin phenol reagent. J Biol Chem, 193:265-75.

Lynn H.M., Kelly C.T., Fogarty W.M. (1999). Purification and properties of the raw starch degrading α - amylase of *Bacillus* sp. IMD 434. Biotechnol. Lett. 21:111-115.

Madeswaran A., Kuppusamy A., Muthuswamy U., Sivashanmugam T., Subhadradevi V., Jagannath P. (2014). In silico docking evaluation of α -Amylase inhibitory activity of Butein and Tricetin rumugam. J Comput Aid Mol Des, 4: 51-56.

Mahmood S., Shahid M. G., Nadeem M., Irfan M., Syed Q. (2016). Production and optimization of alpha amylase from *Aspergillus niger* using potato peel as substrate. Pak. J. Biotechnol., 13:101-109.

Maity C., Samanta S., Halder S. K., Das Mohapatra P. K., Pati B. R., Jana M., Mondal K. C. (2011). Isozymes of α - amylases from newly isolated *Bacillus thuringiensis* CKB19: Production from immobilized cells. *Biotechnol Bioprocess Eng.*, 16: 312-319.

Malik S. K., Mehta S., Sihag K. (2017). Isolation and screening of amylase producing fungi. *Int J Curr Microbiol App Sci*, 6: 783-788

Mamma D., Kourtoglou E., Christakopoulos P. (2008). Fungal multienzyme production on industrial by products of the citrus-processing industry. *Bioresource Technol*, 99: 2373-2383.

Mandel A. L., Breslin A. S. P. (2012). High endogeneous salivary amylase activity is associated with improved glycemic homeostasis following starch ingestion in adults. *J Nutri.*, 142: 853-858.

Manivannan S., Madhavi P., Bhubaneswari S. (2015). Production and optimization of α -amylase from *Aspergillus flavus* under solid state fermentation. *Int. J. Pharm. Sci. Drug Res*, 7: 298- 303.

Mankar S. D., Barate D. L. (2018). Isolation and identification of amylase producing bacteria from soil receiving kitchen and agricultural waste. *Int J Recent Sci Res.*, 9: 23408-23411.

Martinovičová M., Janeček Š. (2018). In silico analysis of the α -amylase family GH57: eventual subfamilies reflecting enzyme specificities. *Biotech*, 8: 3- 11.

Maryam H., Seyed H. R., Seyed A. S., Seyyed M. M., Khosro K., Mohammad S. (2010). Development of solid state fermentation process for production of an alpha amylase with potentially interesting properties. *J. Biosci. Bioeng*, 110: 333-337.

Matsuura Y., Kusunoki M., Kakudo M. (1991). Structure and catalytic implication of taka-amylase A. *Denpun Kagaku*, 38: 137-139.

Matzke J., Schwermann B., Bakker E. P. (1997). Acidostable and acidophilic proteins: the example of the alpha amylase from *Alicyclobacillus acidocaldarius*. *Comp Biochem Physiol A physiol* 118: 475-9.

Medda S., Chandra A. K. (1980). New strain of *Bacillus licheniformis* and *Bacillus coagulans* producing thermostable alpha amylase active at alkaline pH. *J Appl Bacteriol*, 48: 47-48.

Mehta D., Satyanarayana T. (2016). Bacterial and Archaeal α -Amylases: Diversity and Amelioration of the Desirable Characteristics for Industrial Applications. *Front Microbiol*, 7: 10- 21.

Melgar G. Z., Assis F. V. S. D., Rocha L. C. D., Fanti S. C., Stte L. D., Porto A. L. M. (2013). Growth curves of filamentous fungi for utilization in biocatalytic reduction of cyclohexanones. *Global J Sci Frontier Res Chem*. 13: 13-18.

Mikami B., Aibara S., Morita Y. (1980). Chemical modification of sulphydryl groups in soybean β - amylase. *J Biochem*, 88: 103-111.

Miller G. A. I. L. (1959). Use of dinitrosalicylic acid reagent for detection of reducing sugars. *Analytical Chem*., 31: 426-428.

Mishra S., Noronha S. B., Suraishkumar G. K. (2005). Increase in enzyme productivity by induced oxidative stress in *Bacillus subtilis* cultures and analysis of its mechanism using microarray data. *Process Biochem*, 40: 1863-1870.

Mitchell D. A., Lonsane B. K. (1990). In general principles of solid state fermentation, Monogramed by Doelle HW, Rolz C. Publication of Oxford London.

Mojsov K. (2012). Microbial α - amylases and their industrial applications: a review. *Int J Manage IT Eng*., 2:583-609.

Moller K., Sharif M. Z., Olsson L. (2004). Production of fungal alpha amylase by *Saccharomyces kluyveri* in glucose limited cultivations. *J. Biotechnol*, 111: 311-318.

Monga M., Goyal M., Kalra K. L., Soni G. (2011). Production and stabilization of amylases from *Aspergillus niger*. *Mycosphere*, 2: 129–134.

Moraes L. M. P., Filho S. A., Ulhoa C. J. (1999). Purification and some properties of an amylase glucoamylase fusion protein from *Saccharomyces cerevisiae*. *World J Microbiol Biotechnol*, 15: 561-564.

Moreira F. G. (1999). Production of amylase by *Aspergillus tamarii*. *Braz. J. Microbiol*, 30: 157-162.

Morya V., Yadav D. (2009). Isolation and screening of different isolates of *Aspergillus* for amylases production. *Int J Microbiol*, 7: 1-8.

Mu T. H., Zhang M., Raad L., Sun H. N., Wang C. (2015). J. Pone, Effect of alpha amylase degradation on physicochemical properties of pre- high hydrostatic pressure-treated potato starch. 10: 1- 15.

Mukesh K. D. J., Andal P. D., Suresh K., Saranya G. M., Rajendra K., Kalaichelvan P. T. (2012). Production, purification and characterization of alpha amylase and alkaline protease by *Bacillus* sp. HpE 10 in a concomitant production medium. Asian J. Plant Sci Res, 2: 376-382.

Mukesh K. D. J., Jayanthisidhuraj, Amutha B., Devi D. M., Kumaran M. D. B., Kalaichelvan P. T. (2012). Purification and characterization of alpha amylase and Beta galactosidase from *Bacillus* sp. MNJ23 produced in a concomitant medium. Asian Eurasian J. Agric. Environ. Sci., 12: 566-573.

Mukherjee R., Paul T., Soren J. P., Halder S. K., Mondal K. C., Pati B. R., Das Mohapatra P. K. (2017). Acidophilic α - amylase production from *Aspergillus niger* RBP7 using potato peel as substrate: A waste to value added approach. Waste Biomass Valor, doi.org/10.1007/s12649-017-0114-8.

Mustafa S. R., Hussain A., Hipolito C. N., Hussain H., Suhaili N., Roslan H. A. (2016). Application of Response Surface Methodology for optimizing process parameters in the product ion of amylase by *A. flavus* NSH 9 under solid state fermentation. Braz. Arch. Biol. Technol, 59: 1-10.

Myrbrack K., Neumuller G. (1950). Amylases and the hydrolysis of starch and glycogen. In: The enzyme: Chemistry and mechanisms of action. J. B. Sumner and K. Myrback eds. Vol. 1, 1st Ed. Academic Press: New York.

Natasha B., Ruizb J., Santinb J. L., Vujci Z. (2011). Production and properties of the highly effiecient raw starch digesting amylase from a *Bacillus licheniformis* ATCC 9945a. Biochem. Eng. J, 53: 203-209.

Negi S., Banerjee R. (2006). Optimization of amylase and protease production from *Aspergillus awamori* in single bioreactor through EVOP factorial design technique.Food technol. Biotechnol, 44: 257-261.

Negi S., Banerjee R. (2009).Characterization of amylase and protease produced by *Aspergillus awamori* in a single bioreactor. Food Resource Int., 42: 443-448.

Nguyen Q. D., Rezessy-Szabo J. M., Claeysens M., Stals I., Hoschke A. (2002). Purification and characterisation of amylolytic enzymes from thermophilic fungus *Thermomyces lanuginosus* strain ATCC 34626. Enzyme Microb Technol, 31: 345–352.

Nguyen Q. D., Rezessy-Szabo J. M., Hoschke A. (2000). Optimization of Composition of media for the production of amylolytic enzymes by *Thermomyces lanuginosus* ATCC 34626. Food Technol. Biotechnol, 38: 229-234.

Nguyen Q. D., Rezessy-Szabo J. M., Claeysens M., Stals I., Hoschke A. (2002). Purification and characterization of amylolytic enzymes from thermophilic fungus *Thermomyces lanuginosus* strain ATCC 34626. Enzyme Microb Technol, 3: 345-352.

Norman B.E. (1978). The application of polysaccharide degrading enzymes in the starch industry. In Barkeley Rew Gooday Saccharases, Academic Press London.

Norouzian D., Akbarzadeh A., Scharer J. M., Young, M. M. (2006). Fungal glucoamylases. Res. Rev. Paper, 24: 80-85.

Nouadri T., Meraihi Z., Shahrazed D. D., Leila B. (2010). Purification and characterization of the α - amylase isolated from *Penicillium camemberti* PL21. Afr J Biochem Res, 4: 155-162.

Odibo F. J. C., Ulbrich-Hofmann R. (2001). Thermostable α -amylase and glucoamylase from *Thermomyces lanuginosus* F1. Acta Biotechnol, 21: 141-153.

Ohlsson E. (1930). Über die beiden Komponenten der Malzdiastase, besonders mit Riichtsicht auf die Mutarotation der bei der Hydrolyse der Stärke gebildeten Produkte. Zeits Physiol Chem, 189: 17-63.

Okolo B. N., Ire F. S., Ezeogu L. I., Anyanwu C. U., Odibo F. J. C. (2000). Purification and some properties of a novel starch digesting amylase from *Aspergillus carbonarius*. J. Sci. Food Agri, 81: 329-336.

Oshoma C. E., Imarhiagbe E. E., Ikenebomeh M. J., Eigbaredon H. E. (2010). Nitrogen supplement effect on amylase production by *Aspergillus niger* using cassava whey medium. Afr. J. Biotechnol, 9: 682-686.

Oyewale M. O. (2012). Partial Purification of amylase from the culture filtrates of *Aspergillus flavus* grown on cassava peels. Ftn J Ntrl Appl Sci, 1:19 – 24.

Pandey A., Selvakumar P., Ashakumary L. (1994). Glucose production on *Aspergillus niger* on rice bran is improved by addition of nitrogen sources. World J. Microbiol. Biotechnol, 10: 348- 349.

Pandey A., Web C., Soccol C. R., Arroche L. C. (2005). Rice bran as a substrate for proteolytic enzyme production. Enzyme technol, New Delhi, Asiatech Publishers, Inc.197.

Pandey B., Saini M., Sharma P. (2016). Molecular phylogenetic and sequence variation analysis of dimeric α - amylase inhibitor genes in wheat and its wild relative species. Plant Gene, 6: 48- 58.

Pandey, A., Nigam, P., Soccol, V. T., Singh, D., Mohan, R. (2000). Advances in microbial amylases. **Biotechnol. Appl. Biochem,** 31:135-152.

Paquet V., Croux C., Goma G., Soucaille P. (1991). Purification and characterization of extracellular alpha amylase from *Clostridium acetobutylicum* ATCC 824. **Appl. Environ. Microbiol** 57:212-218.

Patel A. K., Nampoothiri K. M., Ramachandran S., Szakacs G., Pandey A. (2005). Partial purification and characterization of α - amylase produced by *Aspergillus oryzae* using spent brewing grains. Indian J Biotechnol, 4: 336-341.

Pathak S., Narula N. (2013). Optimization of pH for the production of amylase by soil mycotic flora of Jabalpur region. **J Microbiol Biotechnol**, 2:17-22

Pathania S., Sharma N., Handa S. (2017). Optimization of culture conditions for production of amylase by *Bacillus amyloliquifaciens* SH8 using Response Surface Methodology. Proc Indian Natn Sci Acad, 83: 203-210.

Pavezzi F. C., Gomes E., and Silva R. D. (2008). Production and characterization of glucoamylase from fungus *Aspergillus awamori* expressed in yeast *Saccharomyces cerevisiae* using different carbon sources. **Braz J Microbiol.**, 39: 108–114.

Payen A., Persoz J. F. (1833). Memoire sur la diastase, les principaux produits de ses reactions et leur applications aux arts industriels. **Ann. Chim. Et phys,** 53: 73-92.

Pederson H., Neilson, J. (2000). The influence of nitrogen sources on alpha amylases productivity of *Aspergillus oryzae* in continuous cultures. **Appl Microbiol Biotechnol**, 53: 278-281.

Pervez S., Aman A., Iqbal S., Siddqui N. N., Qader S. A. U. (2014). Saccharification and liquefaction of cassava starch: an alternative source for the production of bioethanol using amylolytic enzymes by double fermentation process. BMC Biotechnol, 14: 2-10.

Pestana F., Castillo F. J. (1985). Glucoamylase production by *Aspergillus awamori* on rice flour medium and partial characterization of the enzyme. World J Microbiol Biotechnol, 1: 225-237.

Prakash B., Vidyasagar M., Madhukumar M. S., Muralikrishna G., Sreeramulu K. (2009). Production, purification and characterization of two extremely halotolerant, thermostable, and alkali stable alpha amylases from *Chromohalobacter* sp.TVSP 101. Process Biochem, 44: 210-215.

Prakasham R. S., Rao S. Ch., Rao R. S., Sarma P. N. (2006). Enhancement of acid amylase production by an isolated *Aspergillus awamori*. J. Appl. Microbiol, 102: 204-211.

Priest F. G., Thirunavukkarasu M. (1984). Purification of an extracellular and a cellular α - glucosidase from *Bacillus licheniformis*. J Gen Microbiol, 130: 3135- 3140.

Pujadas G., Palau J. (1997). Anatomy of a conformational transition of β - strand 6 in soybean β -amylase caused by substrate (or inhibitor) binding to the catalytical site. Protein Sci, 6: 2409-2417.

Puri S., Arora M., Sarao L. (2013). Production and optimization of amylase and glucoamylase using *Aspergillus oryzae* under solid state fermentation. Int J Res Pure Appl Microbiol, 3: 83-88.

Raghu H. S., Rajeshwara N. A. (2015). Immobilization of α - Amylase (1, 4- α -D-Glucanoglucano hydrolase) by calcium alginate encapsulation. Int Food Res J, 22: 869-871.
Raimbault M. (1998). General and microbiological aspects of solid substrate fermentation. Electron J Biotechnol. 1: 1-20.

Ramachandran S., Patel A. K., Nampoothiri K. M., Francis F., Nagy V., Szakacs G., Pandey A. (2004). Coconut oil cake- a potential raw material for the production of α -amylase. Bioresour Technol, 93: 169-174.

Ramadas M., Holst O., Mattiasson B. (1995). Extraction and purification of amyloglucosidase produced by solid state fermentation with *Aspergillus niger*. Biotechnol Tech, 9: 901-906.

Ramakrishnan S., Rathnasamy S. K. (2016). β - amylase purification from sweet potato Ipomoea batatas: Reverse micellar extraction versus ammonium sulphate precipitation. *Der Pharmacia Lettre*, 8: 118-125.

Ramasamy S., Benazir J. F., Ramalingam S., Ramesh K. V., Anjana Hari Nitya A. H., Meenakshi N. K. A., Kavitha G., Lakshmi R. (2011). Amylase production by *Aspergillus niger* by solid state fermentation using agro industrial waste. *Int. J. Eng. Sci. Technol*, 3: 2-3.

Rameshkumar A., Sivasudha T. (2011). Optimization of nutritional constitute of enhance α - amylase production using by solid state fermentation technology. *Int J of microbiol Res*, 2: 143-148.

Rao M. D., Purnima A., Ramesh D. V., Ayyanna C. (2002). Purification of α - amylase from *Bacillus licheniformis* by chromatofocusing and gel filtration chromatography. *World J Microbiol Biotechnol*. 18: 547-550.

Rasooli I., Astaneh S. D. A., Borna H., Barchini K. A. (2008). A thermostable alpha amylase producing natural variant of *Bacillus* spp. Isolated from soil in Iran. *American. J. Agri. Biol.Sci*, 3: 591-596.

Raul D., Biswas T., Mukhopadhyay S., Das S. K., Gupta S. (2014). Production and partial purification of alpha amylase from *Bacillus subtilis* (MTCC 121) using solid state fermentation. *Biochem Res Int*, ID 568141: 5 pages.

Reddy N., Yang Y. (2006). Properties of high-quality long natural cellulose fibers from rice straw. *J. Agric. Food Chem*, 54: 8077-8081.

Rezende C. A., Lima M. A. D., Maziero P., Azevedo E. R. D., Garcia W., Polikarpov I. (2011). Chemical and morphological characterization of sugarcane bagasse submitted to a delignification process for enhanced enzymatic digestibility. *Biotechnol Biofuel* 4: 1-18

Riaz A., Qadar S. A. U., Anwar A., Iqbal S., Bano S. (2007). Effect of medium composition and time course on the production of alpha amylase from *Bacillus stearothermophilus*. *Pak. J. Biochem. Mol. Biol*, 40: 51- 54.

Saboury A. A., (2002). Stability, activity and binding properties study of α -amylase upon interaction with Ca^{2+} and Co^{2+} . *Biologia—Section Cellular Mol Biol*, 57: 221–228.

Saini R., Saini H.S., Dahiya A. (2017). Amylase: Characteristics and Industrial application. J Pharmacologn phytochem, 6: 1865-1871.

Saleem A., Ebrahim M. K. H. (2014). Production of amylase by fungi isolated from legume seeds collected in Almadinah Almunawwarah. Saudi Arabia. J Taibah Univ Sci, 8: 90- 97.

Samanta S., Das A., Halder S. K., Jana A., Kar S., Das Mohapatra P. K., Pati B. R., Mondal K. C. (2014). Thermodynamic and kinetic characteristics of an α - amylase from *Bacillus licheniformis* SKB4. Acta Biol Szeged, 58: 147-156.

Samanta S., Jana M., Maity M., Kar S., Das Mohapatra P. K., Pati B. R., Mondal K. C. (2009). The potential of immobilized alpha amylase on coconut coir, a smart carrier for biocatalyst. Biocatal Biotransform, 27: 131-135.

Samanta S., Jana M., Kar S., Parua S., Das Mohapatra P. K., Pati B. R., Mondal K. C. (2017). Purification and biochemical characterization of a maltooligosaccharide producing α - amylase from from *Bacillus licheniformis* SKB4. Ind J Appl Microbiol, 20: 55-71.

Sanghvi G. V., Rina D. K., Kishore S. R. (2011). Isolation, optimization, and partial purification of amylase from *Chrysosporium asperatum* by Submerged Fermentation. J Microb Biotechnol, 21: 470–476.

Sani A., Awe F. A., Akinyanju J. A. (1992). Amylase synthesis in *Aspergillus flavus* and *Aspergillus niger* grown on cassava peel. J Ind Microbiol, 10: 55-59.

Sarikaya E., Higasa T., Adachi M., Mikami B. (2000). Comparison of degradation abilities of alpha and beta amylases on raw starch granules. Proc. Biochem, 35: 711- 715.

Sato H., Toyoshima Y., Sintani T., Gomi K. (2011). Identification of potential cell wall component allows taka amylase adsorption in submerged culture of *Aspergillus oryzae*. Appl. Microbial. Biotechnol, 92: 961-969.

Saxena R., Singh R. (2011). Amylase production by SSF of agro-industrial waste using *Bacillus* sp. Braz J Microbiol, 42: 1334-1342.

Searle B. A., Tubb R. S. (1981). Regulation of amyloglucosidase production by *Saccharomyces diasticus*. J. Inst. Brew., 87: 244-247.

Senthilkumar P. K., Uma C., Saranraj P. (2012). Amylase production by *Bacillus* sp. Using cassava as substrate. Int. J. Pharm. Biol. Sci., 3: 274-280

Sethi B. K., Jana A., Nanda P. K., Das Mohapatra P. K., Sahoo S. L., Patra J. K. (2016). Production of alpha amylase by *Aspergillus terrus* NCFT 4269.10 using pearl millet and its structural characterization. Frontiers in Plant Sci., 7: 1-13.

Sethi S., Gupta S. (2015). Isolation, characterization and optimization of culture conditions for amylase production from fungi. J Global Biosciences, 4: 3356-3363.

Shah I. J., Gami P. N., Shukla R. M., Acharya D. K. (2014). Optimization of α - amylase production by *Aspergillus oryzae* using submerged fermentation technology. Basic Res J Microbiol, 1:1-10.

Shih N. J., Labbe R. G. (1995). Purification and characterization of an extracellular alpha amylase from *Clostridium perfringens* type A. Appl. Environ. Microbiol, 61: 1776-1779.

Shukla J., Kar R. (2005). Potato peel as a solid state substrate for a thermostable α -amylase production by thermophilic *Bacillus* isolates. World J Microbiol Biotechnol, 22:417-42

Sidkey N. M., Maha A., Reham B., Reham S., Ghadeer B. (2011). Purification and characterarization of α - amylase from a newly isolated *Aspergillus flavus*. F2Mbb. Int Res J Microbiol, 2: 96-103.

Simair A. A., Qureshi A. S., Khushk I., Ali C. H. (2017). Production and partial characterization of α - amylase enzyme from *Bacillus* sp. BCC 01-50 and potential application. BioMed Res Int., 2017: 1-9, ID 9173040.

Sindhu R., Suprabha G. N., Shashidhar S. (2009). Optimization of process parameters for the production of alpha amylase from *Penicillium janthinellum* (NCIM 4960) under solid state fermentation. Afr. J. Microb. Res, 3: 498-503.

Singh A. K., Kumar Y., Singh P. K., Rath S. (2014). Production, Optimization of alpha amylase from *Bacillus altitudinus*. Int. J. Sci. Eng. Res, 3: 564-573.

Singh P., Gupta P., Singh R., Sharma R. (2012). Factors affecting alpha amylase production on submerged fermentation by *Bacillus* sp. Int. J. Pharm. Biol. Sci., 3: 2243-2246.

Singh R. K., Mishra S. K., Kumar N. (2010). Optimization of alpha amylase production on agriculture byproduct by *Bacillus cereus* MTCC 1305 using solid state fermentation. Res.J. Pharm. Biol. Chem. Sci., 1: 864.

Singh R., Mittal A., Kumar M., Mehta P. K. (2016). Amylase: A note on current applications Int Res J Biol Sci., 5: 27-32.

Singh S., Singh S., Bali V., Sharma L., Mangla J. (2014). Production of fungal amylase using cheap, readily available agriresidues, for potential application in textile industry. Biomed Res Int, 2014: 1-9.

Singhania R.R., Patel A.K., Soccol C.R., Pandey A. (2009). Recent advances in solid state fermentation. Biochem. Eng. J, 44: 13-18.

Singla R., Singla N., Jaitak V. (2017). Stevia rebaudiana targeting α - amylase: An in- vitro and in- silico mechanistic study. Nat Prod Res, DOI: 10.1080/14786419.2017.1395433.

Sivaramakrishnan S., Gangadharan D., Nampoothiri K. M., Soccol C. R., Pandey A. (2007). Alpha amylase production by *Aspergillus oryzae* employing solid state fermentation. J. Sci. Ind. Res, 66: 621-626.

Smith B. W., Roe J. H. (1949). A photometric method for the determination of α - amylase in blood and urine, with use of the starch-iodine color. J Biol Chem, 179: 53-59.

Smitha R. B., Sajith S., Priji P., Unni K. N. N., Benjamin S. (2015). Purification and characterization of amylase from *Bacillus thuringiensis* subsp. *Kurstaki*.Bt Res, 6: 1-8.

Sodhi H. K., Sharma K., Gupta J. K., Soni S. K. (2005). Production of a thermostable α -amylases from *Bacillus* sp. PS-7 by solid state fermentation and its synergistic use in the hydrolysis of malt starch for alcohol production. Process Biochem, 40: 525-534.

Solange I. M., Jose A. T. (2010). Increase in the fructo oligosaccharides yield and productivity by solid state fermentation with *Aspergillus japonicas* using agroindustrial residues as support and nutrient source. Biochem. Eng. J, 53: 154-157.

Soni S. K., Kaur A., Gupta J. K. (2003). A soliod state fermentation based bacterial alpha amylase and fungal glucoamylase system and its suitability for the hydrolysis of wheat starch. Process Biochem, 39: 185-192.

Souza P. M. D., Magalhaes P. O. E. (2010). Application of microbial amylase in industry-a review. *Braz J Microbiol*, 41: 850-861.

Srivastava R. A. K., Mathur S. N. (2008). Regulation of amylase biosynthesis in growing and non-growing cells of *Bacillus stearothermophilus*. *J. Appl. Microbiol*, 57: 147-151.

Sui X., Zhang Y., Zhou W. (2016). In vitro and in silico studies of the inhibition activity of anthocyanins against porcine pancreatic α - amylase. *J Funct Foods*, 21: 50-57.

Sundar R., Liji T., Rajila C., Suganyadevi P. (2012). Amylase production by *Aspergillus niger* under submerged fermentation using Ipomea batatas. *Int J App Bio. Pharm. Technol*, 3 :175-182.

Sundaram A., Krishna Murthy T. P. (2014). Alpha amylase production and application. *J Applied Environ microbiol*, 2: 166-175.

Suzuki Y., Ito N., Yuuki T., Yamagata H., Ueda S. (1989). Amino acid residues stabilizing a *Bacillus* α - amylase against irreversible thermoactivation. *J Biol Chem*, 203: 18933– 18938.

Swain M. R, Ray R. C. (2007). Alpha-amylase production by *Bacillus subtilis* CM3 in solid state fermentation using cassava fibrous residue. *J. Basic Microbiol*, 47: 417–425.

Syu M. J., Chen Y. H. (1997). A study on the alpha amylase fermentation performed by *Bacillus amyloliquefaciens*. *Chem Eng J*, 65: 237-247.

Takamine J. (1894). U S Pats. 525,820 and 523,823

Tallapragada P., Dikshit R., Jadhav A., Sarah U. (2017). Partial purification and characterization of amylase enzyme under solid state fermentation from *Monascus sanguineus*. *J Genetic Eng Biotechnol*, 15: 95-101.

Thippeswamy S., Girigowda K., Mulimani V. H. (2006). Isolation and identification of alpha amylase producing *Bacillus sp.* From dhal industry waste. *Indian j. Biochem. Biophys*, 43: 295-298.

Thongsaiklaing T., Sehawong W., Kubera A., Ngernsiri L. (2014). Analysis of the α -amylase gene sequence and the enzyme activity of Indian rock oyster *Saccostrea forskali*. *Fisheries Sci*, 80: 589- 601.

Tigue Mc. M. A., Kelly C. T., Fogarty W. M., Doyle E. M. (1994). Production studies on the alkaline amylases of three alkalophilic *Bacillus* sp. Biotechnol. Lett., 16: 569-574.

Uitdehaag J. C. M., Mosi R., Kalk K. H., Van der Veen B. A., Dijkhuizen L., Withers S. G., Dijkstra B. W. (1999). X-ray structures along the reaction pathway of cyclodextrin glycosyltransferase elucidate catalysis in the α -amylase family. Nature Struct Biol, 6: 432-36.

Ulger C., Curakoglu C. (2001). Alpha amylase production by *Bacillus subtilis* `and *Bacillus amyloliquefaciens* in different PEG solutions. World J. Microbiol. Biotechnol, 17: 93- 94.

Upadhyay M. K., Pandey A. K. (2009). Production and optimization of α - amylase from *Aspergillus niger* MTCC 281 under solid state fermentation. J. Plant. Sci. Res, 25: 49-52.

Valaparla V. K. (2010). Purification and properties of a thermostable alpha amylase by *Acremonium sporosulcatum*. Int. J. Biotechnol. Biochem, 6: 25-34.

Van der marrel M. J. E. C., van der Veen B., Uitdehaag J. C. M., Leemhuis H., Dijkhuizen H.(2002). Properties and application of starch converting enzyme of the alpha amylase family. J. Biotechnol, 94: 137-155.

Varalakshmi K. N., Kumudini B. S., Nandini B. N., Solomon J., Suhas R., Mahash B., Kavitha A. P. (2009). Production and characterization of α - amylase from *Aspergillus niger* JGI 24 isolated in Bangalore. Pol J Microbiol, 58: 29-36.

Vidyalakshmi R., Paranthaman R., Indhumathi J. (2009). Amylase production on submerged fermentation by *Bacillus* sp. World J. Chem., 4: 89- 91.

Viswanathan P., Surlikar N. R. (2001). Production of alpha amylase by *Aspergillus flavus* on Amaranthus grains by solid state fermentation. J. Basic. Microbiol, 41: 57-64.

Yandri Y., Susanti D., Suhartati T., Hadi S. (2012). Immobilization of α -Amylase from locale bacteria isolate *Bacillus subtilis* ITBCCB148 with carboxymethyl cellulose (CM-Cellulose). Modern Appl Sci, 6: 81-86.

Yuan S., Chan H. C. S., Hu Z. (2017). Using PyMOL as a platform for computational drug design. Wiley Interdisciplinary Reviews. Comput Mol Sci. 7: 1-10.

Zambare V. P. (2011). Optimization of amylase production from *Bacillus* sp. Using statistics based experimental design. Emirates. J. Food . Agri, 23: 37-47.

Zhang Q., Li C. (2017). Comparisons of copy number, genomic structure, and conserved motifs for α -amylase genes from barley, rice, and wheat. Front Plant Sci, 8: 1-9.