

REFERENCES CITED

- Aartsen, M., & Jylha, M. (2011). Onset of loneliness in older adults: results of a 28 year prospective study. *European Journal of Ageing*, 8(1), 31-38
- Aartsen, M. J., Smits, C. H. M., van Tilburg, T., Knipscheer, K. C. P. M., & Deeg, D. J. (2002). Activity in older adults: Cause or consequence of cognitive functioning? A longitudinal study on everyday activities and cognitive performance in older adults. *The Journals of Gerontology: Series B*, 57(2), 153–162
- Abdul, G., Sarfraz, H., & Muhammad, Z. (2013). Assessment of nutritional status of geriatric population 60 years of age and above in Sargodha city of Pakistan. *International Journal of Medicine and Applied Health*, 1(1), 22-28.
- Agarwalla, R., Saikia, A. M., & Baruah, R. (2015). Assessment of the Nutritional Status of the Elderly and its Correlates. *Journal of Family and Community Medicine*, 22 (1), 39-43.
- Ageing in Ireland. 2007. Central Statistics Office, Dublin. (<http://www.cso.ie/en/media/csoie/releasespublications/documents/otherreleases/2007/ageinginireland.pdf>, accessed 17 June 2015).
- Ahn, T. S., Cuong, B. T., Goodkind, D., & Knodel, J. (1997). Living Arrangement, Patrilinearity and sources of support among elderly Vietnamese. *Asia-Pacific Population Journal*, 12, 69-88.
- Aichberger, M. C., Busch, M. A., Reischies, F. M., Ströhle, A., Heinz, A., & Rapp, M. A. (2010). Effect of physical inactivity on cognitive performance after 2.5 years of follow-up: Longitudinal results from the Survey of Health, Ageing and Retirement (SHARE). *GeroPsych: The Journal of Gerontopsychology and Geriatric Psychiatry*, 23(1), 7–15.
- Alam, I., Larbi, A., Pawelec, G., & Paracha, P. (2011). Relationship between anthropometric variables and nutrient intake in apparently healthy male elderly individuals: A study from Pakistan. *Nutrition Journal*, 10(1), 111. doi:10.1186/1475-2891-10-111
- Alexandre, T. da S., Cordeiro, R.C., & Ramos, L. R. (2009). Factors associated to quality of life in active elderly. *Revista de Saude Publica*, 43(4), 613-621.
- Alma, M. A., Van der Mei, S. F., Feitsma, W. N., Groothoff, J. W., Van Tilburg, T.G. & Suurmeijer, T. P. (2011). Loneliness and self-management abilities in the visually impaired elderly. *Journal of Aging and Health*, 23(5), 843-861.

- Alpass, F. M., & Neville, S. (2003). Loneliness, health and depression in older males. *Aging & Mental Health*, 7(3), 212-216.
- Ames, D. (1990). Depression among elderly residents of local-authority residential homes. Its nature and the efficacy of intervention. *The British Journal of Psychiatry*, 156(5), 667-675.
- Angel, R. J., & Frisco, M. L. (2001). Self-assessments of health and functional capacity among older adults. *Journal of Mental Health and Aging*, 7 (1), 119–135
- Apidechkul, T. (2011). Comparison of quality of life and mental health among elderly people in rural and suburban areas, Thailand. *The Southeast Asian Journal of Tropical Medicine and Public Health*, 42(5), 1282-1292.
- Arlappa, N., Balakrishna, N., Kokku, S. B., Harikumar, R., Rao, K. M., Ravindranath, M., Kumar, S., Ramakrishna, KS, Laxmaiah, A., & Brahmam, G. N. V. (2016). Diet and Nutritional status of the older adults in rural India. *Journal of Ageing Research and Health Care Journal Health Care*.1(1), 36-48.
- Arling, G., & Williams, A. R. (2003). Cognitive impairment and resource use of nursing home residents a structural equation model. *Medical Care*, 41(7), 802–812.
- Ashwell, M., Gunn, P., & Gibson, S. (2012). Waist-to-height ratio is a better screening tool than waist circumference and BMI for adult cardiometabolic risk factors: systematic review and meta-analysis. *Obesity Reviews*, 13, 275-286.
- Awadallah, H., & Mahfouz, E. (2007). Determinants of Disability among Elderly Population in Rural Minia, Egypt. *Central European Journal of Occupational and Environmental Medicine*, 13(1), 3-15.
- Aykan, H., & Wolf, D. A. (2000). Traditionality, modernity and household composition: Parent-child coresidence in contemporary Turkey. *Research on Ageing*, 22(4), 395-422.
- Azeredo, Z., & Afonso, M. (2016). Loneliness from the perspective of the elderly. *Revista Brasileira de Geriatria e Gerontologia*, 19(2), 313-324.
- Azeredo, Z. (2013). O Idoso fragilizado e a prevenção da fragilidade. *Rev Iberoam Gerontol*, 2, 70-78.
- Azeredo, Zaida de Aguiar Sá, & Afonso, M. A. N. (2012). Loneliness from the perspective of the elderly. *Revista Brasileira de Geriatria e Gerontologia*, 19(2), 313-324.

- Babatsikou, F., Konsolaki, E., Notara, V., Kouri, M., Zyga, S., & Koutis, C. (2017). Depression in the Elderly: A Descriptive Study of Urban and Semi-Urban Greek Population. *International Journal of Caring Sciences*, 10(3), 1286-1295.
- Baltes, M. M., Mayr, U., Borchelt, M., Maas, I., & Wilms, H. U. (1993). Everyday Competence in old and very old age: An inter-disciplinary perspective. *Ageing and Society*, 13, 657-680.
- Baltes, P.B., & Mayer, K.U. (Eds). (1999). *The Berlin Aging Study: Aging from 70 to 100*. New York, NY, US: Cambridge University Press.
- Bandari, R., Khankeh, H. R., Shahboulaghi, F. M., Ebadi, A., Keshtkar, A. A., & Montazeri, A. (2019). Defining loneliness in older adults: protocol for a systematic review. *Systematic Reviews*, 8(26), doi:10.1186/s13643-018-0935-y.
- Banerjee, T. K., Mukherjee, C. S., Dutt, A., Sekhar, A., & Hazra, A. (2008). Cognitive dysfunction in an urban population – some observation. *Neuroepidemiology*, 31, 109-114.
- Barman, S., Lata, K., Ram, R., Ghosh, N., Sarker, G., & Shahnawaz, K. (2014). A study of morbidity profile of geriatric population in an urban community of Kishanganj, Bihar, India. *Global Journal of Medicine and Public Health*, 3(1).
- Barreto, S. M., Passos, V. M. A., & Lima-Costa, M. F. (2003). Obesity and underweight among Brazilian elderly: the Bambuí Health and Aging Study. *Cadernos de Saúde Pública*, 19(2), 605-612.
- Barua, A. (2013). Review Article: Trend of the prevalence of geriatric depression: a modern silent epidemic. *International Journal of Collaborative Research on Internal Medicine & Public Health*, 5(1), 37-47.
- Barua, A., & Kar, N. (2010). Screening for depression in elderly Indian population. *Indian journal of psychiatry*, 52(2), 150-153.
- Barua, A., Acharya, D., Nagraj, K., Bhat, H. V., & Nair, N. S. (2007). Depression in elderly: a cross-sectional study in rural south India. *Journal of International Medical Sciences Academy*, 20(4), 259-261.
- Barua, A., Ghosh, M. K., Kar, N., & Basilio, M. A. (2011). Prevalence of Depressive Disorders in the Elderly. *Annals of Saudi Medicine*, 31(6), 620-624.

- Barua, A., Mangesh, R., Harsha Kumar, H. N., & Mathew, S. (2007). A cross-sectional study on quality of life in geriatric population. *Indian Journal of Community Medicine*, 32(2), 146-147.
- Baweja, S., Agarwal, H., Mathur, A., Haldiya K. R., & Mathur, A. (2008). Assessment of nutritional status and related risk factors in community dwelling elderly in western Rajasthan. *Journal of the Indian Academy of Geriatrics*, 4, 5–13.
- Beard, J. R., Biggs, S., Bloom, D.E., Fried, L.P., Hogan, P., Kalache, A., & Olshansky, S. J. (2012). Eds., Global population ageing: peril or promise, Geneva: World Economic Forum, 2011. (http://www3.weforum.org/docs/WEF_GAC_Global_Population_Ageing_Report_2012.pdf, accessed 4 June 2018).
- Beck, A. M., Ovesen, L., & Osler, M. (1999). The ‘Mini Nutritional Assessment’ (MNA) and the ‘Determine Your Nutritional Health’ Checklist (NSI Checklist) as predictors of morbidity and mortality in an elderly Danish population. *British Journal of Nutrition*, 81(1), 31–36.
- Beekman, A. T. F., Bremmer, M. A., Deeg, D. J. H., Van Balkom, A. J. L., Smit, J. H., de Beurs, E., Van Dyck, R., & Van Tilburg, W. (1998). Anxiety disorders in later life: a report from the longitudinal aging study Amsterdam. *International Journal of Geriatric Psychiatry*, 13, 717-726.
- Beekman, A. T. F., Deeg, D. J. H., Van Tilburg, T., Smit, J. H., Hooijer, C., & Van Tilburg, W. (1995). Major and minor depression in later life. a study of prevalence and risk factors. *Journal of Affective Disorder*, 36(1–2), 65-75.
- Beland, F., Julien, D., Bier, N., Desrosiers, J., Kergoat, M., & Demers, L. (2018). Association between cognitive function and life-space mobility in older adults: results from the FRÉLE longitudinal study. *BMC Geriatrics*, 18(227), doi.org/10.1186/s12877-018-0908-y.
- Bhatia, S. P. S., Swami, H. M., Thakur, J. S., & Bhatia, V. (2007). A study of health problems and loneliness among the elderly in Chandigarh. *Indian Journal of Community Medicine*, 32(4), 255-258.
- Bhattathiri, J. J. (2008). Quality of life of geriatric population in rural area, Thiruvaranthpuram city (Abstract). *A Paper Presented at IASPMCON 2008*, Pondicherry.
- Binstock, R. H. (1992). The oldest old and “inter-generational equality”. In R. M. Suzman, D. P. Willis, & K. G. Manton (Eds.), *The Oldest Old* (pp. 394 – 417). New York: Oxford University Press.

- Biswas, A., Chakraborty, D., Dutt, A., & Roy, T. (2005). Dementia in India – a critical appraisal. *Journal of the Indian Medical Association*, 103(3), 154-161.
- Bjork, S., Juthberg, C., Lindkvist, M., Wimo, A., Sandman, P., Winblad, B., & Edvardsson, D. (2016). Exploring the prevalence and variance of cognitive impairment, pain, neuropsychiatric symptoms and ADL dependency among persons living in nursing homes; a cross-sectional study. *BMC Geriatrics*, 16:154. doi: 10.1186/s12877-016-0328-9.
- Black, B. S., Johnston, D., Rabins, P. V., Morrison, A., Lyketsos, C., & Samus, Q. M. (2013). Unmet needs of community-residing persons with dementia and their informal caregivers: Findings from the Maximizing Independence at Home study. *Journal of the American Geriatrics Society*, 61(12), 2087–2095.
- Blazer, D. G. (2003). Depression in late life: Review and commentary. *The Journals of Gerontology: Series A*, 58(3), M249–M265.
- Blazer, D., & Williams, C. D. (1980). Epidemiology of dysphoria and depression in an elderly population. *The American Journal of Psychiatry*, 137, 439-444.
- Blazer, D., George, L. K., Landerman, R., Pennybacker, M., Melville, M. L., Woodbury, M., Manton, K. G., & Jordan, K. (1985). Psychiatric disorders: a rural/urban comparison. *Archives of General Psychiatry*, 42(7), 651-656.
- Bleda, M. J., Bolibar, I., Pares R., & Salva, A. (2002). Reliability of the Mini Nutritional Assessment (MNA) in Institutionalized Elderly People. *The Journal of Nutrition Health and Aging*, 6(2), 134-137.
- Bloom, D. E. (2011). 7 Billion and Counting. *Science*, 333(6042), 562–569. doi: 10.1126/science.1209290.
- Bo, M., Massaia, M., Raspo, S., Bosco, F., Cena, P., Molaschi, M., & Fabris, F. (2003). Preventive factors of in-hospital mortality in older patients admitted to a medical intensive care unit. *Journal of the American geriatrics Society*, 51(4), 529-533.
- Bodur, S., DayanirCingil, D. (2009). Using WHOQOL-BREF to evaluate quality of life among Turkish elders in different residential environments. *The Journal of Nutrition, Health and Ageing*, 13(7), 652-656.
- Bose, K., & Bisai, S. (2008). Nutritional Status of Rural Adolescent School Children in Paschim Medinipur, West Bengal. *Indian Pediatrics*, 45(6), 515-516.
- Boström, G., Conradsson, M., Rosendahl, E., Nordström, P., Gustafson, Y., & Littbrand, H. (2014). Functional capacity and dependency in transfer and

- dressing are associated with depressive symptoms in older people. *Clinical Interventions in Aging*, 9, 249–257.
- Boulos, C., Salameh, P., Barberger-Gateau, P. (2013). The AMEL study, a cross sectional population-based survey on aging and malnutrition in 1200 elderly Lebanese living in rural settings: Protocol and sample characteristics. *BMC Public Health*, 13(573). doi: 10.1186/1471-2458-13-573.
- Boyle, P. A., Malloy, P. F., Salloway, S., Cahn-Weiner, D. A., Cohen, R., & Cummings, J. L. (2003). Executive dysfunction and apathy predict functional impairment in Alzheimer disease. *The American Journal of Geriatric Psychiatry*, 11(2), 214–221.
- Braune, B. T., Berger, K. (2005). The influence of depressive mood on activities of daily living and health care utilization in the elderly - The MEMO study on the KORA platform Augsburg. *Gesundheitswesen*, 67, 176–179.
- Bravell, M. E., Zarit, S. H., & Johansson, B. (2011). Self-reported activities of daily living and performance-based functional ability: A study of congruence among the oldest old. *European Journal of Ageing*, 8(3), 199–209.
- Broe, G. A., Jorm, A. F., Creasey, H., Grayson, D., Edelbrock, D., Waite, L. M., Bennett, H., Cullen, J.S., & Casey, B. (1998). Impact of chronic systemic and neurological disorders on disability, depression and life satisfaction. *International Journal of Geriatric Psychiatry*, 13 (10), 667–673.
- Bruce L. D., Wu, J. S., Lustig, S. L., Russell, D. W., & Nemecek, D. A. (2019). Loneliness in the United States: A 2018 National Panel Survey of Demographic, Structural, Cognitive, and Behavioral Characteristics. *American Journal of Health Promotion*, 33(8), 1123-1133.
- Cameron, L. (2000): The residency decision of elderly Indonesians: A Nested Logit Analysis. *Demography*, 37(1), 17-27.
- Canadian Coalition for Seniors' Mental Health, (2006). National guidelines for seniors' mental health: The assessment and treatment of depression. Toronto, ON: Canadian Coalition for Seniors' Mental Health; 2006. Accessed 24 September 2010. www.ccsmh.ca/en/guidelines Users.cfm.
- Census of India. (2011). Population Composition, 2014, Government of India, New Delhi.
- Cereda, E., Valzolgher, L., Pedrolli, C. (2008). Mini nutritional assessment is a good predictor of functional status in institutionalised elderly at risk of malnutrition. *Clinical Nutrition*, 27(5), 700-705.

- Chakroborty, F., & Bankura, I. (2014). Health Status of the Oldest Old Women: A Gerontological Study In Medinipur Town, West Bengal. *Indian Journal of Biological Sciences*, 20, 28-35.
- Chan, K. M., Pang, W. S., Ee, C. H., Ding, Y. Y., & Choo, P. (1999). Functional Status of the Elderly in Singapore. *Singapore Medical Journal*, 40(10), 635-638.
- Chanana, H. B., & Talwar, P. P. (1987). Aging in India: its socioeconomic and health implication. *Asia-Pacific Population Journal*, 2, 23-38.
- Chen, R., Wei, L., Hu, Z., Qin, X., Copeland, J. R., & Hemingway, H. (2005). Depression in older people in rural China. *The Archives Internal Medicine*, 165(17), 2019–2025.
- Chen, Y., Hicks, A., & While, A. E. (2014). Loneliness and social support of older people in China: a systematic literature review. *Health & Social Care in the Community*, 22(2), 113-123.
- Choi, Y., Park, S., Cho, K. H., Chun, S. Y., & Park, E. C. (2016).A change in social activity affect cognitive function in middle-aged and older Koreans: Analysis of a Korean longitudinal study on aging. *International Journal of Geriatric Psychiatry*, 31, 912–919.
- Chou, K. L., & Cheung, K. C. (2013). Major depressive disorder in vulnerable groups of older adults, their course and treatment, and psychiatric co-morbidity. *Depress Anxiety*, 30(6), 528–537.
- Christensen, K., Doblhammer, G., Rau, R., & Vaupel, J. W. (2009). Ageing populations: the challenges ahead. *Lancet*. 374(9696), 1196–208.
- Collins, N., Sachs-Ericsson, N., Preacher, K. J., Sheffield, K. M., & Markides, K. (2009). Smoking increases risk for cognitive decline among community-dwelling older Mexican Americans. *The American Journal of Geriatric Psychiatry*, 17(11), 934–942.
- Copeland, J. R. M., Beekman, A. T. F., Braam, A. W., Dewey, M. E., Delespaul, P., Fuhrer, R., Hoijer, C., Lawlor, B. A., Kivela, S., Lobo, A., Magnusson, H., Mann, A. H., Meller, I., Prince, M. J., Reischies, F., Roelands, M., Skoog, I., Turrina, C., DeVries, M. W., & Wilson, K. C. M. (2004). Depression among older people in Europe: the EURODEP studies. *World Psychiatry*, 3(1): 45–49.
- Coqueiro, R. S., Barbosa, A. R., & Borgatto, A. F. (2010). Nutritional status, health conditions, and socio-demographic factors in the elderly of Havana, Cuba:

- data from SABE survey. *The Journal of Nutrition, Health and Aging*, 14, 803-808.
- Costa, F. B., & Terra, N. L. (2013). Espiritualidade, religiosidade e qualidade de vida em idosos. *Revista Geriatra Gerontologia*, 7(3), 173-178.
- Courtin, E., & Knapp, M. (2017). Social isolation, loneliness and health in old age: a scoping review. *Health and Social Care in the Community*, 25(3), 799–812.
- Covinsky, K. E., Newcomer, R., Fox, P., Wood, J., Sands, L., Dane, K., & Yaffe, K. (2003). Patient and caregiver characteristics associated with depression in caregivers of patients with dementia. *Journal of General Internal Medicine*, 18 (12), 1006–1014.
- Crowell, B. A., George, L. K., Blazer, D., & Landerman, R. (1986). Psychosocial risk factors and urban/rural differences in the prevalence of major depression. *The British Journal of Psychiatry*, 149, 307-314.
- Cuervo, M., Garcia, A., Ansorena, D., Villegas, A. S., Martinez-Gonzalez, M. A., Astiasaran, I., & Martinez, J. A. (2009). Nutritional assessment interpretation on 22,007 Spanish community dwelling elders through the Mini Nutritional Assessment test. *Public Health Nutrition*, 12(1), 82–90.
- Das, S. K., Biawas, A., Roy, T., Banerjee, T. K., Mukherjee, C. S., Raut, D. K., & Chowdhury, A. (2006). A random sample survey for prevalence of major neurological disorder in Kolkata. *Indian Journal of Medical Research*, 124, 163-172.
- Das, S. K., Biswas, A., Roy, J., Bose, P., Roy, T., Banerjee, T. K., Mukherjee, C., Raut, D. K., Chowdhury, A., & Hazra, A. (2008). Prevalence of major neurological disorders among geriatric population in the metropolitan city of Kolkata. *Journal of the Association of Physicians of India*, 56, 175-181.
- Datta, D., Datta, P. P. & Majumder, K. K. (2014). Relationship of Activity of Daily Living with Quality of Life. *British Biomedical Bulletin*, 2(4), 757-764.
- Datta, D., Datta, P. P., & Majumdar, K. K. (2015). Association of quality of life of urban elderly with socio-demographic factors. *International Journal of Medicine and Public Health*, 5(4), 274-278.
- de Groot, L. C. P. G. M., Beck, A. M., Schroll, M., & van Staveren, W. A. (1998). Evaluating the Determine Your Nutritional Health Checklist and the Mini Nutritional Assessment as tools to identify nutritional problems in elderly Europeans. *European Journal of Clinical Nutrition*, 52, 877–883.

- de Jong-Gierveld, J. (1987). Developing and testing a model of loneliness. *Journal of Personality and Social Psychology*, 53(1), 199-128.
- de Jong-Gierveld, J., & van Tilburg, T. G. (1999). Living arrangements of older adults in the Netherlands and Italy: Coresidence values and behaviour and their consequences for loneliness. *Journal of Cross-Cultural Gerontology*, 14, 1-24.
- Deindl, C., & Brandt, M. (2011). Financial support and practical help between older parents and their middle-aged children in Europe. *Ageing and Society*, 31(4), 645-662.
- Deka, A. K., & Nath, D. C. (2011). Health Problems of Elderly Population in Assam and their Correlates. *International Journal of Pure and Applied Sciences and Technology*, 6, 21-34.
- Devenney, K. E., Sanders, M. L., Lawlor, B., Rikkert, M. G. M. O., Schneider, S., & on behalf of NeuroExcercise Study Group. (2017). The effects of an extensive exercise programme on the progression of Mild Cognitive Impairment (MCI): study protocol for a randomised controlled trial. *BMC Geriatrics*, 17(75).
- Devi, D., & Bagga, A. (1999). Health Status of Older Women of Manipur. Aging and Society. *Indian Journal of Gerontology*, 7, 27-42.
- Dhara, R. D., & Jogsan, Y. A. (2013). Depression and Psychological Well-being in Old Age. *Journal of Psychology & Psychotherapy*, 3(3), doi: 10.4172/2161-0487.1000117.
- Donini, L. M., Scardella, P., Piombo, L., Neri, B., Asprino, R., Proietti, A. R., Carcaterra, S., Cava, E., Cataldi, S., Cucinotta, D., Bella, G. D., Barbagallo, M., & Morrone, A. (2013). Malnutrition in elderly: Social and economic determinants. *The Journal of Nutrition, Health and Aging*, 17, 9–15.
- Doron, I., & Apter, I. (2010). The debate around the need for an international convention on the rights of older persons. *Gerontologist*, 50(5), 586-593.
- Dubey, A., Bhasis, S., Gupta, N., & Sharma, N. (2011). A Study of Elderly Living in Old Age Home and Within Family Set-up in Jammu. *Studies on Home and Community Science*, 5(2), 93-98.
- Dunkle, R. E., Feld, S., Lehning, A. J., Kim, H., Shen, H. W., & Kim, M. H. (2014). Does becoming an ADL spousal caregiver increase the caregiver's depressive symptoms?. *Research on Aging*, 36 (6), 655–682.

- Dziechciaż, M., & Filip, R. (2014). Biological psychological and social determinants of old age: Bio-psycho-social aspects of human aging. *Annals of Agricultural and Environmental Medicine*, 21(4), 835–838.
- Ekinci, M., Gulbu, T., Ayse, O., & Serap, S. (2004). The prevalence of depression in elderly living at home in Eastern Turkey: Erzurum. International Journal of Human Sciences, 1, 1–10.
- Eliasson, B., Taskinen, M., & Smith, U. (1996). Long-term use of nicotine gum is associated with Hyperinsulinemia and insulin resistance. *Circulation*, 94, 878-881.
- Farias, S. T., Park, L. Q., Harvey, D. J., Simon, C., Reed, B. R., Carmichael, O., & Mungas, D. (2013). Everyday cognition in older adults: Associations with neuropsychological performance and structural brain imaging. *Journal of the International Neuropsychological Society*, 19 (4), 430–441.
- Fees, B.S., Martin, P., & Poon, L. W. (1999). A Model of Loneliness in Older Adults. *Journal of Gerontology: PSYCHOLOGICAL SCIENCES*, 54B(4), 231-239.
- Ferdous, T., Cederholm, T., Kabir, Z. N., Hamadani, J. D., & Wahlin, Å. (2010). Nutritional status and cognitive function in community-living rural Bangladeshi older adults: Data from the poverty and health in ageing project. *Journal of the American Geriatrics Society*, 58(5), 919–924.
- Ferdous, T., Kabir, Z. N., Wahlin, A., Streatfield, K., & Cederholm, T. (2009). The multidimensional background of malnutrition among rural older individuals in Bangladesh - A challenge for the Millennium Development Goal. *Public Health Nutrition*, 12(12), 2270–2278.
- Ferri, C. P., Prince, M., Branyne, C., Brodaty, H., Fratiglioni, L., Ganguli, M., Hall, K., Hasegawa, K., Hendrie, H., Huang, Y., Jorm, A., Mathers, C., Manezes, P. R., Rimmer, E., & Scauzufca, M. (2005). Global prevalence of dementia: a Delphi consensus study. *The Lancet*, 366(9503), 2112-2117.
- Fiske, A., Wetherell, J. L., & Gatz, M. (2009). Depression in Older Adults. *Annual Review of Clinical Psychology*, 5, 363–389.
- Fogelholm, M., Valve, R., Absetz, P., Heinonen, H., Uutela, A., Patja, K., Karisto, A., Kontinen, R., Makela, T., Nissinen, A., Jallinoja, P., Nummela, O., & Talija, M. (2006). Rural-urban differences in health and health behavior: A baseline description of a community health-promotion programme for the elderly. *Scandinavian Journal of Public Health*, 34(6), 632–640.

- Fratiglioni, L., Wang, H. X., Ericsson, K., Maytan, M., & Winblad, B. (2000). Influence of social network on occurrence of dementia: A community-based longitudinal study. *The Lancet*, 355(9212), 1315–1319.
- Fromm-Reichmenn, F. (1959). *Loneliness. Psychiatry: Journal for the Study of Interpersonal Processes*, 22, 1-15.
- Fu, C., Li, Z., & Mao, Z. (2018). Association between Social Activities and Cognitive Function among the Elderly in China: A Cross-Sectional Study. *International Journal of Environmental Research and Public Health*, 15(2), doi:10.3390/ijerph15020231.
- Gamage, M. W. K., Hewage, C., & Pathirana, K. D., (2018). Effect of cognitive and executive functions on perception of quality of life of cognitively normal elderly people dwelling in residential aged care facilities in Sri Lanka. *BMC Geriatrics*, 18(256), doi: 10.1186/s12877-018-0937-6.
- Gangrade, K. D. (1989). Emerging conception of ageing in India: a socio-cultural perspective. *Eastern Anthropologist*, 42, 151-169.
- Gariballa, S., & Sinclair, A. (1998). Nutrition, ageing and ill health. *British Journal of Nutrition*, 80(1), 7-23.
- Gellis, Z. D., & McCracken, S.G. (2008). Introduction to mental health disorders in older adults. In S. Diwan (Ed.), *Mental Health and Older Adults Resource Reviews*. CSWE Gero-Ed Center, Master's Advanced Curriculum Project. USA.
- Gjonça, E., Stafford, M., Zaninotto, P., Nazroo, J., & Wood, N. (2010). Health and social engagement among the oldest old. In J. Banks, C. Lessof, J. Nazroo, N. Rogers, M. Stafford & A. Steptoe (Eds). *Financial circumstances, health and well-being of the older population in England* (pp. 227-253). London, UK: The Institute for Fiscal Studies.
- Global Health and Ageing (2011). *National institute of Ageing, National Institute of Health*. United States: NIH Publication. USA.
- Goel, P. K., Garg, S. K., Singh, J. V., Bhatnagar, M., Chopra, H., & Bajpai, S. K. (2006). Dependency status of elderly in a rural area. *Health and Population-Perspectives and Issues*, 29(3), 143-153.
- Golandaj, J. A., Goli, S., & Das, K. C. (2013). Living arrangements among the older population and perceptions on old age assistance among adult population in India. *International Journal of Sociology and Social Policy*, 33(5/6), 367-379.

- Goldberg, D. (1978). *Manual of the General Health Questionnaire*. Windsor: NFER – Nelson.
- Goswami, S., Deshmukh, P. R., Pawar, R., Raut, A. V., Bhagat, M., & Mehendale, A. M. (2017). Magnitude of Depression and its correlates among elderly population in a rural area of Maharashtra: A cross-sectional study. *Journal of Family Medicine & Primary Care*, 6(4), 803-812.
- Goud, A. A., & Nikhade, N. S. (2015). Prevalence of depression in older adults living in old age home. *International Archives of Integrated Medicine*, 2(11), 1-5.
- Grace, N., & Toukhsati, S. (2014). Psychological Functioning in the Elderly: An Assessment of Self-concept and Depression. *International Journal Psychological Research*, 7(1), 12-18.
- Graf, C. (2007). *The Lawton Instrumental Activity of Daily Living (IADL) Scale*. Hartford Institute for Geriatric Nursing, New York University, College of Nursing. USA.
- Grundy, E. (2000). Co-residence of Mid-Life Children with Their Elderly Parents in England and Wales: Changes between 1981 and 1991. *Population Studies*, 54, 193-206.
- Grundy, E., Bowling, A., & Farquhar, M. J. (1996). Social Support, Life Satisfaction and Survival at Older ages. In G. Caselli & A. D. Lopez (Eds.), *Health and Mortality among Elderly Populations* (pp. 135 – 156). Oxford: Clarendon Press.
- Guigoz, Y. (2006). The Mini Nutritional Assessment (MNA) review of the literature- What does it tell us?. *The Journal of Nutrition, Health and Aging*, 10(6), 466-485.
- Gupta, M., Lehl, S. S., Boparoy, N. S., Katyal, R., & Sachdev, A. (2010). A study of prevalence of depression in elderly with medical disorders. *Journal of the Indian Academy of Geriatrics*, 6, 18-23.
- Gurav, R. B., & Kartikeyan, S. (2002). Problems of geriatric population in an urban area. *Bombayhospital Journal*, 44(1), 47-51.
- Hacıhasanoğlu, R., Yıldırım, A., & Karakurt, P. (2012). Loneliness in elderly individuals, level of dependence in activities of daily living (ADL) and influential factors. *Archives of Gerontology and Geriatrics*, 54(1), 61-66.
- Hackshaw, A. K., Law, M. R., & Wald, N. J. (1997). The accumulated evidence on lung cancer and environmental tobacco smoke. *BMJ*, 315(7114), 980-988.

- Han, Y., Li, S., & Zheng, Y., (2009). Predictors of nutritional status among community-dwelling older adults in Wuhan, China. *Public Health Nutrition*, 12(8), 1189-1196.
- Handler, P. (1960). Radiation and Aging. In: N. W. Schock (Ed), *Aging*. American Association for the Advancement of Science: Washington DC. USA.
- Hasin, D. S., Goodwin, R. D., Stinson, F. S., & Grant, B. F. (2005). Epidemiology of major depressive disorder: Results from the National Epidemiologic Survey on Alcoholism and Related Conditions. *Archives of General Psychiatry*, 62, 1097–106.
- Hawley, L. C., Hughes, M. E., Waite, L. J., Masi, C. M., Thisted, R. A., & Cacioppo, J. T. (2008), From social structural factors to perceptions of relationship quality and loneliness: the Chicago health, aging, and social relations study. *The Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, 63(6): 375-384.
- Hazer, O., & Boylu, A. A. (2010). The examination of the factors affecting the feeling of loneliness of the elderly. *Procedia-Social and Behavioral Sciences*, 9, 2083-2089.
- HelpAge India (2015). State of Elderly in India Report 2014: Fighting Isolation, Poverty, Neglect. Saurabh Printers, Okhla, New Delhi. ISBN: 9789384439354. www.healpageindia.org accessed on 24 September, 2016.
- HelpAge India. (2015). *The State of Elderly in India Report 2014*. HelpAge India. New Delhi.
- Hendrie, H. C. (1995). Prevalence of Alzheimer's disease and dementia in two communities: Nigerian Africans and African Americans. *American Journal of Psychiatry*, 152, 1482-1492.
- Holam, A. L., Lyberg, A., & Severinsson, E. (2014). Living with Stigma: Depressed Elderly Persons' Experience of Physical Health Problems. *Nursing Research & Practice*, 2014. <https://doi.org/10.1155/2014/527920>.
- Holmen, K., & Furukawa, H. (2002). Loneliness, health and social network among elderly people- a follow-up study. *Archives of Gerontology and Geriatrics*, 35(3), 261-274.
- Hossen, A. (2012). Social isolation and loneliness among elderly immigrants: the case of south Asian elderly living in Canada. *Journal of International Social Issues*, 1(1), 1-10.

- Household projections for Japan 2010–2035. (2013). Tokyo: National Institute of Population and Social Security Research, (http://www.ipss.go.jp/pp-ajsetai/e/hhprj2013/t-page_e.asp, accessed 4 June 2015).
- Hoyt, D. R., Conger, R. D., Valde, J. G., & Weihs, K. (1997). Psychological help seeking in rural America. *American Journal of Community Psychology*, 25(4), 449-470.
- Hsu, M. F., Ho, S. C., Kuo, H. P., Wang, J. Y., & Tsai, A. C. (2014). Mini-Nutritional Assessment (MNA) is Useful for Assessing the Nutritional Status of Patients with Chronic Obstructive Pulmonary Disease: A Cross-sectional Study. *Journal of Chronic Obstructive Pulmonary Disease*, 11(3), 325-332.
- Ibrahim, T. M., Namir, G. A., Tariq, S. A., & Nazar, P. S. (2010). Quality of life and morbidity pattern of Geriatric population in Erbil City. *Middle East Journal of Age and Ageing*, 7, 16-22.
- Inelmen, E. M., Sergi, G., Coin, A., Miotto, F., Peruzza, S., & Enzi, G. (2003). Can obesity be a risk factor in elderly people?. *Obesity Reviews*, 4(3), 147-155.
- Ingle, G. K., & Nath, A. (2008). Geriatric health in India: concerns and solutions. *Indian Journal of Community Medicine*, 33(4), 214-218.
- International Institute of Population Sciences (IIPS) and Macro International. (2007). *National Family Health Survey Mumbai (NFHS-3), 2005-06: India: Volume II*, Mumbai: IIPS.
- Jacob, M. E., Abraham, V. J., Abraham, S., & Jacob, K. S. (2007). The effect of community based day care on mental health and quality of life of elderly in rural south India: A community intervention study. *International Journal of Geriatric Psychiatry*, 22(5), 445-447.
- Jadhao, A. R., Ghongte, P. R., & Ughade, S. N. (2017). Activities of daily living amongst inmates of home for aged in Nagpur, Maharashtra, India: a cross sectional study. *International Journal of Research in Medical Sciences*, 5(5), 1964-1969.
- Jagger, C., Spiers, N. A., & Clarke, M. (1993). Factors Associated with Decline in Function, Institutionalization and Mortality of Elderly People. *Age and Ageing*, 22(3), 190–197.
- Jakobsson, U., & Hallberg, I. R. (2005). Loneliness, fear, and quality of life among elderly in Sweden. *Aging Clinical Experimental Research*, 17(6), 494-501.

- James, B. D., Wilson, R. S., Barnes, L. L., & Bennett, D. A. (2011). Late-life social activity and cognitive decline in old age. *Journal of the International Neuropsychological Society*, 17(6), 998–1005.
- Jones, R. N., Marcantonio, E. R., & Rabinowitz, T. (2003). Prevalence and correlates of recognized depression in U.S. nursing homes. *Journal of the American Geriatrics Society*, 51(10), 1404-1409.
- Jones, T. G., Rapport, L. J., Hanks, R. A., Lichtenberg, P. A., & Telmet, K. (2003). Cognitive and psychosocial predictors of subjective well-being in urban older adults. *The Clinical Neuropsychologist*, 17(1), 3–18.
- Jopp, D. S., Park, M. S., Lehrfeld, J., & Paggi, M. E. (2016). Physical, cognitive, social and mental health in near-centenarians and centenarians living in New York City: findings from the Fordham Centenarian Study. *BMC Geriatrics*, 16(1), doi:10.1186/s12877-015-0167-0.
- Jorm, A. F., Scott, R., Cullen, J. S., & Mackinnon, A. J. (1991). Performance of the informant questionnaire on cognitive decline in the elderly (IQCODE) as a screening test for dementia. *Psychological Medicine*, 21, 785-790.
- Joshi, K., Avasthi, A., & Kumar, R. (2003). Health-related Quality of Life (HRQOL) among elderly in Northern India. *Health and Population; Perspective and Issues*, 26(4), 141-153.
- Joshi, K., Kumar, R., & Avasthi, A. (2003). Morbidity profile and its relationship with disability and psychological distress among elderly people in northern India. *International Journal of Epidemiology*, 32(6), 978-987.
- Jullamate, P., Azeredo, Z., Rosenberg, E., Paul, C., & Subgranon, R. (2006). Informal stroke rehabilitation: what do Thai caregivers perform?. *International Journal of Rehabilitation Research*, 29(4), 309-314.
- Jylha, M. (2004). Old age and loneliness: cross-sectional and longitudinal analyses in the Tampere Longitudinal Study on Aging. *Canadian Journal of Ageing*, 23(2), 157–168.
- Jyrkka, J., Enlund, H., Lavikainen, P., Sulkava, R., & Hartikainen, S. (2011). Association of polypharmacy with nutritional status, functional ability and cognitive capacity over a three-year period in an elderly population. *Pharmacoepidemiology and Drug Safety*, 20(5), 514-522.
- Kabir, Z. N., Ferdous, T., Cederholm, T., Khanam, M. A., Streatfied, K., & Wahlin, A. (2007). Mini Nutritional Assessment of rural elderly people in Bangladesh: the impact of demographic, socio-economic and health factors. *Public Health Nutrition*, 9(8), 968–974.

- Kabir, Z. N., Ferdous, T., Cederholm, T., Khanam, M. A., Streatfield, K., & Wahlin, A. (2006). Mini Nutritional Assessment of rural elderly people in Bangladesh: the impact of demographic, socio-economic and health factors. *Public Health Nutrition*, 9(8), 968–974.
- Kamiya, Y., Doyle, M., Henretta, J. C., & Virmonen, V. (2014). Early life circumstances and later life loneliness in Ireland. *Gerontologist*, 54(5), 773–783.
- Kang, J. M., Cho, Y., Park, S., Lee, B. H., Sohn, b. K., Cho, S., Lee, J., & Lee, J. (2018). Montreal cognitive assessment reflects cognitive reserve. *BMC Geriatrics*, 18(261), doi:10.1186/s12877-018-0951-8.
- Kansal, D., Baliga, S. S., Kruthika, K., & Mallapur, M. D. (2016). Nutritional assessment among elderly population of rural Belagavi: a cross-sectional study. *International Journal of Medical Science and Public Health*, 5(4), 1496-1499.
- Karmakar, N., Datta, A., Nag, K., & Tripura, K. (2018). Quality of life among geriatric population: A cross-sectional study in a rural area of Sepahijala District, Tripura. *Indian Journal of Public Health*, 62(2), 95-99.
- Karnick, P. M. (2005). Feeling lonely: theoretical perspectives. *Nursing Science Quarterly*, 18(1), 7-12.
- Katz, S. (1983). Assessing self-maintenance: Activities of daily living, mobility and instrumental activities of daily living. *Journal of the American Geriatrics Society*, 31(12), 721-726.
- Katz, S., Down, T. D., Cash, H. R., & Grotz, R. C. (1970). Progress in the development of the index of ADL. *The Gerontologist*, 10(1), 20-30.
- Katz, S., Ford, A., Moskowitz, R., Jackson, B., & Jaffe, M. (1963). Studies of illness and the aged: The index of ADL, a standardized measure of biological and psychological function. *Journal of the American Medical Association*, 185, 914–919.
- Khokhar, A., & Mehra, M. (2001). Life style and morbidity profile of geriatric population in an urban community of Delhi. *Indian Journal of Medical Sciences*, 55(11), 609–615.
- Khosravan, S., Alaviani, M., Alami, A., & Tavakolizadeh, J. (2014). Epidemiology of loneliness in elderly women. *Journal of Research & Health*, 4, 871-877.

- Kindig, D. A., Booske, B. C., & Remington, P. L. (2010). Mobilizing Action Toward Community Health (MATCH): metrics, incentives, and partnerships for population health. *Preventing Chronic Disease*, 7(4), A68.
- Kishore, S., Juyal, R., Semwal, J., & Chandra, R. (2007). Morbidity profile of elderly person. *JK Science*, 9(2), 87-89.
- Knight, M. M. (2000). Cognitive ability and functional status. *Journal of Advanced Nursing*, 31(6), 1459-1468.
- Koenig, H. G., Meador, K. G., Cohen, H. J., & Blazer, D. G. (1988). Self-rated depression scales and screening for major depression in the older hospitalized patient with medical illness. *Journal of the American Geriatrics Society*, 36(8), 699-706.
- Konda, P. R., Sharma, P. K., Gandhi, A. R., & Ganguly, E. (2018). Correlates of Cognitive Impairment among Indian Urban Elders. *Journal of Gerontology and Geriatric Research*, 7(6), doi:10.4172/2167-7182.1000489.
- Kondrup, J., Allison, S. P., Elia, M., Vellas, B., & Plauth, M. (2002). ESPEN guidelines for nutrition screening. *Clinical Nutrition*, 22(4), 415-421.
- Konjengbam, S., Bimol, N., Singh, A. K. J., Singh, A. K. B., Vijaya Devi, E., & Singh, Y. M. (2007). Disability in ADL among the Elderly in an Urban Area of Manipur. *Indian Journal of Physical Medicine and Rehabilitation*, 18(2), 41-43.
- Koropeckyj, T. (2010). Loneliness and Depression in Middle and Old Age: Are the Childless More Vulnerable?. *The Journals of Gerontology: Series B*, 53B(6), S303-S312.
- Kramarow, E. A. (1995). The elderly who live alone in the United States: Historical perspective on household change. *Demography*, 32(3), 335-352.
- Kritika, Kakkar, R., Aggarwal, P., & Semwal, J. (2017). Quality of Life (QOL) among the Elderly in Rural Dehradun. *Indian Journal of Community Health*, 29(1), 39-45.
- Kujur, D., & Ekka, R. P. (2010). Socio-Economic status of elderly people in India. *International Referred Research Journal*, 2, 3-6.
- Kumar, K. V., Sivan, Y. S., Reghu, J. R., Das, R., & Kutty, V. R. (1994). Health of the elderly in a community in transition: A survey in Thiruvananthapuram City, Kerala, India. *Health Policy and Planning*, 9(3), 331-336.
- Kumari, S., & Sekherr, T. V. (2010). Elderly in Punjab: economic dependency, health conditions and living arrangements. *Man and Development*, 32(1), 77-88.

- Lahariya, C., Khandekar, J., & Pradhan, S. K. (2012). A community based study of health related quality of life of the elderly in urban India. *Journal of Indian Medical Association*, 110, 548-550.
- Lahiri, S., Biswas, A., Santra, S., & Lahiri, S.K. (2015). Assessment of nutritional status among elderly population in a rural area of West Bengal, India. *International Journal of Medical Science and Public Health*, 4(4), 569-572.
- Lai, D., & Thomson, C. (2011). The impact of perceived adequacy of social support on caregiving burden of family caregivers. *Families in Society: The Journal of Contemporary Social Services*, 92(1), 99-106.
- Lakshmi Devi, S., & Roopa, K. S. (2013). Quality of life of elderly men and women in institutional and noninstitutional settings in urban Bangalore District. *Research Journal of Family, Community and Consumer Sciences*, 1(3), 7-13.
- Lam, L. C. W., Ong, P. A., Dikot, Y., Sfiatin, Y., Wang, H., Zhao, M., Li, W., Dominguez, J., Natividad, B., Yusoff, S., Fu, J., Senanarong, V., Fung, A. W. T., & Lai, K. (2015). Intellectual and physical activities, but not social activities, are associated with better global cognition: a multi-site evaluation of the cognition and lifestyle activity study for seniors in Asia (CLASSA). *Age and Ageing*, 44(5), 835–840.
- Lara, E., Ai, K., Caballero, F., Domènech-Abella, J., Miret, M., Olaya, B., Rico-Uribe, L., Ayusomaeos, J. L., & Haro, J. M. (2017). Cognitive reserve is associated with quality of life: A population-based study. *Experimental Gerontology*, 87, 67–73.
- Larsson, H., Ramgard, M., & Bolmsjo, I. (2017). Older persons' existential loneliness, as interpreted by their significant others - an interview study. *BMC Geriatrics*, 17(138), doi:10.1186/s12877-017-0533-1.
- Lauder, W., Mummery, K., Jones, M., & Caperchione, C. (2006). A Comparison of health behaviours in lonely and non-lonely population. *Psychology, Health & Medicine*, 11, 233-245.
- Lauder, W., Sharkey, S., & Mummery, K. (2004). A community survey of loneliness. *Journal of Advanced Nursing*, 46(1): 88-94.
- Lawton, M. P., & Brody, E. M. (1969). Assessment of older people: Self-maintaining and instrumental activities of daily living. *The Gerontologist*, 9(3), 179-186.
- Leandro-Merhi, V. A., & Braga de Aquino, J. L. (2011). Anthropometric Parameters of Nutritional Assessment: As Predictive Factors of The Mini Nutritional Assessment (MNA) of Hospitalized Elderly Patients. *The Journal of Nutrition, Health & Aging*, 15(3), 181-186.

- Lenze, E. J., Schulz, R., Martire, L. M., Zdaniuk, B., Glass, T., Kop, W. J., & Reynolds, C. F. (2005). The course of functional decline in older people with persistently elevated depressive symptoms: Longitudinal findings from the Cardiovascular Health Study. *Journal of the American Geriatrics Society*, 53(4), 569-575.
- Lesourd, B. (2004). Nutrition: a major factor influencing immunity in the elderly. *Journal of Nutrition, Health and Aging*, 8(1), 28-37.
- Lin, J. (1994). Parity and Security: A Simulation Study of Old-Age Support in Rural China. *Population and Development Review*, 20(2), 423-448.
- Lindgren, A., Svardsudd, K., & Tibblin, G. (1994). Factors related to perceived health among elderly people: the Albertina Project. *Age and Ageing*, 23(4), 328-333.
- Lokare, L., Nekar, M. S., & Mahesh, V. (2011). Quality of life and restricted activity days among the old aged. *International Journal of Biological & Medical Research*, 2(4), 1162-1164.
- Lopata, M. (1995). Loneliness. In G. L. Maddox, R. C. Atchley, J. G. Evans, C. E. Finch, D. F. Hultsch, R. A. Kane, M. D. Mezey, & E. C. Siegler (Eds.), *The Encyclopaedia of Aging* (pp. 571-572). New York: Springer Publishing Company.
- Ma, L., Zhang, L., Sun, F., Li, Y., & Tang, Z. (2019). Cognitive function in Prefrail and frail community-dwelling older adults in China. *BMC Geriatrics*, 19(53), <https://doi.org/10.1186/s12877-019-1056-8>.
- Machón, M., Larrañaga, I., Dorronsoro, M., Vrotsou, K., & Vergara, I. (2017). Health-related quality of life and associated factors in functionally independent older people. *BMC Geriatrics*, 17(1), 19-27.
- Madhu, T., & Sreedevi, A. (2013). A Study of Socio-demographic Profile of Geriatric Populationin the Field Practice Area of Kurnool Medical College. *International Journal of Research Development of Health*, 1(2), 69-76.
- Magni, E., Binetti, G., Bianchetti, A., Rozzini, R., & Trabucchi, M. (1996). Mini-mental State Examination: a normative study in Italian elderly population. *European Journal of Neurology*, 3(3), 198-202.
- Maharani, A., & Tampubolon, G. (2016). National Economic Development Status May Affect the Association between Central Adiposity and Cognition in Older Adults. *PLoS ONE*, 11(2), doi:10.1371/journal.pone.0148406.

- Maity, M., & Mukhopadhyay, B. (2014). Cognitive health of the elderly. *Journal of Psychology & Clinical Psychiatry*, 1(1), doi:10.15406/jpcpy.2014.01.00001.
- Martin, L. G. (1989). Living Arrangements of the Elderly in Fiji, Korea, Malaysia and Philippines. *Demography*, 26(4), 627-643.
- Mason, K. O. (1992). Family change and support of the elderly in Asia: What do we know?. *Asia-Pacific Population Journal*, 7(3), 13-32.
- Mattos, I. E., do Carmo, C. N., Santiago, L. M., & Luz, L. L. (2014). Factors associated with functional incapacity in elders living in long stay institutions in Brazil: a cross-sectional study. *BMC Geriatrics*, 14(1), 47-55.
- Maulik, S., & Dasgupta, A. (2012). Depression and its determinants in the rural elderly of West Bengal - a cross sectional study. *International Journal of Biological & Medical Research*, 3(1), 1299-1302.
- McDaid, O., Hanly, M. J., Richardson, K., Kee, F., Kenny, R. A., & Savva, G. M. (2013). The effect of multiple chronic conditions on self-rated health, disability and quality of life among the older populations of Northern Ireland and the republic of Ireland: A comparison of two nationally representative cross-sectional surveys. *BMJ Open*, 3(6), doi:10.1136/bmjopen-2013-002571.
- Meltzer, H., Bebbington, P. E., Brugha, T., McManus, S., Rai, D., Dennis, M. S., & Jenkins, R. (2012). Physical ill health, disability, dependence and depression: Results from the 2007 national survey of psychiatric morbidity among adults in England. *Disability and Health Journal*, 5 (2), 102–110.
- Mendes de Leon, C. F., & Rajan, K. B. (2014). Psychosocial influences in onset and progression of late life disability. *The Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, 69(2), 287-302.
- Millán-Calenti, J. C., Tubío, J., Pita-Fernández, S., González-Abraldes, I., Lorenzo, T., Fernández-Arruty, T., & Maseda, A. (2010). Prevalence of functionaldisability in activities of daily living (ADL), instrumental activities of daily living (IADL) and associated factors, as predictors of morbidity and mortality. *Archives of Gerontology and Geriatrics*, 50(3), 306-310.
- Min, J., Ailshire, J., & Crimmins, E. M. (2016). Social engagement and depressive symptoms: Do baseline depression status and type of social activities make a difference?. *Age and Ageing*, 45(6), 838–843.
- Mina, N. U. (2017). Depression among Elderly people: A Literature Review. *Arcada Department of Health and Social Work*, 13, 17188.

Mini Nutritional Assessment (MNA) Questionnaire. Nestle Nutritional Institute.
Available from: <http://www.mna-elderly.com/>.

Minicuci, N., Maggi, S., Pavan, M., Enzi, G., & Crepaldi, G. (2002). Prevalence rate and correlates of depressive symptoms in older individuals, the Veneto Study. *The Journals of Gerontology: Series A*, 57(3), M155-M161.

Miu, J., Negin, J., Salinas-Rodriguez, A., Manrique-Espinoza, B., Sosa-Ortiz, A. L., Cumming, R., & Kowal, P. (2016). Factors associated with cognitive function in older adults in Mexico. *Global Health Action*, 9(1). <http://dx.doi.org/10.3402/gha.v9.30747>.

Mlinac, M. E., & Feng, M. C. (2016). Assessment of Activities of Daily Living, Self-Care, and Independence. *Archives of Clinical Neuropsychology*, 31(6), 506–516.

Mohanty, S., Gangil, O. P., & Kumar, S. (2012). Instrumental Activities of Daily Living and Subjective Wellbeing in Elderly Persons Living in Community. *Indian Journal of Gerontology*, 26(2), 193-206.

Mokhber, N., Majdi, M. R., Ali-Abadi, M., Shakeri, M. T., Kimiagar, M., Salek, R., Moghaddam, P. A., Sakhdari, A., Azimi-Nezhad, M., Ghayour-Mobarhan, M., & Soluti, S. S. (2011). Association between Malnutrition and Depression in Elderly People in Razavi Khorasan: A Population Based-Study in Iran. *Iranian Journal of Public Health*, 40(2), 67-74.

Mu, G. Z. (2011). How to benefit from demographic boomous in aging society. *Renmin Forum*, 7, 174–176.

Mudey, A., Ambekar, S., Goyal, R. C., Agarekar, S., & Wagh, V. V. (2011). Assessment of Quality of Life among rural and urban elderly population of Wardha district, Maharashtra, India. *Studies on Ethno-Medicine*, 5(2), 89-93.

Muhwezi, W. W., Okello, E. S., & Turiho, A. K. (2010). Gender-based profiling of Quality of Life (QOL) of primary health care (PHC) attendees in central Uganda: A cross sectional analysis. *African Health Sciences*, 10(4), 374-385.

Mullins, L. C., Johnston, D. P., & Anderson, L. (1988). Social and emotional isolation among the elderly: a conceptual view of loneliness. *Danish Medical Bulletin: Journal of the Health Sciences, Gerontology*, 6, 26-29.

Mumford, D. B., Saeed, K., Ahmad, I., Latif, S., & Mubbashar, M. H. (1997). Stress and psychiatric disorder in rural Punjab: A community survey. *The British Journal of Psychiatry*, 170(5), 473-478.

- Munshi, Y. I., Iqbal, M., Rafique, H., & Ahmad, Z. (2008). Geriatric morbidity pattern and depression in relation to family support in aged population of Kashmir valley. *International Journal of Geriatrics and Gerontology*, 4(1), 1-15.
- Murrell, S. A., Himmelfarb, S., & Wright, K. (1983). Prevalence of depression and its correlates in older adults. *American journal of epidemiology*, 117(2), 173-185.
- Nagoor, K., Srikanth, B. A., Dudekula, R., Reddy, R., & Satna, K. (2014). Comparative Study of Health Status among Slum and Non-Slum Elderly Population in Kadapa Region, South India. *Journal of Evolution of Medical and Dental Sciences*, 3(5), 1298-1307.
- Naik, P. R., & Nirgude, A. S. (2015). Depression among the Elderly: A Cross Sectional Study in a Rural Community of South India. *National Journal of Community Medicine*, 6(2), 394-397.
- Nanan, D. J. (2000). The obesity pandemic-implications for Pakistan. *The Journal of The Pakistan Medical Association*, 52(8), 342-346.
- Nautiyal, A., Satheesh Madhav, N.V., Ojha, A., Sharma, R. K., Bhargava, S., Kothiyal, P., & Uniyal, S. N. (2015). Prevalence of Depression among Geriatric People in Dehradun City of Uttarakhand, India. *Journal of Depression and Anxiety*, 4(4), doi:10.4200/2167-1044.1000208.
- Neto, F. (2000). *Psicologia Social*. 3, Lisboa: Universidade Aberta.
- Neugarten, B. L. (1974). Age groups in American society and the rise of the young-old. *The Annals of the American Academy of Political and Social Science*, 415(1), 187-198.
- Niranjan, G. V., & Vasundhra, M. K. (1996). A study of health status of aged persons in slums of Urban field practice area, Bangalore. *Indian Journal of Community Medicine*, 21(2), 37-40.
- Nyunt, M. S. Z., Lim, M. L., Yap, K. B., & Ng, T. P. (2012). Changes in depressive symptoms and functional disability among community-dwelling depressive older adults. *International Psychogeriatrics*, 24 (10), 1633–1641.
- O’Luanaigh, C., & Lawlor, B. A. (2008). Loneliness and the health of older people. *International Journal of Geriatric Psychiatry*, 23(12), 1213-1221.
- Ofstedal, M. B., Knodal, J., & Chayovan, N. (1999). Intergenerational support and gender: A Comparison of Four Asian Countries. *Southeast Asian Journal of Social Science*, 27(2), 21-42.

- Ogawa, N., & Retherford, R. D. (1997). Shifting costs of caring for the Elderly Back to Families in Japan: Will it work?. *Population and Development Review*, 23(1), 59-94.
- Ohri, P., Gupta, S. K., & Upadhyai, N. (2014). A Study of Daily Living Dependency Status among Elderly in an Urban Slum area of Dehradun. *Indian Journal of Community Health*, 26(4), 417-422.
- Østbye, T., Kristjansson, B., Hill, G., Newman, S. C., Brouwer, R. N., & McDowell, I. (2005). Prevalence and predictors of depression in elderly Canadians: The Canadian Study of Health and Aging. *Chronic Diseases in Canada*, 26(4), 93-99.
- Otero, U. B., Rozenfeld, S., Gadelha, A. M. J., & Carvalho, M. S. (2002). Malnutrition mortality in the elderly, southeast Brazil, 1980-1997. *Revista de Saúde Pública*, 36(2), 141-148.
- Panigrahi, A.K. (2009). Determinants of Living Arrangements of Elderly in Orissa: An Analysis (Working paper 228). *The Institute for Social and Economic Change, Bangalore, India*.
- Park, N. S., Jang, Y., Lee, B. S., Haley, W. E., & Chiriboga, D. A. (2013). The mediating role of loneliness in the relation between social engagement and depressive symptoms among older Korean Americans: do men and women differ?. *The Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, 68(2), 193-201.
- Patil, S. D., Udayar, S. E., & Shannawaz, M. (2015). A Study of Depression Level among Elderly People in the Rural Area of Bijapur, India. *Journal of Evolution of Medical and Dental Sciences*, 4(30), 5154-5160.
- Peltzer, K., & Phaswana-Mafuya, N. (2012). Cognitive functioning and associated factors in older adults in South Africa. *South African Journal of Psychiatry*, 18(4), 157–163.
- Pengpid, S., Peltzer, K., & Susilowati, I. H. (2019). Cognitive Functioning and Associated Factors in Older Adults: Results from the Indonesian Family Life Survey-5 (IFLS-5) in 2014-2015. *Current Gerontology and Geriatrics Research*, 2019(7), 1-7. doi:10.1155/2019/4527647.
- Perissinotto, C. M., Cenzer, I. S., & Covinsky, K. E. (2012). Loneliness in older persons: a predictor of functional decline and death. *Archives of Internal Medicine*, 172(14), 1078-1084.

- Perlman, D., & Peplau, L.A. (1981). Toward a Social Psychology of Loneliness. In S.W. Duck & R. Gilmour (Eds.), *Personal Relationships. 3: Personal Relationships in disorder* (PP. 31-56). London: Academic Press.
- Pickering, G. (2004). Frail elderly, nutritional status and drugs. *Archives of Gerontology and Geriatrics*, 38(2), 174-180.
- Population Projection Report for India and States 2001-2026. (2006). Report of the Technical Group on Population Projection, Govt. of India.
- Population Reference Bureau. (2007). Underweight, undernutrition, and the aging. *Today's Research on Aging*, 8. <http://www.prb.org/pdf07/TodaysResearchAging8.pdf>. accessed on 15 June 2017.
- Pracheth, R. (2016). Urban–rural comparison of depression among the elderly population: a cross-sectional study. *International Journal of Medical Science and Public Health*, 5(5), 866-872.
- Prakash, R., Choudhary, S. K., & Singh U. S. (2004). A study of morbidity pattern among geriatric population in an urban area of Udaipur, Rajasthan. *Indian Journal of Community Medicine*, 29(1), 35-40.
- Prince, M. J., Wimo, A., Guerchet, M., Ali, G. C., Wu, Y., & Prina, A.M. (2015). *World Alzheimer Report 2015: The Global Impact of Dementia*. London, UK: Alzheimer's disease International (ADI).
- Priyanka., & Mishra, S. (2013). Differences in Life Satisfaction of elderly people in urban and semi urban families of Lucknow (U.P.). *IOSR Journal of Humanities and Social Sciences (IOSR-JHSS)*, 16(6), 28-32.
- Purty, A. J., Bazroy, J., Kar, M., Vasudevan, K., Veliath, A., & Panda, P. (2006). Morbidity pattern among the elderly population in the rural area of Tamil Nadu, India. *Turkish Journal of Medical Sciences*, 36(1), 45-50.
- Puvill, T., Lindenberg, J., Craen, A. J. M. De.,Joris P. J. Slaets, J. P. J., & Westendorp, R. G. J. (2016). Impact of physical and mental health on life satisfaction in old age: a population based observational study. *BMC Geriatrics*, 16(194), doi:10.1186/s12877-016-0365-4.
- Qadri, S., Ahluwalia, S. K., Ganai, A., Bali, S., Wani, F., & Bashir, H. (2013). An epidemiological study on quality of life among rural elderly population of northern India. *International Journal of Medical Science and Public Health*, 2(3), 514-522.

- Rajeswari, K., & Jeyalakshmi, S. (2015). Savings and Income Pattern of Senior Citizens. *International Journal of Advances in Management and Economics*, 4(3), 155-161.
- Rajkumar, A. P., Thangadurai, P., Senthikumar, P., Gayathri, K., Prince, M., & Jacob, K.S. (2009). Nature, prevalence and factors associated with depression among the elderly in a rural South Indian Community. *International Psychogeriatrics*, 21(2), 372-378.
- Rajkumar, S., Kumar, S., & Thara, R. (1997). Prevalence of dementia in a rural setting: A report from India. *International Journal of Geriatric Psychiatry*, 12(7), 702-707.
- Ramachandran, V., & Aryani, P. (2018). Association between educational level and hypertension with decrease of cognitive function among elderly at Puskesmas Mengwi I Bali-Indonesia 2016. *Intisari Sains Medis*, 9(1), 43–48.
- Ran, L., Jiang, X., Li, B., Kong, H., Du, M., Wang, X., Yu, H., & Liu, Q. (2017). Association among activities of daily living, instrumental activities of daily living and health-related quality of life in elderly Yi ethnic minority. *BMC Geriatrics*, 17(1), 74-80.
- Razani, J., Boone, K., Lesser, I., & Weiss, D. (2004). Effects of cigarette smoking history on cognitive functioning in healthy older adults. *The American Journal of Geriatric Psychiatry*, 12(4), 404-411.
- Richards, M., Shipley, B., Fuhrer, R., & Wadsworth, E. J. M. (2004). Cognitive ability in childhood and cognitive decline in mid-life: Longitudinal birth cohort study. *British Medical Journal*, 328(7439), 552-556.
- Rimm, E. B., Chan, J., Stampfer, M. J., Colditz, G. A., & Willett, W. C. (1995). Prospective study of cigarette smoking, alcohol use, and the risk of diabetes in men. *BMJ*, 310(6979), 555-559.
- Rist, P. M., Capistrant, B. D., Wu, Q., Marden, J. R., & Glymour, M. M. (2014). Dementia and dependence: Do modifiable risk factors delay disability?. *Neurology*, 82 (17), 1543-1550.
- Rocca, W. A., Bonaiuto, S., Lippi A., Luciani, P., Turtù, F., Cavarzeran, F., & Amaducci, L. (1990). Prevalence of clinically diagnosed Alzheimer's disease and other dementing disorder: a door to door survey in Appignano, Macerata Province, Italy. *Neurology*, 40(4), 626-631.
- Rokach, A., & Bauer, N. (2004). Age, culture and loneliness among Czechs and Canadians. *Current psychology*, 23(1), 3-23.

- Rose, M. R., Flatt T., Graves, J. L., Greer, L. F., Martinez, D. E., Matos, M., Mueller, L.D., Reis, R. J. S., & Shahrestani, P. (2012). What is aging?. *Frontiers in Genetics*, 134(3).
- Routasalo, P. E., Savikko, N., Tilvis, R. S., Strandberg, T.E., & Pitkala, K. H.(2006). Social contacts and their relationship to loneliness among aged people – a population-based study. *Gerontology*, 52(3), 181-187.
- Russell, D. W. (1996). The UCLA loneliness scale (Version 3): Reliability, validity and factor structure. *Journal of Personality Assessment*, 66(1), 20-40.
- Saczynski, J. S., Pfeifer, L. A., Masaki, K., Korf, E. S., Laurin, D., White, L.,& Launer, L.J. (2006). The Effect of social engagement on incident dementia: The Honolulu-Asia Aging Study. *American journal of epidemiology*, 163(5), 433–440.
- Saeidlou, S. N., Merdol, T. K., Mikaili, P., & Bektas, Y. (2011). Assessment of the nutritional status and affecting factors of elderly people living at six nursing home in Urmia, Iran. Part I. *International Journal of Academic Research*, 3(1), 173-181.
- Sak, G., Rothenfluh, F., & Schulz, P.J. (2017). Assessing the predictive power of psychological empowerment and health literacy for older patients' participation in health care: a cross-sectional population-based study. *BMC Geriatrics*, 17(59), doi:10.1186/s12877-017-0448-x.
- Saka, B., Kaya, O., Ozturk, G. B., Erten, N., & Karan, M. A. (2010). Malnutrition in the elderly and its relationship with other geriatric syndromes. *Clinical Nutrition*, 29(6), 745-748.
- Sakurkar, A., & Bagga, A. (2006). Health of women in old age: a study in Pune. In P. Chakrabarti & D. Danda (Eds.), *Aging Issues: Problems and Perspectives*. Kolkata, India.
- Saletti, A., Johansson, L., Yifter-Lindgren, E., Wissing, U., Osterberg, K., & Cederholm, T. (2005). Nutritional status and a 3-year follow-up in elderly receiving support at home. *Gerontology*, 51(3), 192-198.
- Sandhya, G. I. (2010). Geriatric Depression and Related Factors - A Cross Sectional Study from a Rural Community in South Kerala. *Journal of The Indian Academy of Geriatrics*, 6(2), 61-63.
- Sanjay, T. V., Jahnvi, R., Gangaboraiah, B., Lakshmi, P., & Jayanthi, S. (2014). Prevalence and factors influencing depression among elderly living in the urban poor locality of Bengaluru city. *International Journal of Health & Allied Sciences*, 3(2), 105-109.

- Santos, V. R. D., Christofaro, D. G. D., Gomes, I. C., FreitasJúnior, I. F., & Gobbo, L. A. (2016). Factors associated with mobility of the oldest old. *Fisioterapia em Movimento*, 30(1), 69-76.
- Sarkar, S. (2006). Risk of Cardiovascular disease in relation to contrasting lifestyles among the Bhutias of Sikkim. *Ph.D. Thesis*. University of Calcutta, Kolkata.
- Savikko, N., Routasalo, P., Tilvis, R. S., Strandberg, T. E., & Pitkälä, K. H. (2005). Predictors and subjective causes of loneliness in an aged population. *Archives of Gerontology and Geriatrics*, 41(3), 223-233.
- Savundranayagam, M. Y., Montgomery, R. J., & Kosloski, K. (2010). A dimensional analysis of caregiver burden among spouses and adult children. *The Gerontologist*, 51(3), 321-331.
- Schaie, K. W. (1994). The course of adult intellectual development. *American Psychologist*, 49(4), 304-313.
- Schoenberg, B. S., Anderson, D. W., & Haerer, A. F. (1985). Severe dementia: prevalence and clinical features in a biracial US population. *JAMA Neurology (ARCH NEUROL-CHICAGO)*, 42(8), 740-743.
- Sengupta, P., Benjamin, A.I., Singh, Y., Grover, A. (2014). Prevalence and correlates of cognitive impairment in a north Indian elderly population. *WHO South-East Asia Journal of Public Health*, 3(2), 135–143.
- Shah, B., & Prabhakar, A. K. (1997). Chronic morbidity profile among elderly. *The Indian Journal of Medical Research*, 106, 265–272.
- Shah, N.M., Yount, K. M., Ahah, M. A., & Menon, I. (2002). Living arrangements of older women and men in Kuwait. *Journal of Cross-Cultural Gerontology*, 17, 337-355.
- Shah, S. M., Nanan, D., Rahbar, M. H., Rahim, M., & Nowshad, G. (2004). Assessing obesity and overweight in a high mountain Pakistani population. *Tropical Medicine & International Health*, 9(4), 526-532.
- Shaji, S., Promodu, K., Abraham, T., Roy, K. J., & Verghese, A. (1996). An epidemiological study of dementia in a rural community in Kerala, India. *The British Journal of Psychiatry*, 168(6), 745-749.
- Sharma, D., Mazta, S. R., & Parashar, A. (2013). Prevalence of cognitive impairment and related factors among elderly: a population-based study. *Journal of Dr. NTR University of Health Sciences*, 2(3), 171–176.

- Sharma, D., Parashar, A., & Mazta, S. R. (2014). Functional status and its predictor among elderly population in a hilly state of North India. *International Journal of Health & Alliance Sciences*, 3(3), 159-163.
- Sharma, O. P., Pandey, J. N., Manchanda, S. C. (1999). *Geriatric Care in India: Geriatrics and Gerontology*. New Delhi: ANB Publishers Pvt. Ltd.
- Sheikholeslami, F., Masouleh, S. R., Khodadadi, N., & Yazdani, M. A. (2011). Loneliness and general health of elderly. *Journal of Holistic Nursing and Midwifery*, 21(2), 28-34.
- Shen, H. W., Feld, S., Dunkle, R. E., Schroepfer, T., & Lehning, A. (2015). The prevalence of older couples with ADL limitations and factors associated with ADL help receipt. *Journal of Gerontological Social Work*, 58 (2), 171-189.
- Shen, Y. (1987). Selected Findings from Recent Fertility Surveys in Three Regions of China. *International Family Planning Perspectives*, 13(3), 80-85.
- Shibamaya, H., Kasaaahara, Y., & Kobayasi, H. (1986). Prevalence of dementia in a Japanese elderly population. *Acta Psychiatrica Scandinavica*, 74(2), 144-151.
- Shraddha, K., Prashantha, B., & Prakash, B. (2012). Study on morbidity pattern among elderly in urban population of Mysore, Karnataka, India. *International Journal of Medicine and Biomedical Research*, 1(3), 215-223.
- Sing, A. K., sing, M., & Sing, D. S. (1996). Health problems in rural elderly at Varanasi, Uttar Pradesh, *The Journal of the Association of Physicians of India*, 44(8), 540-543.
- Singh, A., & Misra, N. (2009). Loneliness, Depression and Sociability in Old Age. *Industrial Psychiatry Journal*, 18(1), 51-55.
- Singh, B., & Kiran, U. V. (2013). Loneliness among elderly women. *International Journal of Humanities and Social Science Invention*, 2(1), 01-06.
- Singh, N., Kumar, S., Muzammil, K., Raghav, S. K., & Singh, J. V. (2014). Assessment of functional status in the elderly persons in the rural area of Punjab. *Indian Journal of Community Health*, 26(1), 25-29.
- Sinha, S.P., Shrivastava, S.R., & Ramasamy, J. (2013). Depression in an Older Adult Rural Population in India. *MEDICC Review*, 15(4), 41-44.
- Squires, S. E. (2015). To a Deeper Understanding of Loneliness amongst Older Irish Adults. *Collegium Antropologicum*, 39(2), 289-295.

- Srinivasan, K., Vaz, M., & Thomas, T. (2010). Prevalence of health related disability among community dwelling urban elderly from middle socioeconomic strata in Bangalore, India. *The Indian Journal of Medical Research*, 131(4), 515-521.
- Stanek, K. M., Gunstad, J., Paul, R. H., Poppas, A., Jefferson, A. L., Sweet, L. H., Hoth, K. F., Haley, A. P., Forman, D. E., & Cohen, R. A. (2009). Longitudinal cognitive performance in older adults with cardiovascular disease: Evidence for improvement in Heart Failure. *The Journal of Cardiovascular Nursing*, 24(3), 192-197.
- Stiles, P.G., & McGarrahah, J. F. (1998). The Geriatric Depression scale: a comprehensive review. *Journal of Clinical Geropsychology*, 4(2), 89-110.
- Sudha, S., Suchindran, C., Mutran, E.J., Rajan, S.I., & Sarma, P. S. (2006). Marital Status, family ties and self-rated health among elders in South India. *Journal of Cross-Cultural Gerontology*, 21(3-4), 103-120.
- Sunder, L., Chadha, S. L., & Bhatia, P. C. (1999). A study on senior citizens in rural areas. *Health for the Millions*, 25, 18-20.
- Susilowati, I. H., & Yasukouchi, A. (2012). Cognitive characteristics of older Japanese drivers. *Journal of Physiological Anthropology*, 31(1), 2-11.
- Suzman, R. M., & Riley, M. W. (1985). Introducing the “oldest old”. *Milbank Memorial Fund Quarterly Health and Society*, 63(2), 177-186.
- Suzman, R. M., Willis, D.P., & Manton, K. G., (Eds.). (1992). *The oldest old*. New York: Oxford University Press.
- Swami, H. M., Bhatia, V., Dutt, R., & Bhatia, S. P. S. (2002). A community based study of the morbidity profile among the elderly in Chandigarh, India. *Bahrain Medical Bulletin*, 24(1), 13-16.
- Taqui, A. K., Itrat, A., Qidwai, W., & Qadri, Z. (2007). Depression in the Elderly: does family system play a role? A cross-sectional study. *BMC Psychiatry*, 7(57), doi:10.1186/1471-244X-7-57.
- Teh, J. K. L., Tey, N. P., & Ng, S. T. (2014). Family support and loneliness among older persons in multiethnic Malaysia. *The Scientific World Journal*, 2014, 1-11.
- Teresi, J., Abrams, R., Holmes, D., Ramirez, M., & Eimicke, J. (2001). Prevalence of depression and depression recognition in nursing homes. *Social Psychiatry and Psychiatric Epidemiology*, 36(12), 613-620.

- Tervo, S., Kivipelto, M., Hänninen, T., Vanhanen, M., Hallikainen, M., Mannermaa, A., & Soininen, H. (2004). Incidence and risk factors for mild cognitive impairment: A population-based three-year follow-up study of cognitively healthy elderly subjects. *Dementia and Geriatric Cognitive Disorders*, 17(3), 196–203.
- Thakur, M., & Blazer, D. G. (2008). Depression in long-term care. *Journal of The American Medical Directors Association*, 9(2), 82-87.
- Thakur, R.P., Banerjee, A., & Nikumb, V.B. (2013). Health Problems Among the Elderly: A Cross-Sectional Study. *Annals of Medical and Health Science Research*. 3(1), 19-25.
- Theeke, L. A. (2009). Predictors of loneliness in US adults over age sixty-five. *Archives of Psychiatric Nursing*, 23(5), 387-396.
- Thilak, S.A., Sarada, A.K., & Sushrit, A. N. (2016). Prevalence and Factors Associated with Depression among the Elderly in Rural Areas of Kannur, North Kerala, India: A Cross Sectional Study. *International Journal of Community Medicine & Public Health*, 3(8), 1986-1991.
- Thygesen, E., Saevareid, H. I., Lindstrom, T. C., & Engedal, K. (2008). Psychological Distress and its correlates in Older care-dependent persons living at home. *Ageing & Mental Health*, 13(3), 319-327.
- Thylén, I., Moser, D. K., & Strömberg, A. (2018). Octo- and nonagenarians' outlook on life and death when living with an implantable cardioverter defibrillator: a cross-sectional study. *BMC Geriatrics*, 18(250), doi:10.1186/s12877-018-0942-9.
- Tiwari, S. C., Tripathi, R. K., Kumar, A., Kar, A. M., Singh, R., Kohli, V. K., & Agarwal, G. G. (2014). Prevalence of psychiatric morbidity among urban elderlies: Lucknow elderly study. *Indian Journal of Psychiatry*, 56(2), 154–160.
- Tomioka, K., Kurumatani, N., & Hosoi, H. (2016). Association between Social Participation and Instrumental Activities of Daily Living among Community-Dwelling Older Adults. *Journal of Epidemiology*, 26(10), 553-561.
- Tomstad, S. T., Söderhamn, U., Espenes, G. A., & Söderhamn, O. (2012). Living alone, receiving help, helplessness, and inactivity are strongly related to risk of undernutrition among older home-dwelling people. *International Journal of General Medicine*, 5, 231-240.
- Tsai, A. C., KU, P. Y., & Tsai, J. D. (2008). Population-Specific Anthropometric cut off Standards Improve: The Functionality of the Mini Nutritional Assessment

- without BMI in Institutionalized Elderly in Taiwan. *The Journal of Nutrition, Health & Aging*, 12(10), 696-700.
- Tsai, S. Y., Chi, L. Y., Lee, L. S., & Chou, P. (2004). Health-related quality of life among urban, rural and island community elderly in Taiwan. *Journal of the Formosan Medical Association*, 103(3), 196-204.
- Tuon, T., Valvassori, S. S., Lopes-Borges, J., Fries, G. R., Silva, L. A., Kapczinski, F., Quevedo, J., & Pinho, R. A. (2010). Effects of moderate exercise on cigarette smoke exposure-induced hippocampal oxidative stress values and neurological behaviors in mice. *Neuroscience Letters*, 475(1), 16-19.
- Turvey, C. L., Carney, C., Arndt, S., Wallace, R. B., & Herzog, R. (1999). Conjugal loss and syndromal depression in a sample of elders aged 70 years or older. *American Journal of Psychiatry*, 156(10), 1596-1601.
- Twigg, J., & Martin, W. (2015). *The Routledge Handbook of Cultural Gerontology*. London: Routledge.
- Ubaidulla, M., Inamdar, I. F., Aswar, N. R., & Doibale, M. K. (2014). Medical and Psychological Profile of Geriatric Population in Field Practice Area of Nanded, India. *IOSR Journal of Dental and Medical Sciences*, 13(3), 29-33.
- Udhayakumar, P., & Ponnuswamy, I. (2012). Informal care received by elderly residing in slum of the Thiruchirappalli district, Tamil Nadu, India. *International Research Journal of Social Sciences*, 1(1), 15-18.
- UN. World population prospects: the 2012 revision. (2014). Methodology of the United Nations population estimates and projections. United Nations Department of Economic and Social Affairs PD.
- United Nations Population Division, World Population Prospects: (2011) The 2010 Revision. New York: United Nations, accessed at <http://esa.un.org/unpd/wpp/index.htm>, on March 13, 2012.
- Vaingankar, J. A., Chong, S. A., Abdin, E., Picco, L., Jeyagurunathan, A., Zhang, Y., Sambasivam, R., Chua, B. Y., Ng, L. L., Prince, M., & Subramaniam, M. (2016). Care participation and burden among informal caregivers of older adults with care needs and associations with dementia. *International Psychogeriatrics*, 28(2), 221–231.
- Vakili, M., Mirzaei, M., & Modarresi, M. (2017). Loneliness and Its Related Factors among Elderly People in Yazd. *Elderly Health Journal*, 3(1): 10-15.

- Valtorta, N., & Hanratty, B. (2012). Loneliness, isolation and the health of older adults: do we need a new research agenda?. *Journal of the Royal Society of Medicine*, 105(12), 518–22.
- van Bokhorst-de van der Schueren, M. A., Guaitoli, P. R., Jansma, E. P., de Vet, H. C. (2013). Nutrition screening tools: Does one size fit all? A systematic review of screening tools for the hospital setting. *Clinical Nutrition*, 33, 39-58.
- van Hooren, S. A. H., Valentijn, A. M., Bosma, H., Ponds, R. W. H. M., Van Boxtel, M. P. J., & Jolles, J. (2007). Cognitive functioning in healthy older adults aged 64-81: A cohort study into the effects of age, sex, and education. *Aging, Neuropsychology and Cognition*, 14(1), 40–54.
- van Hooren, S. A. H., van Boxtel, M. P. J., Valentijn, S. A. M., Bosma, H., Ponds R. W. H. M., & Jolles, J. (2005). Influence of cognitive functioning on functional status in an older population: 3- and 6-year follow-up of the Maastricht Aging Study. *International Journal of Geriatric Psychiatry*, 20(9), 883–888.
- Vance, D. E., Wadley, V. G., Ball, K. K., Roenker, D. L., & Rizzo, M. (2005). The effects of physical activity and sedentary behavior on cognitive health in older adults. *Journal of Aging and Physical Activity*, 13(3), 294–313.
- VanderWeele, T. J., Hawkley, L. C., & Cacioppo, J. T. (2012). On the reciprocal association between loneliness and subjective well-being. *American Journal of Epidemiology*, 176(9), 777-784.
- Vas, V. J., Pinto, C., Panikker, D., Noronha, S., Deshpande, N., Kulkarni, L., & Sachdeva, S. (2001). Prevalence of dementia in an urban Indian population. *International Psychogeriatrics*, 13(4), 439-450.
- Vatuk, S. (1980). Withdrawal and disengagement as a cultural response to aging in India. In: C. L. Fry (Ed.) *Aging in Culture and Society: Comparative Viewpoints and strategies* (pp. 104-125). New York: J.F. Bergin Publications.
- Vaupal, J. W., Carey, J. R., Christensen, K., Johnson, T. E., Yashin, A. I., Holm, N. V., Iachine, I. A., Kannisto, V., Khazaeli, A. A., Liedo, P., Longo, V. D., Zeng, Y., Manton, K. G., & Curtsinger, J. W. (1998). *Biodemographic trajectories of longevity*. *Science*, 280(5365), 855-860.
- Vedantam, A., Subramanian, V., Rao, N. V., & John, K. R. (2010). Malnutrition in free-living elderly in rural south India: Prevalence and risk factors. *Public Health Nutrition*, 13(9), 1328–1332.

- Vellas, B., Guigoz, Y., Garry, P. J., Nourhasemi, F., Bennahum, D., Lauque, S., & Albareda, J. (1999). The Mini Nutritional Assessment (MNA) and its use in grading the nutritional state of elderly patients. *Nutrition*, 15(2), 116-122.
- Venkatrao, T., Ezhil, R., Jabbar, S., & Ramakrishnan, R. (2005). Prevalence of disability and handicaps in geriatric population in rural south India. *Indian Journal of Public Health*, 49(1), 11-17.
- Venzin, R. M., Kamber, N., Keller, W. C. F., Suter, P. M., & Reinhart, W. H. (2009). How important is malnutrition? A prospective study in internal medicine. *European Journal of Clinical Nutrition*, 63(3), 430-436.
- Victor, C. R., Scambler, S. J., Bowling, A., & Bond, J. (2005). The prevalence of, and risk factors for, loneliness in later life: a survey of older people in Great Britain. *Ageing and Society*, 25(6), 357-375.
- Victor, C. R., Scambler, S. J., Marston, L., Bond, J., & Bowling, A. (2006). Older people's experiences of loneliness in the UK: does gender matter?. *Social Policy and Society*, 5(1), 27-38.
- Vineis, P., Alavanja, M., Buffler, P., Fontham, E., Franceschi, S., Gao, Y. T., Gupta, P. C., Hackshaw, a., Matos, E., & Samet, J., Sitas, F., Smith, J., Stayner, L., Straif, K., Thun, M. J., Wichmann, H. E., Wu, A. H., Zaridze, D., Peto, R., & Doll, R. (2004). Tobacco and cancer: Recent epidemiological evidence. *Journal of the National Cancer Institute*, 96(2), 99-106.
- Vischer, A. L. (1967). *On Growing Old*. George Allen & Unwin: London: Houghton Mifflin.
- Vitorino, L. M., Paskulin, L. M., & Viana, L. A. (2012). Quality of life among older adults resident in long-stay care facilities. *Revista Latino-Americana de Enfermagem*, 20(6), 1186-1195.
- Wadhwa, A., Sabharwal, M., & Sharma, S. (1997). Nutritional status of the elderly. *Indian Journal of Medical Research*, 106, 340–348.
- Waldow, V. R., & Borges, R. F. (2011). Cuidar e humanizar relações e significados. *Act Paul Enferm*, 24(3), 414-418.
- Walters, K., Breeze, E., Wilkinson, P., Price, G. M., Bulpitt, C. J., & Fletcher, A. (2004). Local area deprivation and urban-rural differences in anxiety and depression among people older than 75 years in Britain. *American Journal of Public Health*, 94(10), 1768-1774.

- Wang, B., He, P., & Dong, B. (2015). Associations between social networks, social contacts, and cognitive function among Chinese nonagenarians/centenarians. *Archives of Gerontology and Geriatrics*, 60(3), 522–527.
- Wang, J. J., Snyder, M., & Kaas, M. (2001). Stress, loneliness and depression in Taiwanese rural community dwelling elders. *International Journal of Nursing Studies*, 38(3), 339-347.
- Washington: National Academy on an Aging Society (2013); Depression: A treatable disease. <http://www.agingsociety.org/agingsociety/pdf/depression.pdf>. Accessed 11/10/2013.
- Weiss, R. S. (1973). *Loneliness: The experience of emotional and social isolation*. Cambridge, MA: MIT Press.
- Weissman, M. M., Myers, J. K., Tischler, G. L., Holzer, C. E., Leaf III, P. J., Orvaschel, H., & Brody, J. A. (1985). Psychiatric disorders (DSM-III) and cognitive Impairment among the elderly in U.S. urban community. *Acta Psychiatrica Scandinavica*, 71(4), 366-379.
- White, L., Katzman, R., Losonczy, K., Saliva, M., Wallace, R., Berkman, L., Taylor, J., Fillenbaum, G., & Havlik, R. (1994). Association of education with incidence of cognitive impairment in three established populations for epidemiologic studies of the elderly. *Journal of Clinical Epidemiology*, 47(4), 363-374.
- Wiese, B. S. (2011). Geriatric depression: The use of antidepressants in the elderly. *BC Medical Journal*, 53(7), 341-347.
- Wolf, D. A. (1990). Household patterns of older women: some international comparisons. *Research on aging*, 12(4), 463-487.
- Woo, J., Ho, S. C., Lau, J., Yuen, Y. K., Chiu, H., Lee, H. C., & Chi, I. (1994). The Prevalence of depressive symptoms and predisposing factors in an elderly Chinese population. *Acta Psychiatrica Scandinavica*, 89(1), 8-13.
- World Economic and Social Survey 2007: development in an ageing world. New York: United Nations Department of Social and Economic Affairs; 2007 (Report No. E/2007/50/Rev.1ST/ESA/314, http://www.un.org/en/development/desa/policy/wess/wess_archive/2007wess.pdf, accessed 4 June 2015).
- World Health Organization & United Nations. Human Settlements Programme. (2010). Hidden cities: unmasking and overcoming health inequities in urban settings. World Health Organization. <http://apps.who.int/iris/handle/10665/44439>.

- World Health Organization (WHO). (1999). *Men aging and health: Achieving health across the life span*. World Health Organization. Geneva.
- World Health Organization and Quality of Life (WHOQoL) group. (1994). Development of WHOQOL: Rationale and current status. *International Journal of Mental Health*, 23(3), 24-56.
- World Health Organization. (1996). *WHOQOL-BREF: Introduction, Administration, Scoring and Generic Version of the Assessment*. Programme on Mental Health. Geneva: WHO, http://www.who.int/mental_health/media/en/76.pdf.
- World Health Organization. (2011). *Mental Health*. Disorders Management. Geneva.
- World Health Organization. (2015). *World report on ageing and health*. Geneva, Switzerland: World Health Organization.
- World Population Ageing 2015: Highlights (2015). Department of Economic and Social Affairs, United Nations, New York.
- Wreksoatmodjo, B. R. (2017). The influence of social engagement on cognitive function among elderly in Jakarta, Indonesia. *Alzheimer's & Dementia*, 13(7), P1179.
- Xie, L. Q., Zhang, J. F., Peng, T., & Jiao, N. N. (2010). Prevalence and related influencing factors on depressive symptoms for empty nest elderly living in the rural area of yongzhou china . *Archives of Gerontology and Geriatrics*, 50(1), 24-29.
- Yadav, A., Prasad, J. B., Shekher, C., & Vishvakarma, M. (2017). A study of morbidity pattern among elderly population in urban India. *Journal of Social Health and Diabetes*, 5, 100-106.
- Yadav, S. P., Doibale, M. K., Aswar, N. S., Inamdar, I. F., Sonkar, V. K., & Gadekar, R. D. (2013). Assessment of Socio-Demographic Correlates of Depression among the Elderly in an urban area in Maharashtra. *Journal of Evolution of Medical and Dental Sciences*, 2(51), 9895-9900.
- Yesavage, J. A., Brink, T. L., Rose, T. L., Lum, O., Huang, V., Adey, M., & Leirer, V. O. (1983). Development and validation of a geriatric depression screening scale: a preliminary report. *Journal of Psychiatric Research*, 17(1), 37-49.
- Yi, Z., Vaupel, J. W., Zhenyu, X., Chunyuan, Z., & Yuzhi, L. (2002). Sociodemographic and Health Profiles of the Oldest Old in China. *Population and Development Review*, 28(2), 251-273.
- Youm, Y., Laumann, E. O., Ferraro, K. F., Waite, L. J., Kim, H. C., Park, Y. R., Chu, S. H., Joo, W., & Lee, J. A. (2014). Social network properties and self-rated

- health in later life: comparisons from the Korean social life, health and ageing project and the national social life, health and ageing project. *BMC Geriatrics*, 14(102). <http://www.biomedcentral.com/1471-2318/14/102>.
- Yount, K. M. (2005). The Patriarchal Bargain and Intergenerational Co-residence in Egypt. *The Sociological Quarterly*, 46(1), 139-166.
- Yount, K. M., Hoddinott, J., Stein, A. D., & DiGirolamo, A. M. (2009). Individual capital and cognitive ageing in Guatemala. *Population Studies*, 63(3), 295–306.
- Zhang, X. J., Sun, L., Yu, Y. L., & Shen, Q. (2010). Correlation between loneliness, family function and social support among elderly people. *Chinese Journal of Clinical Psychology*, 18, 109-111.
- Zhong, X., Wu, D., Nie, X., Xia, J., Li, M., Lei, F., Lim, H. A., Kua, E., & Mahendran, R. (2016). Parenting style, resilience, and mental health of community-dwelling elderly adults in China. *BMC Geriatrics*, 16(135), doi:10.1186/s12877-016-0308-0.
- Zimmer, Z., & Kwong, J. (2003). Family Size and Support of Older Adults in Urban and Rural China: Current Effects and Future Implications. *Demography*, 40(1), 23-44.
- Zisook, S., Shuchter, S. R., Sledge, P. A., Paulus, M., & Judd, L. L. (1994). The spectrum of depressive phenomena after spousal bereavement. *Journal of Clinical Psychiatry*, 55(4, Suppl), 29-36.
- Zunzunegui, M. V., Alvarado, B. E., Ser, T. D., & Otero, A. (2003). Social networks, social integration, and social engagement determine cognitive decline in community-dwelling Spanish older adults. *The Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, 58B(2), S93–S100.