2019

B.Sc.

# 2nd Semester Examination

# MATHEMATICS (Honours)

Paper - C3T

(Real Analysis)

Full Marks: 60

Time: 3 Hours

The figures in the margin indicate full marks. Candidates are required to give their answers in their own words as far as practicable.

# Unit - I

(Real number system and sets in R)

[Marks - 24]

1. Answer any two questions:

 $2 \times 2 = 4$ 

(a) Define interior of a set S. Find the interior of the set

$$S = \{ x \in R : 1 < x < 3 \}$$

[Turn Over]

(b) Give an example of an open cover of the set (0, 1], which does not have a finite subcover.

2

- (c) Prove that the number  $\sqrt{2} + \sqrt{3}$  is irrational.
- 2. Answer any two questions:

 $5 \times 2 = 10$ 

- (a) If  $S = \left\{ \left(-1\right)^m + \frac{1}{n}; m, n \in N \right\}$ , then show that 1 and -1 are limit points of S. Find the derived set S' of S. 2+2+1
- (b) Prove that union of an enumerable number of enumerable sets is enumerable.
- (c) Show that the intersection of finite collection of open sets is an open set. Show by examples that intersection of arbitrary collection of open
  sets may not be open.
- 3. Answer any one question:

 $10 \times 1 = 10$ 

- (a) (i) Let S be a closed and bounded subset of R. Then prove that every open cover of S has a finite subcover.
  - (ii) State and prove Arcimedean property of real numbers. 1+3

(b) Define closed set. If S be a non-empty bounded subset of R, then prove that Sup S and Inf S belong to S. Find Sup S and Inf S of the set

$$S = \left\{ \frac{(-1)^n}{n} + \sin \frac{n\pi}{4}; \ n \in \mathbb{N} \right\}$$
 1+4+2

### Unit - II

# (Real Sequence)

# Marks - 18

4. Answer any four questions:

- $2\times4=8$
- (a) Prove that  $\lim_{n\to\infty} \left(2^n + 3^n\right)^{\frac{1}{n}} = 3$ .
- (b) Find  $\underline{\lim} u_n$  and  $\overline{\lim} u_n$  where  $u_n = \frac{n}{2} \left\lfloor \frac{n}{2} \right\rfloor$  where [K] is the greatest integer not greater than K.
- (c) State Bolzans-Weierstrass theorem for sequences. Give an example of a bounded sequence. Give

[Turn Over]

an example of a bounded sequence having exactly two limit points.

- (d) If a sequence  $\{a_n\}$  converges to l, then prove that the sequence  $\{|a_n|\}$  converges to |l|.
- (e) Assuming that the sequence  $\left(1+\frac{1}{n}\right)^n$  converges to e, prove that the sequence  $\left(1+\frac{1}{2n}\right)^n$  converges to  $\sqrt{e}$ .
- (f) If  $\{u_n\}$  be a bounded sequence and  $\lim_{n\to\infty} v_n = 0$  then prove that  $\lim_{n\to\infty} u_n v_n = 0$ . 2
- 5. Answer any one question:

 $10 \times 1 = 10$ 

(a) (i) Prove that

$$\lim_{n \to \infty} \left[ \frac{1}{\sqrt{n^2 + 1}} + \frac{1}{\sqrt{n^2 + 2}} + \dots + \frac{1}{\sqrt{n^2 + n}} \right] = 1$$

- (ii) Prove that a monotone increasing sequence, if bounded above, is convergent and it converges to the least upper bound.
- (b) (i) If  $\{x_n\}$  converges to l then prove that the sequence  $\left\{\frac{x_1 + x_2 + ... + x_n}{n}\right\}$  converges to l.
  - (ii) A sequence  $\{x_n\}$  defined by

$$x_{n+2} = \frac{1}{2}(x_{n+1} + x_n)$$
 for  $n \ge 1$  and  $x_1 = \frac{1}{3}$ ,  $x_2 = \frac{1}{2}$  prove that the sequence

$$\{x_n\}$$
 converges to  $\frac{4}{9}$ .

#### Unit - III

# (Infinite Series)

# [Marks - 18]

6. Answer any four questions:

 $4 \times 2 = 8$ 

(a) Using Integral test, examine the convergence of

$$\sum \frac{1}{n \log n}$$
.

2

(b) Using D'Alembert's Ratio Test to examine the

convergence of the series 
$$\sum_{n=1}^{\infty} \frac{4^n}{\angle n}$$
.

2

(c) Using comparison test show that the series

$$\sum_{n=1}^{\infty} \frac{\sin(n\alpha)}{n^2}, \ \alpha > 0 \text{ is convergent.}$$

- (d) State Gauss test for the convergence of a series of positive terms.
- (e) When a series is said to be conditionally convergent. Give an example of a conditionally convergent series.

(f) If  $\sum_{n=1}^{\infty} x_n$  and  $\sum_{n=1}^{\infty} y_n$  be both convergent prove that the series  $\sum_{n=1}^{\infty} x_n y_n$  is absolutely convergent.

7. Answer any two questions:

5

5

(a) Discuss the convergence of the following series

$$1 + \frac{\alpha.\beta}{1.\gamma}x + \frac{\alpha(\alpha+1)\beta(\beta+1)}{1.2.\gamma(\gamma+1)}x^2$$

$$+\frac{\alpha(\alpha+1)(\alpha+2)\beta(\beta+1)(\beta+2)}{1.2.3.\gamma(\gamma+1)(\gamma+2)}x^3+\dots$$

(b) Investigatge the convergence of the series

$$1 - \frac{2!}{2^2} + \frac{3!}{2^3} - \frac{4!}{4^4} + \frac{5!}{5^5} - \dots$$

(c) Let  $\sum u_n$  be a series of arbitrary terms and  $p_n = \frac{u_n + |u_n|}{2}$  and  $q_n = \frac{u_n - |u_n|}{2}$ . Prove that

[Turn Over]

(i) both  $\sum p_n$  and  $\sum q_n$  are convergent if  $\sum u_n$  is absolutely convergent and (ii) both  $\sum p_n$  and  $\sum q_n$  are divergent if  $\sum u_n$  is conditionally convergent.