

## REFERENCES

- Abou-Shaara, H. F. (2014) The Foraging Behaviour of Honey Bees, *Apis mellifera*: A Review. *Veter. Med.*, 59, 1-10.
- Abou-Shaara, H. F. (2015) Potential honey bee plants of Egypt. *Cercet. Agronom. Moldova*. 48 (2), 99-108.
- Adeonipekun, P. A. (1989) A palynological study of an apiary in Ibadan, Nigeria. *A B. Sc. project* submitted to the Department of Botany and Microbiology, University of Ibadan, Ibadan, Nigeria, pp 69.
- Adekanmbi, O. H. and Ogundipe, O. T. (2009) Nectar sources for the honey bee (*Apis mellifera adansonii*) revealed by pollen content. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 37(2):211-217.
- Adeonipekun, P.A. (2010) Investigating pollen pellets and honey sample from an apiary in Ibadan, Southwest Nigeria. *J. Biol. Sci. and Bioconserv.* 2:71-88.
- Adeonipekun, P. A. (2012) Palynology of honey comb and a honey sample from an apiary in Lagos, southwest Nigeria. *Asian J. Plant Sci. and Res.* 2(3):274-283.

Agashe, S. N. and Mary Scinthia, J. D. (1995) Pollen spectrum of pollen loads collected from Thally Block, Dharampuri district, Tamilnadu. *J. Palyno.* 31: 207-212.

Agashe, S. N. and Rangaswamy, B. E. (1997) Melittopalynological studies of honey samples from Bagardka, Dakshin Kannad District, Karnataka. *Ind. Bee Jour.* 59:8–11.

Agbaje, E., Ogunsanya, T. and Aiwerioba, O. (2006) Conventional use of honey as antibacterial agent. *Ann. African Med.* 5(2):78- 81.

Agwu, C. O. C. and Akanbi, T. O. (1985) A palynological study of honey from four vegetation zones of Nigeria. *Pollen et Spores* 27:335-348.

Agwu, C. O. C., Essien, B. C. and Badmus S. A. (2013). Melissopalynological Study of Honey Samples from four localities in Dekina Local Government Area of Kogi State, *Nigeria J. Biol. Chem. Res.* 30 (2) 921-928.

Ahmad, M. J. N. M., Ashraf, M. A., Zafar, M. and Sultana, S. (2016) A Review of the Pollen Analysis of South Asian Honey to Identify the Bee Floras of the Region. *Palynology.* 40(1):54-65.

Aina, D. O., Enefola, J. O. and Agwu, C. O. C. (2015) Palynological studies of honey samples from four localities in Kogi East, Nigeria. *J. Biol. Life Sci.* 6(1):29-36.

Aina, D. O. and Owonibi, K. (2011) Beekeeping Prospects: Palynology and the Environment. *Adv. in Appl. Sci. Res.* 2: 79-85.

Aira, M. J., Horn, H. and Seijo, M. C. 1998. Palynological analysis of honeys from Portugal. *J. Apic. Res.* 37(4): 247–254.

Aires, Erband Freitas B. M. (2001). Caracterização palinológica de algumas amostras de mel do Ceará. *Cienc. Agron.* 32: 22–29.

Aizen, M. A. and Harder, L. D. (2009) The global stock of domesticated honey bees is growing slower than agricultural demand for pollination. *Curr. Biol.* 19(11):915–8.

Akpo, O. E. (2017) Comparative pollen analysis of honeys from apiary and open markets in Bigeria Republic. *Ife J. Sci.* 19(2).

Al-Waili, N. S. (2004) Natural honey lowers plasma glucose, c-reactive protein, homocysteine, and blood lipids in healthy, diabetic, and hyperlipidemic subjects: comparison with dextrose and sucrose. *J. Med. Food.* 7(1):100-107.

Andrade, P. B., Amaral, M. T., Isabel, P., Carvalho, J., Seabra, R. and Cunha, A. (1999) Physicochemical attributes and pollen spectrum of Portuguese heather honeys. *Food Chemist.* 66: 503-510.

Anklam, E. (1998) A review of the analytical methods to determine the geographical and botanical origin of honey. *Food Chem.* 63: 549–562.

Arriaga, E. R., Calvo, L. A. N. and Carbajal, E. D. (2011) Botanical characterization of Mexican honeys from a subtropical region (Oaxaca) based on pollen analysis. *Grana.* (50):40–54.

Armbruster, L. and Oenike, G. (1929) Die Pollenformen als Mittel zur Honigherkunftsbestimmung. *Neumünster: Wachholtz.*

Armbruster, L. and Jacobs, J. (1934/1935) Pollenformen und Honigherkunftsbestimmung. *Arch. Bienenk.* 15(8): 227-308.

Armbruster, L. and Jacobs, J. (1935) Pollenformen und Honigherkunftsbestimmung. *Arch. Bienenk.* 16(1,2/3): 17-106.

Aronne, G. and De micco, V. (2010) Traditional melissopalynology integrated by multivariate analysis and sampling methods to improve botanical and geographical characterization of honeys. *Pl. Biosyst.* 144(4): 833–840.

Arvanitoyannis, I., Chalhoub, C., Gotsiou, P., Lydakis-Simantiris, N and Kefalas, P. (2005) Novel quality control methods in conjunction with chemo metrics (multivariate analysis) for detecting honey authenticity. *Crit. Rev. Food. Sci. Nutr.* 45:193–203.

Arruda, C. M. F., De Marchini, L. C., Moreti, A. C. De C. C., Otsuk, I. P. and Sodre, G. D. A. S. (2005) Características físico-químicas de méis da Chapada do Araripe/ Santana do Cariri – Ceará. *Acta. Sci. Animal Sci.* 27: 171–176.

Asadi-Pooya, A., Pnjehshahin, M. R. and Beheshti, S. (2002) The antimycobacterial effect of honey: an in vitro study. *Rivista di Biol.* 96(3):491-495.

Aswini, S. (2013) Melissopalynology of Indian honey bee (*Apis cerana indica* Fab.) apiaries in southern Kerala. M. Sc. Thesis under Kerala Agricultural University pp 114.

Atanassova, J. and Kondova, V. (2004) Pollen and chemical-physical analysis of unifloral honey from different regions of Bulgaria. *Phytol. Balcanica.* 10:45–50.

Ayalew, K. (1994) Beekeeping manual. Agri-Service Ethiopia, Addis Ababa Countries Lynne Rienner Publishers, Boulder, London: 57.

Ayodele, M. S., Folarin, O. M. and Oluwalana, S. A. (2006) Pollen population, viscosity and density of locally produced honey. *Tropic. Sci.* 46(4):192-194.

Azmi W. A., Zulqurnain N. S. and Ghazi R. (2015) Melissopalynology and foraging activity of stingless bees, *Lepidotrigona terminata* (Hymenoptera: Apidae) from an apiary in Besut, Terengganu. *J. Sustain. Sci. and Manage.* 10 (1): 27-35.

Azeredo, L. C., Azeredo, M. A. A., Souza, S. R., Dutra, V. M. L. (2003) Protein contents and physicochemical properties in honey samples of *Apis mellifera* of different origins. *Food Chem.* 80: 249-254.

Baldock, K. C. R., Memmott, J., Ruiz-Guajardo, J. C., Roze, D. and Stone, G. N. (2011) Daily temporal structure in African Savanna flower visitation networks and consequences for network sampling. *Ecology*. 92(3): 687–698.

Barth, O. M. (1969) Pollenspektrum einiger brasilianischer Honige. *Zeitschrift für Bienenforschung*, 9: 410-419.

Barth, O. M. (1970) Análise microscópica de algumas amostras de mel. 3. Pólen Isolado. *Anais da Acad. Brasileira de Ciências*. 42: 747-772.

Barth, O. M. (1970a) Análise microscópica de algumas amostras de mel. 1. Pólen Dominante. *Anais da Academia Brasileira de Ciências*. 42: 351- 366.

Barth, O. M. (1970b) Análise microscópica de algumas amostras de mel. 2. Pólen Acessório. *Anais da Acad. Brasileira de Ciências*. 42: 571- 590.

Barth, O. M. (1971a) Análise microscópica de algumas amostras de mel. 6. Espectro polínico de algumas amostras de mel dos Estados da Bahia e do Ceará. *Revista Brasileira de Biologia* 31: 431-434.

Barth, O. M. (1971b) Mikroskopische Bestandteile brasiliensischer Honigtauhonige. *Apidologie* 2: 157-167.

Barth, O. M. (1972) Aspectos atuais e perspectivas futuras da Palinologia no Brasil. In: Congresso Latino-Americanano De Botanica, 1., México. *Memórias dos simpósios*. p.17-33.

Barth, O. M. (1973) Rasterelektronenmikroskopische Beobachtungen an Pollenkoernern wichtiger brasiliensischer Bienenpflanzen. *Apidologie* 4: 317-329.

Barth, O. M. (1989) O Pólen no mel brasileiro. Rio de Janeiro: Editora Luxor. 151p.

Barth, O. M. (1990) Pollen in monofloral honeys from Brazil. *J. Apicult. Res.*, 29: 89-94.

Barth, O. M. (1996) Monofloral and wild flower honey pollen spectra at Brazil. *Ciência e Cultura* 48: 163-165.

Barth, O. M. (2004) Melissopalynology in Brazil: a review of pollen analysis of honeys, propolis and pollen loads of bees. *Scientia Agricola*.61(3):342-350.

Baruah, P. and Sharma, G. C. (1984) Studies of the medicinal uses of Plants by Boro tribe of Assam. *J. Eco Tax Bot.* 8. 599-604.

Battesti, M. J. and Goeury, C. (1992) Efficacité de l'analyse melissopalynologie quantitative pour la certification des origines géographiques et botaniques des miels : le modèle des miels corses, *Rev. Paleobot. Palynol.* 75: 77–102.

Baum, K. A., Rubink, W. L., Coulson, R. N. and Bryant, V. M. (2011) Diurnal patterns of pollen collection by feral honey bee colonies in southern Texas. USA. *Palynology*. 35:85–93.

Behm, F., von der Ohe, K. and Henrich, W. (1996) Zuverlässigkeit der Pollenanalyse von Honig. Bestimmung der Pollenhäufigkeit, *Dtsch. Lebensm.* 92:183–187.

Belay, A., Solomon, W. K., Bultossa, G., Adgaba, N. and Melaku, S. (2014) Botanical origin, colour, granulation, and sensory properties of the Harennna forest honey, Bale, Ethiopia. *Food Chem* 167: 213-219.

Bell, K. L., Burgess, K. S., Okamoto, K. C., Aranda, R., and Brosi, B. J. (2016). Review and future prospects for DNA barcoding methods in forensic palynology. *Forensic Sci. Internat: Genet.* 21, 110–116.

Bera, S., Mukhopadhyay, S. K., Dhar J., Das, A. P. and De, S. (1997) A melittopalynological investigation of *Apis cerana indica* Fabr. Summer honey from Sikkim and sub-Himalayan West Bengal, India. *J. Palynol.* 33: 209-128.

Bera, S. K., Swati, D., Basumatary, S. K. and Sarma, G. C. (2007) Pollen analysis of honey from Kamrup Reserve Forests. *Assam J Palyno.* 43:57–65.

Berkhousen, A. E. and Shapiro, A. M. (1994) Persistent pollen as a tracer for hibernating butterflies: the case of *Hesperia juba* (Lepidoptera: Hesperiidae). *Great Basin Natur.* 54: 71-78.

Bhargava, H. R., Jyothi, J. V. A., Bhushanam, M. and Surendra, N. S. (2009) Pollen analysis of Apis Honey, Karnataka, India. *APIACTA.* 44: 14 – 19.

Bhattacharya, K., Chanda, S., Gupta, S. and Ganguly, P. (1983) Analysis of the pollen load from a honey sample from Salt Lake City, Calcutta. *Sci & Cult.* 49:222–224.

Bhusari, N. V., Matte, D. M. and Mahde, K. H. (2005) Pollen of Apis Honey from Maharashtra, *Grana.* 44:216–224.

Bilisik, A., Cakmak, I., Bicakci, A. and Malyer, H. (2008) Seasonal variation of collected pollen loads of honey bees (*Apis mellifera* L. anatoliaca). *Grana* 47:70–77.

Bilisik, A., Yenigun, A., Bicakci, A., Eliacik, K., Canitez, Y., Malyer, H. and Sapan, N. (2008) An observation study of airborne pollen fall in Didim (SW Turkey): years 2004–2005. *Aerobiologia.* 24:61–66.

Boer, H.W.de. (1933) Het verbanttusschen de chemische samenstelling en de botanische herkomst von in Nederland gewonnen honig. *Chem. Weekbald.*, 30: 401.

Boff, S., Luz, C., Araujo, A. C. and Pott, A. (2011) Pollen Analysis Reveals Plants Foraged by Africanized Honeybees in the Southern Pantanal, Brazil. *Neotrop. Entomol.* 40(1): 47-54.

Britikov, E. A. and N. A. Musatova (1964): Accumulation of free proline in pollen. *Fiziol. Rast.* 11: 394-400.

Bryant, V. M. and Jones, G. D. (2001) The R-Values of honey: pollen coefficients. *Palynology* 25: 11–28.

Butler, C. G. (1972) The World of the Honeybee. Revised Ed. Pub. Collins, St. James's Place, London.

Carpes, S. T., Cabral, I. S. R., P. Luz, C. F., Jailson, P. Capeletti, Alencar, S. M. and Masson, M. L. (2009) Palynological and physicochemical characterization of *Apis mellifera* L. bee pollen in the Southern region of Brazil. *J Food, Agric & Environ.* 7 (3&4): 667-673.

Carvalho, C. A. L., Marchini, L. C. and Ros, P. B. (1999) Fontes de pólen utilizadas por *Apis mellifera* L. e por algumas espécies de Trigonini (Apidae) em Piracicaba (SP). *Bragantia* 58: 49-56.

Carvalho, C. A. L., Moreti, A. C. C. C., Marchini, L. C. Alves, R. M. O. and Oliveira, P. C. F. (2001) Pollen spectrum of honey of “uruçu” bee (*Melipona scutellaris* Latreille, 1811). *Revista Brasileira de Biol.* 61: 63-67.

Castro-Vázquez, L., Leon-Ruiz, V., Alañon, M. E., Pérez-Coello, M. S., González-Porto, A. V. (2014) Floral origin markers for authenticating Lavandin honey (*Lavandula angustifolia* x *latifolia*). Discrimination from Lavender honey (*Lavandula latifolia*). *Food Control.* 37: 362-370.

Ceausescu, S. and Mosarie, L. (1981) An. Univ. Bucuresti Biol., 30, 101-103; *Chem. Abst.*, 96,82764w.

Ceksteryte, V., Kurtinaitiene, B. and Balzekas, J. (2013) Pollen diversity in honey collected from Lithuania's protected landscape areas. *Proceed. Estonian Acad. of Sci.* 4 (20): 277-282.

Chakrabarti, K. (1987) Sundarbans (India) honey and the mangrove swamps. *J. Bombay Nat. Hist. Soc.* 84: 133-137.

Chakraborti, T. and Bhattacharya. K. (2011) Floristic composition and physic-chemical parameters of honey samples from West Bengal. *Ind. J. Aerobiol.* 24 (2): 59-64.

Chakraborti, T. and Bhattacharya, K. (2015) Melissopalynological studies in India: A review. *Annals of Plant Sci.* . (4)11 : 1217-1222.

Chanda, S. and Ganguly, P. (1981) Comparative analysis of the pollen content of Indian honeys with reference to entomophily and anemophily. *IV Int. Palynol. Conf., Lucknow (1976-77)*, 3: 485-490.

Corbella, E. and Cozzolino, D. (2008) Combining multivariate analysis and pollen count to classify honey samples accordingly to different botanical origins. *Chilean J. Agric. Res.* 68(1): 102-107.

Crane, E. (1983) The Archeaology of Beekeeping. NY Cornell University Press, Ithaca.

Crane, E., Walker, P. and Day, R. (1984) Directory of Important World Honey Sources. *Internatl Bee Res. Asso., London*, p. pp. 384.

Crane, E. (1990) Bees and Beekeeping-Science, Practice and World resources. Heineman Newners, Oxford.

Crane, E. (1999) The world history of beekeeping and honey hunting. Duckworth, London, UK.

Chambers, J., (2006). Topical manuka honey for MRSA-contaminated skin ulcers. *Palliative Medicine*. 20(5):557-557.

Chanda, S. and P. Ganguly. (1981) Comparative analysis of the pollen content of Indian honeys with reference to entomophily and Anemophily. *Proc. IV Intern. Palynol. Confer., Lucknow.* 4:85–490.

Chandra, L. and Sharma, S. C. (2011) Melittopalynological investigation of honey bees from *Apis dorsata* Fabr and *Apis cerana indica* Fabr hives in Shahjahanpur district Uttar Pradesh, India. *Ind. J. Appl. & Pure Biol.* 26:339–346.

Chaturvedi, M. (1973) An analysis of honey bee pollen loads from Banthra, Lucknow, India. *Grana.* 13: 139-144.

Chaturvedi, M. (1983) Pollen analysis of autumn honeys of Kumaon region. *Proc. Indian nat. Sci. Acad.* 49: 123- 125.

Chaturvedi, M. (1989) Pollen analysis of some spring honeys from the Western Himalyan region of Uttar Pradesh, India. *Proc. Indian. Acad. Sci. (Plant Sci.).* 39: 241-246.

Chaubal, P. D. and Deodikar, G. B. (1965) Morphological characterization of pollen grains of some major honey yielding plants of the Western Ghats (India). *Indian Bee J.* 27: 1–28.

Chauhan, M. S. and Murthy, S. (2010) Melittopalynological investigation of honeys from Chamarajanagar District, southern Karnataka, India. *Geophytology.* 39:41–47.

Chauhan, M. S. and Quamar, M. F. (2010) Melissopalynological studies of honeys from Harda District, Madhya Pradesh. *Phytomorph.*.. 69:122–127.

Cusser, S. and Goodell, K. (2013) Diversity and distribution of floral resources influence the restoration of plant-pollinator networks on a reclaimed strip mine. *Restoration Ecol.* 21: 713–721.

Da Luz, C. F. P., Junior, G. L. B., Fonseca, R. L. S. E. and De souse, P. R. (2010) Comparative pollen preferences by africanized honeybees *Apis mellifera* L. of two colonies in Pará de Minas, Minas Gerais, Brazil. *Anais da Academia Brasileira de Ciências* 82(2): 293-304.

Dama, L. B., Gaikwad, N. G., Valsange, A. B., Varade, M. G., Sonawane, S. R., Mane, P. P. and Vinchurkar, A. S. (2016) Melissopalynology: Tool to Study Biodiversity in Crude Honey Collected from South Solapur, MS., India. *Asian J. Multidisci. Stu.*4(3) 34-36.

D'Apolito, C., Pessoa S M., de Lazari Manente Balestieri, F. C. and Balestieri, J. B. P. (2010). Pollen harvest by *Apis mellifera* L. (Hymenoptera: Apidae) in the Dourados region, Mato Grosso do Sul state (Brazil). *Acta Bot. Bras.* 24(4): 898-904.

Dara, S. S. (2006) A text book of engineering chemistry. 10 th ed., S. Chand and Company Ltd., India.

Davis, M. B. and Faegri, K. (1967) Forest tree pollen in south Swedish peat bog deposits (translation version of the 1916 presentation by L. von Post). *Pollen et Spores*, 9: 375-401.

Davis, M. B. (1963) On the theory of pollen analysis. *Americ. J. of Sci.* 261: 897-912.

Deans, A. S. C. (1939) A pollen analysis of heather honey. *Scot. Beekeeper.* 15:38.

de Groot, A. P. (1953) Protein and amino acid requirements of the honeybee (*Apis mellifica* L.). *Physiol. Comp. Oecol.* 3: 197-285.

de Jesus, M. C., de Borges, R. L. B., de Almeida Souza B., Brandão, H. N. and de Assis Ribeiro dos Santos, F. (2015) A study of pollen from light honeys produced in Piauí State, Brazil. *Palynology*, 39 (1): 110-124.

Delphine, D. N. and Joseph, T. (2015) Palynological and physicochemical characterization of honey in the Sudano-Guinean Zone of Cameroon. *Food and Nutri Sci.* 6: 1339-1350.

de Novaia, J. S., Lima, L. C. and de Assis, Ribeiro dos Santos, F. (2010) Bee pollen loads and their use in indicating flowering in the Caatinga region of Brazil. *J. Arid Environ.* 74: 1355-1358.

Deodikar, G. B., Shah, N., Thakar, C. V. and Salvi, S. R. (1958) Morphological characterization of pollen grains of some major bee plants of Mahabaleshwar hills. Proceeding of the 17th International Bee Keeping Congress. *Bologna and Rome*. p. 214–217.

Deodikar, G. B. and Thakar, C. V. (1953) A pollen study of major honey yielding plants of Mahabalashwar hills. *Apicultural Lab Bull.* 1:1–6.

Deodikar, G. B. (1965) Melittoplalynology. *Indian Bee J.* 27: 59-69.

Devender, R. and Ramakrisna, H. (2015) Palynodiversity in Trigona honey from Pederu forest division of Visakhapatnam district Andhra Pradesh, India. *Geophyt.* 45:221–226.

Devillers, J., Morlot, M., Pham-Delegue, M. and Dore, J. (2004) Classification of monofloral honeys based on their quality control data. *Food Chem.* 86:305–312.

Devender, R., and Ramakrisna, H. (2015) Palynodiversity in Trigona honey from Pederu forest division of Visakhapatnam district Andhra Pradesh, India. *Geophyt.* 45(2): 221-226.

Dhawan, A. S., Pawar, K. W. and Lokhande, A. A. (2018) Analysis of pollen grains in different honey samples from the region of Newasa tehsil in Maharashtra. *J. Pharmacog. Phytochem.* 7(3): 3438-3442.

Difafat, A. E. O., Benouadah, A., Bahloul, A., Meribai, A., Mekhalfi, H., Bouaziz, F., Techache, D., Laabachi, H. and Arrar, L (2017) Physicochemical properties and pollen analyzes of some Algerian honeys. *Internatl. Food Res. J.* 24(4): 1453-1459.

Dimou, M. and Thrasyvoulou, A. (2009) Pollen analysis of honeybee rectum as a method to record the bee pollen flora of an area. *Apidologie*. 40: 124–133.

Dimou, M. G. and Thrasyvoulou, A. (2007) A comparison of three methods for assessing the relative abundance of pollen resources collected by honey bee colonies. *J. Apicul. Res.* 46: 144–148.

Dinkov, D. (2015) Quantitative melissopalynological analysis of bee honey using a Bürker chamber. *Internatl. Food Res. J.* 22(4): 1538-1543.

Dórea, da Costa. M., Novais de J. S. and Santos, de A. R. dos F. (2010) Botanical profile of bee pollen from the southern coastal region of Bahia, Brazil. *Acta Bot. Bras.* 24(3): 862-867.

Dobre I., Alexe, P, Escuredo, O. and Seijo, C. M. (2013) Palynological evaluation of selected honeys from Romania. *Grana*, 52(2): 113–121.

Dórea Marcos da Costa., Jaílson Santos de Novais, and Ribeiro dos Santos Francisco de Assis, (2010) Botanical Profile of Bee Pollen from the Southern Coastal Region of Bahia, Brazil. *Acta Bot. Bras.* 24 (3): 862 – 867.

Dobre, I., Alexe, P., Escuredo, O. and Seijo, C. M. (2013) Palynological evaluation of selected honeys from Romania. *Grana*. 52:113–121.

Ebenezer, I. O. and Olugbenga, M. T. (2010) Pollen characteristics of honey samples from north central Nigeria. *J. Biol. Sci.* 10(1): 43-47.

Erdog̃an, Y. and Erdog̃an, Ü. (2014) Pollen analysis of honeys from the coruh valley (Turkey). *Internat'l. J. Plant, Animal and Environ. Sci.* P 6.

Erdtman, G. (1943) An introduction to pollen analysis. Chronica Botanica Company, Waltham, Massachusetts, USA.

Erdtman, G. (1952) Pollen Morphology and Plant Taxonomy—Angiosperms. Almqvist and Wiksell, Stockholm, 539 p.

Erdtman, G. (1954) An Introduction to Pollen Analysis. Chronica Botanica Company. Stockholm.

Estevinho, M. L., vázquez-tato, M. P., seijas, J. and Feás, X. (2013) Palynological, Physicochemical, and microbiological attributes of organic lavender (LAVAnDuLA stOechAs) honey from Portugal. *Acta Alimentaria*, Vol. 42 (1), pp. 36–44.

Estevinho, M. L., Feás, X., seijas , J. and vázquez -tato , M. (2012) organic honey from Trás-Os-Montes region (Portugal): chemical, palynological, microbiological and bioactive compounds characterization. *Fd Chem. Toxicol.* 50, 258–264.

Estevinho, M. L., Feás X., Seijas, J. A., Vázquez-Tato, M. P. (2012) Physicochemical and pollen analysis of local honeys from the lima valley (Portugal). Féas, X. et al. *Ejeaf Che.* 11 (3), 214-221.

Evenius, J. (1933a) Die Priifung des Sedimentgehaltes norddeutscher Honige im Zusammenhang mit ihren chemischbiologischen Eigenschaften. *Festschrift Zander.*23.

Evenius, J. (1933b) Praktische Lehren der Honiguntersuchungen, insbesondere zur Frage der Sortenhonige. *Mark. Bienenztg.* 23, 139.

Faegri, K. and Iversen, J. (1975) Textbook of Pollen Analysis. Munksgaard, Copenhagen.

Feás, X., Pires, J., Estevinho, M. L., Iglesias, and Pinto D. E Raujo , J. P. (2010a) Palynological and physicochemical data characterisation of honeys produced in the Entre-Douro e Minho region of Portugal. *Int. J. Fd. Sci. Technol.* 45: 1255–1262.

Fehlmann, C. (1911) Beitrage zur mikroskopischen Untersuchung des Honigs. *Mitteilungen des Schweizer Gesundheitsamtes*. 2:179-221.

Forcone, A., Aloisi, P. V., Ruppel, S., Muñoz, M. (2011) Botanical composition and protein content of pollen collected by *Apis mellifera* L. in the north-west of Santa Cruz (Argentinean Patagonia). *Grana*. 50: 30–39.

Freitas, A. S., Sattler, J. A. G., De Souza, B. R. Almeida-Muradian, L. B., Sattler, A. and Barth, O. M. (2015) A melissopalynological analysis of *Apis mellifera* L. loads of dried bee pollen in the southern Brazilian macro-region. *Grana*. 54 (4): 305–312.

Free, J. B. (1970) Insect pollination of crops. *Academic Press; London, UK*; 544 pp.

Ganguly, P. and S. Chanda. (1980) A calendar of bee plants of India with reference to melissopalynological study. *Abs. 5th Int. Palyn. Conf. Cambridge*: 146.

Ganguly, P., Gupta, S. Bhattacharya, K. and Chanda, S. (1984) Comparative pollen spectra of honey samples from West Dinajpur and Jalpaiguri Districts of West Bengal. *Sci and Cult.*. 50: 170-172.

Garg, A. and Nair, P. K. K. (1974) Honey pollen load as bioindicator of bee pasturage in Bhimtal area of Western Himalaya, India. *J. Palyn.* 29:87–109.

Garg, A. (1996) Palynocontents of bee collected pollen loads of autumn season in Bhimal, India. *Taiwania*. 41 (3): 197 - 207.

Gassner, G. (1931) Mikroskopische Untersuchungen pfanzlicher Nahrungs-und Genussmittel, Kapitel 12: Der Honig. Jena: Fischer.

Gilliam, M., McCaughey, W. F. and Wintermute, B. (1980) *J. Apic. Res.*, 19(l): 64-72.

Girard, M., Chagnon, M., Fournier, V. (2012) Pollen diversity collected by honey bees in the vicinity of *Vaccinium* spp. crops and its importance for colony development. *Botany* 90: 545–555.

Gomes, dias L., Moreira, I., Rodrigues, P. and Stevinho, L. (2010) Physicochemical, microbiological and antimicrobial properties of commercial honeys from Portugal. *Fd chem. Toxicol.*, 48, 544–548.

Goulson, D., Nicholls, E., Botías, C. and Rotheray, E. L. (2015) Bee declines driven by combined stress from parasites, pesticides, and lack of flowers. *Science* 347(6229):1255957.

Goulson, D., Nicholls B., Botias, C. and Rotheray, E. (2015) Combined stress from parasites, pesticides and lack of flowers drives bee declines. *Science*. 347:1432–1435.

Gregg, P., Machin, S. and Symanski, S. (1993), The disappearing relationship between directors' pay and corporate performance, *British Journal of Industrial Relations*. 31 (1), 1-10.

Griebel, C. (1930, 1931) Zur Pollenanalyse des Honigs. *Z.Unters. Lebensmittel*. 59(1): 63–79.

Griebel, C. (1930, 1931) Zur Pollenanalyse des Honigs. *Z.Unters. Lebensmittel*. 59(2/3): 197–211.

Griebel, C. (1930, 1931) Zur Pollenanalyse des Honigs. *Z.Unters. Lebensmittel*. 59(5): 441–471.

Griebel, C. (1930, 1931) Zur Pollenanalyse des Honigs. *Z.Unters. Lebensmittel*. 61(3): 241–306.

Guertler, P., Eicheldinger, A., Muschler, P., Goerlich, O. and Busch, U. (2014) Automated DNA extraction from pollen in honey. *Food Chem.* 149: 302-306.

Gupta, H. P. and Sharma, C. (1986) Pollen Flora of North-East Himalaya. *Indian Asso of Palynostrat.*, Lukhnow.

Guyot-Declerck, C., Renson, S. Bouseta, A. and Collin, S. (2002) Floral quality and discrimination of *Lavandula stoechas*, *Lavandula angustifolia*, and *Lavandula angustifolia* x *latifolia*. *Food Chem.* 79:453-459.

Hamid, N., Ali, S. M., Talib, F., Sadiq, I. and Ghufran, M. A. (2015) Spatial and temporal variations of pollen concentrations in Islamabad (Pakistan). Effect of meteorological parameters and impact on human health. *Grana*. 54:53–67.

Hammer, O., Jorgensen, E. G. and Mekkelsen, V. M. (1948) Studies on the contents of pollen of Danish honey samples. *Tidsskr. Planteav. l* 52: 293–352.

Hawkins, J., de Vere, N., Griffith, A., Ford, C. R., Allainguillaume, J., Hegarty, M. J., Baillie, L. and Adams-Groom, B. (2015) Using DNA metabarcoding to identify the floralcomposition of honey: a new tool for investigating honey bee foraging preferences. *PLoS ONE*. 10(8): e0134735.

Hendrix III, W.H. and Showers,W. B. (1992) Tracing black cutworm and armyworm (Lepidoptera: Noctuidae) northward migration using *Pithecellobium* and *Calliandra* pollen. *Environ. Entomol.* 21: 1092-1096.

Herrero, B., Valencia-Barrera, R. M., Martin, R. S. & Pando, V. (2002). Characterization of Honeys by Melissopalynology and Statistical Analysis. *Canad. J. Pl. Sci.* 82: 75-82.

Hossain, A. and Sharif, M. (1988) Beekeeping potentials of Bangladesh. I. Studies on the important honey and pollen sources of northern Chittagong region. *Bang. J. Zool.* 16:23–30.

Howells, V. W. (1969) Some reflections on the pollen analysis of honey. *J. Assoc. Public Analysts* 7, 88–93.

Howes, F. N. (1953) Plantas melíferas. Barcelona, Espanha, *Reverté*, 35 p.

Huang, Z. (2012) Pollen nutrition affects honey bee stress resistance. *Terrestr. Arthropod Reviews*. 5:175–189.

Hunt, C. L and Atwater, H. W. (1915) Honey and Its Uses in the Home. *US Depart. Agric, Farm. Bull.*, No. 653.

Ige, O. E. and Obasanmi, O. O. (2014) A Palynological Assessment of Honey Samples from Delta State, Nigeria. *Amer. Internat. J. of Biol.*, 2(2) 47 - 59.

Ige, O. E., and Modupe, T. O. (2010) Pollen Characterisation of Honey Samples from North Central Nigeria. *J. Biol. Sci.*. 10: 43-47.

Israel, Z. H. (2014) Antimicrobial properties of honey. *Amer. J. Therap.* 21(4):304-323.

Iurlina, M. and Fritz, R. (2005) Characterization of microorganisms in Argentinean honeys from different sources. *Internat. J. Food Microbiol.* 105(3):297-304.

Iwana, S. and Melhem, T. S. (1979) The Pollen Spectrum of the Honey of *Tetragonisca angustula* angustula Latrelle., (Apidae, Meliponinae). *Apidologie*.10(3):275- 295.

Jana, D., Bandyopadhyay, A. and Bera, S. (2002) "Pollen analysis of winter honey sample from Murshidabad district, West Bengal". *Geophytology*. 30: 91-97.

Janssen, C. R. (1984) Modern pollen assemblages and vegetation in the Myrtle Lake Pearland, Minnesota. *Ecol. Monographs*. 54: 213-252.

Jantakee, K. and Tragoolpu, Y. (2015) Activities of different types of Thai honey on pathogenic bacteria causing skin diseases, tyrosinase enzyme and generating free radicals. *Biol. Res.* 48(4):1-11.

Jarzen, D. M. and Nichols, D. J. (1996a) Pollen, p. 261-291. In J. Jansonius and D. C. McGregor (eds.) *Palynology: principles and applications*. *American Association of Stratigraphic Palynologists Foundation, Dallas, TX.*, 1330p.

Jarzen, D. M. and Nichols, D. J. (1996b) Pollen. American Association of Stratigraphic Palynologists Foundation,Dallas. Pages 263–293 in *J Jansonius,DC McGregor, eds. Palynology: principles and applications*.

Jens, M. O., Bascompte, J., Elberling, H. and Jordano, P. (2008) Temporal dynamics in a pollination network. *Ecology*. 89: 1573–1582.

Jhansi, P., Kalpana, T. P. and Ramanujam, C. G. K. (1991) "Pollen analysis of rock bee summer honeys from the Prakasam district of the Andhra Pradesh, India". *J. Apicul. Res.* 30:33–40.

Jones, G. D., Bryant, V. M., Jr (1992) Melissopalynology in the United States: A review and critique. *Palynology*. 16: 63–71.

Jones, G. D. and Jones, S. D. (2001) The Uses of Pollen and its Implication for Entomology. *Neotrop. Entomol.* 30(3): 341-350.

Jones, G. and Bryant, V. (2001a) Is one drop enough Proc. 9th Int. Palynol. Cong., 1996, Houston, Texas, USA Am. Assoc. *Stratigraphic Palynol. Found.* pp. 453–458.

Jones, G. and Bryant, V. (2001b) Alcohol dilution of honey, Proc. 9th Int. Palynol. Congr., 1996, Houston, Texas, USA Am. Assoc. *Stratigraphic Palynol. Found.* pp. 483–488.

Kalpana, T. P. and C. G. K. Ramanujam. (1989) "A melittopalynological investigation of Nawabpet mandal of Ranga Reddy district, AP". *J. Swamy Bot. Cl.* 6: 57-64.

Kalpana, T. P, Fatima, K. and Ramanujam, C. G. K. (1990) Pollen analysis of *Apis cerana* and *Apis florea* honeys from Adikmet area, Hyderabad. *Proc. Indian Acad. Sci. (Plant Sci.)*, 100: 183–193.

Kalpana, T. P. and C. G. K. Ramanujam. (1991) A melittopalynological investigation of honeys from *Apis florea* and *Apis dorsata* hives. *Biovigyanam*. 17: 12-23.

Kamble, K. D., Pandit, R. S. and Rao, K. L. (2015) Melittopalynological investigations of honey from Sunderban region, West Bengal, India. *Proceed. Natl Acad. Sci., India*. 85:101–106.

Kauffeld, N. M. (1980) Chemical analysis of Louisiana pollen and colony conditions during a year. *Apidologie*, 11(1):47 – 55.

Kaur, A. and Mattu, V. K. (2016) Pollen Spectrum of honey samples of *Apis cerana* F. collected from different areas of Shiwalik hills. IJSRE; Pages-5434-5440.

Kayode, J., and Oyeyemi, S. D. (2014) Pollen Analysis of *Apis mellifera* Honey Collected from Nigeria. *Amer. J. Agric. and Forest.* 2: 226-231

Kearns, C. A. and Inouye, D. W. (1993) Techniques for pollination biologists. University Press of Colorado, Boulder, Colorado, USA.

Kerkvliet, J. D., Shrestha, M., Tuladhar, K. and Manandhar, H. (1995) Microscopic detection of adulteration of honey with cane sugar and cane sugar products. *Apidologie*. 26:131-139.

Khan, H. U., Anjum, S. I., Sultana N. and Khattak, B. (2016) Honey production potential of the honey bee (*Apis mellifera*) in Karak and Kohat, Pakistan. *J. Entomol. and Zoology Stud.* 4(6): 559-564.

Khatija, F. and Ramanujam, C. G. K. 1989. Pollen analysis of two multifloral honeys from Hyderabad, A. P. J. Phytol. Res. 2(2): 167 - 172.

Klein, A. M., Vaissiere, B. E., Cane, J. H., Steffan Dewenter I., Cunningham S. A., Kremen C. and Tscharntke, T. (2007). Importance of pollinators in changing landscapes for wild crops. *Proc. R. Soc. Lond. B.* 274:303-313.

Koch, A. (1933) Arbeitsbericht Landesinstitut fir Bienenforschung, Celle (Hanover) fir 1932 und. *Bicnenw. Zb1.* 69, 9, 317.

Kremp, G. O. W. (1965) Encyclopedia of Pollen Morphology. 1st Edn. University Arizona Press, Tucson USA.

Kritsky, G. (2017) Beekeeping from Antiquity Through the Middle Ages. *Annu Rev Entomol.* 62:249-264.

Kumar, R. (2000) Studies on pollen and nectar yielding plants of honey bees at Pialitown. Dist 24 Parganas, West Bengal, India. *Geophytology.* 29:89–93.

Kumar, R. (2003) Studies on pollen and nectar sources to *Apis mellifera* L. honey bees at Kadasikadavu, Idukki, Kerala, *Geophytol.* 31, (2and 2): 34-37.

Lakshmi, K. and Suryanarayana, M. C. (2004) Melittopalynological investigation of *Apis dorsata* honeys from forest areas of Cuddapah District, Andhra Pradesh. *J. Palynol.* 40:189–198.

Layek, U., Manna, S. S. and Karmakar, P. (2016) Pollen foraging behavior of honey bee (*Apis mellifera* L.) in southern West Bengal, India. *Palynology*. 1-13. 10.1007/s00040-017-0593-4.

Layek, U., Nandi, T. and Karmakar, P. (2016) Pollen forage and storage pattern of *Apis dorsata* Fabricius in Bankura and Paschim Medinipur districts, West Bengal. *Int. J. Pure App. Biosci.* 4(5): 59-71.

Layek, U. and Karmakar, P. (2016) Pollen analysis of *Apis dorsata* *Fabricius* honeys in Bankura and Paschim Medinipur districts, West Bengal. *Grana*. 57(4): 298 - 310.

Layek, U. and Karmakar, P. (2018) Nesting characteristics, floral resources, and foraging activity of *Trigona iridipennis* Smith in Bankura district of West Bengal, India. *Insectes Sociaux*. 65:117–132.

Lieux, M. H. (1979). Minor honeybee plants of Louisianan (USA) indicated by pollen analysis. *Econ Bot.* 32: 418-432.

Lieux, M. H. (1981) An analysis of Mississipi (U.S.A.) Honey: Pollen, Color and Moisture. *Apidologie, Springer Verlag.* 12 (2):137-158.

Lingren, P. D., Bryant, V. M. Jr., Raulston, J. R. M. Pendleton, Westbrook, J. and Jones, G. D. (1993) Adult feeding host range and migratory activities of corn earworm, cabbage looper and celery looper (Lepidoptera: Noctuidae) moths as evidenced by attached pollen. *J. Econ. Entomol.* 86: 1429-1439.

Lingren, P. D., Westbrook, J. K., Bryant, V. M. Jr Raulston, J. R., Esquivel, J. F. and Jones, G. D. (1994) Origin of corn earworm (Lepidoptera: Noctuidae) migrants as determined by Citrus pollen markers and synoptic weather systems. *Environ. Entomol.* 23: 562-570.

Low, N., Schweger, C. and Sporns, P. (1989) Precautions in the use of melissopalynology, *J. Apic. Res.* 28, 50–54.

Louveaux, J. (1970) Atlas photographique d'analyse pollinique des miels. *Annex. microphot. meth. Off. anal. III. Serv. Repr. Fraudes, Contr. Qual. París.*

Louveaux, J., Maurizio, A. and Vorwohl, G. (1970) Melissopalynology. *Bee World*, 51(3): 125138.

Louveaux, J., Maurizio, A. and, Vorwohl G. (1978) Methods of Melissopalynology, *Bee World*. 59, 139– 157.

Lutier, P. M., Vaissière, B. E. (1993) An improved method for pollen analysis of honey, *Rev. Paleobot. Palynol.* 78, 129–144.

Lunder, R. (1945) – Pollenanalistikaundersökningar av Svensk honung. States Växtskyddsanstalt Meddlande, Stockholm, 45: 1-31.

Loublier, Y., Douault, P. Causse, R. Barthes, J. Bues, R. and Poitout, S. (1994) Utilisation des spectres polliniques recueillis sur *Agrotis (Scotia) epsilon* Hufnagel (Noctuidae) comme indicateur des migrations. *Grana* 33: 276-281.

Malakar, A. and Chanda, S. (1995) “Pollen and chemical analysis of three honey samples”. In: National Seminar on recent advances in Plant Sciences. Diamond Jubilee Celebration (1935-1995). National Botanical Society, Department of Botany, University of Calcutta. 42.

Marchini, L. C., Moreti, A. C. C. C., Teixeira, E. W., Oliveira, P. C. F. (2000) Identificação das cargas de pólen transportadas por abelhas africanizadas (*Apis mellifera* L.) de diferentes colônias situadas num mesmo ambiente. *Ecossistema* 5: 48-51.

Martimo, E. (1945) Über die Zusammensetzung und Herkunji des finnischen Honigs. *Moateloust, Aikskausk.* 17: 157.

Marques-Souza, A. C., Absy, M. L., Condé, P. A. A. and Coelho, H. A. (1993) Dados da obtenção do pólen por operárias de *Apis mellifera* no município de Ji-Paraná (RO), *Brasil. Acta Amazonica* 23: 59-76.

Maurizio, A. (1936a) Gibt es Lindenhonig in der Schweiz? Schweiz. *Bienenztg.* 59(3):148-156.

Maurizio, A. (1936b) Schweizerische Honigtypen 2. Weidenhonig. Schweiz. *Bienenztg.* 59(3): 547.

Maurizio, A. (1938) Pollenanalytische Beobachtungen 1-5. Schweiz. *Bienenztg.* 61: 712.

Maurizio, A. (1939). Untersuchungen zur quantitativen Pollenanalyse des Honigs. Mitteilungen aus dem Gebiete der Lebensmittel-Untersuchung und -Hygiene, 30: 27–72.

Maurizio, A. (1940) Schweizerische Honigtypen 3. Vergiss mein nichthonig. Schweiz. *Bienenztg.* 63: 147.

Maurizio, A. (1941a) Schweizerische Honigtypen 4. Honig der Edelkastanie. Schweiz. *Bienenztg.* 64: 409.

Maurizio, A. (1941b) Pollenanalytische Beobachtungen 6-9. Ber. Schweiz. *Bot. Ges.* 51, 77.

Maurizio, A. (1946) Schweizerische Honigstatistik III. Beih. Schweiz. *Bienenztg.* 1(12), 571.

Maurizio, A. (1947) Schweizerische Honigtypen 5. Walliser Honigtypen. *Murithienne* 64, 38.

Maurizio, A. (1949) Beiträge zur quantitativen Pollenanalyse des Honigs. *Beih. Schweiz. Bienenztg* 2(18): 320–421.

Maurizio, A. (1949a.) Beitrag Zur quantitative Pollen analyse des Honigs. *Beih. Schweiz. Bienenztg* 2: 320.

Maurizio, A. (1949b.) Wird das Pollenbild des Honigs durch die Vorgange in der Honigblase beeinflusst. *Beih. Schweiz. Bienenzt. 2*: 422.

Maurizio, A. (1951) Pollen analysis of honey. *Bee World*. 32: 1-5.

Maurizio, A. and Louveaux, J. (1965) Pollens de plantes mellifères d'Europe, Union des groupements apicoles français, Paris.

Maurizio, A. (1975) How Bees Make Honey. In Crane, E (ed) Honey:a comprehensive survey. Heinemann; London, UK; pp 77–105.

Maurizio, A. (1975) Microscopy of honey. In Crane, E (ed) Honey: a comprehensive survey. Heinemann; London, UK; pp 240–257.

Mekky, T. M. (2007) Effect of crude honey on stability of aflatoxins on growth of Aspergillus flavus. *Natl. Egyptian J. Microbiol.* 17(1):182-190.

Mikkelsen, V. M. (1948) An attempt to identify Cruciferae pollen in honey. *Tidsskr. Planteavl* 51: 528–547.

Mistry, R. P, (1987) Analytical Studies on Honey. Ph. D. thesis Department of Biological Sciences, Biochemistry Section, University of Salford, Salford M5 4WT.

Moar, N. T. (1985) Pollen analysis of New Zealand honey. *New Zealand J Agric. Res.* 28: 39–70.

Molan, P. C. (1992) The antibacterial nature of honey: 1. The nature of the antibacterial activity. *Bee World* 73(1):5-28.

Mondal M. and Mitra, K. (1980) “Pollen analysis of honey from Sundarban (West Bengal.)” *Geophytology*. 10: 137-139.

Moore, P. D., Webb, J. A. and Collinson, M. E. (1991) Pollen Analysis. 2nd Edition, Blackwell, Oxford, 1-216.

Moreti, A. C. C. C., Carvalho, C. A. L., Marchini, L. C., Oliveira, P. C. F. (2000) Espectro polínico de amostras de mel de *Apis mellifera* L., coletadas na Bahia. *Bragantia* 59: 1-6.

Moreti, A. C. C. C., Marchini, L. C., Souza, V. C., Rodrigues, R. R. (2002) Atlas do pólen de plantas apícolas. Rio de Janeiro: Papel Virtual Editora, pp 89.

Mukhopadhyay, S. K., Das, A. P. and Bera, S. (2003) Pollen analysis of *Apis cerana indica* F, winter honeys from Sub-Himalayan West Bengal, India. *Geophytology*. 31(1&2): 35-43.

Nadezhdin, V. V., Alarkon, N. L., Mitrofanova, T. K. and Tolkachev, O. N. (1983) Lesove dinie, j, 71-73; *Chem. Abst.*, 99,191683b.

Nair, P. K. K. (1964) Pollen analytical study of Indian honeys. *J. Ind. Bot. Soc.* 53: 179-191.

Nair, P. (1970) Pollen morphology of angiosperms: a historical and phylogenetic study. Barnes and Noble Incorporated, New York, 160 p.

Nandi, T. and Karmakar, P. (2018) *Apis mellifera* pollen loads to understand the pollen foraging pattern used for apicultural practice in a potentially agricultural belt in Bengal, India. *Revista de Biología Tropic.* 66(4), 1597-1605.

Nascimento, A. S. do., de Carvalho, C. A. L. and Sodré, G. da S. (2015) The Pollen Spectrum of *Apis mellifera* Honey from Reconcavo of Bahia, Brazil. *J. Sci. Res. & Reports* 6(6): 426-438.

Nascimento, D. L. and Nascimento, F. S. (2012) Extreme effects of season on the foraging activities and colony productivity of a stingless bee (*Melipona asilvai* Moure, 1971) in Northeast Brazil. *Article.* ID 267361, p 6.

Naug, D. (2009) Nutritional stress due to habitat loss may explain recent honeybee colony collapses. *Biol. Conserv.* 142:2369–2372.

Nessa, Z., Muttalib, M. and Begum, A. (1980) Studies on pollen collection pattern of honey bees. *Bangladesh J Agr.* 5:75–82.

Nielsen, N., Grommer, J. and Lunden, R. (1955) Investigations on the chemical composition of pollen from some plants. *Acta Chem. Scand.* 9, 1100–1106.

Niethammer, A. (1928, 1929) Die mikroskopische Pollenanalyse bohmischer Honigsorten I and II. *Z. Untersuch. Lebensmitt.* 55, 462; 57, 537.

Niethammer, A. (1931) Mikroskopie, Mikro-und Biochemic verschiedener. *Honige Gartenbauvoiss* 4: 364.

Njokuocha, R. C, Ekweozor, C. C (2007) Pollen contents of commercial honeys of Opi, Nsukka, Enugu State, Nigeria. *Pl. Prod. Res. J.* 11(1):5-11.

Noor, M. J., Khan, M. A. and Camphor, E. S. (2009) Palynological analysis of pollen loads from pollen sources of honey bees in Islamabad, Pakistan. *Pakistan J Bot.* 41:495–501.

Novais, J. S., Lima, L. C. L. and Santos, F. A. R. (2009) Botanical affinity of pollen harvested by *Apis mellifera* L. in a semi-arid area from Bahia, Brazil. *Grana*. 48: 224-234.

Novais, J. S., Lima, L. C. L. and Santos, F. A. R. (2010) Bee pollen loads and their use in indicating flowering in the Caatinga region of Brazil. *J. Arid Environ.*, 74 : 1355-1358.

Omran, N. S., Abdel Rahman, A. G., Desoky A. S. S. and Kelany M. M. H. (2017) Major pollen sources for honey bee colonies in desert Toshka region, Egypt. *J. Sohag Agrisci.* 2: 60-72.

Ohe, W. V. D., Oddo, L. P., Piana, M., Morlot, L. M. and Martin, P. (2004) Harmonized methods of mellisopalyngology. *Apidologie*, 35: 18-25.

Oliveira, P. P., van den Berg, C. and Santos, F. A. R. (2010) Pollen analysis of honeys from Caatinga vegetation of the state of Bahia, Brazil, *Grana*. 49(1): 66-75.

Özler, H. (2015) Melissopalynological Analysis of Honey Samples Belonging to Different Districts of Sinop. Turkey. *Mellifera*.15(1):1–11.

Pal, P. K. and Karmarkar, K. (2013) Pollen analysis in understanding the foraging behaviour of *Apis mellifera* in Gangetic West Bengal. *Geophytology*. 42:93–114.

Parkar, R. L. (1923) Some pollen gathered by bees. *American Bee J.* 63:16-19.

Pasha, M., Ghosh, D. and Roy, S. (1991) A melittopalynological study of Sunderban honey. *Bangladesh J Bot.* 20:105–107.

Persano-Oddo, L., Piro, R. (2004) Botanical species giving unifloral honey in Europe. *Apidologie* 35: 82–93.

Pfister, R. (1895) Versuch. Einer Mikroskopie des Honigs, Forschungsbereich Lebensmittel, Bez. Hyg. *Pharm.* 2, 25; 20.

Pinto Da Luz, C. F. and Barth, O. M. (2012) Pollen analysis of honey and beebread derived from Brazilian mangroves. *Braz. J. of Bot.* 35(1):79-85.

Pires, J., Stevinho, M. L., Feás, X., Antalpiedra, J. and Iglesias. (2009) Pollen spectrum and physico-chemical attributes of heather (*Erica* sp.) honeys of north Portugal. *J. Sci. Fd. Agric.* 89, 1862–1870.

Pisa, L. W., Amaral-Rogers, V., Belzunces, L. P., Bonmatin, J. M., Downs, C., Goulson D., Kreutzweiser, D. P., Krupke, C., Liess, M., McField, M., Morrissey, C. A, Noome, D. A., Settele, J., Simon-Delso, N., Stark, J. D., Van der Sluijs, J. P., Van Dyck, H. and Wiemers, M. (2015) Effects of neonicotinoids and fipronil on non-target invertebrates. *Environ. Sci. and Pollut. Res.* 22(1):68–102.

Ponnuchamy, R., Bonhomme, V., Prasad, S., Das, L and Patel, P (2014) Honey pollen: using melissopalynology to understand foraging preferences of bees in tropical South India. *PLoS One* 9 (7), 1–11.

Pound, M., Dalglish A., McCoy, J. and Partington, J. (2018) Melissopalynology of Honey from Ponteland, UK, Shows the Role of *Brassica napus* in Supporting Honey Production in a Suburban to Rural Setting. *Palynology* 42(3): 400-405.

Prosser, S. W. J. and Hebert, P. D. N. (2017) Rapid identification of the botanical and entomological sources of honey using DNA metabarcoding. *Food Chem.* (1) 214:183-191.

Puusepp, L. and Koff, T. (2014) Pollen analysis of honey from the Baltic region. Estonia. *Grana*. 10.1080/00173134.2013.850532.

Raghunathan, R. S. and Basavarajappa, S. (2013) Analysis of multifloral honey of the giant honey bee, *Apis dorsata* F., for pesticide residues in Southern Karnataka, India. *European J. Zoologic. Res.* 2(3): 22-28.

Ramanujam, C. G. K. and Kalpana, T. P. (1991) Pollen analysis of *Prosopis juliflora* honeys from Ranga Reddy district, A. P. and its relevance to apiculture and social forestry. *J. Palynology*. 27:345–368.

Ramanujam, C. G. K., Reddy, P. R. and Kalpana, T. P. (1992) Pollen analysis of apiary honeys from East Godavari District, A.P. *J. Indian Indust. Sci.* 72(4): 289–299.

Ramanujam, C. G. K. and Khatiza, F. (1992) Summer pollen sources to *Apis dorsata* honey bees in deciduous forests of Mahaboobnagar district Andhra Pradesh. *Geophytology*. 21:155–161.

Ramanujam, C. G. K. and Kalpana, T. P. (1993) Pollen analysis of honeys from Kondevaram Apiaries of East Godavari district, Andhra Pradesh. *Biovigyanam*. 19: 11-19.

Ramanujam, C. G. K. and Kalpana, T. P. (1995) Microscopic analysis of honeys from a coastal district of Andhra Pradesh, India. Rev. *Palaeobot. Palynol.* 89: 469-480.

Ramakrishna, H. and Swathi, S. (2013) Pollen diversity in some *Apis flavae* honeys from Adilabad District. Andhra Pradesh, India. *Geophytology*. 42:11–20.

Rands, S. A. and Whitney, H. M. (2008) Floral temperature and optimal foraging: Is heat a feasible floral reward for pollinators? *Plos One*. 3(4): e2007.

Rayner, C. J. and Langridge, D. F. (1985) Amino acids in bee-collected pollens from Australian indigenous and exotic plants. *Aust. J. Exp. Agric.* 25, 722–726.

Reddy, A. V. B. and Reddy, P. R. (2008) Occurrence of medicinal plant pollen in *Apis cerana* honeys of Khammam District. Andhra Pradesh, India. *Ethnobotanic. Leaflets.* 12:452–460.

Rehel, S. M. and Padmavathi, S. (2014) Melittopalynological analysis of *Apis dorsata* honey of Kotagiri Slopes, Nilgiris, Tamil Nadu. *Int J Res Innov Dev.* 3:391–394.

Ricciardelli d'Albore, G. (1997) Textbook of Melissopalynology, Apimondia, Bucharest.

Ricciardelli D'Albore, G. (1998) Mediterranean melisopalynology. Institute of Agricultural Entomology, University of Perugia, Italy.

Richardson, R. T., Lin, C. H., Sponsler, D. B., Quijia, J. O., Goodell, K. and Johnson, R. M. (2015) Application of ITS2 metabarcoding to determine the provenance of pollen collected by honey bees in an agroecosystem. *Appl. in Plant Sci.* 3: 1400066.

Ricciardelli d'Albore, G. (1998) Mediterranean melissopalynology, Istituto di Entomologia Agraria, Università degli Studi, Perugia.

Rosdi, I. N., Selvaraju K., Vikram P., Thevan, K. and Arifullah, M. (2016) Melissopalynological Analysis of Forest Honey from North Malaysia. *J. Trop. Resour. Sustain. Sci.* 4: 128-132.

Russmann, H. (1998) Hefen und Glycerin in Blütenhonigen – Nachweis einer Gärung oder einer abgestoppten Gärung. *Lebensmittelchemie* 52, 116–117.

Sabo, M., Potočnjak, M., Banjari, I. and Petrović, D. (2011) Pollen analysis of honeys from Varaždin County, Croatia. *Turk J. Bot.* 35: 581-587.

Sahney, M. and Chaurasia, S. (2008). Seasonal variations of airborne pollen in Allahabad, India. *Annal Agric. and Environ. Med.* 15: 287- 293.

Saharia, D. and Sarma, G. C. (2016) Melissopalynological studies in the Darrang district of Assam, India. *Pleione*. 10(1): 116-122.

Sahney, M. and Seth. K. H. (2013) Melissopalynological analysis of winter honeys of Rewa district, M.P., India. *Indian J. Aerobiol.* 6:1–10.

Sánchez-Bayo, F. and Goka, K. (2014) Pesticide residues and bees—a risk assessment. *PLoS One* 9(4): e94482.

Santos, C. F. O. (1961a) Morfologia e valor taxonômico do pólen das principais plantas apícolas. *Piracicaba:* USP/ESALQ, 92p.

Santos, C. F. O. (1961b) Principais tipos de pólen encontrados em algumas amostras de mel: nota prévia. *Revista de Agricultura* 36: 93-96.

Santos, C. F. O. (1963) Características morfológicas dos grãos de pólen das principais plantas apícolas. *Anais da ESALQ* 20: 175-228.

Santos, C. F. O. (1964) Avaliação do período de florescimento das plantas apícolas no ano de 1960, através do pólen contido nos méis e dos coletados pelas abelhas (*Apis mellifera L.*) *Anais da ESALQ* 21: 253-264.

Santos, C. F. O. (1978) Morfologia do pólen de algumas compostas apícolas. *Anais da ESALQ*, 35: 441-456.

Santos, F. A. R. (2011) Identificação botânica do pólen apícola. Magistra 23: 5-9.

Sawyer, R. (1988) Honey Identification. Cardiff Academic Press, UK.

Sajwani, A., Farooq, S. A., Patzelt, A., Eltayeb, E. A. and Bryant, V. M. (2007) Melissopalynological studies from Oman. *Palynology*. 31: 63–79.

Sajwani, A., Farooq, S. A. and Bryant, V. M. (2014) Studies of bee foraging plants and analysis of pollen pellets from hives in Oman. *Palynology*, 38(2), 207-223.

Sen, J. and Banerjee, D. (1956) A pollen analysis of Indian honey. *Bee World*. 37(1956): 52-54.

Seethalakshmi, T. S. and Percy, A. P. (1979) *Borassus flabellifer*, a good pollen source. *Indian Bee J.* 41: 20-21.

Seethalaxmi, T. S. (1980) Melittopalynological investigation of some Indian honeys. Proc. II In Conf. Apicult. Trop. Climates. *Indian Agric. Res. Inst.* :609-621.

Seijo, M. C. and Jato, M. V. (1998) Palynological characterization of honeys from Galicia (northwest Spain). *Grana* 37: 285–292.

Sekine, E. S., Toledo, V. A., Caxambu, M. G., Chmura, S., Takashiba, E. H., Sereia, M. J., Marchini, L. C. and Moreti, A. C. (2013) Melliferous flora and pollen characterization of honey samples of *Apis mellifera* L., 1758 in apiaries in the counties of Ubiratã and Nova Aurora, PR. *An Acad Bras Cienc.* 85(1):307-26.

Sharma, M. and Nair, P. K. K. (1965) Pollen analysis of some honeys from Uttar Pradesh. *Indian J. Hort.* 22: 46-51.

Sharma, M. (1970) Studies on the pollen loads of honey bees from Kangra India. *J. Palynol. (India)*, 6: 104–110.

Sharma, O. P. and Raj, D. (1985) Diversity of bee flora in Kangra Shivaliks and its impact on bee keeping. *Indian Bee J.* 47:21–23.

Sharma, S. D. and Kumar, J. (2010) Constraints confronting sustainable development through beekeeping: a case study of Kullu district. *National symposium on Perspectives and challenges of Integrated Pest Management for Sustainable Agriculture*. Solan, Himachal Pradesh, November 19-21, 116 pp.

Shellard, E. J. and Jolliffe, G. H. (1968) The identification of the free amino acids present in some grass pollens by thin-layer chromatography. *J. Chromatogr. A* 38(2):257-266.

Shubharani, R., Sivaram, V. and Roopa, P. (2012) Assessment of honey plant resources through pollen analysis in coorg honeys of Karnataka State. *Int J Plant Reprod Biol.* 4:31–39.

Silici, S. and Gökceoglu, M. (2007) Pollen analysis of honeys from Mediterranean region of Anatolia. *Grana* 46:57–64.

Silva, S. J. R. (1998) Recursos tróficos de abelhas *Apis mellifera* L. (Hymenoptera, Apidae) em uma área de savana do estado de Roraima: fontes de néctar e pólen. Manaus: *Fundação Universidade do Amazonas/INPA*, 88p.

Silva, S. J. R. and Absy, M. L. (2000). Análise de pólen encontrado em amostras de mel de *Apis mellifera* L. (Hymenoptera, Apidae) em uma área de savanna de Roraima, Brasil. *Acta Amazônica*, v. 30, p.579-588.

Silva, F. H. M. and Santos, F. A. R. (2009) Pollen morphology of the shrub and arboreal fl ora of mangroves of Northeastern Brazil. *Wetlands Ecol. Manage.* 17: 423-443.

Silva, C. R. B. D., Putarov, T. and Orsi, R. D. O. (2013) Pollen spectrum of propolis samples from São Paulo State. Brazil. *Acta Sci Anim Sci.* 35:297–300.

Singh, M. P. (1999) Mellisopalyology and survey of bee plants in NorthEastern Hill region. *Int. J. Hill Fmg.* 12: 1-2, 79-83.

Singh, S. and Kar, R. (2011) Melissopalynological studies on mangrove honeys from Sunderbans (Bangladesh) and Little Andaman (India). *Curr. Sci.* 100:1290-1293.

Sniderman, J. M. K., Matley, K. A., Haberle, S. G. and Cantrill, D. J. (2018) Pollen analysis of Australian honey. *Pollen Anal. of Australian Honey J.* 0197545.

Sodre, G. D. A. S., Marchini, L. C, Moreti, A. C. De C. C. and Carvalho, C. A. L. De. (2001) Análises polínicas de méis de *Apis mellifera* L., 1758 (Hymenoptera: Apidae) do litoral norte do Estado da Bahia. *Rev Agric* 76: 215–225.

Sodré Da, S., Marchini, L. C., Carvalho and Moreti, A. (2007) Pollen analysis in honey samples from the two main producing regions in the Brazilian northeast. *Annals Braz. Acad. of Sci.*, 79: 381-388.

Song, X. Y., Yao, Y. F. and Yang, W. D. (2012) Pollen analysis of natural honeys from the central region of Shanxi, North China. *Plos One*. 7(11): e49545.

Sowunmi, M. A. (1976) The potential value of honey in Palaeopalynology and Archaeology. Rev. Palaeobot. *Palynol.*, 21: 171- 185.

Stanley, R. G, Linskens, H. F. (1974). Pollen: Biology, Biochemistry, Management. Springerverlag, Berlin.

Stawiarz, E. and Wróblewska, A. (2010) Melissopalynological analysis of multifloral honeys from the Sandomierska Upland area of Poland. *J. Apicul. Sci.* 54(1):65-75.

Suryanarayana, M. C., Seethalakshmi, T. S., Phadkae, R. P. (1981) Pollen analysis of Indian honeys-1. Honeys from Litchi (*Nephelium litchi*) and Jamun (*Syzygium cumini*). *Proc IV Int Palynol Conf Lucknow* (1976–77) 3: 491–498.

Suryanarayana, M. C., Mohana, Rao, G. and Singh, T. S. M. S. (1992) Studies on pollen sources for *Apis cerana* Fabr. and *Apis mellifera* L. bees at Muzaffarpur, Bihar, India. *Apidologie*, 23: 33–46.

Sahney, M. and Rahi, S. (2015) Pollen analysis of honey samples from Allahabad District, Uttar Pradesh, India. *Geophytol.* 45:21–30.

Suryanarayana, M. C., Seethalakshmi, T. S. and Phadkae, R. P. (1981) Pollen analysis of Indian honeys-1. Honeys from Litchi (*Nephelium litchi*) and Jamun (*Syzygium cumini*). *Proc IV Int Palynol. Conf. Lucknow.* (3)491-498.

Taylor, R. (1974). The joys of beekeeping. Barrie and Jenkens Ltd, London.

Todd, F. E., and Vansell, G. H. (1942) Pollen Grains in Nectar and Honey. *The J. Econ. Entomol.*, 35: 728-731.

Todd, F. E. and Bretheri C. K. (1942) The composition of pollens. *J. Econ. Entomol.* 35, 312-317.

Thomas, S. G., Rehel, S. M., Varghese, A., Davidar, P. and Potts S. G. (2009) Social bees and food plant associations in the Nilgiri Biosphere Reserve, India. *Tropic. Ecol.* 50(1): 79–88.

Tripathi, S., Basumatary, S. K., Bera, S. K., Brahma, M. and Sarma, G. C. (2017) A palynological study of natural honeys from the Bongaigaon district of Assam, northeast India. *Palynology*. 41(3):1-12.

Upadhyay, D. and Bera, S. (2008). Pollen analysis of natural honey from Puri District, Orissa, India. *J. Bot. Soc. Bengal.* 61(2): 13-17.

Upadhyay, D. and Bera, S. (2012). Pollen spectra of natural honey samples from a Coastal district of Orissa, India. *J. Apicult. Res.* 51(1): 10-22.

Upadhyay, D., Bhattacharya, S., Ferguson, K. D. and Bera, S. (2014). Prospects of apiculture entrepreneurship in Coastal districts of eastern India: A melissopalynological evaluation. *Plos One*. 9(4): e94573.

Valentini, A., Miquel, C. and Taberlet, P. (2010) DNA barcoding for honey biodiversity. *Diversity* 2: 610-617.

Van Engelsdorp, D. and Meixner, M. D. (2010) A historical review of managed honey bee populations in Europe and the United States and the factors that may affect them. *J. Invert. Pathology*. 103: S80 -S95.

Vargas-Sánchez, R. D., Torrescano-Urrutia, G. R. and Sánchez-Escalante, A. (2013) El propóleos: conservador potencial para la industria alimentaria. *Interciencia* 38: 705-711.

Vieitez, E. (1948) Palindogia Hispana. *Gana Palynologica Svensk. Bot. Ts.* 42: 480.

Virtanen, A. I. and Kari, S. (1955) Free amino acids in pollen. *Acta Chem. Scand.* 9, 1548–1551.

Vishnu-Mitre, (1958) Pollen content of some Indian honeys. *J. Sci. and Industr. Res.* 17:123–124.

Vilma, B., Petras, R. and Violeta, C. (2007). Antibacterial activity of honey and beebread of different origin against *S. aureus* and *S. epidermidis*. *Food Technol. Biotechnol.* 45(2):201-208.

von der Ohe, W., Persano Oddo, L., Piana, L., Morlot, M. and Martin, P. (2004). Harmonized methods of melissopalynology. *Apidologie*. 35: 518-525.

Von Post, L. (1916) Om skogstr~idpollen i sydsvenska torfmosselagerf61jder. *Geol. F6ren. Stock-holm F6rh.* (38)384-390.

Wang, X., Deng, S., Wu, L., Yang, j, Gao, L., Wang, H., Zhou, L. and Ma, Y. (1985) Zhouyao Tongbao. 10(2), 78-80; *Chem. Abst.*, 103, 57184r.

Warakomska, Z. and W. Maciejewicz. (1992) Microscopic analysis of propolis from Polish regions. *Apidol.* 23: 277-283.

Waters, R. (1915) Pollen grains as source-indicators of honey. *The J. of Agric.* 11: 213–215.

Winston, M. L. (1987) The biology of the honey bee. Harvard University Press, Cambridge, Massachusetts, USA.

Wilson, E. E., Sidhu, C. S., LeVan K. E. and Holway, D. A. (2010) Pollen foraging behaviour of solitary Hawaiian bees revealed through molecular pollen analysis. *Molecular Ecol.* 19: 4823–4829.

Young, W. J. (1908) “A microscopical study of honey pollen”. United States Bureau of Chemistry, Bulletin 110, Washington, D.C. 93p.

Young, M. J. (1908) A microscopical study of honey pollen. *Bull. U.S. Dept. Agric. Bur. Chem.* No. 110.

Yu-jia, L., Tian-rui, Z. and Feng-yun, Z. (2013) Melissopalynology and trophic niche of *Apis cerana ceraca* and *Apis mellifera ligustica* in Yunnan Province of Southwest China. *Chin. J. Appl. Ecol.* 24(1):205-210.

Zander, E. (1932) Untersuchungen über die geformten Bestandteile des Honigs.Z.Unter- such-lebensmitt. 63 :313.

Zander, E. (1937) Beiträge zur Herkunftsbestimmung bei Honig. pollen gestaltung undHerkunftsbestimmung bei Elutenhonig. 52, 205 u. 223.

[http://entnemdept.ufl.edu/creatures/MISC/BEES/euro\\_honey\\_bee.htm](http://entnemdept.ufl.edu/creatures/MISC/BEES/euro_honey_bee.htm)

<https://en.wikipedia.org/wiki/Honey>

[https://www.honey.com/files/general/NHB\\_AR10-final.pdf](https://www.honey.com/files/general/NHB_AR10-final.pdf) National Honey Board, 2010

<https://www.sciencedaily.com/releases/2007/09/070904114558.htm> Science daily (2007)