

Bibliography

- [1] ADLAKHA, V., AND KOWALSKI, K. On the fixed-charge transportation problem. *Omega* 27, 3 (1999), 381–388.
- [2] ADLAKHA, V., AND KOWALSKI, K. A simple heuristic for solving small fixed-charge transportation problems. *Omega* 31, 3 (2003), 205–211.
- [3] ADLAKHA, V., KOWALSKI, K., WANG, S., LEV, B., AND SHEN, W. On approximation of the fixed charge transportation problem. *Omega* 43 (2014), 64–70.
- [4] ALBAREDA-SAMBOLA, M., FERNÁNDEZ, E., AND SALDANHA-DA GAMA, F. The facility location problem with bernoulli demands. *Omega* 39, 3 (2011), 335–345.
- [5] AMIN, S. H., AND BAKI, F. A facility location model for global closed-loop supply chain network design. *Applied Mathematical Modelling* 41 (2017), 316–330.
- [6] ARABANI, A. B., AND FARAHANI, R. Z. Facility location dynamics: An overview of classifications and applications. *Computers & Industrial Engineering* 62, 1 (2012), 408 – 420.
- [7] ARDESTANI-JAAFARI, A., AND DELAGE, E. The value of flexibility in robust location–transportation problems. *Transportation Science* 52, 1 (2017), 189–209.
- [8] ATANASSOV, K. T. Intuitionistic fuzzy sets. *Fuzzy Sets and Systems* 20, 1 (1986), 87 – 96.
- [9] ATTA, S., MAHAPATRA, P. R. S., AND MUKHOPADHYAY, A. Multi-objective uncapacitated facility location problem with customers’ preferences: Pareto-based and weighted sum ga-based approaches. *Soft Computing* (2019), 1–16.
- [10] BAÏOU, M., AND BARAHONA, F. A polyhedral study of a two level facility location model. *RAIRO-Operations Research* 48, 2 (2014), 153–165.
- [11] BALINSKI, M. L. Fixed-cost transportation problems. *Naval Research Logistics Quarterly* 8, 1 (1961), 41–54.
- [12] BASHIRI, M., AND TABRIZI, M. M. Supply chain design: A holistic approach. *Expert Systems with Applications* 37, 1 (2010), 688–693.
- [13] BENJAAFAR, S., LI, Y., AND DASKIN, M. Carbon footprint and the management of supply chains: Insights from simple models. *IEEE Transactions on Automation Science and Engineering* 10, 1 (2012), 99–116.
- [14] BHATTACHARYA, U., RAO, J., AND TIWARI, R. Fuzzy multi-criteria facility location problem. *Fuzzy Sets and Systems* 51, 3 (1992), 277–287.
- [15] BHATTACHARYA, U., RAO, J., AND TIWARI, R. Bi-criteria multi facility location problem in fuzzy environment. *Fuzzy Sets and Systems* 56, 2 (1993), 145–153.

- [16] BIENIEK, M. A note on the facility location problem with stochastic demands. *Omega* 55 (2015), 53–60.
- [17] BIT, A., BISWAL, M., AND ALAM, S. Fuzzy programming approach to multiobjective solid transportation problem. *Fuzzy Sets and Systems* 57, 2 (1993), 183–194.
- [18] BOZORGI, N., ABEDZADEH, M., AND ZEINALI, M. Tabu search heuristic for efficiency of dynamic facility layout problem. *The International Journal of Advanced Manufacturing Technology* 77, 1-4 (2015), 689–703.
- [19] BRANDEAU, M. L., AND LARSON, R. C. Extending and applying the hypercube queueing model to deploy ambulances in boston: Delivery of urban services, 1986.
- [20] BUSON, E., ROBERTI, R., AND TOTH, P. A reduced-cost iterated local search heuristic for the fixed-charge transportation problem. *Operations Research* 62, 5 (2014), 1095–1106.
- [21] CAO, K., XU, X., WU, Q., AND ZHANG, Q. Optimal production and carbon emission reduction level under cap-and-trade and low carbon subsidy policies. *Journal of Cleaner Production* 167 (2017), 505–513.
- [22] CARLO, H. J., DAVID, V., AND SALVAT-DÁVILA, G. S. Transportation-location problem with unknown number of facilities. *Computers & Industrial Engineering* 112 (2017), 212–220.
- [23] CHARNES, A., AND COOPER, W. W. The stepping stone method of explaining linear programming calculations in transportation problems. *Management Science* 1, 1 (1954), 49–69.
- [24] CHARNES, A., AND COOPER, W. W. Chance-constrained programming. *Management Science* 6, 1 (1959), 73–79.
- [25] CHEN, D., HE, C., AND WU, S. Single facility collection depots location problem with random weights. *Operational Research* 16, 2 (2016), 287–299.
- [26] CHEN, X., BENJAAFAR, S., AND ELOMRI, A. The carbon-constrained eq. *Operations Research Letters* 41, 2 (2013), 172–179.
- [27] CHEN, X., AND WANG, X. Effects of carbon emission reduction policies on transportation mode selections with stochastic demand. *Transportation Research Part E: Logistics and Transportation Review* 90 (2016), 196–205.
- [28] COLSON, B., MARCOTTE, P., AND SAVARD, G. An overview of bilevel optimization. *Annals of Operations Research* 153, 1 (Sep 2007), 235–256.
- [29] COOPER, L. Heuristic methods for location-allocation problems. *SIAM review* 6, 1 (1964), 37–53.
- [30] COOPER, L. The transportation-location problem. *Operations Research* 20, 1 (1972), 94–108.
- [31] COOPER, L. The stochastic transportation-location problem. *Computers & Mathematics with Applications* 4, 3 (1978), 265–275.
- [32] DANTZIG, G. B. *Linear programming and extensions*. Princeton university press, 1998.
- [33] DAS, A., BERA, U. K., AND MAITI, M. A profit maximizing solid transportation model under a rough interval approach. *IEEE Transactions on Fuzzy Systems* 25, 3 (2016), 485–498.

- [34] DAS, A., BERA, U. K., AND MAITI, M. A solid transportation problem in uncertain environment involving type-2 fuzzy variable. *Neural Computing and Applications* 31, 9 (2019), 4903–4927.
- [35] DAS, S. K., PERVIN, M., ROY, S. K., AND WEBER, G. W. Multi-objective solid transportation-location problem with variable carbon emission in inventory management: a hybrid approach. *Annals of Operations Research* (2021), 1–27.
- [36] DAS, S. K., AND ROY, S. K. Effect of variable carbon emission in a multi-objective transportation-p-facility location problem under neutrosophic environment. *Computers & Industrial Engineering* 132 (2019), 311–324.
- [37] DAS, S. K., ROY, S. K., AND WEBER, G. W. Application of type-2 fuzzy logic to a multi-objective green solid transportation-location problem with dwell time under carbon tax, cap and offset policy: Fuzzy vs. non-fuzzy techniques. *IEEE Transactions on Fuzzy Systems* (2020).
- [38] DAS, S. K., ROY, S. K., AND WEBER, G. W. An exact and a heuristic approach for the transportation-p-facility location problem. *Computational Management Science* 17, 3 (2020), 389–407.
- [39] DAS, S. K., ROY, S. K., AND WEBER, G. W. Heuristic approaches for solid transportation-p-facility location problem. *Central European Journal of Operations Research* 28, 3 (2020), 939–961.
- [40] DEHGHANIAN, F., AND MANSOUR, S. Designing sustainable recovery network of end-of-life products using genetic algorithm. *Resources, Conservation and Recycling* 53, 10 (2009), 559 – 570.
- [41] DIABAT, A., AND THEODOROU, E. A location–inventory supply chain problem: Reformulation and piecewise linearization. *Computers & Industrial Engineering* 90 (2015), 381–389.
- [42] DIAS, J., CAPTIVO, M. E., AND CLÍMA, J. Dynamic multi-level capacitated and uncapacitated location problems: an approach using primal-dual heuristics. *Operational Research* 7, 3 (2007), 345–379.
- [43] DOHSE, E. D., AND MORRISON, K. R. Using transportation solutions for a facility location problem. *Computers & Industrial Engineering* 31, 1-2 (1996), 63–66.
- [44] DREZNER, Z. *Facility location: a survey of applications and methods*. Springer Verlag, 1995.
- [45] DREZNER, Z., AND HAMACHER, H. W. *Facility location: applications and theory*. Springer Science & Business Media, 2001.
- [46] DU, S., TANG, W., AND SONG, M. Low-carbon production with low-carbon premium in cap-and-trade regulation. *Journal of Cleaner Production* 134 (2016), 652–662.
- [47] EBRAHIMNEJAD, A. Sensitivity analysis in fuzzy number linear programming problems. *Mathematical and Computer Modelling* 53, 9-10 (2011), 1878–1888.
- [48] EBRAHIMNEJAD, A. Fuzzy linear programming approach for solving transportation problems with interval-valued trapezoidal fuzzy numbers. *Sādhanā* 41, 3 (2016), 299–316.
- [49] EBRAHIMNEJAD, A. New method for solving fuzzy transportation problems with lr flat fuzzy numbers. *Information Sciences* 357 (2016), 108–124.

- [50] EL-WAHED, W. F. A. A multi-objective transportation problem under fuzziness. *Fuzzy Sets and Systems* 117, 1 (2001), 27–33.
- [51] EL-WAHED, W. F. A., AND LEE, S. M. Interactive fuzzy goal programming for multi-objective transportation problems. *Omega* 34, 2 (2006), 158–166.
- [52] ELHEDHLI, S., AND MERRICK, R. Green supply chain network design to reduce carbon emissions. *Transportation Research Part D: Transport and Environment* 17, 5 (2012), 370–379.
- [53] FARAHANI, R. Z., AND HEKMATFAR, M. *Facility location: concepts, models, algorithms and case studies*. Springer, 2009.
- [54] FARAHANI, R. Z., RASHIDI BAJGAN, H., FAHIMNIA, B., AND KAVIANI, M. Location-inventory problem in supply chains: a modelling review. *International Journal of Production Research* 53, 12 (2015), 3769–3788.
- [55] FARAHANI, R. Z., STEADIESEIFI, M., AND ASGARI, N. Multiple criteria facility location problems: A survey. *Applied Mathematical Modelling* 34, 7 (2010), 1689–1709.
- [56] GABREL, V., LACROIX, M., MURAT, C., AND REMLI, N. Robust location transportation problems under uncertain demands. *Discrete Applied Mathematics* 164 (2014), 100–111.
- [57] GADEGAARD, S. L., KLOSE, A., AND NIELSEN, L. R. A bi-objective approach to discrete cost-bottleneck location problems. *Annals of Operations Research* 267, 1-2 (2018), 179–201.
- [58] GAO, Y. Uncertain models for single facility location problems on networks. *Applied Mathematical Modelling* 36, 6 (2012), 2592–2599.
- [59] GARG, H., RANI, M., SHARMA, S., AND VISHWAKARMA, Y. Intuitionistic fuzzy optimization technique for solving multi-objective reliability optimization problems in interval environment. *Expert Systems with Applications* 41, 7 (2014), 3157–3167.
- [60] GOLI, A., TIRKOLAEI, E. B., MALMIR, B., BIAN, G.-B., AND SANGAIAH, A. K. A multi-objective invasive weed optimization algorithm for robust aggregate production planning under uncertain seasonal demand. *Computing* 101, 6 (2019), 499–529.
- [61] GOYAL, S. K. Economic order quantity under conditions of permissible delay in payments. *Journal of the Operational Research Society* 36, 4 (1985), 335–338.
- [62] HADLEY, G. *Linear Programming*. Addison-Wesley, London, 1962.
- [63] HALEY, K. New methods in mathematical programming—the solid transportation problem. *Operations Research* 10, 4 (1962), 448–463.
- [64] HARRIS, I., MUMFORD, C. L., AND NAIM, M. M. A hybrid multi-objective approach to capacitated facility location with flexible store allocation for green logistics modeling. *Transportation Research Part E: Logistics and Transportation Review* 66 (2014), 1–22.
- [65] HASHMI, N., JALIL, S. A., AND JAVAID, S. A model for two-stage fixed charge transportation problem with multiple objectives and fuzzy linguistic preferences. *Soft Computing* (2019), 1–15.
- [66] HIRSCH, W. M., AND DANTZIG, G. B. The fixed charge problem. *Naval Research Logistics Quarterly* 15, 3 (1968), 413–424.

- [67] HITCHCOCK, F. L. The distribution of a product from several sources to numerous localities. *Journal of Mathematics and Physics* 20, 1-4 (1941), 224–230.
- [68] HUA, G., WANG, S., CHAN, C. K., AND HOU, S. A fractional programming model for international facility location. *Journal of Industrial & Management Optimization* 5, 3 (2009), 629–649.
- [69] HWANG, C.-L., AND YOON, K. Methods for multiple attribute decision making. In *Multiple Attribute Decision Making*. Springer, 1981, pp. 58–191.
- [70] JAYARAMAN, V. Transportation, facility location and inventory issues in distribution network design: An investigation. *International Journal of Operations & Production Management* 18, 5 (1998), 471–494.
- [71] JIA, H., ORDÓÑEZ, F., AND DESSOUKY, M. M. Solution approaches for facility location of medical supplies for large-scale emergencies. *Computers & Industrial Engineering* 52, 2 (2007), 257–276.
- [72] JIMÉNEZ, F., AND VERDEGAY, J. L. Uncertain solid transportation problems. *Fuzzy Sets and Systems* 100, 1-3 (1998), 45–57.
- [73] JIMÉNEZ, F., AND VERDEGAY, J. L. Solving fuzzy solid transportation problems by an evolutionary algorithm based parametric approach. *European Journal of Operational Research* 117, 3 (1999), 485–510.
- [74] JÖRNSTEN, K., AND KLOSE, A. An improved lagrangian relaxation and dual ascent approach to facility location problems. *Computational Management Science* 13, 3 (2016), 317–348.
- [75] KARATAS, M., AND YAKICI, E. An iterative solution approach to a multi-objective facility location problem. *Applied Soft Computing* 62 (2018), 272–287.
- [76] KAUR, A., AND KUMAR, A. A new method for solving fuzzy transportation problems using ranking function. *Applied Mathematical Modelling* 35, 12 (2011), 5652–5661.
- [77] KHALILPOURAZARI, S., MIRZAZADEH, A., WEBER, G.-W., AND PASANDIDEH, S. H. R. A robust fuzzy approach for constrained multi-product economic production quantity with imperfect items and rework process. *Optimization* (2019), 1–28, <https://doi.org/10.1080/02331934.2019.1630625>.
- [78] KIM, D.-G., AND KIM, Y.-D. A lagrangian heuristic algorithm for a public health-care facility location problem. *Annals of Operations Research* 206, 1 (2013), 221–240.
- [79] KLIBI, W., LASALLE, F., MARTEL, A., AND ICHOUA, S. The stochastic multiperiod location transportation problem. *Transportation Science* 44, 2 (2010), 221–237.
- [80] KLOSE, A. Algorithms for solving the single-sink fixed-charge transportation problem. *Computers & Operations Research* 35, 6 (2008), 2079–2092.
- [81] KLOSE, A., AND DREXL, A. Facility location models for distribution system design. *European Journal of Operational Research* 162, 1 (2005), 4–29.
- [82] KONUR, D., AND SCHAEFER, B. Integrated inventory control and transportation decisions under carbon emissions regulations: Ltl vs. tl carriers. *Transportation Research Part E: Logistics and Transportation Review* 68 (2014), 14–38.
- [83] KOOPMANS, T. C. Optimum utilization of the transportation system. *Econometrica: Journal of the Econometric Society* 17 (1949), 136–146.

- [84] KUNDU, P., KAR, M. B., KAR, S., PAL, T., AND MAITI, M. A solid transportation model with product blending and parameters as rough variables. *Soft Computing* 21, 9 (2017), 2297–2306.
- [85] KUNDU, P., KAR, S., AND MAITI, M. Multi-objective multi-item solid transportation problem in fuzzy environment. *Applied Mathematical Modelling* 37, 4 (2013), 2028–2038.
- [86] KUNDU, P., KAR, S., AND MAITI, M. Fixed charge transportation problem with type-2 fuzzy variables. *Information Sciences* 255 (2014), 170–186.
- [87] KUNDU, P., KAR, S., AND MAITI, M. Multi-item solid transportation problem with type-2 fuzzy parameters. *Applied Soft Computing* 31 (2015), 61–80.
- [88] LABBÉ, M., THISSE, J.-F., AND WENDELL, R. E. Sensitivity analysis in minisum facility location problems. *Operations Research* 39, 6 (1991), 961–969.
- [89] LI, D.-F. *Decision and game theory in management with intuitionistic fuzzy sets*, vol. 308. Springer, 2014.
- [90] LI, G., WANG, Z., AND XU, D. An approximation algorithm for the k -level facility location problem with submodular penalties. *Journal of Industrial & Management Optimization* 8, 3 (2012), 521.
- [91] LI, L., AND LAI, K. K. A fuzzy approach to the multiobjective transportation problem. *Computers & Operations Research* 27, 1 (2000), 43–57.
- [92] LINH, N. K., AND MUU, L. D. A convex hull algorithm for solving a location problem. *RAIRO-Operations Research* 49, 3 (2015), 589–600.
- [93] LOVE, R. F., MORRIS, J. G., AND WESOŁOWSKY, G. O. *Facility Location: Models and Methods*. Springer-Verlag, Berlin, 1995.
- [94] MAHAPATRA, D. R., ROY, S. K., AND BISWAL, M. P. Multi-choice stochastic transportation problem involving extreme value distribution. *Applied Mathematical Modelling* 37, 4 (2013), 2230–2240.
- [95] MAITY, G., MARDANYA, D., ROY, S. K., AND WEBER, G.-W. A new approach for solving dual-hesitant fuzzy transportation problem with restrictions. *Sādhanā* 44, 4 (2019), 75.
- [96] MAITY, G., AND ROY, S. K. Solving multi-choice multi-objective transportation problem: a utility function approach. *Journal of Uncertainty Analysis and Applications* 2, 1 (2014), 11.
- [97] MAITY, G., AND ROY, S. K. Solving multi-objective transportation problem with interval goal using utility function approach. *International Journal of Operational Research* 27, 4 (2016), 513–529.
- [98] MAITY, G., AND ROY, S. K. Solving fuzzy transportation problem using multi-choice goal programming. *Discrete Mathematics, Algorithms and Applications* 9, 06 (2017), 1750076 (17 pages).
- [99] MAITY, G., ROY, S. K., AND VERDEGAY, J. L. Multi-objective transportation problem with cost reliability under uncertain environment. *International Journal of Computational Intelligence Systems* 9, 5 (2016), 839–849.
- [100] MAITY, G., ROY, S. K., AND VERDEGAY, J. L. Analyzing multimodal transportation problem and its application to artificial intelligence. *Neural Computing and Applications* (2019), 1–14, <https://doi.org/10.1007/s00521-019-04393-5>.

- [101] MAITY, G., ROY, S. K., AND VERDEGAY, J. L. Time variant multi-objective interval-valued transportation problem in sustainable development. *Sustainability* 11, 21 (2019), 6161, <https://doi.org/10.3390/su11216161>.
- [102] MANATKAR, R., KARTHIK, K., KUMAR, S. K., AND TIWARI, M. K. An integrated inventory optimization model for facility location-allocation problem. *International Journal of Production Research* 54, 12 (2016), 3640–3658.
- [103] MATAI, R., SINGH, S., AND MITTAL, M. A non-greedy systematic neighbourhood search heuristic for solving facility layout problem. *The International Journal of Advanced Manufacturing Technology* 68, 5-8 (2013), 1665–1675.
- [104] MEHLAWAT, M. K., KANNAN, D., GUPTA, P., AND AGGARWAL, U. Sustainable transportation planning for a three-stage fixed charge multi-objective transportation problem. *Annals of Operations Research* (2019), 1–37.
- [105] MELO, M. T., NICKEL, S., AND SALDANHA-DA-GAMA, F. Facility location and supply chain management—a review. *European Journal of Operational Research* 196, 2 (2009), 401–412.
- [106] MENDEL, J. M., AND JOHN, R. B. Type-2 fuzzy sets made simple. *IEEE Transactions on Fuzzy Systems* 10, 2 (2002), 117–127.
- [107] MIDYA, S., AND ROY, S. K. Solving single-sink, fixed-charge, multi-objective, multi-index stochastic transportation problem. *American Journal of Mathematical and Management Sciences* 33, 4 (2014), 300–314.
- [108] MIDYA, S., AND ROY, S. K. Analysis of interval programming in different environments and its application to fixed-charge transportation problem. *Discrete Mathematics, Algorithms and Applications* 9, 03 (2017), 1750040 (17 pages).
- [109] MINGOZZI, A., AND ROBERTI, R. An exact algorithm for the fixed charge transportation problem based on matching source and sink patterns. *Transportation Science* 52, 2 (2017), 229–238.
- [110] MIRANDA, P. A., AND GARRIDO, R. A. A simultaneous inventory control and facility location model with stochastic capacity constraints. *Networks and Spatial Economics* 6, 1 (2006), 39–53.
- [111] MIŠKOVIĆ, S., STANIMIROVIĆ, Z., AND GRUJIČIĆ, I. Solving the robust two-stage capacitated facility location problem with uncertain transportation costs. *Optimization Letters* 11, 6 (2017), 1169–1184.
- [112] MOGALE, D., KUMAR, M., KUMAR, S. K., AND TIWARI, M. K. Grain silo location-allocation problem with dwell time for optimization of food grain supply chain network. *Transportation Research Part E: Logistics and Transportation Review* 111 (2018), 40–69.
- [113] MULVEY, J. M., VANDERBEI, R. J., AND ZENIOS, S. A. Robust optimization of large-scale systems. *Operations Research* 43, 2 (1995), 264–281.
- [114] MURALI, P., ORDÓÑEZ, F., AND DESSOUKY, M. M. Facility location under demand uncertainty: Response to a large-scale bio-terror attack. *Socio-Economic Planning Sciences* 46, 1 (2012), 78–87.
- [115] OWEN, S. H., AND DASKIN, M. S. Strategic facility location: a review. *European Journal of Operational Research* 111, 3 (1998), 423–447.

- [116] PAKSOY, T., ÖZCEYLAN, E., AND WEBER, G.-W. A multi objective model for optimization of a green supply chain network. In *AIP conference proceedings* (2010), vol. 1239, AIP, pp. 311–320.
- [117] PAKSOY, T., PEHLIVAN, N. Y., AND ÖZCEYLAN, E. Fuzzy multi-objective optimization of a green supply chain network with risk management that includes environmental hazards. *Human and Ecological Risk Assessment: An International Journal* 18, 5 (2012), 1120–1151.
- [118] PEREZ LOAIZA, R. E., OLIVARES-BENITEZ, E., MIRANDA GONZALEZ, P. A., GUERRERO CAMPANUR, A., AND MARTINEZ FLORES, J. L. Supply chain network design with efficiency, location, and inventory policy using a multiobjective evolutionary algorithm. *International Transactions in Operational Research* 24, 1-2 (2017), 251–275.
- [119] PERL, J., AND SIRISOPONSILP, S. Distribution networks: facility location, transportation and inventory. *International Journal of Physical Distribution & Materials Management* 18, 6 (1988), 18–26.
- [120] PERVIN, M., MAHATA, G. C., AND ROY, S. K. An inventory model with declining demand market for deteriorating items under a trade credit policy. *International Journal of Management Science and Engineering Management* 11, 4 (2016), 243–251.
- [121] PERVIN, M., ROY, S. K., AND WEBER, G. W. A two-echelon inventory model with stock-dependent demand and variable holding cost for deteriorating items. *Numerical Algebra, Control & Optimization* 7, 1 (2017), 21–50.
- [122] PERVIN, M., ROY, S. K., AND WEBER, G.-W. Analysis of inventory control model with shortage under time-dependent demand and time-varying holding cost including stochastic deterioration. *Annals of Operations Research* 260, 1-2 (2018), 437–460.
- [123] PERVIN, M., ROY, S. K., AND WEBER, G. W. An integrated inventory model with variable holding cost under two levels of trade-credit policy. *Numerical Algebra, Control & Optimization* 8, 2 (2018), 169–191.
- [124] PERVIN, M., ROY, S. K., AND WEBER, G. W. Deteriorating inventory with preservation technology under price-and stock-sensitive demand. *Journal of Industrial & Management Optimization* (2019), 275–284.
- [125] PERVIN, M., ROY, S. K., AND WEBER, G.-W. An integrated vendor-buyer model with quadratic demand under inspection policy and preservation technology. *Hacetatepe Journal of Mathematics and Statistics* (2019), 1–22, <https://doi.org/10.15672/hujms.476056>.
- [126] PERVIN, M., ROY, S. K., AND WEBER, G. W. Multi-item deteriorating two-echelon inventory model with price-and stock-dependent demand: A trade-credit policy. *Journal of Industrial & Management Optimization* 15, 3 (2019), 1345–1373.
- [127] REVELLE, C. S., AND EISELT, H. A. Location analysis: A synthesis and survey. *European Journal of Operational Research* 165, 1 (2005), 1–19.
- [128] RINGUEST, J. L., AND RINKS, D. B. Interactive solutions for the linear multiobjective transportation problem. *European Journal of Operational Research* 32, 1 (1987), 96–106.
- [129] RIZK-ALLAH, R. M., HASSANIEN, A. E., AND ELHOSENY, M. A multi-objective transportation model under neutrosophic environment. *Computers & Electrical Engineering* 69 (2018), 705–719.

- [130] ROCKAFELLAR, R. T. *Convex analysis*, vol. 28. Princeton university press, 1970.
- [131] ROY, S. K. Lagrange's interpolating polynomial approach to solve multi-choice transportation problem. *International Journal of Applied and Computational Mathematics* 1, 4 (2015), 639–649.
- [132] ROY, S. K. Transportation problem with multi-choice cost and demand and stochastic supply. *Journal of the Operations Research Society of China* 4, 2 (2016), 193–204.
- [133] ROY, S. K., AND BHAUMIK, A. Intelligent water management: A triangular type-2 intuitionistic fuzzy matrix games approach. *Water Resources Management* 32, 3 (2018), 949–968.
- [134] ROY, S. K., EBRAHIMNEJAD, A., VERDEGAY, J. L., AND DAS, S. New approach for solving intuitionistic fuzzy multi-objective transportation problem. *Sādhanā* 43, 1 (2018), 3, <https://doi.org/10.1007/s12046-017-0777-7>.
- [135] ROY, S. K., AND MAITY, G. Minimizing cost and time through single objective function in multi-choice interval valued transportation problem. *Journal of Intelligent & Fuzzy Systems* 32, 3 (2017), 1697–1709.
- [136] ROY, S. K., MAITY, G., AND WEBER, G.-W. Multi-objective two-stage grey transportation problem using utility function with goals. *Central European Journal of Operations Research* 25, 2 (2017), 417–439.
- [137] ROY, S. K., MAITY, G., WEBER, G. W., AND GÖK, S. Z. A. Conic scalarization approach to solve multi-choice multi-objective transportation problem with interval goal. *Annals of Operations Research* 253, 1 (2017), 599–620.
- [138] ROY, S. K., AND MIDYA, S. Multi-objective fixed-charge solid transportation problem with product blending under intuitionistic fuzzy environment. *Applied Intelligence* 49, 10 (2019), 3524–3538.
- [139] ROY, S. K., MIDYA, S., AND VINCENT, F. Y. Multi-objective fixed-charge transportation problem with random rough variables. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems* 26, 6 (2018), 971–996.
- [140] ROY, S. K., MIDYA, S., AND WEBER, G.-W. Multi-objective multi-item fixed-charge solid transportation problem under twofold uncertainty. *Neural Computing and Applications* 31, 12 (2019), 8593–8613.
- [141] ROY, S. K., PERVIN, M., AND WEBER, G. W. A two-warehouse probabilistic model with price discount on backorders under two levels of trade-credit policy. *Journal of Industrial & Management Optimization* (2018), 658–662.
- [142] ROY, S. K., PERVIN, M., AND WEBER, G. W. Imperfection with inspection policy and variable demand under trade-credit: A deteriorating inventory model. *Numerical Algebra, Control & Optimization* (2019), 658–662.
- [143] SABBAGH, M. S., GHAFARI, H., AND MOUSAVI, S. R. A new hybrid algorithm for the balanced transportation problem. *Computers & Industrial Engineering* 82 (2015), 115–126.
- [144] SAIF, A., AND ELHEDHLI, S. A lagrangian heuristic for concave cost facility location problems: the plant location and technology acquisition problem. *Optimization Letters* 10, 5 (2016), 1087–1100.
- [145] SAMARGHANDI, H., TAABAYAN, P., AND JAHANTIGH, F. F. A particle swarm optimization for the single row facility layout problem. *Computers & Industrial Engineering* 58, 4 (2010), 529–534.

- [146] SARKAR, B., GANGULY, B., SARKAR, M., AND PAREEK, S. Effect of variable transportation and carbon emission in a three-echelon supply chain model. *Transportation Research Part E: Logistics and Transportation Review* 91 (2016), 112–128.
- [147] SARMA, D., BERA, U. K., AND DAS, A. A mathematical model for resource allocation in emergency situations with the co-operation of ngos under uncertainty. *Computers & Industrial Engineering* 137 (2019), 106000.
- [148] SENGUPTA, D., DAS, A., AND BERA, U. K. A gamma type-2 defuzzification method for solving a solid transportation problem considering carbon emission. *Applied Intelligence* 48, 11 (2018), 3995–4022.
- [149] SHAHABI, M., AKBARINASAJI, S., UNNIKRISHNAN, A., AND JAMES, R. Integrated inventory control and facility location decisions in a multi-echelon supply chain network with hubs. *Networks and Spatial Economics* 13, 4 (2013), 497–514.
- [150] SHELL, E. Distribution of a product by several properties, directorate of management analysis. In *Proceedings of the second symposium in linear programming* (1955), vol. 2, pp. 615–642.
- [151] SHERALI, H. D., AND TUNCBILEK, C. H. A squared-euclidean distance location-allocation problem. *Naval Research Logistics Quarterly* 39, 4 (1992), 447–469.
- [152] SILVA, F., AND GAO, L. A joint replenishment inventory-location model. *Networks and Spatial Economics* 13, 1 (2013), 107–122.
- [153] SINGH, S. P., AND SHARMA, R. R. A review of different approaches to the facility layout problems. *The International Journal of Advanced Manufacturing Technology* 30, 5-6 (2006), 425–433.
- [154] SMARANDACHE, F. A unifying field in logics. neutrosophy: Neutrosophic probability, set and logic, 1999.
- [155] SNYDER, L. V. Facility location under uncertainty: a review. *IIE transactions* 38, 7 (2006), 547–564.
- [156] SONG, S., GOVINDAN, K., XU, L., DU, P., AND QIAO, X. Capacity and production planning with carbon emission constraints. *Transportation Research Part E: Logistics and Transportation Review* 97 (2017), 132–150.
- [157] TADEI, R., PERBOLI, G., RICCIARDI, N., AND BALDI, M. M. The capacitated transshipment location problem with stochastic handling utilities at the facilities. *International Transactions in Operational Research* 19, 6 (2012), 789–807.
- [158] TAILLARD, É. D. Heuristic methods for large centroid clustering problems. *Journal of Heuristics* 9, 1 (2003), 51–73.
- [159] TANG, S., WANG, W., CHO, S., AND YAN, H. Reducing emissions in transportation and inventory management:(r, q) policy with considerations of carbon reduction. *European Journal of Operational Research* 269, 1 (2018), 327–340.
- [160] TANG, S., WANG, W., YAN, H., AND HAO, G. Low carbon logistics: Reducing shipment frequency to cut carbon emissions. *International Journal of Production Economics* 164 (2015), 339–350.
- [161] TOKGÖZ, E., ALWAZZI, S., AND TRAFALIS, T. B. A heuristic algorithm to solve the single-facility location routing problem on riemannian surfaces. *Computational Management Science* 12, 3 (2015), 397–415.

- [162] TURKEN, N., CARRILLO, J., AND VERTER, V. Facility location and capacity acquisition under carbon tax and emissions limits: To centralize or to decentralize? *International Journal of Production Economics* 187 (2017), 126–141.
- [163] TZENG, G.-H., AND HUANG, J.-J. *Multiple attribute decision making: methods and applications*. Chapman and Hall/CRC, 2011.
- [164] WANKA, G., AND WILFER, O. Duality results for nonlinear single minimax location problems via multi-composed optimization. *Mathematical Methods of Operations Research* 86, 2 (2017), 401–439.
- [165] WEBER, A. *Theory of the Location of Industries*. University of Chicago Press, 1929.
- [166] WU, P., JIN, Y., SHI, Y., AND SHYU, H. The impact of carbon emission costs on manufacturers' production and location decision. *International Journal of Production Economics* 193 (2017), 193–206.
- [167] YANG, Z., CHEN, H., CHU, F., AND WANG, N. An effective hybrid approach to the two-stage capacitated facility location problem. *European Journal of Operational Research* 275, 2 (2019), 467–480.
- [168] YANG, Z., CHU, F., AND CHEN, H. A cut-and-solve based algorithm for the single-source capacitated facility location problem. *European Journal of Operational Research* 221, 3 (2012), 521–532.
- [169] ZADEH, L. A. Fuzzy sets. *Information and control* 8, 3 (1965), 338–353.
- [170] ZADEH, L. A. The concept of a linguistic variable and its application to approximate reasoning—i. *Information Sciences* 8, 3 (1975), 199 – 249.
- [171] ZANGIABADI, M., AND MALEKI, H. R. Fuzzy goal programming technique to solve multiobjective transportation problems with some non-linear membership functions. *Iranian Journal of Fuzzy Systems* 10, 1 (2013), 61–74.
- [172] ZIMMERMANN, H.-J. Fuzzy programming and linear programming with several objective functions. *Fuzzy Sets and Systems* 1, 1 (1978), 45–55.