

List of Tables

2.1	The capacities of supply & demand of the plants.	33
2.2	The positions & weights of the existing plants.	33
2.3	The possible BFS set 1.	33
2.4	The possible BFS set 2.	33
2.5	The possible BFS set 3.	33
2.6	Computational results for Tables 2.3 to 2.5.	34
2.7	Case 2.1.	34
2.8	Case 2.2.	34
2.9	Case 2.3.	34
2.10	Case 2.4.	34
2.11	Cost Coefficients for Table 2.7.	34
2.12	Cost Coefficients for Table 2.8.	34
2.13	Cost Coefficients for Table 2.9.	35
2.14	Cost Coefficients for Table 2.10.	35
2.15	Initial BFS for Table 2.7.	35
2.16	Initial BFS for Table 2.8.	35
2.17	Initial BFS for Table 2.9.	35
2.18	Initial BFS for Table 2.10.	35
2.19	Computational results for Tables 2.15 to 2.18.	35
2.20	The optimal solution of the proposed T-LP.	36
2.21	The sub-optimal solution of the proposed T-LP.	36
3.1	Cost matrix (f_{ij}, c_{ij}).	47
3.2	The positions and weights of the existing plants.	47
3.3	Case 3.1.	48
3.4	Case 3.2.	48
3.5	Case 3.3.	48
3.6	Case 3.4.	48
3.7	Cost Coefficient (c_{ij}) for Table 3.3.	48
3.8	Cost Coefficient (c_{ij}) for Table 3.4.	48
3.9	Cost Coefficient (c_{ij}) for Table 3.5.	48
3.10	Cost Coefficient (c_{ij}) for Table 3.6.	48

3.11	Balinski Cost matrix ($C_{ij} = c_{ij} + f_{ij}/m_{ij}$) for Table 3.7	49
3.12	Balinski Cost matrix ($C_{ij} = c_{ij} + f_{ij}/m_{ij}$) for Table 3.8.	49
3.13	Balinski Cost matrix ($C_{ij} = c_{ij} + f_{ij}/m_{ij}$) for Table 3.9.	49
3.14	Balinski Cost matrix ($C_{ij} = c_{ij} + f_{ij}/m_{ij}$) for Table 3.10.	49
3.15	Initial BFS (w_{ij}^B, u_{ij}^B) for Table 3.11.	49
3.16	Initial BFS (w_{ij}^B, u_{ij}^B) for Table 3.12.	49
3.17	Initial BFS (w_{ij}^B, u_{ij}^B) for Table 3.13.	49
3.18	Initial BFS (w_{ij}^B, u_{ij}^B) for Table 3.14.	49
3.19	Computational results for Tables 3.15 to 3.18.	50
3.20	The optimal solution of proposed FCT-LP.	50
3.21	The ranges of supply and demand parameters.	52
4.1	Cost of matrix (c_{ijk}).	62
4.2	Positions & weights of the existing plants.	62
4.3	Conveyances cost and weights.	62
4.4	Case 4.1.	63
4.5	Case 4.2.	63
4.6	Case 4.3.	63
4.7	Case 4.4.	63
4.8	Cost Coefficients (c_{ijk}) for Table 4.4.	63
4.9	Cost Coefficients (c_{ijk}) for Table 4.5.	63
4.10	Cost Coefficients (c_{ijk}) for Table 4.6.	64
4.11	Cost Coefficients (c_{ijk}) for Table 4.7.	64
4.12	Initial BFS (w_{ijk}^B) for Table 4.8.	64
4.13	Initial BFS (w_{ijk}^B) for Table 4.9.	65
4.14	Initial BFS (w_{ijk}^B) for Table 4.10.	65
4.15	Initial BFS (w_{ijk}^B) for Table 4.11.	65
4.16	Computational results for Tables 4.12-4.15.	65
4.17	Computational results for Table 4.15 (for Case 4).	66
4.18	The optimal solution of the proposed ST-LP.	66
4.19	The ranges of supply, demand and conveyance parameters.	68
5.1	Locations and weights of the existing firms.	83
5.2	Pay-off table (t_{ij}, δ_{ij}).	83
5.3	Case 5.1.1.	84
5.4	Case 5.1.2.	84
5.5	Case 5.1.3.	84
5.6	Case 5.1.4.	84
5.7	The range of supply and demand parameters for Case 5.1.	88
5.8	The range of supply and demand parameters for Case 5.2.	88

6.1	Positions and weights of the supplier firms.	104
6.2	Locations and weights of the warehouses.	104
6.3	Pay-off table (t_{kj}, δ_{kj}).	105
6.4	Pay-off table (t_{ik}, δ_{ik}).	105
6.5	Capacity & weight of conveyance.	105
6.6	Pay-off table for parameters (A_{ik}).	105
6.7	Pay-off table for parameters (G_{kj}).	105
6.8	Case 6.1.	106
6.9	Case 6.2.	106
6.10	Case 6.3.	106
6.11	Case 6.4.	106
6.12	The range of supply, demand and capacity parameters for the example..	108
7.1	Fixed-charge cost and dwell time (f_{ijk}, t_{ijk}).	126
7.2	The Pareto-optimal solution of Example 1.	127
7.3	The Pareto-optimal solution of Example 2.	127
7.4	Comparison between proposed and others existing approaches.	129
7.5	The range of supply, demand and capacity parameters of Example 1.	130
7.6	The range of supply, demand and capacity parameters of Example 2.	130