

Research Articles/ Review Articles/Short Communications:**A**

Ademiluyi, A.O. and Oboh, G. (2008). Antioxidant properties of methanolic extracts of mistletoes (*Viscum album*) from cocoa and cashew trees in Nigeria. *African Journal of Biotechnology* .7(17):3138-3142.

Aderogba, M.A, Okoh, E.K. Adelanwa, T.A. and Obutor, E.M. (2004). Antioxidant properties of the Nigerian piliostigma species. *Journal of Biological Science*. 4: 501-503.

Agbaire, P.O. and Esiefarienrhe, E. (2009). Air pollution tolerant indices (APTI) of some plants around Otorogun grass plant in Delta State, Nigeria. *International Journal of Applied Sciences and Environmental Management* 13(1):11-14.

Ajay, I.A. Ajibade. and oderinde, R.A. (2011). Preliminary phytochemical analysis of some plant seeds. *Journal of chemaical science*. 1(3): 120-123.

Albrecht, M.A., Evans, C.W. Raston, C.L. (2006). Green chemistry and the health implication of nanoparticles. *Green Chemistry*. 8: 417-432.

Antoniew and Sprent.(1978). Lethal graft-versus-host disease after bone marrow transplantation across minor histocompatibility barriers in mice. Prevention by removing mature T cells from marrow. *Journal of Experimental Medicines*. 148(6):1687-169.

Arnon, D.I. (1949). Copper enzymes in isolated chloroplast polyphenol oxidase in *Beta vulgaris*. *Plant Physiology* 24: 1-15.

Azuma, J.I., Kim, N.H., Heux, L., Vuong, R. and Chanzy, H. (2000). The cellulose system in viscin from mistletoe berries. *Cellulose* 7: 3-19

B

Bajaj, K. L. and Kaur, G. (1981). Spectrophotometric determination of L-ascorbic acid in vegetables and fruits. *Analyst*. 106 (1258): 117-120.

Bako, S.P., Bello, R.A. and Bako, L.S.P. (2003). Vegetative Anatomy of the Loranthacean Mistletoes (*Tapinanthus dodoneifolius*(DC)Danser), *Nigerian Journal of Botany*, 16: 98-104

Becker, H. and Schwarg, G. (1971). Calluskulturen von *viscum album*, eine mögliche rohstoffquelle zur gewinnung therapeutisch interessanter inhaltsstoffe. *Planta Medica*. 20(6): 357-362

Brain, K.R. and Turner, T.D. (1975). Practical evaluation of Phytopharmaceuticals; Wright - Scientechica. 1st Ed. Bristol: 144.

D

Das, P.K., Mondal, A.K. and Parui, S.M. (2011). Antimicrobial Activity of some selected dye yielding plants in Eastern India. *African Journal of Plant Science*. 5(9): 510-520.

Del, Campo, J., Amiot, M. J. and Nguyen, C. (2000). Antimicrobial effect of Rosemary extract. *Journal of Food Protection*. 10:1315-1449

Whalley, C., Rankin, S.M., Houct, J.R.S., Jessup, W. and Leake, D.S. (1990). Flavonoid inhibit the oxidative modification of low-density lipoproteins by macrophages. *Biochemistry and Pharmacology*. 39:1743-1750.

Dinesh, S., Karthikeyan, S. and Arumugam, P. (2012). Biosynthesis of silver nanoparticles from *Glycyrrhiza glabra* root extract. *Elixir Optical Materials*. 44: 7364 – 7366.

Droge, W. (2002). Free radicals in the physiological control of cell function. *Physiology Riview*. 82(1):47-95.

Dwivedi, A.D. and Gopal, K.(2010). Biosynthesis of silver and gold nanoparticles using *Chenopodium album* leaf extract. *Colloids and Surfaces. Physicochemical and Engineering Aspects*. 369: 27-33.

E

Edeoga, H.O., Okwu, D.E. and Mabaebie, B.O. (2005). Phytochemical Constituents of Some Nigerian medicinal Plants, *African journal of Biotechnology*.4: 685-688.

Elliott H.A., Liberati M.R., and Huang C.P. (1986). Competitive adsorption of heavy metals by soils. *Journal of Environmental Engineering Science*. 15:214-217.

Evan, J (2005). Mistletoe. Good for more than free kisses. *Journal of American Botanical Council*. 78:50-59.

F

Falodun, A., Okunrobo, L. and Agbo, L. (2007). Evaluation of the anti- edematogenic activity of the aqueous extract of *leea guineensis*. *African. Journal of Biotechnology*. 6(9): 1151-1153.

G

Gantra, H. Durge, P. and Patil, S.U. (2012). Preliminary Phytochemicals Investigation and TLC Analysis of *Ficus racemosa* Leaves. *Journal of chemical and pharmaceutical Research*. 4(5):2380-2384.

H

Hader, A., Aqel, M. and Hasan, Z. (1993). Hypoglycaemic effects of the volatile oil of *Nigella sativa* seeds. *Pharmaceutical Biology*. 31(2): 96-100.

Hall, J.L. (2002). Cellular mechanisms for heavy metal detoxification and tolerance. *Journal of Experimental Botany*. 53:1-11.

Hazra, B., Biswas, S. and Mondal, N. (2008). Antioxidant and free radicals scavenging activity of *Spondias pinnata*. *Dec.doi.10:1186*.

Hirata, H., Takaichi, S., Yanagisawa, M. and Masaki, T. (1988). Binding and receptor down-regulation of a novel vasoconstrictor endothelium in cultured rat vascular smooth muscle cells. *FEBS. Letter*. 239:13-17.

Hussain, A. M., Khan, Q.M. and Hussain, N. (2011). Antimicrobial Screening of *Viscum Album* L. Extracts. *International Proceedings of Chemical, Biological and Environmental Engineering*. 6(2): 203-208.

I

Ibrahim, J.A., Ayodele, A.E., Jegede, A.I. and Kunle, Y.F. (2006). Comparative Studies on *Khaya* A. Juss. (Meliaceae) in Nigeria. *African Journal of Biotechnology*,5(11): 1154-1160.

Ibrahim, J.A., Ayodele, A.E., Okhale, S.E., Jegede A.I. and Kunle,O.F. (2009). The taxonomic significance of *Agelanthus dodoneifolius* (DC.) Polh. & Wiens in relation to its hosts. *Nigerian Journal of Botany*,22(1): 89-101

Imafidon, K.E., and Igbinaduwa, P.(2007). Effects of dried powdered leaves of *Loranthus bengwensis* L. (African mistletoe) on blood pressure and electrolyte leves of normal and hypertensive rats. *Global Journal of Biotechnology and Biochemistry Research*. 2(2):51-3

J

Joshi, O.P., Wagola, D.K. and Pawar, K. (1997). Urban air pollution effect on two species of *Cassia*. *Pollution Research*. 16(1): 1-3.

K

Kalimuthu, K. Babu, R.S. Venkataraman, D. Bilal, M. Gurunathans, S (2008). Biosynthesis of Silver nanocrystals by *Bacillus licheniformis*. *Colloid Surf B: Biointerfaces*. 65(1): 150-153.

Karmakar, S., Kundu, S. and Kundu, K.(2010). Bioconversion of silver salt into silver nanoparticles using different microorganisms. *Artificial Cells. Nanomedicine and Biotechnology*. 38(5): 259-266.

Kato, T.M., Hirata, T., Saito, S.M. and Kise, K.M. (1988). An efficient algorithm for the Euclidean distance transformation. *Science Journal*. 10:1002.

King, L.D. (1988). Retention of metals by several soils of the southeastern United States. *Journal of Environmental Engineering Science*. 17:239-246.

L

Lowry, O.H., Rosebrough, N.J., Farral, and Randall, R.J. (1951). Protein measurement with the Folin phenol reagent. *J.Biol.Chem*. 193(1):265-275.

M

MacFarlane, G.R., Pulkownik A and Burchett, M.D. (2003). Accumulation and distribution of heavy metals in the grey mangrove, *Avicennia marina* (Forsk.) Vierh. : Biological indication potential. *Environmental Pollution*.123:139-151.

Maity, S. and Mondal, A.K. (2015). Air Pollution Tolerance Index Of Some Plant Species Of West Midnapore Distric, West Bengal, India. *Advancement in Plant Sciences*, Lambert Academic Publishing. 1: 51-54.

Mallick, P. and Singh. (1980). Evaluation of phenol, flavonoid contents and antioxidant activity of *Polyalthia longifolia*. *J.Chem.Pharma.Res*. 3(1):764-769.

Mann, A., Banso, A. and Clifford, L.C. (2008). An antifungal property of crude plant extracts from *Anogewassus leiocarpus* and *Terminalia avicennioides*. *Tanzania Journal of Health Research*. 10(1):34-38.

Maria, C.S.M., Zhang, X., Swinnea, S.P., Meesen, R. and Radman, N. (2010). Task-specific effect of transcranial direct current stimulation on Motor learning. *Pub.Med*. 10:338.

Martinez, C, Hourdequin, M, Silva, A and Medel, R. (1995). The influence of cactus size and previous infection on deposition of mistletoe seeds. *Aust Journal of Ecology* .20:571-76

Mojab, F.K., amalinijad, M., Ghaderi, N. and Vahidipour, H. (2003). Phytochemical Screening of Some Iranian Plants, *Iranian Journal of Pharmaceutical Research*. 77-82.

Mothana, R.A.A. and Lindequist, U. (2005). Antimicrobial activity of some medicinal plants of the island Soqotra. *Journal of Ethnopharmacology*. 96:177-181.

N

Nickrent, D. L and Musselman, L. (2004). Introduction to parasitic flowering plants. *The Plant Health Instructor*. 13: 300-315.

Nickrent, D.L and Franchina, C.R. (1990). Phylogenetic relationships of the Santales and relatives. *Journal of Molecular Evolution*.31:294-301

Nickrent, D.L., Malécot, V., Vidal-Russell, R. and Der, J.P. (2010). A revised classification of Santalales. *Taxon* 59: 538-558.

Nithamathi, C.P. and Indira, V. (2005). Impact of air pollution on *Ceasalpinia sepiaria*L. in Tuticorin city . *Indian Journal Of Environment And Ecoplanning*. 10(2): 449-452.

Nriagu J.O and Pacyna J.M (1988). Quantitative assessment of worldwide contamination of air, water and soils by trace metals. *Nature*. 333:134-139.

O

Obatomi, D.K., Bikomo, F.O. and Temple, V.J. (1994). Antidiabetic properties of the African mistletoe in Streptozotocin-induced diabetic rats. *Journal of Ethnopharmacology*. 43 (1): 13-17

Ogundare, A.O. and Onifada, A.K. (2009). The antimicrobial activity of Morindalucida leaf extract on E. coli . *Journal of Medicinal Plant Research*. 3(4): 319-323.

Osadebe, P.O. Okide, G.B. and Akabogu, I.C (2004). Studies on antidiabetic activities of crude methanolic extract of Loranthaceae. *Journal of Ethnopharmacology*. 95 (2-3): 133-138.

Osadebe, P.O., Okide, G.B. and Akabogu, I.C. (2004). Studies on antidiabetic activities of crude methanolic extract of loranthus micranthus (Linn) sourced from five different host trees. *Journal of Ethnopharmacology*. 95 (2-3): 133-138.

P

Pernossian, A. and Kocharan, A. (2004). Pharmacological activities of phenyl propanoids of mistletoe (*Loranthus parasiticus*) sourced from different host trees, *Bioresearch Journal*; 2(1):18-23

Pilon-Smits, E. (2005). Phytoremediation. *Annual Review of Plant Biology*. 56:15-39.

R

Rababah, T.M., Hettiarachchy, N.S. and Horax, R. (2004). Total phenolics and antioxidant activities of fenugreek green tea, black tea, graph seed, ginger, rosemary, gotukota and

ginkgo extracts, vitamins and tert- butylhydroquinone. *Journal of Agricultural and Food Chemistry*, 52(16):5183-5186.

Rahmalia, A., Rizkita, R. and Iriawati, A. (2010). A Qualitative and Quantitative Evaluation of Terpenoid and Alkaloid in Root and Stem of Pasak Buri *Eurycoma longifolia* jack. *Jurnal Pendidikan Sains dan Matematik Malaysia*. 16(1): 95.

Roy, N. and Bark, A. (2010). Green Synthesis of Silver nano particles from the unexploited Weed resources. *International journal of Nanotechnology*.4: 95.

S

Satyavani, K., Gurudeeban, S. and Balasubramanian, T.R. (2011). Biomedical potential of silver nanoparticles synthesized from calli cells of *Citrullus colocynthis* (L.) *Schrad.* *Journal of Nanobiotechnology*. 9: 43.

Sebastiani, L., Scebba, F. and Tognetti, R. (2004). Heavy metal accumulation and growth responses in poplar clones Eridano (*Populus deltoides* x *maximowiczii*) and I-214 (*P.* x *euramericana*) exposed to industrial waste. *Environmental and Experimental Botany*. 52:79-88.

Shavvon, R.S., Mehrvarz, S. S. and Golmohammadi, N. (2012). Evidence from micromorphology and gross morphology of the genus *Loranthus* (Loranthaceae) in Iran. *Turkish Journal of Botany*. 36 (2012) 655-666

Siefermann- Harms, D. (1987). The light- harvesting and protective functions of carotenoids in photosynthetic membranes. *Physiology Plantarum* 69: 561-568.

- Silambarasan, S. and Jayanthi, A. (2013). Biosynthesis of silver nanoparticles using *Pseudomonas fluorescens*. *Research Journal of Biotechnology*. 8(3): 71-75.
- Singh, L. J. (2013). *Macrosolen andamanensis*. (Loranthaceae): a new species of Mistletoe from Bay Island, India. *Indian Journal of Forestry*. 36(1): 55-59.
- Singh, L. J. and Murugan, C. (2013). Genus *Dendrophoe* Mart. (Loranthaceae) from Bay Island With a new record for India and inventory of host species. *Geophytology*. 43(1): 41-49.
- Singh, S.K. and Rao, D.N. (1983). Evaluation of plants for their tolerance to air pollution. *Indian Proceedings Symposium on Air pollution control*, 218-224.
- Sies, H. (1996). Lycopene: A biologically important carotenoid for humans? *Arch Biochem Biophys*. 336(1):1-9.
- Smitha, S.L., Nissamudeen, K.M., Philip, D. and Gopchandran, K.G. (2008). Studies on surface plasmon resonance and photoluminescence of silver nanoparticles. *Spectrochim Acta Molecular and Biomolecular Spectroscopy*. 71(1): 186–1900.
- Somolenski, S.J., Silinis, H. and Farnsworth, N.R. (1974). Alkaloid screening. V. *Lloydia*. *Pubmed*. 37(3):506-36.
- Somro, R.R., Qureshi, A., Mahaood, M. T., Khan, M. A. and Makka, G. A. (1997). Ethnobotanical uses of *Adhatoda vasica* in chest Diseases. *Hamdard medicus*, 38(1): 24-29.

Song, J.Y. and Kim, B.S. (2008). Biological synthesis of bimetallic Au/Ag nanoparticles using Persimmon (*Diopyros kaki*) leaf extract. *Korean Journal of Chemical Engineering*. 25: 808- 811.

Stace, A. C. (1965). Cuticular studies as an aid to Plant Taxonomy. The *Bulletin of the Museum (Natural History)*. Botany series. Trustees of the British Museum. 4(1): 1-78.

Supraja, S., Ali, S.M., Chakravarthy, N., Jayaprakashpriya, A., Sagadevan, E. and Kasinathan, M.K. (2013). Green synthesis of silver nanoparticles from *Cynodon dactylon* leaf extract. *International Journal of ChemTech Research*. 5(1): 271-277.

T

Tahir, S. S. and Rajput, M. T. (2002). S.E.M Structure distribution and Taxonomic signnificance of foliar stomata in *Sibbaldia L.* species (Rosaceae). *Pakistan journal of Botany*. 41:2137-2143

Tarfa, F.D., Amos, S., Temple, V.J., Binda, L., Emeje, M. Obodozie, O., Wambebe C. and Gamaniel,K. (2002). Effect of the aqueous extract of African mistletoe, *Tapinanthus sessilifolius* (P. Beauv) van Tiegh leaf on gastrointestinal activity. *Indian Journal of Experimental Biology*. (5): 571-574.

Tripathi, S. and Mondal, A. K. (2012). Comparative (Quantitative and Qualitative)studies of stomata of selected six medicinally viable species of *Cassia L.* *International Journal of Life Sciences Biotechnology and Pharma Research*. 1(3), 104-113.

U

Ushimaru, P.I. Mariama, T.N., Luiz, C. Di-Luciano, B. and Ary, F. J. (2007). Antibacterial activity of medicinal plant extract. *Brazilian Journal of Microbiology*. 38:717-719.

V

Van, A.F. and Clijsters, H. (1983). Multiple effects of heavy metals on photosynthesis. In: Marcelle R (ed), *Effects of Stress on Photosynthesis*, pp. 371-382.

Varela, B.G., Fernandez, T., Ricco, R.A., Zolezzi, P.C., Hajos, S.E., Gurni, A.A., Alvarez, E. and Wagner, M.L. (2004). *Phorandendron liga* (Gill. ex H. et A) Eichl. (Viscaceae) used in folk medicine: anatomical, phytochemical and immunochemical studies. *Journal of Ethnopharmacology*, 94: 109- 116.

Vidal-Russell, R. and Nickrent, D.L. (2008). Evolutionary relationships in the showy mistletoe family (Loranthaceae). *American Journal of Botany* 95: 1015-1029.

Videl-Russel, R. and Nickrent, D.L. (2008a). Origin of aerial parasitism in Santalales. *Molecular Phylogenetics and Evolution*. 47: 523-537.

Vigneshwaran, N., Ashtaputre, N.M., Varadarajan, P.V., Nachane, R.P., Paraliker, K.M. and Balasubramanya, R.H. (2007) Biological Synthesis of Silver Nanoparticles Using the Fungus *Aspergillus flavus*. *Materials Letter*. 61: 1413-1418.

W

Wiens, D, Nickrent, D.L. Shaw I, C. G. Hawksworth, F. G. Hennon, P. E. AND King, E. J. (1996). Embryonic and host-associated skewed adult sex ratios in dwarf mistletoe. *Heredity* 77: 55-63

Willson, C. A. and Calvin, C. L. (2006). Character divergence and convergence in canopy dwelling Loranthaceae. *Botanical Journal of the Linnean Society*. 150:110-114.

Willson, C. A. and Calvin, C. L. (2006b). An origin of aerial branch parasitism in the mistletoe family Loranthaceae. *American Journal of Botany*. 93:787-796.

X

Xue-Zhi, W., Ling-Yun, L., Zhi-Fang, C. and Jun-Xia, S.U. (2006). The anatomic research on vegetative organ in two parasite species of Loranthaceae. *Bulletin of Botanical Research*. 26: 663-666.

Y

Yang, X., Feng, Y., He, Z. and Stoffella, P.J. (2005). Molecular mechanisms of heavy metal hyperaccumulation and phytoremediation. *Journal of Trace Elements in Medicinal Biology* 18: 339-353.

Yu, J.Y., Taylor, J., Ruitter, D.L., Voljtek, A.B. and Tunner, D.L. (2003). Simultaneous inhibition of GSK3 alpha and GSK3 beta using hairpin SiRNA expression vectors. *Mol. Ther.* 7(2):228-236.

Z

Zarchi, A.K., Mokhtari, N., Rehman, M., Ali, T. and Amini, M.,(2011). A sunlight-induced method for rapid biosynthesis of silver nanoparticles using an *Andrachnea chordifolia* ethanol extract. *Journal of Applied Physics*; 103(2): 349-353.

Books:**A**

Aguwa, C.N. (2004). Therapeutic basis for clinical pharmacy in the topics. 3rd ed. Enugu: SNAAP Press Ltd.; p. 125-230.

B

Barlow, B.A. (1995). New and Noteworthy Malesian species of Loranthaceae. *Blumea* 40: 15-31.

Barlow, B.A. (1997). Lorenthaceae. In: C. Kalkaman, D.W. Kirkus, H.P. Nooteboom, R.F. Stevens, and W.J.J. O. de Wilde (Eds), *Flora Malesiana. Rijks herbarium* Leiden, Netherlands 13: 209-401.

Barlow, B.A. (2002). Loranthaceae. In: *Flora of Thailand* 7(4): 665-706.

BARLOW, B. A. (1983). Biogeography of Loranthaceae and Viscaceae. In: CALDER, M. and BERNHARDT, P. (Eds.): *The biology of mistletoes.* - Academic Press Australia. 19-46.

C

Calder, D. M. (1983). Mistletoe in focus: an Introduction. In: CALDER, M. and BERNHARDT, P. (Eds.): The biology of Mistletoes. - Academic Press Australia. 1-18

Calder, D. M. and Bernhardt, P. Eds.(1983). Phytochemical composition of *Talinum triangulare*(water leaf) . Food chemistry. 54p

Carlquist, S (1961). *Comparative Plant Anatomy: A Guide to Taxonomic and Evolutionary Applications of Anatomical Data in Angiosperms*. New York: Holt, Rinehart and Winston.

D

Demuth, K. and Weber, H.C. (1987). Observations on Australian and New Zealand Loranthaceae/Viscaceae. IV. Anatomy of the leaves. In: Weber HC & Forstreuter W (eds). Parasitic Flowering Plants, pp. 151-162. Proceeding of 4th International Symposium on Parasitic Flowering Plants, Marburg.

Douglas, A. E.(1994). Symbiotic Interactions. Oxford University Press.

Duthie, J.F. (1903). Flora of the Upper Gangetic Plain and of the adjacent Siwalik and Sub-Himalayan tracts. Vol. 2. Superintendent Government Printing. India, Kolkata. PP. 1-470.

G

Gupta, S.(1984). The Ayurvedic system of medicine occurring in Charka, Sushruta. Neeraj Publishing House, New Delhi, India, Vol-II.

H

Harbone, J.B. (1973). *Phytochemical methods*, London: Chapman and Hall, Ltd. 49-188.

Hawksworth, F. G. and Wiens, D.(1996).Dwarf mistletoes: Biology, Pathology and Systematics. Agriculture Handbook Washington, DC: U.S.D.A. Forest Service. P 709.

Hegi, G. (1981). *Illustrierte Flora von Mitteleuropa*, Band III, Teil 2. Angiospermae, dicotyledones 1. Verlag Paul Parey, Berlin:Germany.

Hooker, J.D. (1890). The Flora of British India. Reeve and Co., London. PP. 910.

J

Judd, W.S., Campbell, C.S., Kellogg, E.A., Stevens, P.F.and Donaghue, M.J. (2002). Plant systematics: a phylogenetic approach. Sinauer Associates, Inc., Sunderland Massachusetts, USA ISBN 0-87893-403-0.

K

Kuijt. J. (1969). The biology of parasitic flowering plants. Berkeley. CA: Univ. California Press. p. 246.

M

Metcalf, C.R. and Chalk, L. (1957). *Anatomy of the Dicotyledones*. Oxford: Clarendon. 2: 978-988.

Musselman, L.J. and Press, M.C. (1995). Introduction to parasitic plants. In Parasitic Plants. Press, M. C. and Graves, J. D. (Eds), Chapman & Hall, London. Pp. 1-13.

N

Nickrent, D.L. (2002). Santalales (Mistletoe). Encyclopedia of Life Science, John Wiley & Sons, Ltd. Pp. 1-4.

S

Sofowora, A. (1993). *Medicinal plants and Traditional medicine in Africa*: Spectrum Books Ltd, Ibadan, Ibadan, Nigeria, 289.

R

Rechinger, K. H. (1976). *Flora indica*, Lfg. Graz: Akademische Druck-und Verlagsanstalt. 116.

Rechinger, K.H. (1976). Loranthaceae. In: Rechinger KH (ed.): *Flora Iranica*, Lfg. 116. - Graz: Akademische Druck and Verlagsanstalt.

Roxburg, W. (1832). *Flora Indica or Description of Indian plants*, Rep. 1972. New Delhi. 1-763.

T

Teinsdl, F. (1935): Pollen and *Embryosack Entwicklung Bei* *Viscum album* L. and *Viscum articulatum Buam.* - *Der. Schweiz. Bot. Ges.* 44: 343-388

The *Indian Pharmacopoeia*, (1996). The controller of publication, Delhi (CSIR) 2, Part II

Thomas, B. (1848). *The sportsman's cyclopaedia*. 940p.

W

Wallden, B. (1961). Misteln vid dessNordgräns. - Sv. Bot. Tidskr. 55: 427-549.

Wangerin, W. (1937). Loranthaceae. In: V. KIRCHNER, O.; LOEW, E. & SCHROETER, C. (Eds.): Lebensgeschichte der BlütenpflanzenMitteleuropas, vol. II/1. - Ulmer, Stuttgart. 953-1146

Weber, H.C. (1993b). Untersuchungen zur Entwicklungsweise der Laubholzmistel *Viscum album* L. (Viscaceae) und über Zuwachsraten während ihrer ersten Stadien. - Beitr. Biol. Pflanz. 67: 319-331.

HTML Version

Watson, L. and Dallwitz, M.J. (1992). The families of flowering plants: Description illustrations, identification and information Retrieval al. Version. 27th sept. 2000. <http://biodiversity.uno.edu/delta>