

## **Bibliography**

## Bibliography

Abdollahi M, Ranjbar A, Shadnia S, Nikfar S, Rezaiee A. Pesticides and oxidative stress: a review. *Med Sc Monit.* 2004; 10(6):141-147.

Abidi P, Afaq F, Arif JM, Lohani M, Rahman Q. Chrysotile-mediated imbalance in the glutathione redox system in the development of pulmonary injury. *Toxicol Lett.* 1999; 106: 31-39.

Abubakar S, Ahmed QU, Samah OA, Omar MN. Bacteriostatic and bactericidal activity of the polar and non-polar extracts of *Andrographis paniculata* against skin disease causing pathogenic bacteria. *J Med Plants Res.* 2011; 5: 7-14.

Agency for Toxic Substances and Disease Registry (ATSDR, 1993). Toxicological profile for chromium. U.S. Department of Health and Human Services. Public Health Service.

Aitio A, Jarvisalo J, Kiilunen M, Kalliomaki PL, Kalliomaki K. Chromium. Biological Monitoring of Toxic Metals. In: Clarkson TW, Friberg L, Nordberg GF, Sager PR (Eds), Plenum, New York; 1988; 369–382.

Alexopoulos EC, Cominos X, Trougakos IP, Lourda M, Gonos ES, Makropoulos V. Biological monitoring of hexavalent chromium and serum levels of the senescence biomarker Apo lipoprotein J/Clusterin in Wielders. *Bioinorg Chem Appl.* 2008; Article ID 420578, 1-6.

Amroyan E, Gabrielian E, Panossian A, Wikman G, Wagner H. Inhibitory effect of andrographolide from *Andrographis paniculata* on PAF-induced platelet aggregation. *Phytomed.* 1999; 6: 27-31.

Andleeb SA, A comprehensive review on chromium: toxicities and detoxification. *Punjab Univ J Zool.* 2014; 29: 41-62.

Anjum F, Shakoori AR. Sublethal effects of hexavalent chromium on the body growth rate and liver function enzymes of phenobarbiton-pretreated and promethazine-pretreated rabbits. *J Environ Patho Toxicol Oncol.* 1997; 16: 51-59.

Ashakumary L, Vijayammal PL. Additive effect of alcohol and nicotine on lipid peroxidation and antioxidant defence mechanism in rats. *J Applied Toxicol.* 1996; 16: 305-308.

Awadallah R, Hanna A. Serum enzyme changes due to trace amounts of some transition metal ions on the induction of experimental diabetes. *Zeitschrift für Ernährungswissenschaft.* 1980; 19(2):103-110.

Bagchi D, Bagchi M, Stohs S J. Chromium (VI)-induced oxidative stress, apoptotic cell death and modulation of p53 tumor suppressor gene. *Mol Cell Biochem.* 2001; 222(1-2):149-58.

Bagchi D, Stohs S J, Downs B W, Bagchi M, Preuss H G. Cytotoxicity and oxidative mechanisms of different forms of chromium. *Toxicol.* 2002; 180(1):5-22.

Bagchi D, Balmoori J, Bagchi M, Ye X, Williams CB, Stohs S J. Comparative effects of TCDD, endrin, naphthalene and chromium VI on oxidative stress and tissue damage in the liver and brain tissues of mice. *Toxicol.* 2002a; 175:73-82.

Bagchi D, Stohs S J, Downs B W, Bagchi M, Preuss H. Cytotoxicity and oxidative mechanisms of different forms of chromium. *Toxicol.* 2002b; 180:5-22.

Bagchi D, Hossoun E A, Bagchi M, Stohs S J. Chromium-induced excretion of urinary lipid metabolites, DNA damage, nitric oxide production and generation of reactive oxygen species in Sprague-Dawley rats. *Comp Biochem Physiol C Pharmacol Toxicol Endocrinol.* 1995; 110(2):177-187.

Barceloux D. Chromium. *Clin Toxicol.* 1999; 37:173-194.

Baruthio F. Toxic effects of chromium and its compounds. *Biol Trace Elem Res.* 1992; 32:145-53.

Behari J, Chandra SV, Tandon SK. Comparative toxicity of trivalent and hexavalent chromium to rabbits. Biochemical and histological changes in testicular tissue. *Acta Biol Med Ger.* 1978; 37: 463-468.

Bensky D, Gamble A. Chinese herbal medicine: Materia Medica. Eastland, Seattle.1993; 3<sup>rd</sup> Edition.

Bianchi V, Debetto P, Zantedeschi A, Levis AG. Effects of hexavalent chromium on the adenylate pool of hamster fibroblasts. *Toxicol.* 1982; 25(1):19-30.

Boveris A, Chance B. The mitochondrial generation of hydrogen peroxide: general properties and effect of hyperbaric oxygen. *Biochem J.* 1973; 134:707–716.

Braughler JM, Hall ED. Central nervous system trauma and stroke. I. Biochemical considerations for free radical dormation and lipid peroxidation. *Free Rad Biol Med,* 1989; 6: 289–301.

Butler MS. Natural products to drugs: natural product-derived compounds in clinical trials. *Nat Prod Rep.* 2008; 25: 475-516.

Caceres DD, Hancke JL, Burgos RA, Wikman GK. Prevention of common colds with *Andrographis paniculata* dried extract. *A Pilot double blind trial. Phytomed.* 1997; 4: 101-104.

Cai J, Jones DP. Superoxide in apoptosis. Mitochondrial generation triggered by cytochrome c loss. *J Biol Chem.* 1998; 273(19): 11401-11404.

Calabrese C, Berman SH, Babish JG, Ma X, Shinto L, Dorr M, Wells K, Wenner CA, Standish LJ. A phase I trial of andrographolide in HIV positive patients and normal volunteers. *Phytother Res.* 2000; 14: 333-338.

- Carlisle DL, Pritchard DE, Singh J, Owens BM, Blankenship LJ, Orenstein JM, Patierno SR. Apoptosis and P53 induction in human lung fibroblasts exposed to chromium (VI): effect of ascorbate and tocopherol. *Toxicol Sc.* 2000; 55(1):60-68.
- Cassina A, Radi R. Differential inhibitory action of nitric oxide and peroxynitrite on mitochondrial electron transport. *Arch Biochem Biophys.* 1996; 328: 309-316.
- Chance B, Sies H, Boveris A. Hydroperoxide metabolism in mammalian organs. *Physiol Rev.* 1979; 59: 527–605.
- Chao WW, Kuo YH, Lin BF. Anti-inflammatory activity of new compounds from *Andrographis paniculata* by NF-kappa  $\beta$  trans activation inhibition. *J Agric Food Chem.* 2010; 58: 2505-2512.
- Chen L, Ovesen JL, Puga A, Xia Y. Distinct contributions of JNK and p38 to chromium cytotoxicity and inhibition of murine embryonic stem cell differentiation. *Environ Health Perspect.* 2009; 117(7):1124.
- Choudhury BR, Poddar MK. Andrographolide and kalmegh (*Andrographis paniculata*) extract: effect on intestinal brush-border membrane bound hydrolases. *Methods Find Exp Clin Pharmacol.* 1985; 7: 617-621.
- Choudhury BR, Poddar MK. Andrographolide and kalmegh (*Andrographis paniculata*) extract: in vivo and in vitro effect on hepatic lipid peroxidation. *Methods Find Exp Clin Pharmacol.* 1984; 6: 481-485.
- Christopher SF, Ralph TD. Standard methods of clinical chemistry. 1972; 7: New York: Academic Press.
- Chrovatovicova D, Kovacikova Z, Sandula J, Navarova J. Protective effect of sulfoethylglucan against hexavalent chromium. *Mutat Res.* 1993; 302: 207–211.

Clarkson TW, Nordberg GF, Sager PR. Reproductive and developmental toxicity of metals. *Scand J Work Environ Health*. 1985; 1:145-154.

Dash SK, Chattopadhyay S, Tripathy S, Dash SS, Das B, Mandal D, Bag BB, Roy S. Beutanilic acid, a natural bio-active compound: Proficient to induce programmed cell death in human myeloid leukemia. *WJPPS*. 2014; 3(12): 1348-1374.

Dayan AD, Paine AJ. Mechanisms of chromium toxicity, carcinogenicity and allergenicity: review of the literature from 1985 to 2000. *Hum Exp Toxicol*. 2001; 20(9):439-451.

De Flora S, Wetterhahn KE. Mechanisms of chromium metabolism and genotoxicity. *Life Chem Reports*. 1989; 7: 169–244.

De Flora S, Bagnasco M, Serra D, Zanacchi P. Genotoxicity of chromium compounds: A review. *Mutat Res*. 1990; 238: 99–172.

Debetto P, Dal TR, Varotto R, Bianchi V, Luciani S. Effects of potassium dichromate on ATP content of mammalian cells cultured in vitro. *Chem Biol Interact*. 1982; 41(1): 15-24.

Dey SK, Dolai DP, Mandal D, Das B, Dash SK, Roy D, Roy S. Protective effect of *Andrographis paniculata* Nees and Vitamin-C in nicotine-induced oxidative stress in liver and kidney. *World J Pharm Sci*. 2016; 4(9): 345-352.

Dey SK, Karmakar KB, Jana S. Role of methanol extract of *Andrographis paniculata* Nees on chromium-induced alteration of functional status of liver in male albino rats. *Bio Chem An Ind. J*. 2011; 5(1): 35-39.

Dey SK, Nayak P, Roy S. Alpha-tocopherol supplementation on chromium toxicity: a study on rat liver and kidney cell membrane. *J Environ Sci*. 2003; 15(3): 356-359.

Dey SK, Roy S. Role of GSH in the amelioration of chromium-induced membrane damage. *Toxicol Environ Chem*. 2010; 92: 261-269.

Dey SK, Roy S, Chatterjee AK. Effect of ascorbic acid supplementation on chromium induced tissue toxicity in experimental rats. *Vidyasagar University J Biol Sc*. 1997; 3: 17- 21.

Dharmadasa RM, Samarasinghe K, Adhiketty P, Hettiarachchi PL. Comparative Pharmacogenetic Evaluation of *Munronia pinnata* (Wall.) Theob. (Meliaceae) and its substitute *Andrographis paniculata* (Burm.f.) Wall. Ex Nees (Acanthaceae). *WJAR*. 2013; 1: 77-81.

Dolai D, Tripathy S, Dey S K, Roy S. Review on health effects of chromium exposure: reflection from oxidative stress towards carcinogenicity. *Int J Pharm Bio Sci*. 2016; 7(3): (B) 343-354.

Donaldson RM, Barreras RF. Intestinal absorption of trace quantities of chromium. *J Lab Clinic Med*. 1966; 68:484-493.

Droge W. Free radicals in the physiological control of cell function. *Physiol Rev*. 2002; 82(1):47-95.

Fan Y, Ovesen JL, Puga A. Long-term exposure to hexavalent chromium inhibits expression of tumor suppressor genes in cultured cells and in mice. *J Trace Elem Med Biol*. 2012; 26(2):188-191.

Fantel AG, Mackler B, Stamps LD, Tran TT, Person RE. Reactive oxygen species and DNA oxidation in fetal rat tissues. *Free Rad Biol Med*. 1998; 25(1):95-103.

Fisher RA, Yates F. Statistical Tables for Biological, Agricultural and Medical Research. 6th Ed. Oliver & Boyd, Edinburgh and London.1963; X, 146 P. Preis 42 s net.

Fridovich I. Superoxide radical and superoxide dismutases. *Annu Rev Biochem.* 1995; 64: 97–112.

Gabrielian ES, Shukarian AK, Goukasova GI, Chandanian GL, Panossian AG. A double blind, placebo-controlled study of *Andrographis paniculata* fixed combination Kan Jang in the treatment of acute upper respiratory tract infections including sinusitis. *Phytomed.* 2002; 9: 589-597.

Gaestel M, Kotlyarov A, Kracht M. Targeting innate immunity protein kinase signalling in inflammation. *Nat Rev Drug Discov.* 2009; 8: 480-499.

Gautam N, Chakraborty SP, Kundu PK, Roy S. Age associated changes in antioxidant and antioxidative enzymes in human neutrophil of different aged people. *Asian Pac J Trop Biomed.* 2012; 2(1):S423–S428.

Gazotti P, Malmstrom K, Crompton MA. Laboratory manual on transport and bioenergetics. In: Carofoli E, Semenza G, editors. *Memb Biochem.* New York: Springer-Verlag. 1979; 62-69.

Geethangili M, Rao YK, Fang SH, Tzeng YM. Cytotoxic constituents from *Andrographis paniculata* induce cell cycle arrest in jurkat cells. *Phytother Res.* 2008; 22: 1336-1341.

Ghalehkandi JG. Garlic (*Allium sativum*) juice protects from semen oxidative stress in male rats exposed to chromium chloride. *Animal Rep.* 2014; 11(4):526-532.

Ghosh Chowdhuri A, Sen P, Ganguli U. Alteration of the microenvironment in plasma membranes of rat enterocytes after Escherichia coli. heat stable enterotoxin treatment: effect on protein kinase C activity. *Biochem Mol Biol Int.* 1995; 35: 567–574.

Graziano MJ, Spoon TA, Cockrell EA, Rowse PE, Gonzales AJ. Induction of Apoptosis in Rat Peripheral Blood Lymphocytes by the Anticancer Drug CI-994 (Acetylinaline)(\*). *J Biomed Biotech.* 2001; 1(2):52–61.

Guo T, Cui L, Shen J, Wang R, Zhu W, Xu Y, Qian X. A dual-emission and large Stokes shift fluorescence probe for real-time discrimination of ROS/RNS and imaging in live cells. *Chem Comm.* 2013; 49(18):1862-1864.

Ha L, Ceryak S, Patierno SR. Chromium (VI) Activates Ataxia Telangiectasia Mutated (ATM) Protein requirement of atom for both apoptosis and recovery from terminal growth arrest. *J Biol Chem.* 2003; 278(20):17885-17894.

Halliwell B, Gutteridge J, Cross CE. Free radicals, antioxidants, and human disease: where are we now? *J Lab Clin Med.* 1992; 119(6):598-620.

Halliwell B. Biochemistry of oxidative stress. *Biochem Soc Trans.* 2007; 35(5):1147-1150.

Hanaoka T, Yamano Y, Katsuno N, Kagawa J, Ishizu S. Elevated serum levels of pantropic p53 proteins in chromium workers. *Scand J Work Environ Health.* 1997; 23(1):37-40.

Handa S S, Sharma A. Hepatoprotective activity of andrographolide from *Andrographis paniculata* against carbon tetrachloride. *Indian J Med Res.* 1990; 92:276-283.

Hansford RG, Hogue BA, Mildaziene V. Dependence of H<sub>2</sub>O<sub>2</sub> formation by rat heart mitochondria on substrate availability and donor age. *J Bioenerg Biomembr.* 1997; 29(1):89-95.

Hatefi Y, Rieske JS. The preparation and properties of DPNH-cytochrome C reductase (Complex I of respiratory chain). In *Methods in Enzymology*. Edited by R.W. Estabrook and M.E. Pullman. Academic Press, New York.1967; 10:235-239.

Ho K, Yazan LS, Ismail N, Ismail M. Apoptosis and cell cycle arrest of human colorectal cancer cell line HT-29 induced by vanillin. *Cancer Epidemiol.* 2009; 33(2):155-160.

Hoja Y, Satomi Y. In vitro nephrotoxicity induced in mice by chromium (VI): involvement of glutathione and chromium (V). *Biol Trace Elem Res.* 1991; 31: 21–31.

Hopkins J. IARC. Monographs on the evaluation of carcinogenic risks to humans: Volume 49. Chromium, nickel and welding: Lyon, France, 1990. pp. 677. Sw. fr. 95.00. ISBN 92 832 1249 5. *Food Chem Toxicol.* 1991; 29(9):647-648.

Hossain Md S, Urbi Z, Sule A, Hafizur Rahman KM. *Andrographis paniculata* (Burm. f.) Wall. ex Nees: A Review of Ethnobotany, Phytochemistry, and Pharmacology. Hindawi Publishing Corporation, *The Scientific World Journal*. 2014; Volume 2014, Article ID 274905: 1-28.

Hu Y, Cardounel A, Gursoy E, Anderson P and Kalimi M. Anti-stress effects of dehydro-epiandrosterone. Protection of rats against repeated immobilization stress-induced weight loss, glucocorticoid receptor production, and lipid peroxidation. *Biochem Pharmacol.* 2000; 59:753–762.

Huang TT, Yasunami M, Carlson EJ, Gillespie AM, Reaume AG, Hoffman EK, Chan PH, Scott RW, Epstein CJ. Superoxide mediated cytotoxicity in superoxide dismutase deficient fetal fibroblasts. *Arch Biochem Biophys.* 1997; 344: 424-434.

Huang X, Moir RD, Tanzi RE, Bush AI, Rogers JT. Redox Active Metals, Oxidative Stress, and Alzheimer's Disease Pathology. *Annals of the New York Academy of Sciences.* 2004; 1012(1):153-163.

Jang YC, Lustgarten MS, Liu Y, Muller FL, Bhattacharya A, Liang H, Salmon AB, Brooks SV, Larkin L, Hayworth CR, Richardson A. Increased superoxide in vivo

accelerates age associated muscle atrophy through mitochondrial dysfunction and neuromuscular junction degeneration. *The FASEB Journal.* 2010; 24(5):1376-1390.

Jomova K, Valko M. Advances in metal-induced oxidative stress and human disease. *Toxicol.* 2011; 283(2):65-87.

Kapil A, KoulI B, Banerjee SK, Gupta BD. Antihepatotoxic effects of major diterpenoid constituents of *Andrographis paniculata*. *Biochem Pharma.* 1993; 46:182-185.

Katabami M, Dosaka-Akita H, Mishina T, HonmaK, Kimura K, Uchida Y, Morikawa K, MikamiH, Fukuda S, Inuyama Y, Ohsaki Y. Frequent cyclin D1 expression in chromate-induced lung cancers. *Human Pathol.* 2000; 31(8):973-979.

Kawanishi S, Inoue S, Sano S. Mechanism of DNA cleavage-induced by sodium chromate (VI) in the presence of hydrogen peroxide. *J Biol Chem.* 1986; 261: 5952-5958.

Kiilunen M, Kivistö H, Ala-Laurila P, Tossavainen A, Aitio A. Exceptional pharmacokinetics of trivalent chromium during occupational exposure to chromium lignosulfonate dust. *Scand J Work Env Health.* 1983; 9(3):265-271.

Kim YD, An SC, Oyama T, Kawamoto T, Kim H. Oxidative Stress, hogg1 Expression and NF-KAPPA  $\beta$  Activity in Cells Exposed to Low Level Chromium. *J Occup Health.* 2003; 45(5):271-277.

Kimura T. Molecular mechanisms of zinc mediated induction and chromium (VI)-mediated inhibition of mouse metallothionein-I gene transcription. *J Health Sc.* 2010; 56(2):161-166.

Kind PRN, King EJ. Estimation of Plasma Phosphatase by Determination of Hydrolysed Phenol with Amino-antipyrine. *J Clin Pathol.* 1954; 7(4): 322-326.

Klein CB, Su L, Bowser D, Leszczynska J. Chromate-induced epimutations in mammalian cells. *Environ Health Perspect.* 2002; 110 (Suppl 5):739.

Kondo K, Hino N, Sasa M, Kamamura Y, Sakiyama S, Tsuyuguchi M, Hashimoto M, Uyama T, Monden Y. Mutations of the p53 gene in human lung cancer from chromate-exposed workers. *Biochem Biophys Res Comm.* 1997; 239(1):95-100.

Kondo K, Takahashi Y, Hirose Y, Nagao T, Tsuyuguchi M, Hashimoto M, Ochiai A, Monden Y, Tangoku A. The reduced expression and aberrant methylation of p16 INK4a in chromate workers with lung cancer. *Lung Cancer.* 2006; 53(3):295-302.

Kumar RA, Sridevi K, Kumar NV, Nanduri S, Rajagopal S. Anticancer and immune stimulatory compounds from *Andrographis paniculata*. *J Ethnopharmacol.* 2004; 92: 291-295.

Kumar A, Rana SVS. Enzymological effects of hexavalent chromium in the rat kidney. *Int J Tissue React.* 1984; 4: 135-139.

Kushnareva Y, Murphy AN, Andreyev A. Complex I mediated reactive oxygen species generation: modulation by cytochrome C and NAD (P)<sup>+</sup> oxidation-reduction state. *Biochem J.* 2002; 368: 545–553.

Lal MA, Bae D, Camilli TC, Patierno SR, Ceryak S. AKT1 mediates bypass of the G1/S check point after genotoxic stress in normal human cells. *Cell Cycle.* 2009; 8(10):1589-1602.

Lazzarini A, Luciani S, Beltrame M, Arslan P. Effects of chromium (VI) and chromium (III) on energy charge and oxygen consumption in rat thymocytes. *Chem Biol Interact.* 1985; 53(3):273–281.

Lee BM, Park KK. Beneficial and adverse effects of chemo preventive agents. *Mutat Res.* 2002; 523–524: 265–270.

Li W, Xu X, Zhang H, Ma C, Fong H, Van Breemen R, Fitzloff J. Secondary metabolites from *Andrographis paniculata*. *Chem Pharm Bull.* 2007; 55(3): 455-458.

Lima MH, Savin TZ. Animal response to drastic changes in oxygen availability and physiological oxidative stress. *Comp Biochem Physiol.* 2002; 133: 537-556.

Lin FL, Wu SJ, Lee SC, Ng LT. Antioxidant, Antioedema and Analgesic Activities of *Andrographis paniculata* Extracts and their Active Constituent Andrographolide. *Phytotherapy Res.* 2009; 23(7): 958-964.

Lin MT, Beal MF. Mitochondrial dysfunction and oxidative stress in neurodegenerative diseases. *Nature.* 2006; 443(7113):787-795.

Liu K, Husler J, Ye J, Leonard SS, Cutler D, Chen F, Wang S, Zhang Z, Ding M, Wang L, Shi X. On the mechanism of Cr (VI)-induced carcinogenesis: dose dependence of uptake and cellular responses. *Mol Cell Biochem.* 2001; 222: 221–229.

Losi ME, Amrhein C, Frankenberger Jr WT. Environmental biochemistry of chromium. *Rev Environ Contam Toxicol.* 1994; 136: 91–121.

Lowry OH, Roseborough NJ, Farr AL and Randll AJ. Protein measurement with Folin's phenol reagent. *J. Biol Chem.* 1951; 193: 265-275.

Lu SC. Regulation of hepatic glutathione synthesis: current concepts and controversies. *FASEB J.* 1999; 13: 1169-1183.

Lu TH, Su CC, Chen YW, Yang CY, Wu CC, Hung DZ, Chen CH, Cheng PW, Liu SH, Huang CF. Arsenic induces pancreatic β-cell apoptosis via the oxidative stress-regulated mitochondria-dependent and endoplasmic reticulum stress-triggered signalling pathways. *Toxicol Lett.* 2011; 201(1):15-26.

Luck H. Catalase. In *Methods of Enzymatic Analysis* (H. U. Bergmeyer, Ed.). Academic Press, New York. 1963; pp. 885–888.

Madav S, Tripathi C, Tandan SK, Mishra S. Analgesic, antipyretic and antiulcerogenic effects of andrographolide. *Ind J Pharm Sci.* 1995; 57(3): 121-125.

Mahapatra SK, Das S, Bhattacharjee S, Roy S. In Vitro Nicotine-Induced Oxidative Stress in Mice Peritoneal Macrophages: A Dose-Dependent Approach. *Toxicol Mech Methods.* 2009; 19(2):100-108.

Marklund S and Marklund G. Involvement of superoxide anion radical in autoxidation of pyrogallol and a convenient assay of superoxide dismutase. *Eur J Biochem.* 1974; 47: 469-474.

Maunwongyathi P. Next step of medicinal plant. Medical Media, Bangkok-noi, Bangkok. 1994; 186.

Melchior J, Palm S, Wikman G. Controlled clinical study of standardized *Andrographis paniculata* extracts in common cold – a pilot trial. *Phytomedicine.* 1997; 3: 315-318.

Messer RL, Lucas LC. Cytotoxicity of nickel-chromium alloys: Bulk alloys compared to multiple ion salt solutions. *Dent Mater.* 2000; 16: 207-212.

Mishra PK, Singh RK, Gupta A, Chaturvedi A, Pandey R, Tiwari SP, Mohapatra TM. Antibacterial activity of *Andrographis paniculata* (Burm. F.) Wall ex Nees leaves against clinical pathogens. *JPR.* 2013; 7: 459-462.

Mittler R. Oxidative stress, antioxidants and stress tolerance. *Trends Plant Sc.* 2002; 7(9):405-410.

Miwa S. Hematology. In Modern medical technology. Edited by N. Kosakai, H. Abe, Y. Hayashi, T. Furukawa. Igaku Shoin Ltd, Tokyo. 1972; 3: 306-310.

Myers CR. Chromium toxicity : reductive activation by human enzymes. Final Technical Report F49620-98-1- 0079. Government Reports Announcements Index. Part 22, AFOSR Report.1999; 1–34.

Nehru B, Kaushal S. Alterations in the hepatic enzymes following experimental lead poisoning. *Biol Trace Elem Res.* 1993; 38(1):27-34.

Nemec AA, Barchowsky A. Signal transducer and activator of transcription 1 (STAT1) is essential for chromium silencing of gene induction in human airway epithelial cells. *Toxicol Sc.* 2009; 110(1):212-223.

Nigam A, Priya S, Bajpai P, Kumar S. Cytogenomics of hexavalent chromium ( $\text{Cr}^{6+}$ ) exposed cells: A comprehensive review. *Ind J Med Res.* 2014; 139(3):349.

Nomura K, Imai H, Koumura T, Kobayashi T, Nakagawa Y. Mitochondrial phospholipid hydroperoxide glutathione peroxidase inhibits the release of cytochrome c from mitochondria by suppressing the peroxidation of cardiolipin in hypoglycaemia induced apoptosis. *Biochem J.* 2000; 51: 183–193.

Nordbeg J, Arner ES. Reactive oxygen species, antioxidants, and the mammalian thioredoxin system. *Free Radical Biol Med.* 2001; 31: 1287-1312.

Nugroho AE, Andrie M, Warditiani NK, Siswanto E, Pramono S, Lukitaningsih E. Antidiabetic and antihyperlipidemic effect of *Andrographis paniculata* (Burm. f.) Nees and andrographolide in high-fructose-fat-fed rats. *Indian J Pharmacol.* 2012; 44(3):377-381.

Nugroho AE, Rais IR, Setiawan I, Pratiwi PY, Hadibarata T, Tegar M, Pramono S. Pancreatic Effect of Andrographolide Isolated from *Andrographis paniculata* (Burm. f.) Nees. *Pakistan J Biol Sc.* 2014; 17: 22-31.

O'hara KA, Vaghjiani RJ, Nemec AA, Klei LR, Barchowsky A. Cr (VI)-stimulated STAT3 tyrosine phosphorylation and nuclear translocation in human airway epithelial cells requires Lck. *Biochem J.* 2007; 402(2):261-269.

Ohkawa H, Ohisi N, Yagi K. Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Anal Biochem.* 1979; 95: 351-358.

Ojha SK, Nandave M, Kumari S, Arya D S. Antioxidant activity of *Andrographis paniculata* in ischemic myocardium of rats. *Global J Pharmacol.* 2009; 3:154-157.

Okado-Matsumoto A, Fridovich I. Subcellular distribution of superoxide dismutases (SOD) in rat liver: Cu, Zn-SOD in mitochondria. *J Biol Chem.* 2001; 276: 38388-38393.

Orrenius S, Gogvadze V, Zhivotovsky B. Mitochondrial oxidative stress: implications for cell death. *Annu Rev Pharmacol Toxicol.* 2007; 47:143-183.

Ott M, Gogvadze V, Orrenius S, Zhivotovsky B. Mitochondria, oxidative stress and cell death. *Apoptosis.* 2007; 12(5):913-922.

Ozkan M, Dweik RA. Upper Respiratory Infection. *E medicine.* 2004. <http://www.emedicine.com>.

Paglia DE, Valentine WN. Studies on quantitative and qualitative characterization of erythrocyte glutathione peroxidase. *J Lab Clin Med.* 1967; 70: 158–169.

Papaioannou AI, Kostikas K, Kollia P, Gourgoulianis KI. Clinical implications for vascular endothelial growth factor in the lung: friend or foe. *Respir Res.* 2006; 7(1):128.

Pedraza-Chaverri J, Barrera D, Medina-Campos ON, Carvajal RC, Hernandez-Pando R, Macias-Ruvalcaba NA, Maldonado PD, Salcedo, M I, Tapia E, Saldívar L, Castilla ME, Ibarra-Rubio ME. Time course study of oxidative and nitrosative stress

and antioxidant enzymes in K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub>-induced nephrotoxicity. *BMC Nephrol.* 2005; 26: 6-14.

Pelagi M, Curnis F, Colombo B, Rovere P, Sacchi A, Manfredi AA, Corti A. Caspase inhibition reveals functional cooperation between p55- and p75-TNF receptors in cell necrosis. *Eur Cytokine Netw.* 2000; 11(4):580-588.

Peña-Sanoja MJ, De Sanctis JB. Autophagy and immune response. *Invest Clin.* 2013; 54(3):325-337.

Phung CD, Ezieme JA, Turrens JF. Hydrogen peroxide metabolism in skeletal muscle mitochondria. *Arch Biochem Biophys.* 1994; 315: 479-482.

Pigeolot E, Corbisier P, Houbion A, Lambert D, Michiels C, Raes M, Zachary MD, Remacle J. Glutathione peroxidase, superoxide dismutase and catalase inactivation by peroxides and oxygen derived radicals. *Mech Age De.* 1990; 51(3): 283-297.

Poderoso JJ, Carreras MC, Lisdero C, Riobo N, Schopfer F, Boveris A. Nitric oxide inhibits electron transfer and increases superoxide radical production in rat heart mitochondria and submitochondrial particles. *Arch Biochem Biophys.* 1996; 328(1): 85-92.

Prakash ELS, Kadar Ali SH, Divya N, Reeta Vijaya Rani K, Manavalan R. Evaluation of In-vitro antioxidant activity of leaf extract of *Andrographis paniculata*. *RJPBCS.* 2011; 2(2): 891-895.

Qader SW, Abdulla MA, Chua LS and Najim N, Zain MM, Hamdan S. Antioxidant, total phenolic content and cytotoxicity evaluation of selected Malaysian plants. *Molecules.* 2011; 16(4): 3433-3443.

Radi R, Cassina A, Hodara R. Nitric oxide and peroxynitrite interactions with mitochondria. *Biol Chem.* 2002; 383(3-4): 401-409.

Radi R, Turrens JF, Chang IY, Bush KM, Crapo JD, Freeman BA. Detection of catalase in rat heart mitochondria. *J. Biol Chem.* 1991; 266(32): 22028-22034.

Rafat A, Philip K, Muniandy S. Antioxidant potential and content of phenolic compounds in ethanolic extracts of selected parts of *Andrographis paniculata*. *J Med Plants Res.* 2009; 4(3):197-202.

Rahman K. Studies on free radicals, antioxidants, and co-factors. *Clin Interv Aging.* 2007; 2(2): 219–236.

Rajani M, Shrivastava N, Ravishankara MN. A Rapid Method for Isolation of Andrographolide from *Andrographis paniculata* Nees (Kalmegh). *Pharm Biol.* 2000; 38(3): 204-209.

Rana AC, Avadhoot Y. Hepatoprotective effects of *Andrographis paniculata* against carbon tetrachloride-induced liver damage. *Arch Pharm Res.* 1991; 14: 93-95.

Rana SVS, Kumar A. Significance of lipid peroxidation in liver-injury after heavy metal poisoning in rat. *Curr Sc.* 1984; 53(17): 933-934.

Ranjbar A, Ghahremani MH, Sharifzadeh M, Golestani A, Ghazi-Khansari M, Baeeri M, Abdollahi M. Protection by pentoxifylline of malathion-induced toxic stress and mitochondrial damage in rat brain. *Hum Exp Toxicol.* 2010; 29(10):851-864.

Ranjbar A, Khani-Jazani R, Sedighi A, Jalali-Mashayekhi F, Ghazi-Khansari M, Abdollahi M. Alteration of body total antioxidant capacity and thiol molecules in human chronic exposure to aluminum. *Toxicol Environ Chem.* 2008; 90(4):707-713.

Rao AV, Shaha C. Multiple glutathione S-transferase isoforms are present on male germ cell plasma membrane. *FEBS Lett.* 2001; 507(2):174-180.

Ray G, Husain SA. Oxidants, antioxidants and carcinogenesis. *Ind J Exp Biol.* 2002; 40(11): 1213-1232.

Rieske JS. Preparation and properties of reduced coenzyme Q cytochrome C reductase (complex III of the respiratory chain). In *Methods Enzymology*. Vol. 10. Edited by R.W. Estabrook and M.E. Pullman. Academic Press, New York. 1967; pp. 239-245.

Reitmans S, Frankel S. A colorimetric method for the determination of serum glutamic oxalacetic and glutamic pyruvic transaminases. *Am J Clin Pathol.* 1957 Jul; 28(1):56-63.

Requejo R, Chouchani ET, Hurd TR, Menger KE, Hampton MB, Murphy MP. Measuring mitochondrial protein thiol redox state. *Methods Enzymol.* 2010; 474:123-147.

Roy S, Rao K, Bhuvaneswari C, Giri A, Mangamoori LN. Phytochemical analysis of *Andrographis paniculata* extract and its antimicrobial activity. *World J Microb Biotech.* 2010; 26(1): 85-91.

Ryberg D, Alexander A. Mechanism of Chromium toxicity in mitochondria. *Chem Biol Interact.* 1990; 75(2):141-151.

Ryberg D, Alexander J. Inhibitory action of hexavalent chromium Cr (VI) on the mitochondrial respiration and a possible coupling to the reduction of Cr (VI). *Biochem Pharmacol.* 1984; 33(15): 2461-2466.

Sadek KM. Chemotherapeutic efficacy of an ethanolic *Moringa oleifera* leaf extract against chromium-induced testicular toxicity in rats. *Andrologia.* 2014; 46(9):1047-54.

Samy RP, Thwin MM, Gopalakrishnakone P, Ignacimuthu S. Ethnobotanical survey of folk plants for the treatment of snakebites in Southern part of Tamilnadu, India. *J Ethnopharmacol.* 2008; 115(2): 302-312.

Sanai S, Tomisato M, Shinsuka N, Mayoko Y, Mayoko H, Akio N. Protective role of nitric oxide in *S. aureus* infection in mice. *Infect Immun.* 1998; 66:1017–1028.

Schnekenburger M, Talaska G, Puga A. Chromium cross-links histone deacetylase 1-DNA methyl transferase 1 complexes to chromatin, inhibiting histone-remodelling marks critical for transcriptional activation. *Mol Cell Biol.* 2007; 27(20):7089-7101.

Sen PC, Kapakos JG, Steinberg M. Photorelation and dephosphorylation of Mg<sup>2+</sup> independent Ca<sup>2+</sup>-ATPase from goat spermatozoa. *Arch Biochem Biophys.* 1981; 211: 652–661.

Sermkaew N, Ketjinda W, Boonme P, Phadoongsombut N, Wiwattanapatapee R. Liquid and solid self-micro emulsifying drug delivery systems for improving the oral bioavailability of andrographolide from crude extract of *Andrographis paniculata*. *Eur J Pharm Sci.* 2013; 50(3-4):459-466.

Sharifi S, Barar J, Hejazi MS, Samadi N. Doxorubicin Changes Bax /Bcl-xL Ratio, Caspase-8 and 9 in Breast Cancer Cells. *Adv Pharm Bull.* 2015; 5(3):351–359.

Shi X, Dalal NS, Vallyathan V. One-electron reduction of carcinogen chromate by microsomes, mitochondria, and Escherichia coli: Identification of Cr (V) and OH radical. *Arch Biochem Biophys.* 1991; 290(2):381-386.

Shi X, Dalal NS. On the hydroxyl radical formation in the reaction between hydrogen peroxide and biologically generated chromium (V) species. *Arch Biochem Biophys.* (1990a); 277(2): 342-350.

Shukla B, Visen PK, Patnaik GK, Dhawan BN. Cholrectic effect of andrographolide in rats and Guinea pigs. *Planta Med.* 1992; 58(2): 146-149.

Singh SN, Vats P, Kumria MM, Ranganthan S, Shyam R, Arora MP, Jain CL, Sridharan K. Effect of high altitude (7,620 m) exposure on glutathione and related metabolism in rats. *Eur J Appl Physiol.* 2001; 84: 233–237.

Singha PK, Roy S, Dey S. Antimicrobial activity of *Andrographis paniculata*. *Fitoterapia.* 2003; 74(7-8): 692-694.

Sivananthan M, Elamaran M. Medicinal and Pharmacological properties of *Andrographis paniculata*. *Int J Biomol Biomed.* 2013; 3(2): 1-12.

Slater T I. Overview of methods used for detecting lipid peroxidation. *Methods Enzymol.* 1980; 105: 283-293.

Srinivasan K, Narayanan S, Ananthasadagopan S, Ganapasm S. Chromium (VI)-induced oxidative stress and apoptosis is reduced by garlic and its derivative S-allyl cysteine through the activation of Nrf2 in the hepatocytes of Wistar rats. *J Appl Toxicol.* 2008; 28(7): 908-919.

Standeven AM, Wetterhahn KE. Ascorbate is the principal reductant of chromium (VI) in rat liver and kidney. *Carcinogenesis.* 1991b; 12(9): 1733–1737.

Standeven AM, Wetterhahn KE. Possible role of glutathione in chromium (VI) metabolism and toxicity in rats. *Pharmacol Toxicol.* 1991a; 68(6): 469-476.

Standeven AM, Wetterhahn KE. Is there a role for reactive oxygen species in the mechanism of chromium (VI) carcinogenesis? *Chem Res Toxicol.* 1991; 4(6): 616-625.

Starkov AA, Fiskum G, Chinopoulos C, Lorenzo BJ, Browne SE, Patel MS, Beal MF. Mitochondrial  $\alpha$ -ketoglutarate dehydrogenase complex generates reactive oxygen species. *J Neurosci.* 2004; 24(36):7779-7788.

Sugiyama M, Tsuzuki K, Hidaka T, Ogura R, Yamamoto M. Reduction of chromium (VI) in Chinese hamster V-79 cells. *Biol Trace Elem Res.* 1991; 30(1): 1-8.

Sun H, Brocato J, Costa M. Oral Chromium Exposure and Toxicity. *Curr Environ Health Rep.* 2015; 2(3):295-303.

Sun H, Zhou X, Chen H, Li Q, Costa M. Modulation of histone methylation and MLH1 gene silencing by hexavalent chromium. *Toxicol Appl Pharmacol.* 2009; 237(3):258-266.

Susa N, Ueno S, Furukawa Y. Comparative test for cytotoxicity of hexavalent and trivalent chromium in primary cultures of hepatocytes. *Kitasato Arch Exp Med.* 1989; 62(1): 53-57.

Szabo C, Ischiropoulos H, Radi R. Peroxynitrite: biochemistry, pathophysiology and development of therapeutics. *Nature Reviews Drug Discovery.* 2007; 6(8):662-680.

Tessier DM, Pascal LE. Activation of MAP kinases by hexavalent chromium, manganese and nickel in human lung epithelial cells. *Toxicol Lett.* 2006; 167(2):114-21.

Thannickal VJ, Fanburg BL. Reactive oxygen species in cell signalling. *Am J Physiol.* 2000; 279: L1005-L1028.

Travacio M, Maria PJ, Llesuy S. Chromium (VI) induces oxidative stress in the mouse brain. *Toxicol.* 2000; 150(1-3):137-146.

Trivedi NP, Rawal UM. Hepatoprotective and antioxidant property of *Andrographis paniculata* Nees in BHC induced liver damage in mice. *Indian J Exp Biol.* 2001; 39(1): 41-46.

Ueno S, Susa N, Furukawa Y, Aikawa K, Itagaki I, Komiyama T, Takashima Y. Effect of chromium on lipid peroxidation in isolated rat hepatocytes. *Japanese J Vet Sc.* 1988; 50: 45-52.

Ueno S, Susa N, Furukawa Y. Uptake and distribution of chromium in isolated rat hepatocytes and its relation to cellular injury. *Kitasato Arch Exp Med.* 1990; 63(1): 49-57.

Valko MM, Morris H, Cronin MT. Metals, toxicity and oxidative stress. *Cur Med Chem.* 2005; 12(10):1161-1208.

Vasu S, Palaniyappan, Badami S. A novel microwave assisted extraction for the isolation of andrographolide from *Andrographis paniculata* and its in vitro antioxidant activity. *Nat Prod Res.* 2010; 24 (16):1560-1567.

Vedavathy S, Rao KN. Antipyretic activity of indigenous medicinal plants of Tirumala Hills, Andhra Pradesh, India. *J Ethnopharmacol.* 1991; 33(1-2): 193-96.

Vijaykumar K, Murthy P B, Kannababu S, Syamasundar B and Subbaraju G V. Estimation of *Andrographis paniculata* herb extracts and dosage forms. *Int J Appl Sci Eng.* 2007; 5(1): 27-39.

Visen PK, Shukla B, Patnaik GK, Dhawan BN. Andrographolide protects rat hepatocytes against paracetamol-induced damage. *J Ethnopharmacol.* 1993; 40:131-136.

Wang X F, Xing M L, Shen Y, Zhu X and Xu L H. Oral administration of Cr (VI) induced oxidative stress, DNA damage and apoptotic cell death in mice. *Toxicol.* 2006; 228:16-23.

Wang L, Du F, Wang X. TNF-alpha induces two distinct caspase-8 activation pathways. *Cell.* 2008; 133(4):693-703.

Webb AJ, Patel N, Loukogeorgakis S, Okorie M, Aboud Z, Misra S, Rashid R, Miall P, Deanfield J, Benjamin N, MacAllister R. Acute blood pressure lowering, vasoprotective, and antiplatelet properties of dietary nitrate via bioconversion to nitrite. *Hypertension*. 2008; 51(3):784-790.

Wen WC, Yueh KH, Fong LB. Anti-inflammatory activity of new compounds from *Andrographis paniculata* by NF-κB transactivation inhibition. *J Agric Food Chem*. 2010; 58(4):2505-2512.

Wiart C, Kumar K, Yusof MY, Hamimah H, Fauzi ZM, Sulaiman M. Antiviral properties of ent-labdene diterpenes of *Andrographis paniculata* nees, inhibitors of herpes simplex virus type 1. *Phytother Res*. 2005; 19(12): 1069-1070.

Wise SS, Holmes AL, Xie H, Thompson WD, Wise JP. Chronic exposure to particulate chromate induces spindle assembly check point bypass in human lung cells. *Chem Res Toxicol*. 2006; 19(11):1492-1498.

Wise SS, Xie H, Fukuda T, Douglas TW, Wise JP. Hexavalent chromium is cytotoxic and genotoxic to hawksbill sea turtle cells. *Toxicol Appl Pharmacol*. 2014; 279(2):113-118.

World Health Organisation. Chromium (Environmental Health Criteria), International Programme on Chemical Safety, Geneva, Switzerland, 1990. Available from: [http://www.who.int/water\\_sanitation\\_health/dwq/chemicals/chromium.pdf](http://www.who.int/water_sanitation_health/dwq/chemicals/chromium.pdf)

Wu W, Parmar C, Grossmann P, Quackenbush J, Lambin P, Bussink J, Mak R, Aerts HJ. Exploratory Study to Identify Radiomics Classifiers for Lung Cancer Histology. *Front Oncol*. 2016; 30(6):71.

Yasmina M, Abd-Elhakim, Wafaa AM. Mohamed. Assessment of the Role of Thymol in Combating Chromium (VI)-Induced Oxidative Stress in Isolated Rat Erythrocytes In vitro. *Toxicol Env Chem*. 2015; 98(10): 1227-1240.

Ye J, Shi X. Gene expression profile in response to chromium-induced cell stress in A549 cells. *Mol Cell Biochem.* 2001; 222: 189-197.

Yeagle PL. Cholesterol and the cell membrane. *Biochim Biophys Acta.* 1985; 822(3-4):267-87.

Yon JM, Baek IJ, Lee SR, Jin Y, Kim MR, Nahm SS, Kim JS, Ahn B, Lee BJ, Yun YW, Nam SY. The spatio-temporal expression pattern of cytoplasmic Cu/Zn superoxide dismutase (SOD1) mRNA during mouse embryogenesis. *J Mol Histol.* 2008; 39(1):95-103.

Young IS, Woodside JV. Antioxidants in health and disease. *J Clin Pathol.* 2001; 54(3):176-186.

Zhang CY, Tan BK. Hypotensive activity of aqueous extract of *Andrographis paniculata* in rats. *Clin Exp Pharmacol Physiol.* 1996; 23(8):675-78.

Zhou Y, Wang Q, Evers BM, Chung DH. Signal transduction pathways involved in oxidative stress-induced intestinal epithelial cell apoptosis. *Pediatr Res.* 2005; 58(6):1192-1197.

Ziegler D, Rieske JS. Preparation and properties of succinate dehydrogenase coenzyme Q reductase (complex II). In *Methods in enzymology*. Vol. 10. Edited by R.W. Estabrook and M.E. Pullman. Academic Press, New York.1967; pp. 235–239.

Zlatkis A, Zak B, Boyle AJ. A new method for the direct determination of serum cholesterol. *J Lab Clin Med.* 1953; 41(3): 486-492.

Zuo Z, Cai T, Li J, Zhang D, Yu Y, Huang C. Hexavalent chromium Cr (VI) up-regulates COX-2 expression through an NF $\kappa$ B/c-Jun/AP-1-dependent pathway. *Environ Health Perspect.* 2012; 120(4): 547-53.