

List of Figures:

S. No.	Title	Pg. No.
Figure 1	Multiplicative and infectious stages of <i>Leishmania</i> sp. life cycle in natural hosts.	15
Figure 2	Basic structural organization and different morphological forms of <i>Leishmania</i> .	17-18
Figure 3	Effect of TLR's on immune signaling during <i>Leishmania</i> infection	24
Figure 4	Th1/Th2 phenotype association with disease progression in <i>L. major</i> infection	36
Figure 5	Residence and migration pattern of different T-helper memory subsets in cutaneous leishmaniasis	38
Figure 6	Immunization protocol for vaccination experiments	82
Figure 7	Relative expression of leishmanial genes in virulent and avirulent <i>L. major</i> infected BALB/c mice	89
Figure 8	PCR-based cloning of LmjF_36_3850, <i>in vivo</i> and <i>in vitro</i>	90

	expression	
Figure 9	DNA immunization with LmjF_36_3850 elicits mixed Th response and does not control lesion progression and parasitic load	92
Figure 10	DNA vaccinated mice had higher population of anti-inflammatory cytokine secreting cells and elevated IgG1 levels post-infection	94-95
Figure 11	Flow cytometric analysis of Ig-specific B cell subsets in draining lymph nodes of indicated groups of mice	96
Figure 12	Lymphocytes from vaccinated mice contain a higher repertoire of Th2, Th17 and Treg-T _{EM} cells	97-98
Figure 13	Lymphocytes from vaccinated mice contain a higher repertoire of Th2, Th17 and Treg-T _{CM} cells	98
Figure 14	Cloning of <i>L. major</i> adenylate kinase, <i>in vivo</i> and <i>in vitro</i> expression of pcDNA construct	99
Figure 15	IPTG-based heterologous expression and affinity-based purification of recombinant LmAdeK (rAdeK)	100

Figure 16	HPB vaccination increases the anti-LmAdeK IgG2a levels and skews response towards Th1 subtype	101-102
Figure 17	HPB vaccination with LmAdeK controls the progression of cutaneous lesion, lymph node hypertrophy and parasite load in draining lymph node	103
Figure 18	HPB vaccinated mice had higher levels of IFN- γ and lower expression of IL-10, IL-4 and CTLA-4 after 5 weeks of challenge infection	104
Figure 19	Lymphocytes from HPB vaccinated mice contain lower population of Th2, Th17 and Treg memory cells	105-106