

10. References:

A

Abubakar, I. (2012). Global perspectives for prevention of infectious diseases associated with mass gatherings. *Mass Gatherings Health*, **12** (1): 66-74.

Agharkar, S. P. (1923). The present position of our knowledge of the aquatic flora of India. *Indian Botanical Society*, **3**: 252-260.

Arber, A. (1920). Water plants: A study of aquatic angiosperms. Cambridge University Press, (Reprint 1963. *J. caemer Weinheim Historiae Naturaliscassica*. Tomus. xxii).

Arora, J. S. (1993). Introductory ornamental horticulture. *Kalyani Publishers*, Ludhana.

Aselmann, I. and Crutzen, P. J. (1989). Global distribution of natural fresh water wetlands and rice paddies, their net primary productivity, seasonally and possible methen emissions. *Journal of Atmospheric Chemistry*, **8**: 307-358.

B

Bairagi, A., Ghosh, S. Sen, S. K. and Ray, A. K. (2002). Enzyme producing bacterial flora isolated from fish digestive tracts. *Aquaculture International*, **10**:109-121.

Bairagi, A., Sarkar Ghosh, K., Sen, S. K. and Ray, A. K. (2004). Evaluation of nutritive value of *Leucaena leucocephala* leaf meal inoculated with fish intestinal bacteria *Bacillus subtilis* and *Bacillus circulans* in formulated diets for rohu, *Labeo rohita* (Hamilton) fingerlings. *Aquaculture Research*, **35**: 436-446.

Bandyopadhyay, S. and Mukherjee, S. (2005). Diversity of Aquatic and Wetland Vascular Plants of Koch Bihar District, West Bengal. In: Pandey, A. K., Jun, Wen. and Dogra, J. V. V. (ed.) *Plant Taxonomy: Advances and Relevances*. C. B. S. Publishers and Distributors, New Delhi.

- Barko, J. W. and Smart, R.M.** (1986). Sediment-related mechanisms of growth limitation in submersed macrophytes. *Ecology*, **67**:1328–1340.
- Barooah, C. and Mahanta, P. K.** (2006). Aquatic angiosperms of Biswanath Chariali, Assam. *Indian Journal of Forestry*, **29(3)**: 307-318.
- Beeteswari, Kh., Singh. M. R. and Gupta, A.** (2009). Floristic distribution and growth form analysis of macrophytes in Knogba River, Manipur, India. *Pleione*, **3(2)**: 179-185.
- Bhaskar, V. and Raji, B.A.** (1973). Hydrophytes and marsh plants of Mysore city. *Prasaranga*, University of Mysore, Mysore, India.
- Bhattacharya, K. and Palit, D.** (2000). Census of hydrophytes in Burdwan University Campus. *Environment and Ecology*, **18(1)**: 150-155.
- Bhattacharya, R. P., Pal, D. C. and Pati, B. R.** (2011). Aquatic and wetland monocotyledons of Bihar and Jharkhand States. *Journal of Economic and Taxonomic Botany*, **35(3)**: 486-496.
- Bhowmik, P.K.** (1963). The Lodhas of West Bengal- A Socio-economic Survey. *Puthi Pustak*, Calcutta.
- Bhowmik, S., Saha, R. and Datta, B.K.** (2008). Aquatic and marshland plants in West Tripura, India. *Pleione*, **2(1)**: 3 – 11.
- Bhunias, D. and Mondal, A. K.** (2009). The exploration of aquatic medicinal plants of Paschim Midnapur district of west Bengal. *Ecology and Environment*, **27**: 64 -70.
- Billore, D. K. and Vyas, L. N.** (1981). Distribution and production of macrophytes in Pichhola lake, Udaipur. *International Journal of Ecology and Environmental Science*, **7**: 45-54.
- Biswas, K.P. and Calder, C.C.** (1937). Handbook of common water and marsh plants of India and Burma. *Government press*, New Delhi.

Biswas, R., Chowdhury, A. and Das, A. P. (2012). Macrophytic flora of Gossaihat Beel, Jalpaiguri Forest Division, West Bengal, India: I. Magnoliopsida. *Pleione*, **6(1)**: 217-237.

Biswas, R., Das, A. P. and Paul, T. K. (2013). Taxonomy Floristic diversity of Rasik Beel and its adjoining areas in Cooch Behar district of West Bengal, India. *Pleione*, **7(2)**: 501-507.

Bruggen, E. (1968). Revision of genus *Aponogeton*. The species of Madagascar. *Blumea*, **16**: 264-265.

C

Chakraborty, M. and Hazra, D. (2003). Aquatic monocot of West Bengal—Family Hydrocharitaceae, Pontederiaceae, Xyridaceae and Alismataceae. *Journal Economic Taxonomic Botany*, **27**: 1140-1150.

Chambers P., Lacoul P., Murphy K.J. and Thomaz, S.M. (2008). Global diversity of aquatic macrophytes in freshwater. *Hydrobiologia*, **595**: 9-26.

Chattopadhyay, R. and Mukherjee, A. (1996). Contribution to the study of aquatic plant diversity of Hooghly district, West Bengal. *Journal of Swamy Botanical Club*, **13(3-4)**: 27-33.

Chaudhuri, Rai, H.N. and Pal, D.C. (1975). Notes on Magico religious belief about plants among Lodhas of Midnapur, West Bengal. *Vanyajati*, **23(2-3)**: 20-22.

Chaudhuri, Rai, H.N., Dawn, S., Pal, D.C., Tarafder, C.R. and Banerjee, K.K. (1977). Edible jungle leaves. *Folklore*, **18(5)**: 161-163.

Chavan, A. R. and Sabnis, S. D. (1961). A study of the hydrophytes of Boroda and environs. *Journal of Indian Botanical Society*, **40**: 121-130.

- Cole, L.M.C.** (1946). A theory for analysing contagiously distributed population. *Ecology*, **27**: 329-341.
- Cook, C. D. K. and Luond, R.** (1983). A revision of the genus *Blyxa* (Hydrocharitaceae). *Aquatic Botany*, **15**: 1-52.
- Cook, C. D. K. and Luond, R.** (1982b). A revision of the genus *Nechamandra* (Hydrocharitaceae). *Aquatic Botany*, **13**: 505–513.
- Cook, C. D. K.** (1979). A revision of the genus *Rotala* (Lythraceae). *Boissiera*, **29**: 1-156.
- Cook, C. D. K.** (1996). Aquatic and Wetland Plants of India. *Oxford University Press*, New York.
- Cook, C. D. K., Symoens, J. and Urmi-ko" nig., K.** (1984). A revision of the genus *Ottelia* (Hydrocharitaceae). I. Generic considerations. *Aquatic Botany*, **18**: 263–274
- Cook, C.D.K., Gut, B.J., Rix, E.M, Schneller, J. and Seitz, M.** (1974). Water plants of the world: a manual for the identification of the genera of fresh water macrophytes. *Dr. W. Junk b.v., Publishers*, The Hague.
- Cowan A. M. and Cowan, J. M.** (1929). The Trees of Northern Bengal. *Bengal Secretariat Press*, Calcutta.
- Curtis, J. T. and McIntosh, R. P.** (1950). The Interrelations of Certain Analytic and Synthetic Phytosociological Characters. *Ecology*, **31(3)**: 434-455.
- D**
- Dabgar, P. J.** (2012). A contribution to the flora of Wadhvana wetland, Dabhoi Taluka (Gujrat). *Bioscience Discovery*, **3(2)**: 218-221.
- Dan, P. K. and Mandal, S.** (1990). Aquatic plants of Durgapur Industrial Belt West Bengal with reference to water environment. *Recent Researches in Ecology, Environment and Pollution*, **4**: 271-284.

- Das, A. P., Samanta, A.K. and Ghosh, C.** (2010). A checklist of Angiospermic Climbers of Darjiling and Sikkim parts of Eastern Himalaya including Terai and Duars. *Pleione*, **4(2)**: 185-206.
- Das, A.P., Ghosh, C. and Bhowmick, D.** (2003). Project Report on Estimation of Palatable Biomass in Jaldapara Wildlife Sanctuary with special reference to *Rhinoceros unicornis* L. Department of Botany, University of North Bengal, Siliguri.
- Das, H. S., Panda, P. C. and Patnaik, S. A.** (1996). Traditional uses of Wetland Plants of Eastern Orissa. *Journal of Economic and Taxonomic Botany*, **12**: 306-313.
- Das, K. K.** (2013). Diversity of aquatic and wetland angiospermic macrophytes in the Kamrup District, Assam, India. *Pleione*, **7(1)**: 8-17.
- Das, A. P. and Lahiri, A. K.** (1997). Phytosociological studies of the ground flora in different types of vegetation on Tiger Hill, Darjeeling district, West Bengal. *Indian Forester*, **123(12)**: 1176-1187.
- Das, D.C. and Samanta, A. K.** (2006). Phytosociological status of *Typha elephantine* Roxb. (Typhaceae) in Midnapore district of West Bengal, India. *Journal of economic and taxonomic botany*, **30 (1)**: 91-96.
- Daubenmire, R. F.** (1947). Plants and Environment: A Textbook of Plant Autoecology. *John Wiley and Sons*, New York.
- Deb, D. B.** (1981, 1983). The Flora of Tripura State. Vol 1 and 2. *Today and Tomorrow Printers and Publishers*, New Delhi.
- Deb, D.B.** (1976). A study on the aquatic vascular plant of India. *Bulletin of the Botanical Society of Bengal*, **29**: 155-170.

Den Hartog, C and Segal, S. (1964). A new Classification of the water plant communities. *Acta Botanica Neerlandica*, **13**: 267-293.

Dey, S. C. and Kar, D. (1989). Aquatic macrophytes of lake Sone in Assam. *Environment and Ecology*, **7**: 253-254.

Dhoti, S. and Dixit, S. (2007). Water quality improvement through Macrophytes: A case study. *Asian Journal of Experimental Science*, **21 (2)**: 427-430.

Doyle, J. A., and Endress, P. K. (2000). Morphological phylogenetic analysis of basal angiosperms: comparison and combination with molecular data. *International Journal of Plant Sciences*, **161(6)**: S121-S153.

Dutta, S. A., Desai, N., Almeida, S. M. and Das, A. P. (2002). Aquatic Macrophytes of Apalchand reserve in the Jalpaiguri district of West Bengal .In: A.P Das (ed.) *Perspective of Plant Biodiversity*, Dehradun, pp. 53-56.

G

Gopal, B. (1973). A survey of Indian studies on ecology and production of wetland and shallow water communities. *Polskie Archiwum Hydrobiologii*, **20**: 21-29.

Gopal, B., Paliwal, S.C. and Lavania, G.S. (1990). Aquatic vegetation of the Indian subcontinent. In: (Ed.) Brij Gopal, Ecology and Management of Aquatic vegetation in the Indian subcontinent. *Kluwer Academic Publishers*, Dordrecht Boston, London. Pp. 29 – 76.

Grierson, A.G.C. and Long, D.G. (1983 – 2001). Flora of Bhutan. 1(1). 1983; 1(2). 1984; Vol 1(3). 1987; 2(1). 1991; 2 (2). 1999, 2(3). 2001. *Royal botanic Garden*, Edinburgh.

Gupta, R.S. (1965). A study of the hydrophytes and marshy plants of Kota and environs (India). *Tropical Ecology*, **7**: 153-160.

H

Hooker, J.D. (1872-1897). Flora of British India, Vols. 1-7. L. Reeve and Co Ltd, Ashford, Kent, London.

Harsha, T. S., Yamakanamardi, S. M. and Mahsevaswmy, M. (2006). Temporal variation in the abundance of heterotrophic bacteria in the river Cauvery and its downstream tributaries, Karnataka, India. *Indian Journal of Microbiology*, **46(3)**: 249-257.

I

Islam, M. (1990). The aquatic and marshland flora of Assam. *Journal of Economic and Taxonomic Botany*, **13(2)**: 461-491.

IUCN (1971). The Ramsar Conference: Final act of the International conference on the Conservation of wetland and water fowl. *Suppl. I. U. C. N. Bull.*, **2(9)**: 1- 4.

J

Jolliffe, I.T. (2002). Principal Component Analysis, Series: Springer Series in Statistics, 2nd ed., Springer, NY.

Joseph, K. T. and Sivarajan, V. V. (1993). The genus *Nymphoides* Séguier (Menyanthaceae) in India. *Aquatic Botany*, **45**: 145-170.

Joseph, K.T. (1991). *Nymphoides sivarajanii*, a new species from India. *Wildenowia*, **20**: 135-138.

Joseph, K.T. and Sivarajan, V.V. (1988). *Rotala cookii*: A new species of Lythraceae from India showing Hippuris Syndrome. *Plant Systematics and Evolution*, **159**: 141-144.

Joseph, K.T. and Sivarajan, V.V. (1990). A new species of *Nymphoides* (Menyanthaceae) from India. *Nordic Journal of Botany*, **10(3)**: 281-284.

K

Kachroo, P. (1959). Aquatic vegetation of the Damodar Valley. I. Phanerogamic flora of fresh water ponds and marshy lands with particular reference to Eden Canal areas of West Bengal. *Journal of Asiatic Society of Bengal*, **1**: 271-298.

Kachroo, P. (1984). Aquatic Biology in India. Bishen Singh Mahendra Pal Singh, Dehradun.

Kaplan, R. (1973). Some psychological benefits of gardening. *Environment and Behavior*, **13**: 507-542.

Kapoor, S. L. and Sharga, A. N. (1993). House plants. *Vatika Prakashnan*, India.

Kar, D. and Barbhuiya, M. H. B. (2001). Ecology of aquatic macrophytes of Chatla Haor, a floodplain wetland in Cachar district of Assam. *Environment and Ecology*. **19**: 231-233.

Karthikeyan, S., Anand Kumar and Sharma, B.D. (1982). Aquatic angiosperms of Maharashtra (India). *Journal of economic and taxonomic botany*, **3(2)**: 423-446.

Kensa, M. (2011). Floristic study in a Vembanur wetland, Kanyakumari District, Tamilnadu, South India. *Plant Sciences Feed*, **1(11)**: 194-199.

Koul, V. and Zutshi, D. P. (1967). Study of aquatic and marshland vegetation of Srinagar. *The Proceedings of the National Academy of Sciences, India*, **33B**: 111-127.

Koushik, J.P. (1969). The vegetation of marshes, ponds and river bank in Shivpuri, Madhyapradesh. *Bulletin of the Botanical Survey of India*, **11**: 84-88.

M

Madhvachetty, K., Sudhakar, A. and Venkataramaiah, P. (2004). Hydrophytes of Chittoor District in Andhra Pradesh, India. *Journal of Economic and Taxonomic Botany*. **24(1)**: 197-206.

Madsen, J. D. (2001). The interaction between water movement, sediment dynamics and submersed macrophytes. *Hydrobiologia*, **444(1-3)**:71-84.

- Madsen, J.D.** (2009). Chapter 1: Impact of invasive aquatic plants on aquatic biology. In: *Biology and control of aquatic plants: a best management practices handbook*. (Gettys L.A., W.T. Haller, and M. Bellaud, eds.). Marietta GA, USA, Aquatic Ecosystem Restoration Foundation.
- Maheshwari, J. K.** (1960). The origin and distribution of the naturalized plants of Khandwa Plateau, Madhya Pradesh. *Journal of Biological Science*, **3**: 9-19.
- Majumdar, N.C.** (1965). Aquatic and Semi-aquatic flora of Calcutta and adjacent localities. *Bulletin of the Botanical Society of Bengal*, **19**: 10-17.
- Majumder, N. C., Ghosh, B. and Singh, G. P.** (1990). Observations on the wetland ecosystem of Kawar Lake in Begusarai, Bihar with special reference to vegetation. *Bulletin of Botanical Society of India*. **30(1-4)**: 134-139.
- Mandal, S., Mandal, D. and Palit, D.** (2003). A preliminary survey of wetland plants in Purulia district, West Bengal. *Indian Journal of Applied and Pure Biology*. **18(2)**: 247-252.
- Mandal, S., Mondal, S. and Das, D.** (2016). Studies on Some Economically Important Aquatic Plants of Katwa Subdivision of Burdwan District, West Bengal, India. *International Journal of Current microbiology and Applied Sciences*, **5(6)**: 961-972.
- Manilal, K.S. and Sivarajan, V.V.** (1978). A contribution to the study of Hydrophytic flora of Kerela. *The Proceedings of the National Academy of Sciences, India*. **45B**: 225-231.
- Matthews, E., and Fung, I.** (1987). Methane emissions from natural wetlands: Global distribution, area, and environmental characteristics of sources. *Global Biogeochemical Cycles*, **1**: 61-86.
- Meitei, S., Gupta, A. and Kandya, K.** (2010). Life form analysis of aquatic macrophytes in community ponds of Imphal Valley, Manipur, and India. *Pleione*, **4(1)**: 4-7.

- Mirashi, M. V.** (1954). Studies in the hydrophytes of Nagpur. A preliminary survey. *Journal of Indian Botanical Society*, **33**: 299-308.
- Mirashi, M. V.** (1957). Studies in hydrophytes of Umred. *Journal of Indian Botanical Society*. **36**: 397-407.
- Mirashi, M. V.** (1958). Studies in hydrophytes of Mansar. *Journal of Botanical Society of Bombay*, **1**: 45-52.
- Mishra and Narain.** (2010). Floristic and Ecological Studies of Bakhira Wetland, Uttar Pradesh, India. *Indian Forester*, **136(3)**: 375-381.
- Misra, R.** (1968). Ecology work Book. *Oxford and IBH Publishing Company*, New Delhi.
- Misra, R.** (1989). Manual of plant ecology (3rd edition). *Oxford & IBH Publishing Company*, New Delhi.
- Mitsch, W. J and Gosselink, J. G.** (1986). Wetlands. 2nd ed. Van Nostrand Reinhold Co. Newyork .p. 3-Pattecrew. E.L & Kalff. J. 1992. Water flow and clay retention in submerged macrophytes beds. *Canadian Journal of Fisheries and Aquatic Sciences*, **49**: 2483-2489.
- Mondal, N., Mondal, S. and Mandal, S.** (1998). Enumeration of aquatic angiosperms of Purulia district, West Bengal. *Environment and Ecology*, **16(1)**: 95-100.
- Muenschar, W. C.** (1944). *Aquatic plants of United States*. London.
- Mukherjee, S. K., Mondal, M. S. and Chakraborty, R.** (2016). Ethnobotanical information on some aquatic plants of South 24 Parganas, West Bengal. *Plant Science Today*, **3(2)**: 109-114.
- Mukhopadhyay, C. R.** (1987). Aquatic and Semi aquatic plants of Birbhum District, West Bengal. *Journal of Economic and Taxonomic Botany*, **9(1)**: 230-238.

N

Naskar, K.R., (1990). Aquatic and semiaquatic plants of the lower Ganga Delta. *Daya Publishing House*, Delhi.

Noltie, H. J. (2000). Flora of Bhutan Vol- 3, Part-2, The Grasses of Bhutan. *Royal Botanic Garden*, Edinburgh.

O

Oosting , H.J. (1958). The Study of Plant Communities, *W.H. Freeman and Co.* San Francisco.

P

Pal, D. C. and Jain, S. K. (1998). Tribal Medicine. *Naya Prakash*, Kolkata.

Pal, D.C. (1980). Observation on folklore about plants used in veterinary medicine in Bengal, Orissa and Bihar. *Bulletin of the Botanical Survey of India*, **22(1-4)**: 96-99.

Pal, D.C. (1981). Plants used in treatment of cattle and birds among tribals of Eastern India. In Jain S.K. (Ed.) *Glimpses of Indian Ethnobotany*, pp. 245-258.

Panda, P. C., Patnaik, A. K., Rath, J. and Patnaik, S. N. (2002). Flora of Chilka lake and its immediate neighborhood: A checklist. *Journal of Economic and Taxonomic Botany*. **26(1)**: 1-20.

Patnaik, H. and Patnaik, N. K. (1956) .The hydrophytes of Cuttack. *Journal of Indian Botanical Society*. **35**: 167-170.

Patnaik, S. (1977). A study of the aquatic plants of Chilka Lake. *Proceedings of Indian National Academy of Science*. **48(B) (I & II)**: 53-56.

Pattnaik, H. and Pattanaik, N.K. (1956). The hydrophytes of Cuttack. *Journal of Indian botanical society*, **35**:167-170.

Pohl, F. (1937). Die Pollenenzeugung der Windblutler. Beihefte zum Botanischen Centralblatt. **56A**: 365-470.

Pradhan, P., Mishra, S.S., Chakraborty, S.K. and Bhakat, R.K. (2005). Diversity of freshwater macrophytic vegetation of six rivers of South West Bengal. *Tropical Ecology*, **46(2)**: 193-202.

Prain, D. (1903). Bengal Plants, Govt. of India, *Central Publication Branch*, Calcutta.

Puri, G. S. and Mahajan, S. D. (1958). The vegetation of marshes and swamps in the Poona District. *Proceedings of the Indian National Science Academy*. **24(3)**: 159-164.

R

Raghvan, R.S. Kulkarni, A.R. and Yadav, S.R., (1982). *Aponogeton satarensis* A new species from India. *Kew Bulletin*, **36**: 687-689.

Raunkiaer, C. (1934). The life forms of plants and statistical plant geography. *Oxford University Press*. London.

Reid, G. K. (1961). Ecology of Inland Waters Estuaries. *Reinhold Publishing, Corp.* New York.

Roy, A. and Banerjee, L. K. (1998). Preliminary observation on the plant diversity of the lake Rabindra Sarobar, Calcutta, India. *Journal of Economic and Taxonomic Botany*. **22(20)**: 419-422.

S

Saha, S. (2003). Plant association and stratification studies in the forests of Singalila range, Darjeeling. *Journal of Phytological Research*, **16(1)**: 39-42.

Sahai, R. and Sinha, A. B. (1968). A supplement to aquatic and swampy vegetation of Gorakhpur. *Indian Forester*, **9(4)**: 819-821.

- Sambandan, K. and Dhatchanamoorthy, N.** (2011). Diversity of Aquatic macrophytes in Karaikal District, U.T. of Ponducherry, India. *Journal of Economic and Taxonomic Botany*, **35(3)**: 497-503.
- Sasmal, B. and Mondal, A.K.** (2013). Phyto-Sociological studies on *Pistia stratiotes* L. var. *cuneata* Engl.(Araceae) in Purba Medinipur District, West Bengal, India. *International Journal of Current Research*, **5(2)**: 283-288.
- Satyanarayan, G.** (1963). Hydrophytic vegetation of Jalukbari. *Bulletin of Botanical Survey of India*, **4**: 217-218.
- Schouw, J. F.** (1822). Grundtrack til en almindlig Plantegeografie. *German edition*, Berlin.
- Sculthorpe, C. D.** (1967). The biology of aquatic vascular plants. *Edward Arnold (Publishers) Ltd.*, London, UK. 610 p.
- Seerwani, A. B.** (1962). A study in the hydrophytes and plants of low lying habitats in Jabalpur. *Bulletin Botanical Survey of India*. **4**: 227-231.
- Selvamony, S. and Jeeva, S.** (2011). Angiosperm flora from wetland of Kanyakumari district, Tamilnadu India. *Checklist*, **7(4)**: 486-495.
- Sen, D. N. and Chatterjee, U. N.** (1959). Ecological studies on aquatic and swampy vegetation of Gorakhpur. *Agra University Journal of Research and Science*, **7(1)**: 17-29.
- Shankar, L.H. and Mishra. P. K.** (2012). Study of Aquatic Medicinal Plants of Hazaribag District of Jharkhand, India. *International Research Journal of pharmacy*, **3(4)**: 405-409.
- Shannon, C. E. and Weaver, W.** (1963). The Mathematical Theory of Communication. *University of Illinois Press*. ISBN 978-0-252-72548-7.
- Sharma, N. and Joshi, S. P.** (2008). comparative study of Fresh Water swamps of Doon Valley. *Journal of American Science*, **4(1)**: 7-10.

Sorensen, T. (1948). A method of establishing groups of equal amplitude in plant society based on the similarity of species content. *K. Danske, Vidensk*, **5**: 1-34.

Subramanyam, K. (1962). Aquatic Angiosperms: A Systematic Account of Common Indian Aquatic Angiosperms. *Council of Scientific and Industrial Research*, New Delhi.

Swarup, V. (1998). Ornamental horticulture. *MacMillan Indian Limited*, New Delhi.

T

Tinner, R. W. Jr. (1988). Field Guide to nontidal wetland identification. Cooperative Publication, Maryland Department of Natural Resources, Annapolis, and U. S. Fish and Wildlife Service, Newton Corner, M.A.

U

Udayakumar, M and Ajithadoss, K. (2010). Angiosperm, Hydrophytes of five ephemeral lakes of Thiruvallur District, Tamil Nadu, India. *Checklist*, **6(2)**: 270-274.

Ulrich, R. S. (1984). View through a window may influence recovery from surgery. *Science*, **224**: 420-422.

Unni, K.S. (1967). Studies on the vegetation of ponds, swamps and river banks in Raipur, M.P. *Journal of Bombay natural history*, **64**: 95 – 102.

V

Vyas, L. N. (1964). A study of hydrophytes and marsh plants of Alwar and environs., *Journal of Indian Botanical Society*. **43**: 7-30.

W

Weaver, J. E. and Clement, F. E. (1929). *Plant Ecology*. McGraw-Hill, New York.

Whitford, P.B. (1948). Distribution of woodland plants in relation to succession and clonal growth. *Ecology*, **30**:199–208.

Williams, M. (ed) (1997). *Wetland: A threatened landscape*. Blackwell, Oxford. UK and Cambridge, USA.

Wilhm, J. L. (1967). Comparison of some diversity indices applied to populations of benthic macroinvertebrates in a stream receiving organic wastes. *Journal of Water Pollution Control Federation*, **39**: 1673–1683.

Wilhm, J. L. and Dorris, T. C. (1968). Species diversity of benthic macroinvertebrates in a stream receiving domestic and oil refinery effluents. *The American Midland Naturalist*, **76**: 427–449.

WWF- INDIA. (1993). *Dictionary of Indian Wetlands*. WWF- India & Asian Wetland Bureau, Kuala Lumpur, Malaysia. XVI + 264 PP.

Y

Yadav, S.R. and Goveka, R.S. (1994). *Aponogeton bruggeni* (Aponogetonaceae), a new species from India. *Rheedea*, **4**:34-36.