

# List of Figures

2.1	Range, azimuth and elevation convention of sensors for target tracking . . . . .	29
2.2	Block Diagram of Basic Radar System . . . . .	31
2.3	ENU and ECEF coordinate systems . . . . .	34
2.4	Cartesian and spherical coordinates . . . . .	35
2.5	EOTS Triangulation Method . . . . .	36
3.1	Triangulation method measuring the position. . . . .	48
3.2	Calculating perpendicular distances . . . . .	51
3.3	Plot of Z coordinates of motion vs Ground Range. . . . .	53
3.4	Plot of error in X, Y and Z coordinates vs Time. . . . .	53
3.5	Plot of perpendicular distances of seven EOS vs Time. . . . .	53
3.6	Plot of perpendicular distances of 7 EOS vs Time. . . . .	54
3.7	Plot of error in X, Y and Z coordinates vs Time. . . . .	55
3.8	Plot of perpendicular distances of Six EOS vs Time. . . . .	56
3.9	Plot of error in X, Y and Z coordinates vs Time. . . . .	56
3.10	Plot of perpendicular distances of 7 EOS vs Time. . . . .	57
3.11	Plot of error in X, Y and Z coordinates vs Time. . . . .	57
3.12	Plot of perpendicular distances of six EOS vs Time. . . . .	58

3.13	Plot of error in X, Y and Z coordinates vs Time. . . . .	59
3.14	Plot of perpendicular distances of 5 EOS vs Time. . . . .	59
3.15	Plot of error in X, Y and Z coordinates vs Time. . . . .	60
3.16	Plot of perpendicular distances of 7 EOS vs Time. . . . .	61
3.17	Plot of error in X, Y and Z coordinates vs Time. . . . .	61
3.18	Plot of Perpendicular distances of 7 EOS vs Time. . . . .	62
3.19	Plot of Error in X, Y and Z coordinates vs Time. . . . .	63
3.20	Error in X, Y and Z coordinate vs Time. . . . .	69
3.21	Error in X, Y and Z coordinate vs Time. . . . .	70
3.22	Measured positions by 7 sensors at an instance . . . . .	71
3.23	Error in X, Y and Z coordinate vs Time . . . . .	71
3.24	Error in X, Y and Z coordinate vs Time . . . . .	72
3.25	Clustering of the measured position by 7 sensors . . . . .	73
3.26	Error in X, Y and Z coordinate vs Time . . . . .	73
3.27	Clustering of the measured position by 7 sensors . . . . .	74
3.28	Error in X, Y and Z coordinate vs Time . . . . .	75
3.29	Clustering of the measured position by 7 sensors . . . . .	75
3.30	Error in X, Y and Z coordinate vs Time . . . . .	76
3.31	Clustering of the measured position by 7 sensors . . . . .	76
3.32	Error in X, Y and Z coordinate vs Time . . . . .	77
3.33	Clustering of the measured position by 7 sensors . . . . .	77
3.34	Error in X, Y and Z coordinate vs Time . . . . .	78
3.35	Measured Positions by the combination of sensors . . . . .	84
3.36	Error in X,Y,Z coordinate vs time . . . . .	84
3.37	Z vs Ground Range for actual and all possible combination of seven sensors taking two at a time . . . . .	85

3.38	Z vs Ground Range for actual vs K-means measured . . . . .	86
3.39	Clustering of the sample points . . . . .	86
3.40	Error in X,Y,Z coordinate vs time . . . . .	86
3.41	Clustering of the sample points . . . . .	87
3.42	Error in X,Y,Z coordinate vs time . . . . .	87
3.43	Clustering of the sample points . . . . .	88
3.44	Error in X,Y,Z coordinate vs time . . . . .	88
3.45	Clustering of the sample points . . . . .	89
3.46	Error in X,Y,Z coordinate vs time . . . . .	89
3.47	Clustering of the sample points . . . . .	90
3.48	Error in X,Y,Z coordinate vs time . . . . .	90
4.1	Accuracy Estimation . . . . .	95
4.2	Height vs range graph . . . . .	109
4.3	Error vs range graph for radar1 . . . . .	110
4.4	Range error vs range graph for radar1 . . . . .	110
4.5	Position of all points, clusters and final centroids . . . . .	111
4.6	Final error vs range graph . . . . .	111
4.7	Final range error vs range graph . . . . .	112
4.8	Range error vs range graph for all radars . . . . .	112
4.9	Position of all points, clusters and final centroid . . . . .	113
4.10	Final range error vs range graph . . . . .	113
4.11	Range error vs range graph for all radars . . . . .	114
4.12	Position of all points, clusters and final centroids . . . . .	114
4.13	Final range error vs range graph . . . . .	115
4.14	Range error vs range graph for all radars . . . . .	115
4.15	Position of all points, clusters and final centroids . . . . .	116

4.16	Final range error vs range graph . . . . .	116
4.17	Range error vs range graph for all radars . . . . .	117
4.18	Position of all points, clusters and final centroids . . . . .	117
4.19	Final range error vs range graph . . . . .	118
4.20	Range error vs range graph for all radars . . . . .	118
4.21	Position of all points, clusters and final centroids . . . . .	119
4.22	Final range error vs range graph . . . . .	119
5.1	A sample Hyperbolic Position Location Solution (Three receivers)	124
5.2	Range vs Height (Best case) . . . . .	132
5.3	Range vs Height (Worst case) . . . . .	132
5.4	Range vs Position errors(Best case) . . . . .	133
5.5	Range vs Position errors(Worst case) . . . . .	133
5.6	Range vs Range difference errors(Best case) . . . . .	134
5.7	Range vs Range difference errors(Worst case) . . . . .	134
5.8	Range vs Avg range difference errors and position error(Best case)	135
5.9	Range vs Avg range difference errors and position error(Worst case)	135
5.10	Range vs Error factor (position error /Avg range difference er- rors)(Best case) . . . . .	136
5.11	Range vs Error factor (position error /Avg range difference er- rors)(Worst case) . . . . .	137
6.1	Block diagram of the existing system . . . . .	143
6.2	Context diagram . . . . .	145
6.3	Level 1 Data Flow Diagram . . . . .	146
6.4	Level 2 Data Flow Diagram . . . . .	147
6.5	Choose whether to send data from each station . . . . .	148

6.6	Configure Server IP and port . . . . .	148
6.7	Set mission information . . . . .	148
6.8	Set Mission events . . . . .	149
6.9	Set physical events . . . . .	149
6.10	Display nominal data . . . . .	151
6.11	Diagram illustrating location of tracking station and launch point .	152
6.12	Real-time Display Sender Interface . . . . .	167
6.13	Display on Demand interface . . . . .	168
6.14	Help menu for selecting default display . . . . .	170