Total Page - 8

## UG/3rd Sem/PHS(G)/T/19

2019

B.Sc.

# 3rd Semester Examination PHYSICS (General) Paper - DSC 1C-T

Full Marks: 40

Time: 2 Hours

The figures in the margin indicate full marks. Candidates are required to give their answers in their own words as far as practicable.

Illustrate the answers wherever necessary.

Thermal Physics and Statistical Mechanics

#### Group - A

Answer any five questions.

 $5 \times 2 = 10$ 

- What is inversion temperature? How it is related to Boyle temperature and critical temperature?
- 2. With the help of Maxwell's Thermodynamics equations, show that  $\left(\frac{\partial Q}{\partial P}\right)_T = -TV\alpha$  where  $\alpha$  is the volume expansion coefficient.

[ Turn Over ]

	Show that the mean free path of gas molecules	in
	inversely proportional to the density of the gas.	2

- 4. Define coefficient of viscosity. How it is related to thermal conductivity?
- Define on ideal blackbody. State stefan Boltzmann's law.
- 6. Maximum radiated wavelength (λ<sub>m</sub>) of a blackbody at 1373°C is 1.78 micron. What is the temperature of the moon it λ<sub>m</sub> of moon is 14 micron.
- 7. What do you mean by phase space? What is fermi energy?
- 8. Show that entropy remains constant in reversible cycle. 2

### Group - B

Answer any four questions.

 $4 \times 5 = 20$ 

9. (a) Show that for real gas joule - Thomson coefficient is  $\mu = \frac{1}{C_p} \left( \frac{2a}{RT} - b \right)$ .

(b) Write down the differences between adiabatic and Joule-Thomson expansion.2

- 10. (a) State the principle of equipartition of energy.
  - (b) Deduce the relation between degrees of freedom
     (f) and ratio of specific heats (γ) of gas using the above principle.
- 11. (a) Deduce Wien's distribution law from Planck's law.
  - (b) What are the differences between the pressure exerted by an ideal gas and the radiation pressure exerted by an ideal blackbody?
- 12. (a) Deduce the relation between entropy and thermodynamic probability.3
  - (b) In a metal, fermi velocity of electron is  $0.7 \times 10^6$  m/sec, final out the fermi temperature. 2
- 13. (a) Show that Tds = CpdT  $T\left(\frac{\partial V}{\partial T}\right)_P dP$ .
  - (b) Calculate the work done by a gas in an adiabatic process.
- 14. (a) Define mean free path. Deduce an expression for mean free path.

[Turn Over]

(b) In normal atmospheric pressure, at which temperature, the mean free path of oxygen molecule will be 9.95 × 10<sup>-8</sup>m? The radius of oxygen molecule is 1.695Å.

#### Group - C

Answer any *one* question.  $1 \times 10 = 10$ 

- 15. (a) Prove that the efficiency of a carnot engine is  $\eta = 1 \frac{T_1}{T_2} \quad \text{where} \quad T_2 \quad \text{and} \quad T_1 \quad \text{are the temperatures of source and sink respectively.} \quad 5$ 
  - (b) Two bodies having mass m and specific heat C are at temperatures  $T_1$  and  $T_2$  ( $T_1 > T_2$ ) respectively. When they are kept in contact such that their temperature becomes same. Calculate the change in entropy.
  - (c) Can two isothermals of a fixed mass of gas intersect each other? Explain.
- (a) Strting from Maxwell's velocity distribution law in two dimension deduce the energy distribution law.

(b) With the help of Maxwell's velocity distribution law, prove that rms velocity of gas molecules,

$$C = \sqrt{\frac{3KT}{m}}$$
 in three dimension.

(c) Discuss the effect of pressure and temperature on viscosity of a gas.

## বঙ্গানুবাদ

## বিভাগ - ক

যে কোনো পাঁচটি প্রশ্নের উত্তর দাও। ৫×২=১০

১। উৎক্রম তাপমাত্রা কাকে বলে? এর সঙ্গে বয়েল তাপমাত্রা ও সংকট তাপমাত্রার সম্পর্ক কী?

২। ম্যাক্সওয়েলের তাপগতীয় সমীকরণের সাহায্যে দেখাও যে,

৩। দেখাও যে, গ্যাস অণুর গড় মুক্ত পথের মান গ্যাসের ঘনত্বের ব্যস্তানুপাতিক।

[Turn Over]

2

- ৪। সাদ্রতাঙ্কের সংজ্ঞা লেখা। এটি কীভাবে তাপ পরিবাহীতাঙ্কের সঙ্গে সম্পর্কিত?
- ৫। একটি আদর্শ কৃষ্ণবস্তুর সংজ্ঞা দাও। স্টিফান বোল্জম্যানের সূত্রটি বিবৃত করো।
- ৬।  $1373^{\circ}$ C উষ্ণতায় থাকা একটি কৃষ্ণবস্তুর সর্বাধিক বিকিরণের তরঙ্গাদৈর্ঘ্য ( $\lambda_{\rm m}$ ) হল 1.78 micron. যদি চাঁদের  $\lambda_{\rm m}=14$  micron হয়, তাহলে চাঁদের তাপমাত্রা কত?
- ৭। দশা অঞ্চল বলতে কী বোঝো? ফার্মি শক্তিস্তর কাকে বলে? ২

৮। দেখাও যে, প্রত্যাবর্তক চক্রে এনট্রপি স্থির থাকে। ২

#### বিভাগ - খ

যে কোনো চারটি প্রশ্নের উত্তর দাও। ৪×৫=২০ ৯। (ক) দেখাও যে, বাস্তব গ্যাসের ক্ষেত্রে জুল-মৈসন গুণাক

$$\mu = \frac{1}{C_p} \left( \frac{2a}{RT} - b \right).$$

- (খ) রুদ্ধদাপ প্রসারণ ও জুল টমসন প্রসারণের মধ্যে পার্থক্য লেখো।
- ১০। (क) শক্তির সমবিভাজন নীতি বিবৃত করো।
  - (খ) উপরোক্তা নীতির সাহায্যে গ্যাসের স্বাধীনতার মাত্রা (f)
    এবং দুই আপেক্ষিক তাপের অনুপাতের (γ) সম্পর্ক নির্ণয়
    করো।

১১। (ক) প্ল্যাঙ্কের সূত্র থেকে ভিনের পরিবণ্টন সূত্র প্রতিষ্ঠা করো।

- (খ) আদর্শ গ্যাসের চাপ এবং আদর্শ কৃষ্ণবস্তুর বিকিরণ চাপের মধ্যে পার্থক্য কোথায়?
- ১২। (ক) এনট্রপি এবং তাপগতিতাত্ত্বিক সম্ভাব্যতার সম্পর্কটি প্রতিষ্ঠা করো।
  - (খ) ধাতুর ইলেকট্রনের ফার্মি বেগ 0.7 × 10<sup>6</sup> m./sec হলে, ফার্মি তাপমাত্রার মান কত?

১৩। (ক) দেখাও যে, 
$$Tds = Cp \ dT - T \left( \frac{\partial V}{\partial T} \right)_p dP$$
 ৩

- (খ) রুদ্ধতাপ প্রক্রিয়ায়, গ্যাস কর্তৃক কৃতকার্যের পরিমাপ করো।
- ১৪। (ক) গড় মুক্তপথ কাকে বলে? গড় মুক্তপথের একটি রাশিমালা নির্ণয় করো।
  - (খ) প্রমাণ বায়ুমণ্ডলীয় চাপে, কোন্ তাপমাত্রায় অক্সিজেন অণুর গড় মুক্তপথ 9.95 × 10<sup>-8</sup>m? হবে? অক্সিজেন অণুর ব্যাসার্ধ 1.695Å.

#### বিভাগ - গ

যে কোনো **একটি** প্রশ্নের উত্তর দাও। ১×১০=১০ ১৫।(ক) প্রমাণ করো, একটি কার্ণো ইঞ্জিনের কর্মদক্ষতা  $\eta = 1 - \frac{T_1}{T_2}$  যেখানে  $T_2$  এবং  $T_1$  যথাক্রমে উৎস ও তাপগ্রাহকের উষ্ণতা।

- (খ) m ভরের দুটি বস্তুর উষ্ণতা যথাক্রমে  $T_1$  এবং  $T_2$   $(T_1 > T_2)$  এবং বস্তুদুটির আপেক্ষিক তাপ C। বস্তুটিকে পরস্পারের সংস্পার্শে রাখলে তাদের উষ্ণতা সমান হয়। এনট্রপির পরিবর্তন নির্ণয় করো।
- (গ) নির্দিষ্ট ভরের একটি গ্যাসের দুটি সমোফ লেখ পরস্পরছেদ করতে পারে কি? ব্যাখ্যা করো।
- ১৬। (ক) দ্বিমাত্রিক দেশে ম্যাক্সওয়েলের কো বন্টন সূত্র থেকে শক্তি বন্টন সূত্রটি প্রতিষ্ঠা করো।
  - (খ) ম্যাক্সওয়েলের বেগ বন্টন সূত্রের সাহায্যে দেখাও যে  $\gamma$  গ্যাস অণুগুলির গতিবেগ  $C=\sqrt{\frac{3KT}{m}}$ । ত্রিমাত্রিক দেশে।
  - (গ) গ্যাসের সান্ত্রতার উপর চাপ ও উষ্ণতার প্রভাব আলোচনা করো।

