Bibliography

[1] Abrams, P., Matsuda, H. (1993)   Effects of adaptive predator and anti-predator behaviour in a two-prey-one predator system, *Evolutionary Ecology*, **7**, 312-326.

[2] Aiello, W.G., Freedman, H.I. (1990)   A time-delay model of single-species growth with stage-structure, *Mathematical Biosciences*, **101**, 139-153.

[3] Arditi, R., Ginzburg, L.R. (1989)   Coupling in predator-prey dynamics:ratio dependence, *Journal of Theoretical Biology*, **139**, 311-326.

[4] Ayala, F.J., Gilpin, M.E., Ehrenfeld, J.G. (1973)   Competition between species: Theorical models and experimental tests, *Theoretical Population Biology*, **4**, 331-356.

[5] Aziz-Alaoui, M., Okiye, M.D. (2003)   Boundedness and global stability for a predator-prey model with modified Leslie-Gower and Holling type II schemes, *Applied Mathematics Letters*, **16**, 1069-1075.

[6] Bazykin, A., Khibnik, A., Krauskopf, B. (1998)   *Nonlinear Dynamics of Interacting Populations*, World. Sci.

[7] Beddington, J. (1975)   Mutual interference between parasites or predators and its effect on searching efficiency, *The Journal of Animal Ecology*, **44**, 331-340.

[8] Berryman, A.A. (1992)   The origin and evolution of predator prey theory, *Ecological Society of America*, **73**, 1530-1535.

[9] Birkoff G., Rota G.C. (1982)   *Ordinary Differential Equations*, Ginn.

[10] Bunomo B, Onofrio A, Lacitignola D. (2008) Global stability of an SIR epidemic model with information dependent vaccination, *Mathematical Biosciences*, **216**, 9-16.

[11] Cai, L., Song, X. (2007) Permanence and stability of a predator-prey system with stage structure for predator, *Journal of Computational and Applied Mathematics*, **201**, 356-366.

[12] Chakraborty, K., Kar, T.K., Jana, S. (2012) Global dynamics and bifurcation in a stage structured prey-predator fishery model with harvesting, *Applied Mathematics and Computation*, **218**, 9271-9290.

[13] Chattopadhyay, J. (1996) Effects of toxic subtances on a two-species competitive system, *Ecological Modelling*, **84**, 287-289.

[14] Chattopadhyay, J., Pal, S. (2002) Viral infection on phytoplankton zooplankton system-A mathematical model, *Ecological Modelling*, **151**, 15-28.

[15] Chattopadhyay, J., Sarkar, R.R., Pal, S. (2003) Dynamics of nutrient-phytoplankton interaction in the presence of viral infection, *Biosystems*, **68**, 5-17.

[16] Chen, C.C., Hsui, C.Y. (2007) Fishery policy when considering the future opportunity of harvesting, *Mathematical Biosciences*, **207**, 138-160.

[17] Clark, C.W. (1976) *Mathematical bioeconomics: the optimal management of renewable resources*, Wiley, New York.

[18] Clark, C.W. (1985) *Bioeconomic modelling and fisheries management*, Wiley, New York.

[19] Dai, G., Tang, M. (1998) Coexistence region and global dynamics of a harvested predator-prey system, *SIAM Journal on Applied Mathematics*, **58**, 193-210.

146

[20] Das, T., Mukherjee, R.N., Chaudhuri, K.S. (2009) Harvesting of a prey-predator fishery in the presence of toxicity, *Applied Mathematical Modelling*, **33**, 2282-2292.

[21] DeAngelis, D.L. Goldstein, R.A., O'Neill, R.V. (1975) A model for trophic interaction, *Ecology*, **56**, 881-892.

[22] DeAngelis, D., Goldstein, R., O'neill, R. (1975) A model for tropic interaction, *Ecology*, **56**, 881-892.

[23] Devi, S. (2013) Effects of prey refuge on a ratio-dependent predator-prey model with stage-structure of prey population, *Applied Mathematical Modelling.*, **37**, 4337-4349.

[24] Flaaten, O. (1991) Bioeconomics of sustainable harvest of competiing species, *Journal of Environmental Economics and Management*, **20**, 163-180.

[25] Freedman, H.I. (1980) *Deterministic mathematical models in population ecology*, M. Dekker, New York.

[26] Freedman, H.I., Mathsen, A.M. (1993) Persistence in predator-prey systems with ratio-dependent predator influence, *Bulletin of Mathematical Biology*, **55**, 817-827.

[27] Freedman, H.I., So, J.W.H. (1985) Global stability persistence of simple food chains, *Mathematical Biosciences*, **76**, 69-86.

[28] Freedman, H.I., Waltman, P. (1984) Persistence in models of three interacting predator-prey populations, *Mathematical Biosciences*, **68**, 213-231.

[29] Gakkhar, S., Gupta, K. (2016) A three species dynamical system involving prey-predation, competition and commensalism, *Applied Mathematics and Computation*, **273**, 54-67.

[30] Gakkhar, S., Naji, R.K. (2003) Order and chaos in predator to prey ratio-dependent food chain, *Chaos, Solitons and Fractals*, **18**, 229-239.

[31] Gakkhar, S., Singh, A. (2012) Control of chaos due to additional predator in the Hastings-Powel food chain model, *Journal of Mathematical Analysis and Applications*, **385**, 423-438.

[32] Gause, G.F. (1934) *The Struggle for Existence*, Williams and Wilkins, Baltimore.

[33] Gause, G.F., Smaragdova, N.P., Witt, A. A. (1936) Further studies of interaction between predators and prey, *The Journal of Animal Ecology*, **5**, 1-18.

[34] Ghosh, B., Kar, T.K. (2014) Sustainable use of prey species in a prey-predator system: Jointly determined ecological thresholds and economic trade-offs, *Ecological Modelling*, **272**, 49-58.

[35] Gompertz, B. (1825) On the nature of the function expressing the law of human mortality, *Philosophical Transactions of the Royal Society*, **115**, 513-585.

[36] Gopalsamy, K. (1992) *Stability and oscillations in delay differential equations of population dynamics*, Kluwer Academic Publishers, Dordrecht Boston.

[37] Gunog, S., DeAngelis D. L. (2011) A predator prey model with a Holling Type I functional response including a predator mutual interference, *Journal of Nonlinear Science*, **21**, 811-833.

[38] Hannesson, R. (1983) Optimal harvesting of ecologically interdependent fish species, *Journal of Environmental Economics and Management*, **10**, 329-345.

[39] Haque M., Zhen J., Venturino E. (2008) An ecoepidemiological predator prey model with standard disease incidence, *Mathematical Methods in the Applied Sciences*, **32**, 875-898.

[40] Hassard, B., Kazarinoff, N., Wan, Y. (1981) *Theory and Applications of Hopf bifurcation*, Cambridge Univ. Press, Cambridge.

[41] Holling, C.S. (1959) The characteristics of simple type of predation and parasitism, *Canadian Entomologist*, **91**, 385-398.

[42] Huang, Y., Chen, F., Zhong, L. (2006) Stability analysis of a prey-predator model with Holling type III response function incorporating a prey refuge, *Applied Mathematics and Computation*, **182**, 672-683.

[43] Hutchison, G.E. (1961) The paradox of the plankton, *The American Naturalist*, **95**, 145-159.

[44] Huxel, G.R., McCann, K. (1998) Food web stability: the influence of trophic flows across habitants, *The American Naturalist*, **152**, 460-469.

[45] Ives, A.R., Dobson, A.P. (1987) Antipredator behaviour and the population dynamics of simple predator-prey systems, *The American Naturalist*, **130**, 431-447.

[46] Jana, A. Roy, S. K. (2020) Holling-Tanner prey-predator model with Beddington-DeAngelis functional response including delay, *International Journal of Modelling and Simulation*, DOI: 10.1080/02286203.2020.1839168.

[47] Jana, A. Roy, S. K. (2021) Behavioural analysis of two prey-two predator model, *Ecological Complexity*, **47** 100942.

[48] Jana, S., Chakraborty, M., Chakraborty, K., Kar, T.K. (2012) Global stability and bifurcation of time delayed prey-predator system incorporating prey refuge, *Mathematics and Computers in Simulation*, **85**, 57-77.

[49] Kant, S., Kumar, V. (2016) Dynamical behavior of a stage structured prey-predator model, *International Journal of Nonlinear Analysis and Applications*, **7**, 231-241.

[50] Kar, T.K., Mondal, P.K. (2011) Global dynamics and bifurcation in a delayed SIR epidemic model, *Nonlinear Analysis: Real World Applications*, **12**, 2058-2068.

[51] Kar, T.K. (2006) Modelling and analysis of a harvested prey-predator system incorporating a prey refuge, *Journal of Computational and Applied Mathematics*, **185**, 19-33.

[52] Kar, T.K., Ghosh, B. (2012) Sustainability and optimal control of an exploited prey predator system through provision of alternative food to the predator, *Biosystems*, **109**, 220-232.

[53] Krivan, V. (1998) Effects of optimal antipredator behavior of prey on predator-prey dynamics: the role of refuges, *Theoretical Population Biology*, **53**, 131-142.

[54] Krivan, V. (2011) On the Gause predator-prey model with a refuge: a fresh look at the history, *Journal of Theoretical Biology*, **274**, 67-73.

[55] Kuang, Y., Beretta, E. (1998) Global quantiative analysis of a ratio-dependent predator-prey system, *Journal of Mathematical Biology*, **36**, 389-406.

[56] Kuang, Y. (1993) *Delay Differential Equations: with Applications in Population Dynamics*, Academic Press, New York.

[57] Levin, S.A. (1977) A more functional response to predator-prey stability, *The American Naturalist*, **111**, 381-383.

[58] Li, M.Y., Muldowney, J.S. (1996) A geometric approach to global stability problems, *SIAM Journal on Mathematical Analysis*, **27**, 1070-1083.

[59] Li, Y., Xiao, D. (2007) Bifurcations of a predator-prey system of Holling and Leslie types, *Chaos, Solitons and Fractals*, **34**, 606-620.

[60] Li, H., Takeuchi, Y. (2011) Dynamics of the density dependent predator-prey system with Beddington-DeAngelis functional response, *Journal of Mathematical Analysis and Applications*, **374**, 644-654.

[61] Liu, S., Chen, L. (2002) Recent progress on stage-structured population dynamics, *Mathematical and Computer Modelling*, **36**, 1319-1360.

[62] Liu, X., Han, M. (2011) Chaos and Hopf bifurcation analysis for a two species predator prey system with prey refuge and diffusion, *Nonlinear Analysis: Real World Applications*, **12**, 1047-1061.

[63] Lotka, A.J. (1925) *Elements of Physical Biology*, Williams and Wilkins.

[64] Lotka, A. (1956) *Elements of Mathematical Biology*, New York: Dover Publications.

[65] Lou, Y., Zhao, X.Q. (2011) Modelling malaria control by introduction of larvivorous fish, *Bulletin of Mathematical Biology*, **73**, 2384-2407.

[66] MacArthur, R.H., Wilson, E.O. (1967) *The Theory of Island Biogeography*, Princeton University Press, Princeton.

[67] Madhusudanan, V., Vijaya, S. (2015) Impact of quadratic harvesting on prey-predator model with holling type-II functional response, *International Journal of Applied Engineering Research*, **10**, 43953-43959.

[68] Martin, R.H. (1974) Logarithmic norms and projections applied to linear differential systems, *Journal of Mathematical Analysis and Applications*, **45**, 432-454.

[69] Morozov, A.Y. (2010) Emergence of Holling type III zooplankton functional response: Bringing together field evidence and mathematical modelling, *Journal of Theoretical Biology*, **265**, 45-54.

[70] Murray, J.D. (1989) *Mathematical Biology*, Springer-Verlag, Berlin.

[71] Nisbet, R.M., Gurney, W.S.C. (1982) *Modeling Fluctuating Populations*, Wiley- Interscience, Chichester.

[72] Pal, D., Mahapatra, G.S., Samanta, G.P. (2015) Stability and bionomic analysis of fuzzy parameter based prey-predator harvesting model using UFM, *Nonlinear Dynamics*, **79**, 1939-1955.

[73] Pal, P , Mandal, P.K. (2014) Bifurcation analysis of a modified Leslie-Gower predator-prey model with Beddington-DeAngelis functional re-

sponse and strong Allee effect, *Mathematics and Computers in Simulation*, **97**, 123-146.

[74] Pal, S., Chatterjee, S., Chattopadhyay, J. (2007) Role of toxin for the occurence and termination of plankton bloom, Results drawn from field observations and a mathematical model, *Biosystems*, **90**, 87-100.

[75] Pal, S., Chatterjee, S., Das, K., Chattopadhyay, J. (2009) Role of competition in phytoplankton population for the occurence and control of plankton bloom in the presence of environmental fluctations, *Ecological Modelling*, **220**, 96-110.

[76] Pearl, R., Reed, L.J. (1920) On the rate of growth of the population of the United States since 1790 and its mathematical representation, *Proceedings of the National Academy of Sciences*, **6**, 275-288.

[77] Peng, G., Jiang, Y., Li, C. (2009) Bifurcations of a Holling type II predator prey system with constant rate of harvesting, *International Journal of Bifurcation and Chaos* , **19**, 2499-2514.

[78] Perko, L. (1996) *Differential Equations and Dynamical Systems*, Springer, New york.

[79] Poincaré, H. (1885) L'Équilibre d'une masse fluide animée d'un mouvement de rotation, *Acta Mathematica*, **7**, 259-380.

[80] Pontryagin, L.S., Boltyanskii, V.S., Gamkrelidge, R.N., Mishchenko, E.F. (1962) *The Mathematical Theory of Optimal Processes*, Wiley, New York.

[81] Prasad, B., Banerjee, M., Srinivasu, P. (2013) Dynamics of additional food provided predator-prey system with mutually interfering predators, *Mathematical Biosciences*, **246**, 176-190.

[82] Purohit, D., Chaudhuri, K.S. (2004) A bioeconomic model of nonselective harvesting of two competing fish species, *ANZIAM Journal*, **46**, 299-308.

[83] Ragozin, D.L., Brown, G.J. (1985) Harvest policies and nonmarket valuation in a predator-prey system, *Journal of Environmental Economics and Management* , **12**, 155-168.

[84] Rosenzweig, M.L., MacArthur, R.H. (1963) Graphical representation and stability conditions of predator-prey interactions, *The American Naturalist*, **97**, 209-223.

[85] Roy, B., Roy, S.K. (2015) Analysis of prey-predator three species models with vertebral and invertebral predators, *International Journal Dynamics and Control*, **3**, 306-312.

[86] Roy, B., Roy, S.K., Gurung, D. B. (2017) Holling-Tanner model with Beddington-DeAngelis functional response and time delay introducing harvesting, *Mathematics and Computers in Simulation*, **142**, 1-14.

[87] Roy, B., Roy, S.K., Biswas, M.H.A. (2017) Effects on prey-predator with different functional responses, *International Journal of Biomathematics*, **10** 1750113 (22 pages).

[88] Roy, S.K., Roy, B. (2016) Analysis of prey-predator three species fishery model with harvesting including prey refuge and migration, *International Journal of Bifurcation and Chaos*, **26**, 1650022.

[89] Roy, B., Roy, S.K. (2021) Prey-predator model in drainage system with migration and harvesting, *Nonautonomous Dynamical Systems*, **8**, 152Ű167.

[90] Ruan, S. (2009) On nonlinear dynamics of predator-prey models with discrete delay, *Mathematical Modelling of Natural Phenomena*, **4**, 140-188.

[91] Ruxton, G.D. (1995) Short term refuge use and stability of predator-prey models, *Theoretical Population Biology*, **47**, 1-17.

[92] Sahoo, B., Poria, S. (2014) The chaos and control of a food chain model supplying additional food to top-predator, *Chaos, Solitons and Fractals*, **58**, 52-64.

[93] Sarwardi, S., Mandal, P.K., Ray, S. (2012) Analysis of a competitive prey-predator system with a prey refuge, *Biosystems*, **110**, 133-148.

[94] Sebestyén, Z., Varga, Z., Garay, J., Cimmaruta, R. (2010) Dynamic model and simulation analysis of the genetic impact of population harvesting, *Applied Mathematics and Computation*, **2**, 565-575.

[95] Sakera, S., Alzabutb, J. (2007) Existence of periodic solutions, global attractivity and oscillation of impulsive delay population model, *Nonlinear Analysis: Real World Applications*, **8**, 1029-1039.

[96] Sen, M., Srinivasu, P.D.N., Banerjee, M. (2015) Global dynamics of an additional food provided predator-prey system with constant harvest in predators, *Applied Mathematics and Computation*, **250**, 193-211.

[97] Sih, A. (1987) Prey refuges and predator-prey stability, *Theoretical Population Biology*, **31**, 1-12.

[98] Srinivasu, P.D.N., Prasad, B.S.R.V., Venkatesulu, M. (2007) Biological control through provision of additional food to predators: A theoretical study, *Theoretical Population Biology*, **72**, 111-120.

[99] Steele, J.H., Henderson, E.W. (1981) A simple plankton model, *The American Naturalist*, **117**, 676-691.

[100] Steele, J.H., Henderson, E.W. (1992) The role of predation in plankton models, *Journal of Plant Research*, **14**, 157-172.

[101] Stone, L., Hart, D. (1999) Effects of immigration on the dynamics of simple population models, *Theoretical Population Biology*, **55**, 227-234.

[102] Tang, B., Xiao, Y. (2015) Bifurcation analysis of a predator-prey model with anti-predator behaviour, *Chaos, Solitons and Fractals*, **70**, 58-68.

[103] Venkatsubramanian, V. Schattler, H. Zaborszky, J. (1995) Local bifurcation and feasibility regions in differential-algebraic systems, *IEEE Transactions on Automatic Control*, **12**, 1992-2013.

[104] Verhulst, P.F. (1838) Notice sur la loi que la population suit dans son accroissement, *Corr. Math. et Phys.*, **10**, 113-121.

[105] Volterra, V. (1926) Fluctuations in the abundance of a species considered mathematically, *Nature*, **118**, 558-560.

[106] Wang, W., Mulone, G, Salemi, F., Salone, V. (2001) Permanence and stability of a stage-structured predator-prey model, *Journal of Mathematical Analysis and Applications*, **262**, 499-528.

[107] Xiao, D., Jennings, L. (2005) Bifurcation of a ratio dependent predator prey system with constant rate of harvesting, *SIAM Journal on Applied Mathematics*, **65**, 737-753.

[108] Xiao, D., Li, W., Han, W. (2006) Dynamics in a ratio dependent predator prey model with predator harvesting, *Mathematical Analysis and Applications*, **1**, 4-29.

[109] Yu, S. (2014) Global stability of a modified leslie-gower model with Beddington-DeAngelis functional response, *Advances in Difference Equations*, **2014**, 1-14.

[110] Zhang, Z., Yang, H., Liu, J. (2012) Stability and Hopf bifurcation in a modified Holling-Tanner predator-prey system with multiple delays, *Abstract and Applied Analysis*, doi:10.1155/2012/236484, 2012.

[111] Zhao, X.Q. (2003) *Dynamical Systems in Population Biology*, Springer-Verlag, Canadian Mathematical Society.