

List of Tables

Table No.	Table captions	Page no.
3.1	Bioactive components of water extract of <i>A. indica</i> leaf detected by GCMS analysis	32
4.1	Represents the change in different biochemical toxicity markers (NADPH, Nitric Oxide, MDA and LDH) after treatment with S1NPs (Chemically synthesized CuONPs) and S2NPs (Green synthesized CuONPs) with different doses (1-100µg/ml). Values were expressed as a change in fold compared to control.	46
4.2	Represents the change in different pro and anti-apoptotic markers level after the treatment with S1NPs (Chemically synthesized CuONPs) and S2NPs (Green synthesized CuONPs) with different doses (1-100µg/mL) on lymphocytes. Values were expressed as a change in fold compared to control	51
4.3	Estimation of changes in biochemical markers (LDH, SGOT, Creatinine) from mice serum after treatment with S1NPs (Chemically synthesized CuONPs) and S2NPs (Green synthesized CuONPs) at different doses (100, 200, 500 and 1000µg/Kg body weight) for 15 days. Values were expressed as a change in fold compared to control.	54
4.4	Representation of changes in pro and anti-apoptotic markers from mice serum after treatment with S1NPs (Chemically synthesized CuONPs) and S2NPs (Green synthesized CuONPs) at different doses (100, 200,500 1000µg/Kg body weight) for 15 days. Values were expressed as a change in fold compared to control.	58