

## **REFERENCES**

- Almeida, M. T. and Bisby, F. A. 1984. A simple method for establishing taxonomic characters from measurement data. *Taxon*, 33, 405-409.
- Anderberg, A. and Tehler, A. 1990. Consensus trees, a necessity in taxonomic practice. *Cladistics*, 6, 399-402.
- Anonymous 2008. Quality standards of Indian medicinal plants. Indian Council of Medicinal Research, India, 7, 56-66.
- Ansari, R. and Nair, V. J. 1988. Nomenclatural notes on some South Indian plants. *J. Econ. Taxon. Bot.*, 11, 205 – 206.
- Armbruster, W. S. 1992. Phylogeny and the evolution of plant-animal interactions. *Bioscience*, 42, 12-20.
- Arroyo, S. C. and Cutler, D. F. 1984. Evolutionary and Taxonomic Aspects of the Internal Morphology in Amaryllidaceae from South America and Southern Africa. *Kew Bulletin*, 39, 467-498.
- Arroyo, S.C. 1984. Contribuci6n al conocimiento de los bulbos de Amaryllidaceae. *Kurtziana*, 17, 55-70.
- Axelrod, D. I. and Raven, P. H. 1978. Late Cretaceous and Tertiary vegetation history of Africa. *Biogeography and Ecology of Southern Africa*, 77-130.
- Baker, J. G. 1898. Amaryllidaceae - Flora of Tropical Africa. *Reeve*, 7, 376–413.
- Baker, J. G. 1888. Handbook of the Amaryllidaceae, George Bell & sons, London. 74 – 95.

- Baker, J. G. 1896. Amaryllideae. In W. J. Thi- selton-Dyer (editor), Flora Capensis 6. L. Reeve, Lon- don, 171-246.
- Baker, J. G. 1881. Synopsis of known species of *Crinum*. – I. Gard. Chron., 15, 763.
- Barrington, D. S. Christopher H. Haufler, Charles R. Werth, 1989. Hybridization, reticulation and species concepts in the ferns. Am. Fern J., 79, 55-64.
- Beaurieux, R. 1914. Observations anatomiques et physiologiques sur le *Crinum capense* Herb. Mem. Soc. Roy. Sci. Liege, 3(10), 1-41.
- Bjora , C. S. Ezekeil G. Kwembeya and Inger Nordal, 2006. *Crinum jasonii* a new endemic pan species of the Luangwa Valley in Zambia and implications of different seed structures in the genus *Crinum*. Kew Bull. 61, 569-577.
- Bjora, C. S., Kwembeya, E. G., Bogner, J. and Nordal, I. 2009. Geophytes diverging in rivers — a study on the genus *Crinum* with two new rheophytic taxa from Cameroon. Taxon, 58, 561 – 571.
- Bose, S. 1965. Polyploidy in the genus *Crinum*. Cytologia, 30, 349 – 53.
- Camila Brito, Paula. 2006. Morphological analysis of tropical bulbs and environmental effects on flowering and bulb development of *Habranthus robustus* and *Zephyranthes* spp., M.Sc. Thesis, University of Florida, 1-127.
- Cao, Z. F., Yang P. and Zhou, Q. S. 2013. Multiple biological functions and pharmacological effects of lycorine. Science china, 56, 1382-1391.

- Charlotte, S. Bjora, Ezekeil G. Kwembeya, Josef Bogner and IngerNordal, 2009, Geophytes diverging in rivers-a study on the genus *Crinum*, with two new rheophytic taxa from Cameroon. *Taxon*, 58, 561-571.
- Chopra, R. N., Nayar, S. L. and Chopra, I. C. 1956. Glossary of Indian medicinal plants. New Delhi, Council Sci & Ind Res.
- Choudhary, K, Singh M, Pillai, U. 2008. Ethnobotanical survey of Rajasthan – An update. *Am.Eur J Bot*, 1(2), 38-45.
- Clark, T. and Parsons, R. F. 1994. Ecology of *Calostemma* and *Crinum* (Amaryllidaceae) in the River Murray area, South-Eastern Australia. *Proc. Roy. Soc. Victoria*, 106, 129-145.
- Davey, M. W., Persiau, G, De Bruyn A, Bauw G, Van Damme J, and Van Montagu, M. 1998. Purification of the alkaloid lycorine and simultaneous analysis of ascorbic acid and lycorine by micellar electrokinetic capillary chromatography. *Anal Biochem*, 257, 80-88.
- Duri, Z. J., Scovill, J. P., Huggins, J. W. 1994. *Phytother Res*, 8, 121.
- Dutt, B. S. M. 1962. A contribution to the life-history of *Crinum defixum* Ker. Pp. 37-48 in Plant Embryology: A Symposium. Council for Scientific and Industrial Research, Biological Research Committee, New Delhi. .
- Dutt, B. S. M. 1957a. Morphology of the ovule of *Crinum defixum* Ker. *Curr. Sci.* 26: 22-23.
- Dutt, B. S. M. 1957b. Ovule and embryo sac of *Crinum asiaticum* L. *Sci. & Cult.* 22: 688-690.

- Dutt, B. S. M. 1959. Ovule and embryosac of *Crinum latifolium* L., a re-investigation. Curr. Sci., 28, 293-294.
- Dutt, B. S. M. 1970. Amaryllidaceae. Bull. Indian Natl. Sci. Acad. 41, 365-367.
- Erdtman, G. 1966. Pollen Morphology and Plant Taxonomy. Hafner, New York.
- Esameldin Elzein Elgorashi 2000. Alkaloids from three south African *Crinum* species. Ph. D. Thesis. University of Natal, Pietermaritzburg.
- Fangan, B. M. and Nordal, I. 1993. A comparative analysis of morphology, chloroplast-DNA and distribution within the genus *Crinum* (Amaryllidaceae). Journal of Biogeography, 20, 55-61.
- Gaikwad, S. P., Garad, K. U. and Gore, R. D. 2014. *Crinum solapurense* (Amaryllidaceae), a new species from Maharashtra, India. Kew Bulletin, 69, 9505-9510.
- Gerald, L. Smith and Garland, Mark. A. 1996. Taxonomic status of *Hymenocallis choctawensis* and *Hymenocallis puntagordensis* (amaryllidaceae).
- Ghosal, S., Shantha, A., Kumar, A. and Kumar, Y. 1985. Palmilycorine and lycoriside: acyloxy and acylglucosyloxy alkaloids from *crinum asiaticum*. Phytochemistry, 24, 2703-2706.
- Ghosal, S., Saini K. S. and Frahm, A. W. 1983. Alkaloids of *Crinum latifolium*. Phytochemistry, 22(10), 2305-2309.
- Ghosal, S., Saini, K. S. and Arora, V. K. 1983. Latisoline, A Novel Gluco alkaloid from *Crinum latifolium*. J. Chem. Res., 238-239.

- Ghosal, S., Singh, S. K. and Unnikrishnan, S. G. 1990. Effects of stress on alkaloid metabolism in *Crinum asiaticum*. *Phytochemistry*, 29, 805-811.
- Ghosal, S., Kumar, Y., Singh, S. K. and Kumar, A. 1986. Chemical constituents of Amaryllidaceae, Part 21, Ungeremine and criasbetaine, two antitumor alkaloids from *Crinum asiaticum*. *J. Chem. Res*, 112-113.
- Ghosal, S., Rao, P. H., Jaiswal, D. K., Kumar, Y., and Frahm, A. W. 1981. Alkaloids of *Crinum pretense*, *Phytochemistry*, 20, 2003-2007.
- Ghosal, S., Saini, K. S. and Arora, V. K. 1984. 1, 2-  $\beta$  Epoxyambelline, an Immuno-stimulant Alkaloid from *Crinum latifolium*. *J. Chem. Res.*, 232-233.
- Ghosal, S., Shanthi, A. and Singh, S. K. 1988. Isocraugsodine, an N-Arylidenephenethylamine from *Crinum Asiaticum* and Its E-Z Isomerism, *Phylochemistry*, 27, 1849-1852.
- Govaerts, R., Snijman, D. A., Marcucci, R., Silverstone Sopkin, P. A. and Brullo, S. 2012. World Checklist of Amaryllidaceae. Facilitated by the Royal Botanic Gardens, Kew. Published on the Internet; <http://apps.kew.org/wcsp/> Retrieved 2012-01-15.
- Govaerts, R., Snijman, D. A., Marcucci, R., Silverstone Sopkin, P. A. and Brullo, S. 2012. World checklist of Amaryllidaceae. Facilitated by the Royal Botanic Gardens, Kew. Published on the Internet; <http://apps.kew.org/wcsp/> Retrieved 2013-04-02.
- Hannibal, L. S. 1984. A Systematic Review of the genus Crinum. [www.crinum.org/review.html](http://www.crinum.org/review.html).

- Hannibal, L. S. 1985. The Asian-South Pacific Crinum. Notes Waimea Arbor. 12, 2-8.
- Haque, M., Jahan, S. and Rahmatullah, M. 2014. Ethnomedicinal uses of *crinum asiaticum*: a review. World journal of pharmacy and pharmaceutical sciences, 3(9), 119-128.
- He, J., Qi WB, Wang L, Tian J, Jiao PR, Liu GQ, Ye WC, Liao M. 2013. Amaryllidaceae alkaloids inhibit nuclear-to-cytoplasmic export of ribonucleoprotein (RNP) complex of highly pathogenic avian influenza virus H5N1. Influenza and Other Respiratory Viruses, 7(6), 922–931.
- Herbert, W. 1837. Amaryllidaceae, James Ridgway & Sons, Piccadilly, London. 242 – 275.
- Herbert, W. 1837. Amaryllidaceae and treatise on cross-bred vegetables. London.
- Hooker, J. D. 1892. Flora of British India, L. Reeve & Co., London. 6, 280 – 284.
- Howell, G. and Prakash, N. 1990. Embryology and reproductive ecology of the Darling lily, *Crinum flaccidum* Herbert. Austral. J. Bot., 38, 433-444.
- Isaac, W. E. and McGillivray, G. 1965. A note on the water- storing seeds of two species of *Crinum* and of some other South African Amaryllidaceae (sub-family Amaryllidoideae). Ann. Bot., 29, 739-740.
- IUCN 2001. IUCN Red List Categories and Criteria: Version 3.1. Prepared by the IUCN Species Survival Commission. IUCN, Gland and Cambridge.
- Iyengar, M.A. and Nayak, S. G. K. 1988. Anatomy of Crude Drugs, Career, 80.

- Jones, K. and Smith, J. B. 1967. Chromosome Evolution in the Genus *Crinum*. *Caryologia*. 20(2), 163-179.
- Juan-Carlos, N., Sandra, E., Franklin, V. and Washington, B. 2013. A New Phytotelm Plant, *Crinum moorei* (Asparagales: Amaryllidaceae), for the Americas and Its Mosquito Inhabitant (Diptera: Culicidae) in Ecuador. *Florida Entomologist*, 96, 1224-1227.
- Kapale, R. 2012. Ethnomedicinal plants used by Baiga tribals in Amarkantak Meikal forest of Madhya Pradesh (India). *Bull Environ Pharmacol Life Sci.*, 1(4), 14-5.
- Karthikeyan, S., Jain, S. K., Nayar, M. P. and Sanjappa, M. 1989. *Florae Indicae Enumeratio: Monocotyledonae*, Botanical Survey of India, Kolkata. 3 – 4.
- Khoshoo, T. N. 1971. Cytogenetics of tropical bulbous ornamentals II. Variation in mitotic complement in *Crinum*. *Nucleus*, 14, 23 – 9.
- Khoshoo, T. N. and Raina, S. N. 1968. Cytogenetics of tropical bulbous ornamentals I. Heterozygosity in *Crinum latifolium*. *Cytologia*, 33, 209 – 19.
- Kintsurashvili, L. G. 2006. Alkaloids from *crinum moorei* introduced into Georgia. *Chemistry of Natural Compounds.*, 42(5), 625-626.
- Kiritkar, K. R. and Basu, B. D. 2006. Indian medicinal plants. Lalit Mohan Basu, India, 4, 2471-2472.
- Kiritkar, K. R., Basu, B. D. 1987. Indian medicinal plants 2nd ed, vol III. .Lalit Mohan Basu, India.

- Koshimizu, T. 1930. Carpobiological studies of *Crinum asiaticum* L. var. *japonicum* Bak. Mem. Coll. Sci. Kyoto Imp. Univ., Ser. B., Biol., 5, 183-227.
- Kwembeya, E. G., Bjora, C. S., Stedje, B. and Nordal, I. 2007. Phylogenetic relationship in the genus *Crinum* (Amaryllidaceae) with emphasis on tropical African species: evidence from trnL-F and nuclear ITS DNA sequence data. *Taxon*, 56, 801 – 810.
- Lakshmi, N. 1980. Cytotaxonomical Studies in Eight Genera of Amaryllidaceae. *Cytologia*. 45. 663-673.
- Lehmiller, D. J. 1992a. Indigenous *Crinums* of Namibia. *Herbertia* 48, 32-38.
- Lehmiller, D. J. 1992b. Additional notes on Namibian *Crinum*. *Herbertia*, 48, 75-85.
- Lehmiller, D. J. 1997. Synopsis of the genus *Crinum* (Amaryllidaceae) in Namibia. *Herbertia*, 52, 44-65.
- Lekhak, M. M. and Yadav, S. R. 2011. Karyotype studies in two critically endangered and endemic *Crinum* species (Amaryllidaceae) from Northern-Western Ghats of India. *Nucleus*, 54, 25 – 30.
- Lekhak, M. M. and Yadav, S. R. 2012. *Crinum malabaricum* (Amaryllidaceae), a remarkable new aquatic species from Kerala, India and lectotypification of *Crinum thaianum*. *Kew Bulletin*, 67, 521 – 526.
- Linnaeus, C. 1753. *Species plantarum*. Stockholm.
- Mandal, G. D. and Nandi, A. K. 2012. Morphological and anatomical circumscription for the identification of two source plants of aphrodisiac medicine

- Chlorophytumborivilianum Santapau & Fernandes and Chlorophytum tuberosum (Roxb.) Baker. International Journal of Medicinal and Aromatic Plants, 2, 406-410.
- Mandal, G. D. 2014. Study on the morphological and biochemical diversity of some species of *Chlorophytum* Ker Gawl. for further improvement with special reference to saponin. Ph.D. Thesis, Vidyasagar University, 1-211.
- Mandal, G. D. and NandiA. K. 2012. A New Report on The Occurrence of *Chlorophytum* tuberosum (Roxb.)Baker in the Districts of Bankura and PaschimMedinipur of West Bengal. Journal of Non-Timber Forest Products, 19, 103-106.
- McNulty J, Nair, J. J., Bastida, J., Pandey, S. and Griffin, C. 2009. Structure-activity studies on the lycorine pharmacophore: A potent inducer of apoptosis in human leukemia cells. Phytochemistry, 70, 913–919.
- Meerow, A. W. and Snijman, D. A. 2001. Phylogeny of Amaryllidaceae tribe Amaryllideae based on nr DNA its sequences and morphology. Amer. J. Bot., 88, 2321 – 2330.
- Meerow, A. W. and Snijman, D. A. 1998. Amaryllidaceae. In: K. Kubitzki (ed.), The Families and Genera of Vascular Plants. Vol. 3, Monocotyledons. Springer, Berlin. 83 – 110.
- Meerow, A. W., Lehmler, D. J. and Clayton, J. R. 2003. Phylogeny and Biogeography in *Crinum* L. (Amaryllidaceae) inferred from nuclear and limited plastid noncoding DNA sequences. Bot. J. Linn. Soc., 141, 349 – 63.

- Merry, J. 1937. Formation of periderm in the endosperm of *Crinum asiaticum*. Pap. Michigan Acad. Sci. 22, 159-164.
- Nandi, A. K. 1993. Karyomorphological and biochemical studies of some leguminous Taxa and in vitro responses of some hardwood trees. Ph. D. Thesis, University of Calcutta.
- Nguyen, T. N. T, Titorenkovab, T. V., Bankovab, V., Handjievab, N. V. and Popovb, S. S. 2002. *Crinum* L. Amaryllidaceae. Fitoterapia, 73: 183-208.
- Nordal, I. 1979. A new species of *Crinum* (Amaryllidaceae) from Angola. Norweg. J. Bot., 26, 279 – 281.
- Nordal, I. 1982. Amaryllidaceae. In: R. M. Polhill (ed.), Flora of Tropical East Africa. A. A. Balkema, Rotterdam.
- Nordal, I. 1987. Amaryllidacees. In B. Satabie& P. Morat (eds), Flore du Cameroun 30, 3 – 31. Ministere de l'EnseignementSuperieur de l'informatiqueet de la RechercheScientifique, Yaounde.
- Nordal, I. and Kwembeya, E. G. 2004. *Crinum binghamii* sp. nov.with a key to *Crinum* species with radially symmetrical flowers in mainland Africa. Kew Bull. 59, 599 – 603.
- Nordal, I. and Wahlstrom, R. 1980. A study of the genus *Crinum* in Cameroun. Adansonia, ser. 2, 20, 179 – 198.
- Nordal, I. and Fangan, B.M. 1993. A comparative analysis of morphology, chloroplast-DNA and distribution with in the genus *Crinum* (Amaryllidaceae). J. Biogeogr. 20: 55-61.

- Nordal, I. 1977. Revision of the East African taxa of the genus *Crinum* (Amaryllidaceae). *Norweg. J. Bot.*, 24, 179 – 194.
- Ochi, M., Otsuki, H. and Nagao, K. 1976. Structure of hamayne, a new alkaloid from *Crinum asiaticum* L. var Japonicum Baker, *Bull. Chem. Soc. Jpn.* 49, 3363–3364.
- Pankhurst, R. J. 1991. Practical taxonomic computing. Cambridge Univ. Press.
- Patel, J. B., Dangar, R. D., Dangar, R. R., Patel, B. H., Parmar, D. R. and. Shah, K. N. 2010. A Review: *Crinum asiaticum*, International Journal of Pharmaceutical and Applied Sciences, 1, 25-28.
- Patwary, M. U., Zaman, M. A. 1975. Cytogenetics of Amaryllidaceae III. Karyomorpholgy of wild *Crinum Roxb.*-a new cytotype. *J Asiatic Soc Bangladesh (Sc.)*. 1(1), 11–5.
- Pax, F, Hoffmann K. 1930. Amarylidaceae. In: Engler A, Prantl K, editors. Die natuerlichen Pflanzenfamilien, vol 2. Leipzig.
- Punekar, S. A., Kavade, S. P., Datar, M. N., Lakshminarasimhan, P. and Rao, P. S. N. 2004. *Crinum woodrowii* Baker (Amaryllidaceae), hitherto assumed to be extinct, rediscovered after a century from Mahabaleshwar, India. *J. Current Sci.* 87, 1049 – 1051.
- Rahmatullah, M, Mollik, M. A. H., Rahman, M. S., Hasan, M. N., Agarwala, B. and Jahan R. 2010. A medicinal plant study of the Santal tribe in Rangpur district, Bangladesh. *J Altern Complement Med*, 16, 419-425.

- Raina, S. N. 1978. Genetic mechanism underlying evolution in *Crinum*. *Cytologia*, 5, 797 – 803.
- Raina, S. N. and Khoshoo, T. N. 1971. Cytogenetics of bulbous ornamentals II. Variation in mitotic complement in *Crinum*. *The Nucleus*. 14, 23-39.
- Raunkiaer, C. 1934. The Life Forms of Plants and Statistical Plant Geography. Oxford: Oxford University Press. 632.
- Raven, P. H., Axelrod, D. I. 1974. Angiosperm biogeography and past continental movements. *Annals of the Missouri Botanical Garden*, 61, 539–673.
- Refaat, J., Kamel, M. S., Ramadan, M. A. and Ali, A. A. 2012. *Crinum*; an endless source of bioactive principles: a review. Part I. Crinum alkaloids: Lycorine-type alkaloids. *International Journal of Pharmaceutical Sciences and Research*, 3(7), 1883-1890.
- Rohlf, F. J. 1998. NTSYS-pc: Numerical taxonomy and multivariate analysis system, ver. 2.02I. Exeter Publishing.
- Roxburgh, W. 1832. Flora Indica or description of Indian plants (Carey'sed.),, Serampore, Calcutta. 2, 126–140.
- Russell, L., Barrett, and Matthew, D., Barrett. 2015. Twenty-seven new species of vascular plants from Western Australia. *Nuytsia*, 26, 21-87.
- Samud, A. M., Asmawi, M. Z., Sharma, J. N., Ahmad, P. and Yusof, M. 1999. Anti-inflammatory activity of *Crinum asiaticum* plant and its effect on bradykinin induced contractions on isolated uterus. *Immunopharmacol*.43, 311–316.
- Schulze, J. 1971. *Crinum thaianum* J. Schulze sp. nov. *Pl. Life*, 27, 127.

- Schulze, J. 1972. *Crinum thaianum*, A new aquatic species from Southeast Asia. Pl. Life, 28, 33 – 42.
- Sebsebe, D., Nordal, I. and Stabbetorp, O. E. 2003. Flowers of Ethiopia and Eritrea: Aloes and other Lilies. Shama Books, Addis Ababa.
- Shilpa, K, Harish, Chandra, R, Krishnaveni, B. 2012. Anti-inflammatory Activity of Crinum defixum Ker-Gawl. Int J Pharm Sci and Drug Res, 4(2): 147-149.
- Shilpa, K., Rajendra, Y., Sanjeeva, Kumar, A., Vinay, Kumar, D., Vinod Kumar R., and Gnananath K. 2013. Evaluation of wound healing potential in crinium defixum ker gawl bulbs. Asian Journal of Pharmaceutical and Clinical Research. 6(1), 61-63.
- Singh A, Kumar R, Rao GRK and Jagannadham, M. V. 2010. Crinumin, a chymotrypsin like but glycosylated serine protease fm Crinum asiaticum: Purification & physicochemical characterization. Food Chem. 119, 1352-58.
- Sneath, P. H. A. 1976. Phenetic taxonomy at the species level and above. Taxon, 25, 437-450.
- Snijman, D. A. and Linder H. P. 1996. Phylogenetic Relationships, Seed Characters, and Dispersal System Evolution in Amaryllideae (Amaryllidaceae), Annals of the Missouri Botanical Garden, 83, 362-386.
- Sokal, R. R. 1986. Phenetic taxonomy. Annu. Rev. Ecol. Syst. 17, 423-442.
- Stat Soft 2004. Statistica (data analysis software system), ver. 7. Bhttp://www.statsoft.com.

- Sun, Q., Zhang, W. D., Shen, Y. H., Zhang, C. and Li, H. L. 2008. A new phenolic compound from *Crinum asiaticum* L. Chinese ChemLett, 19, 447–449.
- Takagi, S. and Yamaki, M. 1977. On the Constituents of the Bulbs of *Crinum asiaticum* var. *japonicum* BAK on the Neutral Constituents, YakugakuZasshi.97, 1155.
- Tomita, K. 1931. Über die Entwicklung des nackten Embryos von *Crinum latifolium* L. Sci. Rep. Tbhoku Imp. Univ. Ser. 4, Biol. 6, 163-169.
- Tram, N. T. N., Titorenkova, Tz. V., Bankova, V. St., Handjieva, N. V. and Popov, S. S. 2002. Review *Crinum* L. (Amaryllidaceae). Fitoterapia, 73, 183-208.
- Tran, D. T. 2005. Assessment of therapeutic effect of softgel crinum latifolium for benign prostatic hypertrophy. Hospital of Traditional Medicine Ho Chi Minh City, 1-41.
- Traub, H. P. 1963. The genera of Amaryllidaceae. La Jolla, California.
- Uphof, J. C. T. 1942. A review of the species of *Crinum*. Herbertia 9, 63-84.
- Venkateswarlu, J. and Lakshmi. N. 1978. A contribution to the embryology of *Crinum moorei* L. Botanique (Nagpur, India), 8, 61-68.
- Verdoom, I. C. 1973. The genus *Crinum* in Southern Africa. Bothalia, 11, 27-52.
- Verdoorn, I. C. 1961. *Crinum moorei*. The Flowering Plants of Africa. 34, 1351.
- Wahlstrom, R. and Laane, M. M. 1979. Chromosome analyses in African *Crinum* species (Amaryllidaceae). Hereditas, 91, 183 – 206.

- Wahlstrom, R. 1980. A study of the genus *Crinum* in Cameroun. *Adansonia*, ser. 2, 20, 179– 198.
- Watt, J. M., Brey-Brandwijk, M. G. 1962. The medicinal and poisonous plants of southerm and eastern Africa. Edinburg – London: E and S Livingston Ltd.
- Willis, J. C. 1973. Dictionary of Flowering Plants. Cambridge University Press.
- Yadav, S. S., Bhandoria, M. S. 2013. Ethnobotanical exploration in Mahendergarh district of Haryana (India). *J Med Plants Res.* 7(18), 1263-71.
- Yui, S., Mikami, M., Kitahara, M. and Yamazaki, M. 1998. The inhibitory effect of lycorine on tumor cell apoptosis induced by polymorphonuclear leukocyte-derived calprotectin. *Immunopharmacol.* 40, 151–162.
- Zaman, M. A., Patwary, M. U. and Chakraborty, B. N. 1977. Cytogenetics of Amaryllidaceae. IV. Karyomorphology and meiotic behaviour of wild *Crinum stenophyllum* Baker. *Bangladesh J. Bot.*, 6 (1 and 2), 73-78.