

## BIBLIOGRAPHY

- Abraham, J. T., & Sasmal, D. (2009). Influence of Salinity and Management Practices on the Shrimp (*Penaeusmonodon*) Production and Bacterial Counts of Modified Extensive Brackishwater Ponds. *Turkish Journal of Fisheries and Aquatic Sciences*, 9, 91-98.
- ADB/Infofish. (1991). *Global industry update-shrimps*. Kuala Lumpur, Malaysia, August, 17-28.
- AIR (All India Reporter). (1997). Supreme Court 811, Kuldeep Singh and S. Saghir Ahmed, JJ, Writ- Petition (C) No. 561 of 1994, Ltd. 11-12-1996. S. Jagannath, Petitioners Vs Union of India and Others. *Environmental Law Alliance Worldwide*. <https://elaw.org/content/india-indian-council-enviro-legal-action-v-union-india-wp-6641993-19960418-coastal-zone-case>.
- Ali, A. M. S. (2006). Rice to shrimp: Land use/land cover changes and soil degradation in Southwestern Bangladesh. *Land Use Policy*, 23, 421–435.
- Ali, C. Q., Ross, L. G., & Beveridge, M. C. M. (1991). Microcomputer spread-sheets for the implementation of geographic information systems in aquaculture: A case study on carp in Pakistan. *Aquaculture*, 92, 199-205.
- Alonso-Perez, F., Ruiz-Luna, A., Turnar, J., Berlanga-Robles, C. A., & Mitchelson-Jacob, G. (2003). Land cover change and impact of shrimp aquaculture on the landscape in the Ceuta Coastal lagoon system, Sinaloa, Mexico. *Ocean & Coastal Management*, 46, 583-600.
- Anonymous. (1993). Shrimp farms ravage the environment and people in Bangladesh. *World Shrimp Farming*, 18, 8-9.
- Anonymous. (2002). *Draft report of the Consortium Programme Shrimp Farming and the Environment*. World Bank/NACA/WWF/FAO, 21 June 2002, 45-46.
- Arnold, W. S., White, M. W., Norris, H. A., & Berrigan, M. E. (2000). Hard clam (*Mercenaria* spp.) aquaculture in Florida, USA: Geographic information system applications to lease site selection. *Aquaculture Engineering*, 23, 203-231.

- Ashton, E. C. (2008). The impact of shrimp farming on mangrove ecosystems. CAB Reviews: Perspective in Agriculture, Veterinary Science. *Nutrition and Natural Resources*, 3, 1-12.
- Atthirawong, W., & MacCarthy, B. L. (2001). Identification of the location pattern of manufacturing plant in Thailand. *proceeding of the 6<sup>th</sup> International Manufacturing Research Symposium*, 1-13.
- Bailey, C., Jentoft, S., & Sinclair, P. (1996). *Social science contributions to aquacultural development*. In: *Aquacultural development: Social dimensions of an emerging industry*, eds. C. Bailey, S. Jentoft and P. Sinclair. Westview Press, Boulder, CO, USA. 3-20.
- Barbier, E. B., & Cox, M. (2004). An economic analysis of shrimp farm expansion and mangrove conversion in Thailand. *Land Economics*, 80, 389–407.
- Barg, U. C. (1992). Guidelines for the promotion of environmental management of coastal aquaculture development. *FAO Fisheries technical Paper*, 328, p.122.
- Barg, U., & Phillips, M. J. (1997). Environment and Sustainability. *Review of the state of World Aquaculture. FAO Report No. 886*. 55-66.
- Barnard, M. E. (1992). The Global Positioning System. *IEE Review*, 99-102.
- Barraclough, S., & Finger-Stich, A. (1996). Some ecological and social implications of commercial shrimp farming in Asia. United Nations Research Institute for Social Development. *UNRISD Discussion Paper 74*, p. 62.  
[http://unrisd.org/UNRISD/website/document.nsf/ab82a6805797760f80256b4f005da1ab/a90a3147dd72acc480256b67005b6935/\\$FILE/dp74.pdf](http://unrisd.org/UNRISD/website/document.nsf/ab82a6805797760f80256b4f005da1ab/a90a3147dd72acc480256b67005b6935/$FILE/dp74.pdf)
- Bekele, Y. (2011). *GIS-Based Factor Identification for the Change in Occurrence of Genistapilosa: a Case Study in Southern Sweden*. Thesis for Master Degree in Geomatics.
- Bell, E. J., & Hinojosa, R. C. (1977). Markov analysis of land-use change: continuous time and stationary process. *Socio-economic planning science*, 11, 13-17.
- Bhatta, B. (2011). *Remote Sensing and GIS*. Oxford University Press, New Delhi.

- Bhattacharya, P. (2009). *Economics of shrimp farming: a comparative study of traditional vs. Scientific shrimp farming in West Bengal*. Working paper, p. 218.
- Bhattacharya, P., & Ninan, K. N. (2009). Social cost-benefit analysis of scientific versus traditional shrimp farming: a case study from India. *International Association of Agricultural Economists*. Conference, Beijing, China, 1-15.
- Black, D., & Black, J. (2009). A Review of the Urban Development and Transport Impacts on Public Health with Particular Reference to Australia: Trans-Disciplinary Research Teams and Some Research Gap. *International Journal of Environment Research and Public Health*, 6(5), 1557–1596.
- Boone, R. B., Lackett, J. M., Galvin, K. A., Ojima, D. S., & Tucker III, C. J. (2007). Links and Broken chains: evidence of human-caused changes in land cover in remotely sensed images, *Environmental Science and Policy*, 10, 135 – 149.
- Box, G. E. P. (1979). *Robustness in the strategy of scientific model building*, in Launer, R. L.; Wilkinson, G. N., *Robustness in Statistics*, Academic Press, 201–236.
- Briggs, M. R. P. (1994). Status, problems and solutions for a sustainable shrimp culture industry with special reference to Thailand. *Report to the Overseas Development Administration. Research project*.
- Bruzzone, L., & Serpico, S. B. (1997). An iterative technique for the detection of land-cover transitions in multi-temporal remote sensing images. *IEEE Transactions on Geoscience and Remote Sensing*, 35, 856-867.
- Buitrago, J., Rada, M., Hernandez, H., & Buitrago, E. (2005). A single use site selection technique, using GIS, for aquaculture planning: Choosing locations Margarita Island, Venezuela. *Environmental Management*, 35, 544-556.
- Cao, C., Jiang, S., Ying, Z., Zhang, F., & Han, X. (2011). Spatial variability of soil nutrients and microbiological properties after the establishment of leguminous shrub Caraganamicrophylla Lam. Plantation on sand dune in the Horqin sandy land of northeast China. *Ecological Engineering*, 37(10), 1467-1475.
- Census. (2011). *District Census Hand Book, Purba Medinipur*. Directorate of census operations west Bengal, 1-571  
[https://censusindia.gov.in/2011census/dchb/1919\\_PART\\_B\\_DCHB\\_PURBA%20MEDINIPUR.pdf](https://censusindia.gov.in/2011census/dchb/1919_PART_B_DCHB_PURBA%20MEDINIPUR.pdf)
- Chakraborty, I., Patra, B. C., & Sar, U. K. (2015). Freshwater farming of brackish water shrimp, *Penaeusmonodon* (Fabricius) with indigenous technologies in Purba Medinipur District of West Bengal, India. *Journal: Environment and Ecology*, 33, 526-529.

- Chowdhury, M. A., Shivakoti, G. P., & Salequzzaman, M. (2006). A conceptual framework for the sustainability assessment procedures of the shrimp aquaculture industry in coastal Bangladesh. *International Journal of Agriculture Resources, Governance & Ecology*, 5, 162–184.
- Chua, T. E. (1992). Coastal aquaculture development and the environment: the role of coastal area management. *Marine Pollution Bulletin*, 25, 98-103.
- Clay, J. W. (1996). *Market potentials for redressing the environmental impact of wild captured and pond produced shrimp*. World Wildlife Fund, 21 November 1996, Washington, DC.
- Corbin, J., & Young, L. (1997). Planning, regulation and administration of sustainable aquaculture. *Sustainable Aquaculture*, 201-223.
- Costelloe, M., Costelloe, J., O'Connor, B. & Smith, P. (1998). Densities of polychaetes in sediments under a salmon farm using ivermectin. *Bulletin of the European Association of Fish Pathology*, 18(1), 22-25.
- Csavas, I. (1994). World Aquaculture Status and Outlook. *Infofish International*, 5, 47-54.
- Deb, A. K. (1998). Fake blue revolution: environmental and socio-economic impacts of shrimp culture in the coastal areas of Bangladesh. *Ocean Coast Management*, 41, 63–88.
- Dewalt, B., Vergne, P., & Hardin, M. (1996). Shrimp aquaculture development and the environment: people, mangroves and fisheries on the Gulf of Fonseca, Honduras. *World Development*, 24 (7), 1193–1208.
- Dia, X. (1998). The Effects of Image Misregistration on the Accuracy of Remotely Sensed Change Detection. IEEE transactions. *Geoscience and remote sensing*, 36, 1566-1577.
- Dia, X., & Khorram, S. (1997). A new automated land cover change detection system for remotely-sensed imagery based on artificial neural networks, in Proceedings of the IEEE/IGARSS. *International Geoscience and Remote Sensing Symposium*, Singapore.
- Dia, X., Khorram, S., & Cheshire, H. (1996). Automated image registration for change detection from Landsat Thematic Mapper imagery. IGARSS transaction. *Remote Sensing for a Sustainable Future*, 3, 1348-1350.
- Eastman, J. R. (1999). *IDRISI 32: Guide to GIS and Image processing*; Clark University, Worcester, Massachusetts, 1, 109–142.

- Eastman, J. R., & McKendry, J. E. (1995). *GIS and the Coastal Zone. Explorations in Geographic Information System Technology*. United Nations Institute for Training and Research (UNITAR), Switzerland.
- Elkin, T.J., & Smith, P.G.R. (1988). what is a good Environmental Impact Statement? Reviewing Screening Reports from Canada's National Parks. *Journal of Environmental Management*, 26, 71-89.
- Epstein, J., Payne, K., & Kramer, E. (2002). Techniques for mapping suburban sprawl. *Photogrammetric Engineering Remote Sensing*, 63 (9), 913–918.
- FAO Aqua-Book. (2002). Shrimp aquaculture-global and Indian scenario.  
<http://fisheries.tn.nic.in.>
- FAO. (1987). *Thematic evaluation of aquaculture*. FAO, Rome, p. 85.
- FAO. (1995). *Food and Agriculture Organization of the United Nations Committee on Fisheries*. 21st sessions, 10-15 March 1995, Rome, Italy.
- FAO. (2000). *Land and Water development Division: Bio-Physicals, Socio-Economic and Environmental Impacts of Salt-affected Soils*. <http://www.fao.org>
- FAO. (2018). The State of World Fisheries and Aquaculture, Meeting the sustainable development goals. Rome, 1-194.
- Flaherty, M., Vandergeest, P., & Miller, P. (1999). Rice paddy or shrimp pond: tough decisions in rural Thailand. *World Development*, 27(12), 2045–2060.
- Flegal, T. (1992). Insecticide danger to shrimp. Letter cited in Aquaculture News from Around the World. *Infofish*, 6, 36.
- Forse, J. E., Leach, J. H., Choowaew, S., & Bishop, I. D. (1997). Change detection analysis of coastal land cover in Thailand using Landsat Thematic Mapper. *Northern Australian Geographic Information Systems (NAGIS) Conference*, Cairns.
- GESAMP (IMO/FAO/UNESCO-IOC/WMO/WHO/IAEA/UN/UNEP Joint Group of Expert on the Scientific Aspects of Marine Environmental Protection). (2000). *Report of the Thirtieth Session, Principality of Monaco*, 22-26 May 2000. Rep. Stud. GESAMP No. 69, 68.
- Giap, D.H., Yi, Y., & Yakupitiyage, A. (2005). GIS for land evalution for shrimp farming in Haiphong of Vietnam. *Ocean and Coastal Management*, 48, 52-63.
- Glasson, J., Therivel, R., & Chadwick, A. (1999). *Introduction to Environmental Impact Assessment*. 2nd edition. Spon Press. London.
- GOI. (2005). *Report of the Commission for Agricultural Costs and Prices (CACP)*. Ministry of Agriculture and Animal Husbandry, New Delhi.

- GOI. (2007). *Poverty Estimates for 2004-05*. Government of India Press Information Bureau, New Delhi.
- GOWB. (2018). *Hand book of Fisheries Statistics*. Directorate of Fisheries, Kolkata.
- Grant, A., & Briggs, A. D. (1998). Use of ivermectin in marine fish farms: Some concerns. *Marine Pollution Bulletin*, 36(8), 566-568.
- Guja, B., & Finger-Stich, A. (1996). What price prawn? Shrimp cultivation in Asia. *Environment*, 38, 12-39.
- Gupta, B.P., Krishnani, K. K., Joseph, K. O., Muralithar, M., Nagavel , A., & Parimala, V. (2002). Studies on the Effect of Shrimp Farming on Adjacent Agricultural Land and Underground Water in Cuddalore District of Tamil Nadu. *Applied fisheries and aquaculture*, Vol II(I), 47-50.
- Gupta, J. (2017). *Big Bengal boost to Indian's No.1 Shrimp exporter tag*. Times of India report, 14 December 2017. <https://timesofindia.indiatimes.com/business/india-business/big-bengal-boost-to-indias-no-1-shrimp-exporter-tag/articleshow/62071760.cms>
- Gupta, M. C., Krishnarajan, V. P., & Nayak, S. (2001). Brackish water aquaculture site selection in coastal track of Cannanore (Kerala) using remote Sensing and GIS techniques. *Journal of the Indian Society of Remote Sensing*, 29 (1&2), 79-83.
- Habbane, M., El-Sabh, M. I., & Dubois, J. M. (1997). Regional aquaculture potential measured using passive remote sensing and GIS: application for the fishing waters in Baie des Chaleurs (Eastern Canada). *International Journal of Remote Sensing*, 18, 3439-3457.
- Hall, F. G., Strelbel, D. E., Nickson, J. E., & Goetz, S. J. (1991). Radiometric rectification: Toward a Common Radiometric Response Among Multi-date, Multisensor Images. *Remote Sensing of Environment*, 35, 11-27.
- Hambrey, J. B. (1993). *Coastal Zone Management in North Sumatra: Alternative Economic Uses of the Mangrove of Northeast Sumatra*. ODA/Dinas Perikanan.
- Hambrey, J. (1996). Comparative economics of land use options in the mangrove. *Aquaculture Asia*, 1(2), 10-14.
- Hein, L. (2000). Impact of shrimp farming on mangrove along east coast of India. *Unasylva*, 51, 48-54.
- Henderson-Sellers, A., & Pitman, A. J. (1992). Land surface schemes for future climate models: specification, aggregation and heterogeneity. *Journal of Geophysical Research*, 97, 2687-2696.

- Hossain, M. A. R., & Hasan, M. R. (2017). An assessment of impacts from shrimp aquaculture in Bangladesh and prospects for improvement. *FAO fisheries and aquaculture technical paper 618*. Rome.
- Hossain, M. Z., & Lin, C. K. (2001). Diversified Uses of Abandoned Shrimp Ponds- A Case Study in the Upper Gulf of Thailand. *ITCZM Monograph No.5*, 23.
- Hossain, M. Z., Muttitanon, W., Tripathi, N. K., & Phillips, M. (2003). Monitoring Shrimp farming development from space. *GIS Development*, 1-6.
- Hossain, N., Muhibullah, M., Ali, K. M. B., & Moll, M.H. (2015). Relationship between Soil Salinity and Physico-chemical Properties of Paddy Field Soils of Jhilwanja Union, Cox's Bazar, Bangladesh. *Journal of Agricultural Science*, 7, 166-180.
- Hossain, S., Alam, S. M. N., Lin, C. K., Demaine, H., Khan, Y. S. A., Das, N. G., & Roup, M. A. (2004). Integrated management approach for shrimp culture development in the coastal environment of Bangladesh. *World Aquaculture*, 35 (4), 35–44. <http://dx.doi.org/10.1016/j.ecoleng.2011.03.012>.
- Hu, Q., Wu, W., Xia, T., Yu, Q., Yang, P., Li, Z., & Song, Q. (2013). Exploring the Use of Google Earth Imagery and Object-Based Methods in Land Use/Cover Mapping. *Remote Sensing*, 5, 6026-6042.
- Hudak, A. T., & Wessman, C. A. (1998). Textural analysis of historical aerial photography to characterize woody plant encroachment in South Africa savana. *Remote Sensing of Environment*, 66(3), 317-330.
- Huntington, T. C. (2003). *Environmental Issues in Shrimp Farming in Bangladesh*. ARDMCS, Dhaka, Bangladesh, p.24.
- ICAR – CIBA. (2018). Training manual Recent advances in farming of Pacific White Shrimp (*Penaeus vannamei*), *CIBA-TM Series*, 14, 1-126.
- Ibrekk, H., Kryvi, H., & Elvestad, S., (1993). Nationwide assessment of the suitability of the Norwegian coastal zone and rivers for aquaculture (LENKA). *Coastal management*, 21, 53-73.
- IGBP (International Geosphere Biosphere Programme). (1990). The international Geosphere Biosphere Programme: A study of global change. *The initial core project Report No.12*, International Council of Scientific Unions, Stockholm, Sweden.
- Ikehashi, H., & Ponnamperuma, F. N. (1978). *Varietal tolerance to rice for adverse soils. Soils and Rice*. IRRI, Manila, Philippines, 801-822.
- Islam, K.R. (2000). Land use effects on soil quality in a tropical forest ecosystem of Bangladesh. *Agriculture Ecosystems and Environment*, 79, 9-16

- Islam, M. L., Alam, M. J., Ahmud, S. U., & Mazic, M. A. (2004). Water quality, nutrient dynamics and sediment profile in shrimp farms of the Sundarbans mangrove forest, Bangladesh. *Indian Journals of Marine Sciences*, 2, 170-176.
- Islam, M. M., Ahmed, M. K., Shahid, M. A., Hoque, S., & Islam, D. (2009). Determination of land cover changes and suitable shrimp farming area using remote sensing and GIS in Southwestern Bangladesh. *International Journal of Ecology and Development*, 12(W09), 28–41.
- Ito, S. (2002). From rice to prawns: economic transformation and agrarian structure in rural Bangladesh. *Journal of Peasant Study*, 29, 47-70.
- Jacobson, A., Dhanota, J., Godfrey, J., Jacobson, H., Rossman, J., Stanish, A., Walker, H., & Riggio, J. (2015). A novel approach to mapping land conversion using Google Earth with an application to East Africa. *Environmental Modeling & Software*, 72, 1-9.
- Jensen, J. R. (1996). *Introductory digital image processing: A Remote Sensing Perspective*, Second Edition, Pearson Education.
- Jensen, J. R. (2009). *Introductory digital image processing: An Earth Resource Perspective*, Second Edition, Pearson Education.
- Joseph, K. O., Gupta, B. P., Alvandi, S. V., Mishra, S. S., & Sivakumar, G. (1995). Impact of shrimp farming on the environmental-a case study. *Proceedings of the National Workshop on Transfer of Technology for Sustainable Shrimp Farming*. 9-10 January 1995, Chennai, 127-134.
- Joseph, K.O., Gupta, B. P., Alvandi, S.V., Mishra, S. S., Sivakumar, G., & Sudheesh, P. S. (2003). Observations on soils and water and biological conditions of shrimp farms. *Applied Fisheries and Aquaculture*, 3(1&2), 13-17.
- Josimovic, B., Petric, J., & Milijic, S. (2014). The Use of the Leopold Matrix in Carrying Out the EIA for Wind Farms in Serbia. *Energy and Environment Research*, 4(1), 43-54. <http://dx.doi.org/10.5539/eer.v4n1p43>.
- Kapetsky, J. M. (1989). A geographical information system for aquaculture development in Johor State. *Report prepared for the project Land and Water Use planning for Aquaculture Development*. FAO, Rome, Italy.
- Kapetsky, J. M. (1990). Where are the best opportunities for fish farming in Ghana? The Ghana aquaculture Geographical Information System as a decision-making tool. *FI/TCP/GHA/0051 Field Technical Report 5*. Rome, FAO.
- Kapetsky, J. M. (1994). A Strategic assessment of warm-water fish farming potential in Africa. *CIFA Technical Paper No. 27*. FAO, Rome, p. 67.

- Kapetsky, J. M., & Nath, S. S. (1997). A strategic assessment of the potential for freshwater fish farming in Latin America. *Technical Paper. No. 10.* FAO, Rome, p.128.
- Kapetsky, J. M., & Travaglia, C. (1995). Geographical information systems and remote sensing: An overview of their present and potential applications in aquaculture. Aquaculture towards the 21st Century, *Infofish, Kuala Lumpur*, 187-208.
- Karlin, S., & Taylor, H. M., (1984). *An Introduction of to Stochastic Modeling*, Academic Press. New York.
- Krieger, Y., & Muslow, S. (1990). GIS application in marine benthic resource management. GIS for the 1990. *Proceeding of the National Conference, Ottawa, Canada.*
- Krishnamurthy, R., Sundramoothy, S., Ramachandram., & Nayak, S. R. (1993). Coastal Landuse Mapping for Brackishwater Aquaculture Site Selection Using Satellite data.A case study of Tamilnadu Coast. *Proceedings of the Remote Sensing Application for Resource Management with special emphasis on North Eastern Region.* ISRS and Assam Remote Sensing Center, 207-211.
- Krishnani, K. K., Rajendran, K. V., Joseph, K. O., & Gupta, B. P. (1999). Soil and water characteristics of shrimp ponds affected with viral disease. *Journal of the inland fisheries society of India*, 29(1), 27-42.
- Kumar, A. (2000). CRZ vis a vis fisheries of Kerala. Fisheries special. *Kerala calling*. 42-48.
- Kumar, S. (2005). *Basics of Remote Sensing and GIS*. University Science Press, New Delhi.
- Kumaran, M., Ponnusamy, K., & Kalaimani, N. (2003). Diffusion and adoption of shrimp farming technologies. *Aquaculture Asia*, 8, 20-23.
- Laba, M., Smith, S. D., & Degloria, S. D. (1997). Landsat-based land cover mapping in lower Yuna River watershed in the Dominican Republic. *International Journal of Remote Sensing*, 18, 3011-3025.
- Lambin, E. F. (1994). Modeling deforestation processes: a review. *TREES series B: Research report 1*, European commission, EUR 15744EN.
- Lambin, E. F. (1997). Modeling and monitoring land-cover change processes in tropical regions. *Progress in physical geography*, 21, 375-393.
- Lambin, E. F., & Ehrlich, D. (1997). The identification of tropical deforestation fronts at broad spatial scales. *International Journal of Remote Sensing*, 18, 3551-3568.
- Lassen, T. J. (1997). Environmental extremes versus sustainable policies in aquaculture. *World aquaculture*, 28, 49-51.

- Laxmappa, B. (2016). Exotic fish species in aquaculture and aquatic ecosystem in Telangana state. *India. Journal of Aquatic Biology & Fisheries*, 4, 1-7.
- Lee, N., & Colley, R. (1992). Reviewing the quality of environmental statements. *Occasional Paper 24 (Second edition)*, Department of Planning and Landscape, University of Manchester.
- Leopold, L. B., Clarke, F. E., Hanshaw, B. B., & Balsley J. E. (1971). A procedure for evaluating environmental impact. *U.S. Geological Survey Circular 645*, Washington, D.C.
- Lewis, R. R., Philips, M. J., Clough, B., & Macintosh, D. J. (2003). *Thematic Review on Coastal Wetland Habitats and Shrimp Aquaculture*. World Bank/NACA/WWF/FAO Consortium Program on Shrimp Farming and the Environment, 1-73. <http://www.mrcmekong.org/assets/Publications/Council-Study/Lewis-etal-2003-ThematicReview-on-CoastalWetlandHabitats-n-shrimpAquaculture.pdf>
- Lillesand, T. M., & Keifer, R. W. (2000). *Remote Sensing and Image Interpretation*. John Wiley & Sons, New York.
- Liverman, D., Moran, E. F., Rindfuss, R. R., & Stern, P. C. (1998). *People and Pixels: Linking remote sensing and social science*, National Academy Press, Washington D.C.
- Machintosh, D. J., & Phillips, M. J. (1992). Environmental consideration of shrimp farming. *Infofish. Kuala Lumpur*, 118-145.
- Macleod, R. D., & Congalton, R. G. (1998). A Quantitative Comparison of Change-Detection Algorithms for Monitoring Eelgrass from Remotely Sensed Data. *Photogrammetric Engineering and Remote Sensing*, 64(3), 207-216.
- Maingi, J. K., & Marsh, S. E. (2001). Assessment of Environmental Impacts of River Basin Development on the Riverine Forests of Eastern Kenya Using Multi-Temporal Satellite Data. *International Journal of Remote Sensing*, 22, 2701-2729.
- Malarvizhi, K., Kumar, S. V., & Porchelvan. P. (2015). Use of High Resolution Google Earth Satellite Imagery in Landuse Map Preparation for Urban Related Application. *International Conference on Emerging Trends in Engineering, Science and Technology*, 9-11 December 2015, 1835 – 1842.
- Menasveta, P. (1997) Intensive and efficient shrimp culture – the Thai way – can save mangroves. *Aquaculture Asia*, 2(1), 38–44.
- Mandal, S. (2018). TMC murder bares illegal lease biz in East Midnapore. *The Time of India*. 27th February 2018. <https://timesofindia.indiatimes.com/city/kolkata/tmc-murder-bares-illegal-lease-biz-in-east-midnapore/articleshow/63086853.cms>

- Manjarrez, J. (1996). *Development and evaluation of GIS-based models for coastal aquaculture: Sinaloa, Mexico*. PhD thesis, Institute of Aquaculture, University of Stirling, UK. p.373
- Manjarrez, J. A., & Nath, S. S. (1998). *A strategic reassessment of fish farming potential in Africa*. CIFA Technical Paper No. 32. Rome, FAO. p. 170.
- Manjarrez, J. A., & Ross, L. G. (1995). Geographical information system (GIS) environmental models for aquaculture development in Sinaloa State, Maxico. *Aquaculture International*, 3, 103-105.
- Masum, S. J. A. (2008). *Working Together for Responsible & Eco-friendly Shrimp Farming in Bangladesh - Exploring Corporate Environmental Responsibility (CER) & Corporate Social Responsibility (CSR) in the context of Commercial Shrimp Sector in Bangladesh*. Coastal Development Partnership (CDP) with assistance from the EGP (Ecosystem Grants Program) of IUCN NL (The Netherlands Committee of the IUCN), 29.
- Maya, O. L., & Fono. A. L. (1997). *Federal environmental law: the user's guide*. West Publishing Co. St. Paul, MN.USA.
- Meaden and Kapetsky. (1991). Geographical information systems and remote sensing in inland fisheries and aquaculture. *Technical Paper 318*, FAO, Rome.  
<http://www.fao.org/3/t0446e/t0446e00.htm>
- Meaden, G. J. (1987). Where should trout farms be in Britain? *Fish Farmer*, 10, 33-35.
- Mering, C., Baro, J., & Upegui, E. (2010). Retrieving urban areas on Google Earth images: Application to towns of West Africa. *International Journal of Remote Sensing*, 31, 5867–5877.
- Michener, W. K., & Houhoulis, P. F. (1997). Detection of Vegetation Changes Associated with Extensive Flooding in a Forested Ecosystem. *Photogrammetric Engineering and Remote Sensing*, 63, 1363-1374.
- Ministry of Aquaculture (2002). Shrimp farming in India-Lessons and Challenges in Sustainable Development. *Aquaculture authority news*, 1(1), 1-4.  
<http://www.caa.gov.in/uploaded/doc/Aqua%20news%20pdf.pdf>
- MPEDA. (2017). State Wise Area Utilized and Production of Tiger Shrimp. <http://mpeda.gov.in>.
- Mukul. (1994). Aquaculture Boom: Who Pays? *Economic and Political Weekly*, 29(49), 3075-3078.
- Mulekom, L. V., Axelsson, A., Batungbacal, E. P., Baxter, D., Siregar, R., & Torre, I. (2006). Trade and Export Orientation of Fisheries in South East Asia: Under-priced

- Export at the Expense of Domestic Food Security and Local Economies. *Ocean & Coastal Management*, 49(9&10). 546-561.
- NACA. (2000). Aquaculture development beyond 2000: The Bangkok Declaration and Strategy. *Conference on Aquaculture in the Third Millennium*, 20-25 February, Bangkok, Thailand.
- NageswaraRao. K., Muralikrishna, G., Ramprasad Naik, D., & Hemamalini, B. (2003). Remote Sensing and GIS Applications in the Identification of Aquaculture Hotspots at Village Level. *Journal of the Indian Society of Remote Sensing*, 31(2), 71-80.
- Nath, S. S., Bolte, J. P., Ross, L. G., & Aguilar-Manjarrez, J. (2000). Application of geographical information system (GIS) for spatial decision support in aquaculture. *Aquaculture Engineering*, 23, 233-278.
- Nayak, S. R., & Shaikh. M. G. (1995). *Coastal Landuse Mapping of West Bengal Coast for Brackish Water Aquaculture Site Selection*. Space Application Center (ISRO), Ahmedabad, India, p 1.
- NEERI. (1995). *Investigation report on impacts of aquaculture farming and remedial measures in ecologically fragile coastal areas in the states of Andhra Pradesh and Tamil Nadu*. National Environmental Engineering Research Institute (NEERI), India. p. 83.
- Nielsen, A. A., Conradsen, K., & Simpson, J. J. (1998). Multivariate alteration detection (MAD) and MAF post-processing in multispectral, bitemporal image data: New approaches to change detection studies. *Remote Sensing of Environment*, 64, 1–19.
- NRSA, (1995). *IMSD technical guidelines*. National Remote Sensing Agency. Hyderabad, India.
- Ohri, A., & Poonam. (2012). Urban Sprawl Mapping and Land Use Change Detection Using Remote Sensing and GIS. *International journal of Remote Sensing and GIS*, 1(1), 12-25.
- Ojha, A., & Chakrabarty, A. (2018). Brackish water aquaculture development and its impacts on agriculture land: A case study on coastal blocks of Purba Medinipur district, West Bengal, India using multi-temporal Satellite data and GIS Techniques. *International Journal of Applied Engineering Research*, 13(11), 10115-10123.
- Ojha, A., & Chakrabarty, A. (2016). Village level land use land cover change dynamics and brackish water aquaculture development: a case study in Desopran block, West Bengal, India using multi-temporal satellite data and GIS techniques. *International Journal of Remote Sensing & Geoscience*, 5, 13-18.

- Ojha, A., & Chakrabarty, A. (2018). Impacts of Commercial Shrimp Farming on Land-cover Change in the Coastal Blocks of Purba Medinipur District, West Bengal (India) – A Study Based on Remote Sensing and GIS Approach. *International Journal of Scientific Research and Reviews*, 7(3), 441-454.
- Osleeb, J., & Khan, S. (1999). Integration of geographic information in tools to aid environmental decision-makers, National Center for Environmental Decision-making Research. *Springer Verlog*, 161-189.
- Owojori A., & Xie, H. (2005). *Landsat image-based LULC changes of San Antonio, Texas using advanced atmospheric correction and object-oriented image analysis approaches*. Paper presented at the 5th international symposium on remote sensing of urban areas, Tempe, AZ.
- Paolini, L., Grings, F., Sobrino, J. A., Munoz J. C. J., & Karszenbaum, H. (2006). Radiometric correction effects in Lansat multi-date/ multi-sensor change detection studies. *International Journal of Remote Sensing*, 4, 685-704.
- Parthasarathy, R. (1994). 'Prawn revolution' at the cost of rice bowl? *The Hindu*, 12 August 1994.
- Patil, A. A., Annachhatre, A. P., & Tripathi N. K. (2002). Comparison of conventional and geo-spatial EIA: A shrimp farming case study. *Environmental Impact Assessment Review*. 22, 361-375.
- Patil, P. G., & Krishnan, M. (1998). The social impacts of shrimp farming in Nellore district, India. *Aquaculture Asia*, 1, 3-5.
- Patit, C., Scudder, T., & Lambin, E. (2001). Quantifying processes of land-cover change by remote sensing: Resettlement and rapid land-cover changes in south-eastern Zambia. *International Journal of Remote Sensing*, 22(17), 3435-3456.
- Paul, A. K. (2002). *Coastal Geomorphology and Environment*, acb publications, Kolkata.
- Philips, M. J. (1995). Towards sustainable aquaculture in southeast Asia and Japan. *Shrimp culture and Environment*, 37-62.
- Phillips, M. J., Lin C. K., & Bereridge M. C. M. (1993). *Shrimp culture and environment lessons from world's most rapidly expanding warm water Aquaculture sector*. Environmental and Aquaculture in Development Countries. ICLARM conference proceedings, 31, 171-197.
- Pillay, T. V. R. (2007). *Aquaculture and Environment*. Blackwell Publishing Ltd. Cambrigde, England.

- Populas, J., & Lantieri, D. (1991). *Use of High Resolution Satellite Data for Coastal Fisheries*. Remote Sensing Centre, Food and Agriculture Organization of the United Nations (FAO), FAO RSC Series No. 5, 1-30.
- Potere, D. (2008). Horizontal positional accuracy of Google Earth's high-resolution imagery Archive. *Sensors*, 8, 7973–7981.  
<https://www.ncbi.nlm.nih.gov/pubmed/27873970>
- Prabaharan, S., Srinivasa Raju, K., Lakshumanan, C., & Ramalingam, M. (2010). Remote Sensing and GIS applications on change detection study in coastal zone using multi temporal satellite data. *International Journal of Geomatics and Geosciences*, 1 (2), 159-166.
- Primavera, J. H. (1997). Socio-Economic Impacts of Shrimp Aquaculture. *Aquaculture Research*, 28, 815-827.
- Primavera, J. H. (1998). Tropical shrimp farming and its sustainability. Tropical mariculture. *Academic Press, London*, 257-289.
- Proulx, M., Pick, F., Mazumder, A., Hamilton, P., & Lean, D. (1996). Experimental evidence for interactive impacts of human activities on lake algal species richness. *Oikos*, 76, 191-195.
- Quader, O., Islam, Z., Rahaman, H., Rahaman, M., Sarkar, M. H., & Khan, A. S. (2004). *Suitable site selection of shrimp farming in the coastal areas of Bangladesh using Remote Sensing techniques*. Proceeding of XXth ISPRS (International Society for Photogrammetry and Remote Sensing) Congress, 12-23 July 2004. Turkey.
- Rahman, A., Agarwal, S. P., Netzband, M., & Fazal, S. (2011). Monitoring urban sprawl using remote sensing and GIS techniques of a fast growing urban centre, India. *IEEE Journal of selected topics in applied earth observations and remote sensing* 4(1), 56-64.
- Rahman, Md. R., Kazuo Ando, K., & Takeda. S. (2013). Effect of Shrimp-Based Cropping Systems on Salinity and Soil Fertility in a Coastal Area of Bangladesh: A Village-Level Study. *Journal of Agricultural Science*, 5(11), 1-10.
- Rajalakshmi, N. (2002). Conflicts of Water and Soil resources over Aquaculture Production in Coastal Tamilnadu and Pondicherry. *EERC Working Paper Series: MES-2*.
- Rajitha, K., Mukherjee, C. K., & Vinu Chandra, R. (2007). Application of Remote sensing and GIS for sustainable management of shrimp culture in India. *Journal of Aquaculture Engineering*, 36, 1-17.
- Rajitha, K., Mukherjee, C. K., & Vinu Chandra, R. (2010). Land-cover change dynamics and coastal aquaculture development: A case study in the East Godavari delta,

- Andhra Pradesh, India using multi-temporal satellite data. *International Journal of Remote sensing*, 31(16), 4423-4442.
- Rao, G.V.R. (2006). Shrimp farming to be received. *The Hindu*, 20 June 2006, p.6.
- Reddy V. R., Reddy, P. P., & Kumar, U. H. (2004). Ecological and Economic Aspects of Shrimp Farming in Andhra Pradesh. *Indian Journal of Agricultural Economics*, 20(1), 435.
- Riebsame, W. E., Mayer, W. B., & Turner, B. L. (1994). Integrated modeling of land use and cover change. *Bioscience*, 44(1), 350-362.
- Rivera-Monroy, V. H., Torres, L. A., Bahamon, N., Newmark, F., & Twilley, R. R. (1999). The potential use of mangrove forests as nitrogen sinks of shrimp aquaculture pond effluents: The role denitrification. *Journal of World Aquaculture Society*, 30, 12-25.
- Roseberry, B. (1998). World shrimp farming. *Shrimp News International*, San Diego, California, pp. 328.
- Rosenberry, B. (1995). World shrimp farming 1995: annual report. *Shrimp News International*. San Diego, California.
- Ross, L. G. (1998). *The use of Geographical Information System in aquaculture: A Review*. Paper presented at Congreso National de Limnologia, Michoacan, Maxico. November 1998.
- Ross, L. G., Mendoza, Q. M. E. A., & Beveridge, M. C. M. (1993). The application of geographical information systems to site selection for coastal aquaculture: An example based on salmonid cage culture. *Aquaculture*, 112, 165-178.
- Saaty, T. (1986). Axiomatic Foundation of the Analytic Hierarchy Process. *Management Science*, 32, 841-855.
- Saitanu, K., Amornsin, A., Kondo, F., & Tsai, C. E. (1994). Antibiotic residues in tiger shrimp (*Penaeus monodon*). *Asian Fisheries Science*, 7, 47-52.
- Salam, M. A., & Ross, L. G. (1999). GIS modeling for aquaculture in South-western Bangladesh: comparative production scenarios for brackish and freshwater shrimp and fish. *GeoSolution: Integrating Our World*, 13, 141-145.
- Sanchez, P. E., Murir, J. F., & Ross, L. G. (2003). GIS-based aquaculture development modeling for Tabasco coastal zone, Maxico. *Ocean and Coastal Management*, 46, 681-700.
- Shahid, M. A., Sayeed, A., Hossain, T. I. M. T., Rahman, H., Sarker, M. H., & Ahmed, A. H. (1997). Remote Sensing and GIS for Suitable Shrimp Farming Area Selection in Bangladesh. *Journal of Remote Sensing and Environment*, 1, 27-41.

- Shang, Y. C., Leung, P., & Ling, B. H. (1998). Comparative economics of shrimp farming in Asia. *Aquaculture*, 164 (1–4), 183–200.
- Sheppard, J. R. (1964). A concept of change detection. *Photogrammetric Engineering*, 30, 648–651.
- Shiva, V., & Karir, G. (1997). *Towards Sustainable Aquaculture*. Research Foundation for Science, New Delhi, India.
- Singh, A. (1989). Digital change detection techniques using remotely sensed data. *International Journal of Remote Sensing*, 10, 989–1003.
- Svoray, T., Shoshany, M., & Perevolotsky, A. (2003). Monitoring the response of spatially complex vegetation formations to human intervention: a case study from Mediterranean rangelands. *Journal of Mediterranean Ecology*, 4, 3–12.
- Tariqul Islam, A. F. M., Kulsum, N. U., & Golam, M. M. (2012). Impact of Brackish Water Shrimp Farming on Agricultural Land and Surrounding Environment in the Southwest Coastal Zone of Bangladesh. *Teleconference on Environment Aspects (WEA-22)*.
- Thu, N. T., & Demaine, H. (1996). Potentials for different models for freshwater aquaculture development in Red River Delta (Vietnam) using GIS analysis. *Naga: the ICLARM Quarterly*, 19(1), 29–32.
- Tobey, J., Clay, J., & Vergne, P. (1998). *Maintaining a Balance: the Economic, Environmental, and Social Impacts of Shrimp Farming in Latin America*. Coastal Resource Center, University of Rhode Island, Kingston, Rhode Island, p. 60.
- Tong, P. H. S., Auda, Y., Populus, J., Aizpuru, M., Habshi, A. AL., & Balsco, F. (2004). Assessment from space of mangroves evolution in Mekong delta, in relation to extensive shrimp farming. *International of Remote Sensing*, 25, 4795–4812.
- Townshend, J. R. G., Justice, C.O., Gurney, C., & McManus. (1992). The Impact of Misregistration on Change Detection. *IEEE Transactions on Geoscience and Remote Sensing*, 30(5), 1054–1060.
- Turner, M. G., Costanza, R., & Sklar, F. H. (1989). Method to evaluate the performance of spatial simulation models. *Ecological modeling*, 48, 1–18.
- Turner, R. E. (1977). Intertidal vegetation and commercial yields of penaeid shrimp. *Transactions of the American fisheries society*, 106, 411–416.
- Vadlapudi, S. (1996). Identification and quantification of changes in mangrove forest using remote sensing in Kakinada Bay, Andra Pradesh, India. *GIS development*, 1–9.

- Weng Qhiao. (2002). Land use change analysis in the Zhujiang Delta of China using satellite remote sensing, GIS and stochastic modeling. *Journal of Environmental Management*, 64, 273-284.
- Wibowo, A., Salleh, K, O., Frans, F. T. R. S., & Semedi, J. M. (2016). Spatial Temporal Land Use Change Detection Using Google Earth Data. *2nd International Conference of Indonesian Society for Remote Sensing*, 1-11.
- World Bank, NACA, WWF and FAO. (2002). Shrimp Farming and the Environment. A World Bank, NACA, WWF and FAO Consortium Program "To analyze and share experiences on the better management of shrimp aquaculture in coastal areas". Work in Progress for Public Discussion. *Synthesis report*, pp.45.
- World Bank. (1995). Land quality indicators. *World Bank Discussion Paper No. 315*. [www.mdpi.com/journal/remotesensing](http://www.mdpi.com/journal/remotesensing).
- World Commission on Environment and Development (WCED). (1987). *Our common future*. Oxford and New York: Oxford University Press, pp. 400.
- Yadava, Y. S. (2002). Shrimp Farming in India – Lessons and Challenges in Sustainable Development. *Aquaculture authority news*, 1 (1), 1-16.
- Yu, L., & Gong, P. (2011). Google Earth as a virtual globe tool for Earth science applications at the global scale: Progress and perspectives. *International Journal of Remote Sensing*, 33, 3966–3986.
- Zhang, R., Tang, C., Ma, S., Yuana , H., Gaoa , L., & Fana, W. (2011). Using Markov chains to analyze changes in wetland trends in arid Yinchuan Plain, China. *Mathematical and Computer Modeling*, 54, 924–930.