

List of figures

Figure no	Legend of figure	Page no.
Figure 2.2 a	Map of Jhargram Forest Division indicating Ramrama Beat.	27
Figure 2.2 b	Map of Kharagpur Forest Division indicating Kalaikunda Beat.	28
Figure 2.2 c	Map of Rupnarayan Forest Division indicating Gurguripal Beat.	29
Figure 2.2 d	Map of Medinipur Forest Division indicating Bhadutala Beat.	30
Figure 2.2 e	Map of Paschim Medinipur District with all Forest Division including four study area.	31
Figure 3.a	Graphical representation of average value of Temperature.	42
Figure 3.b	Graphical representation of average value of Rainfall.	42
Figure 3.1	Graphical representation of sprouting time of <i>Lantana camara</i> Linn.	43
Figure 3.2	Graphical representation of flowering time of <i>Lantana camara</i> Linn.	43
Figure 3.3	Graphical representation of fruit setting time of <i>Lantana camara</i> Linn.	44
Figure 3.4	Graphical representation of fruit maturity time of <i>Lantana camara</i> Linn.	44
Figure 3.5	Graphical representation of sprouting time of <i>Crotalaria pallida</i> Ait.	45
Figure 3.6	Graphical representation of flowering time of <i>Crotalaria pallida</i> Ait.	45
Figure 3.7	Graphical representation of fruit setting time of <i>Crotalaria pallida</i> Ait.	46
Figure 3.8	Graphical representation of fruit maturity time of <i>Crotalaria pallida</i> Ait.	46
Figure 3.9	Graphical representation of sprouting time of <i>Ocimum canum</i> Sims.	47
Figure 3.10	Graphical representation of flowering time of <i>Ocimum canum</i> Sims.	47
Figure 3.11	Graphical representation of fruit setting time of <i>Ocimum canum</i> Sims.	48
Figure 3.12	Graphical representation of fruit maturity time of <i>Ocimum canum</i> Sims.	48
Figure 3.13	Graphical representation of sprouting time of <i>Tephrosiapurpurea</i> Linn.	49
Figure 3.14	Graphical representation of flowering time of <i>Tephrosiapurpurea</i> Linn.	49
Figure 3.15	Graphical representation of fruit setting time of <i>Tephrosiapurpurea</i> Linn.	50
Figure 3.16	Graphical representation of fruit maturity time of <i>Tephrosiapurpurea</i> Linn.	50

Continue

Figure 3.17	Population of <i>Lantana camara</i> Linn.	51
Figure 3.18	Population of <i>Crotalaria pallida</i> Ait.	51
Figure 3.19	Population of <i>Ocimum canum</i> Sims.	51
Figure 3.20	Population of <i>Tephrosia purpurea</i> Linn.	51
Figure 4.1a	Graphical representation of average height of <i>Lantana camara</i> Linn.	64
Figure 4.1b	Graphical representation of average leaf length of <i>Lantana camara</i> Linn.	64
Figure 4.1c	Graphical representation of leaf width of <i>Lantana camara</i> Linn.	65
Figure 4.1d	Graphical representation of fruit weight of <i>Lantana camara</i> Linn.	65
Figure 4.1e	Graphical representation of fruit size of <i>Lantana camara</i> Linn.	66
Figure 4.2 a	Graphical representation of DNA amount of <i>Lantana camara</i> Linn.	66
Figure 4.2 b	Graphical representation of RNA amount of <i>Lantana camara</i> Linn.	67
Figure 4.2 c	Graphical representation of Protein amount of <i>Lantana camara</i> Linn.	67
Figure 4.3a	Graphical representation of average height of <i>Crotalaria pallida</i> Ait.	68
Figure 4.3b	Graphical representation of average leaf length of <i>Crotalaria pallida</i> Ait.	68
Figure 4.3c	Graphical representation of leaf width of <i>Crotalaria pallida</i> Ait.	69
Figure 4.3d	Graphical representation of fruit weight of <i>Crotalaria pallida</i> Ait.	69
Figure 4.3e	Graphical representation of fruit size of <i>Crotalaria pallida</i> Ait.	70
Figure 4.4a	Graphical representation of DNA amount of <i>Crotalaria pallida</i> Ait.	70
Figure 4.4b	Graphical representation of RNA amount of <i>Crotalaria pallida</i> Ait.	71
Figure 4.4c	Graphical representation of Protein amount of <i>Crotalaria pallida</i> Ait.	71
Figure 4.5a	Graphical representation of average height of <i>Ocimum canum</i> Sims	72
Figure 4.5b	Graphical representation of average leaf length of <i>Ocimum canum</i> Sims	72
Figure 4.5c	Graphical representation of leaf width of <i>Ocimum canum</i> Sims	73
Figure 4.5d	Graphical representation of fruit weight of <i>Ocimum canum</i> Sims	73

Continue.

Figure 4.6a	Graphical representation of DNA amount of <i>Ocimum canum</i> Sims	74
Figure 4.6b	Graphical representation of RNA amount of <i>Ocimum canum</i> Sims	74
Figure 4.6c	Graphical representation of Protein amount of <i>Ocimum canum</i> Sims	75
Figure 4.7a	Graphical representation of average height of <i>Tephrosia purpurea</i> Linn	76
Figure 4.7b	Graphical representation of average leaf length of <i>Tephrosia purpurea</i> Linn	76
Figure 4.7c	Graphical representation of leaf width of <i>Tephrosia purpurea</i> Linn	77
Figure 4.7d	Graphical representation of fruit weight of <i>Tephrosia purpurea</i> Linn	77
Figure 4.7e	Graphical representation of fruit size of <i>Tephrosia purpurea</i> Linn	78
Figure 4.8a	Graphical representation of DNA amount of <i>Tephrosia purpurea</i> Linn	78
Figure 4.8b	Graphical representation of RNA amount of <i>Tephrosia purpurea</i> Linn	79
Figure 4.8c	Graphical representation of Protein amount of <i>Tephrosia purpurea</i> Linn	79
Figure 4.9	Mature fruit of <i>Lantana camara</i> Linn.	80
Figure 4.10	Mature fruit of <i>Crotalaria pallida</i> Ait.	80
Figure 4.11	Mature fruit of <i>Ocimum canum</i> Sims	81
Figure 4.12	Mature fruit of <i>Tephrosia purpurea</i> Linn.	81
Figure 4.13	Leaves of <i>Lantana camara</i> Linn.	82
Figure 4.14a	Leaves of <i>Crotalaria pallida</i> Ait.	82
Figure 4.14b	Leaves of <i>Crotalaria pallida</i> Ait.	83
Figure 4.15	Leaves of <i>Ocimum canum</i> Sims	83
Figure 4.16	Leaves of <i>Tephrosia purpurea</i> Linn.	84
Figure 5.1a	Graphical representation of gender of informants.	105
Figure 5.1b	Graphical representation of religion of	106
Figure 5.1c	Graphical representation of category of	107
Figure 5.1d	Graphical representation of education status of	108
Figure 5.1e	Graphical representation of age group of	109
Figure 5.2	Graphical representation of use of <i>Lantana camara</i> Linn for medicinal purposes.	110
Figure 5.3a	Graphical representation of use of <i>Lantana camara</i> Linn as anti-pox and measles.	111
Figure 5.3b	Graphical representation of use of <i>Lantana camara</i> Linn as anti-ulcer.	111
Figure 5.3c	Graphical representation of use of <i>Lantana camara</i> Linn as anti-eczema.	112
Figure 5.3d	Graphical representation of use of <i>Lantana camara</i> Linn as anti-dysentery. Continue.....	112

Figure 5.3e	Graphical representation of use of <i>Lantana camara</i> Linn as anti- malaria.	113
Figure 5.3f	Graphical representation of use of <i>Lantana camara</i> Linn as anti- Tetanus.	113
Figure 5.3g	Graphical representation of use of <i>Lantana camara</i> Linn for wound healing	114
Figure 5.3h	Graphical representation of use of <i>Lantana camara</i> Linn as anti- snake venom.	114
Figure 5.4	Graphical representation of use of <i>Crotalaria pallida</i> Ait. for medicinal purposes	115
Figure 5.5a	Graphical representation of use of <i>Crotalaria pallida</i> Ait as anti- fever.	116
Figure 5.5b	Graphical representation of use of <i>Crotalaria pallida</i> Ait as anti- tumor	116
Figure 5.5c	Graphical representation of use of <i>Crotalaria pallida</i> Ait for Hyper tension.	117
Figure 5.5d	Graphical representation of use of <i>Crotalaria pallida</i> Ait for vermifuge.	117
Figure 5.5e	Graphical representation of use of <i>Crotalaria pallida</i> Ait for urinary problem.	118
Figure 5.5f	Graphical representation of use of <i>Crotalaria pallida</i> Ait as anti-skin itches.	118
Figure 5.5g	Graphical representation of use of <i>Crotalaria pallida</i> Ait for painful swelling.	119
Figure 5.5h	Graphical representation of use of <i>Crotalaria pallida</i> Ait as anti- fungal treatment.	119
Figure 5.6	Graphical representation of use of <i>Ocimum canum</i> Sims. for medicinal purposes.	120
Figure 5.7a	Graphical representation of use of <i>Ocimum canum</i> Simsas anti- fever.	121
Figure 5.7b	Graphical representation of use of <i>Ocimum canum</i> Simsas anti- Arthritis.	121
Figure 5.7c	Graphical representation of use of <i>Ocimum canum</i> Simsas anti- gout.	122
Figure 5.7d	Graphical representation of use of <i>Ocimum canum</i> Simsas anti- dysentery.	122
Figure 5.7e	Graphical representation of use of <i>Ocimum canum</i> Sims as expectorant.	123
Figure 5.7f	Graphical representation of use of <i>Ocimum canum</i> Sims as anti- hemorrhage.	123
Figure 5.7g	Graphical representation of use of <i>Ocimum canum</i> Sims as anti- itches.	124
Figure 5.7h	Graphical representation of use of <i>Ocimum canum</i> Sims as anti- painful swelling.	124
Figure 5.8	Graphical representation of use of <i>Tephrosia purpurea</i> Linn for medicinal purposes.	125
Figure 5.9 a	Graphical representation of use of <i>Tephrosia purpurea</i> Linnas anti- diarrhea.	126
Figure 5.9 b	Graphical representation of use of <i>Tephrosia purpurea</i> Linnas anti- dyspepsia. Continue.....	126

Figure 5.9 c	Graphical representation of use of <i>Tephrosia purpurea</i> Linnas anti- asthma.	127
Figure 5.9 d	Graphical representation of use of <i>Tephrosia purpurea</i> Linnas anti- pyretic.	127
Figure 5.9 e	Graphical representation of use of <i>Tephrosia purpurea</i> Linn for urinary problem.	128
Figure 5.9 f	Graphical representation of use of <i>Tephrosia purpurea</i> Linn as anti- skin itches.	128
Figure 5.9 g	Graphical representation of use of <i>Tephrosia purpurea</i> Linn as anti – dental carries.	129
Figure 5.9 h	Graphical representation of use of <i>Tephrosia purpurea</i> Linn as alexiteric.	129
Figure 5.10	Use of weeds as fuel by villagers.	130
Figure 5.11	Interview with TMP in village areas.	131
Figure 5.12	Furniture from Lantana wood.	132
Figure 6.2	Graphical representation of population density of <i>Lantana camara</i> Linn, year 2014.	147
Figure 6.3	Graphical representation of population density of <i>Lantana camara</i> Linn, year 2015.	148
Figure 6.4	Graphical representation of population density of <i>Lantana camara</i> Linn, year 2016.	149
Figure 6.5	Graphical representation of population density of <i>Crotalaria pallida</i> Ait, year 2014.	150
Figure 6.6	Graphical representation of population density of <i>Crotalaria pallida</i> Ait, year 2015.	151
Figure 6.7	Graphical representation of population density of <i>Crotalaria pallida</i> Ait, year 2016.	152
Figure 6.8	Graphical representation of population density of <i>Ocimum canum</i> Sims, year 2014.	153
Figure 6.9	Graphical representation of population density of <i>Ocimum canum</i> Sims, year 2015.	154
Figure 6.10	Graphical representation of population density of <i>Ocimum canum</i> Sims, year 2016.	155
Figure 6.11	Graphical representation of population density of <i>Tephrosia purpurea</i> Linn, year 2014.	156
Figure 6.12	Graphical representation of population density of <i>Tephrosia purpurea</i> Linn, year 2015.	157
Figure 6.13	Graphical representation of population density of <i>Tephrosia purpurea</i> Linn, year 2016.	158
Figure 6.14	Grazing by cattle in forest adjoining area.	159
Figure 6.15	Browsing by goat in forest adjacent area.	159
Figure 6.16	Infected leaf of <i>Lantana camara</i> Linn.	160
Figure 6.17	Penetration of insect in fruit of <i>Crotalaria pallida</i> Ait.	161
Figure 6.18	Insect that destroy fruit of <i>Crotalaria pallida</i> Ait.	161
Figure 6.19	‘Tephrosia Beetle’ causes damage to plant.	162