CHAPTER 7 BIBLIOGRAPHY

Alikunhi, K.H. 1957. Fish culture in India. Fann BUll. Indian Coun. Agne. Res. 20: 144.

- Abdullah, S.S. and Lohar, P.S. 2011. Biochemical Composition and Gonadosomatic Index of Three Major Carps in Hatnoor Reservoir, Maharashtra, India .Journal of Ecobiotechnology 2011, 3(6): 01-04 pp. ISSN: 2077-0464.
- Agarwal, S.S. 1980. A study on the correlation between the diurnal variation in the physico chemical conditions of water and the plankton contents and the primary productivity of Janaktal tank. Proc. Symp. Envir
- Ahmed, K.K.V., Ahmed, S.U., Halder, G.C., Hossain, M.R.A., Ahmed, T. 2005. Primary production and fish yield estimation in the River System, Bangladesh, Asian Fish Sci. 18: 95-105 pp.
- Ahmed, M., Krishnamurthy, R. 1990. Hydrobiology studies of Wolar reservoir Aurangabad (Maharastra) India J. Environ Biol 11 (3) 335-343 pp.
- Al Hussaini, A.H. 2007. On the functional morphology of the alimentary tract of some fish in relation to difference in their feeding habits. Journal of Applied Ichthyology, Vol.8, Issue. 1-4. 240-24 pp.
- Alakel, A.S., Algha, K.A. and Almasud, F. 2007. Studies on reproductive biology of Saifin molly, Poecilia latipinna in Riyadh, Saudi Arabia, Pakistan. Journal of biosciences 10(2):335-341 pp.
- Alikunhi, K.H. 1956. Agriculaural situation in India, Government of India Publication. 39 pp.
- Alikunhi, K.H. and Rao, N. 1948. On the bionomics, development and growth of Cauvery carp, Labeo knontius Jerdon, Rec. Indian Mus 49: 157-172 pp.
- Alkahelm, H.F., Ahmad, Z. and Alghanim, K.A. 2002 ...Pakistan Journal of Science (Vol. 54, No.1-2 ,2002) . Length-weight relationship and monthly changes in different indices of *Oreochromis niloticus*
- Allen, W.E. 1930. Quantitative studies of surface catches of marine diatoms and dinoflagellates taken in Alaskan waters by the International Fisheries Commission

- in the fall and winter of 1927-8 and 1929. Bull. Scripps Inst. Oceanogr. Tech. Ser. 2:389-99 pp.
- Angadi, S.B., N. Shiddamaliayya, N. and Patil, P.C. 2005. Limnological study of papnash pond, Bidar (Karnataka). J. Env. Biol., 26, 2005, 213-216 pp.
- Annual Activity report 2017-2018. Fisheries & Animal Resources Revelopment Department, Govt of Odisha.
- APHA. 1992. Standard Methods for the Examination of Water and Wastewater. 18th Edition, American Public Health Association, American Water Works Association and Water Environmental Federation, Washington DC.
- APHA. 1998. Standard Methods for the Examination of Water and Wastewater. 20th Edition, American Public Health Association, American Water Works Association and Water Environmental Federation, Washington DC.
- Archibald, R.E.M. 1972. Diversity in some South African diatom association and its relation to water quality. Water, Res. 6: 1229-1238 pp.
- Arumugam, V., Sivakami, R. and Premkishore, G. 2015. Biodiversity of Phytoplankton in a Tropical Lake of South India. *Int.J.Curr.Microbiol.App.Sci* (2015) 4(5): 362-376 pp.
- Asjord, P.M. and Slinde, E. 1994. Fish vaccine development, production and use of bacter valline with special reference to Salmon. In: Fisheries processing: Biotechnological application (AM Martin ed.) Chapman and Hall: 465 pp.
- Atish M. Mane, A.M., Pattanaik, S.S., Jadhav, R. and Jena, A.K. 2017. Pond Coloration, Interpretation and Possible Measures of Rectification for sustainable Aquaculture practice. Scientific Article Aquaculture Times. ISSN: 2394-398X. Vol. 3(3) 2017: 06-09 pp.
- Atobatele, O.E. and Ugwumba, O.A. 2011. Condition factor and diet of Chrysichthys nigrodigitatus and Chrysichthys auratus (Siluriformes: Bagridae), from Aiba reservoir, Iwo, Nigeria Rev. Biol. Trop., 59 (3) (2011), 1233-1244 pp.
- Beckman, C.W. 1948. The length-weight relationships and coefficients of condition for seven Michigan fish. Trans. Am. Fish Soc., Am. Fish. Soc., Vol. 75, 237-256 pp.

- Bhat, N. A.; Wanganeo, A. and Raina, R. 2014. Spatio-temporal variation of the zooplankton community in a tropical wet land (Bhoj wet land) Bhopal, India. Journal of Ecology and the Natural Environment, 6(8):252-270 pp.
- Bhat, N.A., Wanganeo A., Raina R. The composition and diversity of net zooplankton species in a tropical water body (Bhoj Wetland) of Bhopal, India .International Journal of Biodiversity and Conservation. Vol. 6(5). 373-381 pp.
- Bhatnagar, A. and Devi, P.Water quality guidelines for the management of pond fish culture International Journal of Environmental Sciences Volume 3, No 6, 2013, 1980-2009 pp.
- Bhatnagar, A. and Garg, S.K. 2000. Causative factors of fish mortality in still water fish ponds under sub-tropical conditions. Aquaculture, 1(2): 91-96 pp.
- Bhatnagar, A. and Sing, G. 2010. Culture fisheries in village pond: a multi-location study in Hariyana, India. Agriculture and Biology Journal of North America ,1(5):961-968 pp.
- Bhatnagar, A., Jana, S.N., Garg, S.K., Patra, B.C., Singh, g. and Barman, U.K. 2004. Water quality management in aquaculture, In: Course Manual of summer school on development of sustainable aquaculture technology in fresh and saline water, CCS Haryana Agricultural, ISAR (India)., 203-210 pp.
- Bisht, K.L. 1993. Environmental parameters and seasonal succession in planktonic biomass in the River Pinder Garhwal Himalaya. In Advances in Limnology (Singh, H.R. ed.), Narendra Publishing House, Delhi. 163-170 pp.
- Biswas ,S.P. 1985. Studies on the intestine length in relation to feeding habits of five commercially important fish from Assam. J. As. Sci. Soc. Vol. 28 No. 1, 10-13 pp.
- Boralkar, D.B. 1981. Studies of the Krishna river Ecosystem between Karad and Sangli (Maharastra state). A report of project carried out by Science College, Karad, during July-December. 1980, 1-18 pp.
- Bose S.K. and Gorai, A.C. 1993. Seasonal fluctuation of plankton in relation to physic-chemical parameters of a fresh water Tank of Dhanbad, India. *J. Freshwater Biol.*5(2): 133-140 pp.

- both size and shape of the swim bladder could be significantly altered by
- Boyd, C.E. 1979. Water Quality in Warmwater Fish Ponds, Agriculture Experiment Station, Auburn, Alabama, 359 pp.
- Boyd, C.E. 1990. Water Quality in Ponds for Aquaculture [M] . Alabama, Barmingham publishing Company.P.654 .
- Boyd, C.E. 1995. Bottom Soils, Sediment and Pond Aquaculture. Chapman and Hall, New York, 348 pp. 38
- Boyd, C.E. and Tucker, C.S. 1998. Pond Aquaculture Water Quality Management . Kluwer Academic Publiser, Boston, Massacusettes, 700 pp.
- Britz, D.W., Cech, J.J. and Pedro, D.N. 1997. Seasonal haematological change in Winter flounder, Pseudopleuronectes americanus. Transaction of American Fisheries Society 105:596-600 pp.
- Britz, D.W., Cech, J.J., Pedro, D.N. 1997. Seasonal haematological change in Winter flounder, *Pseudopleuronectes americanus*. Transaction of American Fisheries-Society 105; 596-600 pp.
- Brown, M.E. 1957. Experimental studies on growth in: The Physiology of fish. 361-400. M.E. Brown (Ed.), Academic Press, New York.
- Brown, S.D. 1973. Species diversity of peripyton communities in the littoral of a temperate lake. Int. Revueges. Hydrobiol., 58 (6): 787-800 pp.
- Brraich, O. S. and Kaur, R. 2015. Phytoplankton Community Structure and Species Diversity of Nangal Wetland, Punjab, India. International Journal of Research Journal of Biological Sciences, 4(3):76-83 pp.
- Bruce, J.R. 1924. Changes in the chemical composition of the tissue of the herring in relation to age and maturity. Biochem Journal 18: 469-485 pp.
- Carlow, P. 1979. The cost of reproduction A physiological approach. Biol Rev 54: 23-40 pp.
- Caulton, M.S. and Bursell, E. 1977. The relationship between changes in condition and body composition in young Tilapia rendalli, J. Fish Biol. 11: 143-150 pp.

- Causeret, J. 1962. Fishes, a source of mineral nutrition. In. Fish as food (G.Borgestrom, ed.) Academic Press, New York; 234 pp.
- Cehu, C., Salen, P. Lorgeril, M.D. 2004. Review article. Farmed and wild fish in prevention of cardio vascular disease: assessing possible differences in lipid nutritional values. Nutr Metab Cardiovasc dis.,!4(1): 34-41 pp.
- Chacko, P. I. 1945. Observations on the biology and ecology of inland water fish of Madras with reference to their suitability for culture. Fish Station Reports and Yearbook, Dept. of Fisheries, Govt. of Tamilnadu.
- Chacko, P.I. and Srinivasan, R. 1954. Observation on the hydrobiology of the major river of Madras state. South Indian Countr Fresh Biol Stn Madras (13):14 pp.
- Chang, H. 2005. Spatial and temporal variations of water quality in the Han River and its tributaries, Seoul, Korea, 1993–2002. Water Air Soil Pollut. 161 (2005), 267-284 pp.
- Chatterjee, N.R., Sahoo, D., Chetri, C. 2014. Study on the Monthly Variation in Hydro biological Condition and Its Relation to Fish Production of a Sewage Fed Bheri System at Suburban Kolkata. J Aquac Res Development 5:279. doi: 10.4172/2155-9546.1000279
- Chaturvedi, J. and Saksena, D.N. 2013. Research article diet composition, feeding intensity, gastrosomatic index and hepatosomatic index of a catfish, *Mystus cavasius* from Chambal river (Near, Rajghat) Morena, Madhyapradesh. International Journal of Recent Scientific ResearchVol.4, Issue,9, 150-1356 pp, September, 2013.
- Chaturvedi, R.K., Sharma, K.P., Sharma .K., Bharadwaj, S.M., Sharma ,S. 1999. Plankton community of polluted water around Sanganer, Jaipur. Jour Of Environ And Pollu, 6 (1): 77-84 pp.
- Chaurasia, M. and Pandey, G.C. 2002. Physico-chemical factots and algal diversity of two ponds, (Girija Kund and Maqubura pond), Faizabad. Poll. R. S., 21, 361-370 pp.

- Chitrakar, P. and Parajuli, K. 2017. Length and weight relationship studies of alimentary canal compared to the total body weight of grass carp *Ctenopharyngodon idella* (Valenciennes, 1844) at Balkhu live fish Market of Kathmandu, Nepal International Journal of Fisheries and Aquatic Studies, 2017, Vol.5 Issue 6, Part C. 185-190 pp.
- Chonder, S.L. 1999. Biology of Finfish and Shellfish. SCSC Publisher Howrah, 390-410 pp .
- Choudhury, A. and Ahi, J. 2014. Analysis of water quality in Polluted Sagar Lake by investigating different physico-chemical parameters. International Journal of Multidisciplinary Research and Development. Vol-2, Issue: 9, 25-30 pp.
- Christiansen, J.S., Ringo, E., Farkas, T. 1989. Effect of sustained exercise on growth and body composition of first feeding fry of Arctic carr, Salvelinus alpines (L.). Aquaculture 79: 329-335.
- Clerke, G.L. 1954. Elements of Ecology. Jon Wiley & Sons Inc. New York. 560 pp.
- Coates, O. 1990. Aspects of the biology of the perchlet Ambassis sp. in the Septik riser, Papua New Guinea. Australian Journal of marine and freshwater research 41(2):267-274 pp.
- Çoban, M.D., Suzer, C., Yıldırım, S., Saka, S., Firat, K. 2012. Morphological Development and Allometric Growth of Sharpsnout Seabream (Diplodus puntazzo) Larvae. Turkish Journal of Fisheries and Aquatic Sciences 12: 883-891 pp.
- Cook, R.B., Kelly, C.A., Schindler, D.W. and Turner, M.A. 1986. Mechanism of hydrogen ion neutralization in an experimentally acidified lake, Limnology and Oceanograpy, 31:134-148 pp.
- Cook, S. 2009. A Guide to Climate, Weather, and Seasonality in India. Tripsavvy https://www.tripsavvy.com/sharell-cook-1538714
- Cui, Y. and Wootton, R.J. 1988. Bioenergetics of growth of Cyprinids, *Phoxinus* the effect of ration and temperature on growth rate and efficiency . J. Fish Biol.33: 763-773 pp.

- Dadzie, S., Abou-Seedo, C. and Maniala, J.O. 2008. Length-weight relationship. Gonadosomatic index, condition factor, size at maturity and fecundity of Apolectis niger in Kuwaiti water. Journal of applied Icthyology 24(3): 334-336 pp.
- Dagaonkar, A. and Saksena, D.N. (1992). Physico-chemical and biological characterization of a temple tank Kailasagar, Gwalior, Madhya Pradesh. Journal of Hydrobiology, 8(1): p11-19.
- DAHAD, 2015-16. Annual Report, 2015-2016. Department of Animal Husbandry and Fisheries, Govt. of India 65 pp.
- DAHAD, 2017-18. Annual Report, 2017-18. Department of Animal Husbandry ,Dairyng and Fisheries, Ministry of Agriculture and Farmer Welfare, Govt. of India.
- Damberg, N. 1963. Extractives of fish muscle. Amounts of sectional distribution and variation of fat, water soluble, protein and moisture in Cod (Gadus morhud L.) fillets. J. Fish Res Bd Canada 20:909-918 pp.
- Damberg, N. 1964. Extractives of fish muscle and Seasonal variation of fat, water-soluble, Protein and water in Cod (Gadus morhua L.) fillet. J Fish Res Bd Canada 21: 703-709 pp.
- Dar, S.A., Najar, A.M., Balkhi, M.H., Rather, M.A. and Sharma, R. 2012. Length weight relationship and relative condition factor of Schizopyge esocinus(Heckel, 1838) from Jhelum River, Kashmir. Int. J. Aqu. Sci., 3(1): 29-36 pp.
- Das, B.C. 1965. Age related trend in the blood chemistry and haematology of Indian major carp Catla catla. Gerontologia 10:47-64 pp.
- Das, D., Pathak, A., Pal, S.2018. Diversity of phytoplankton in some domestic wastewater-fed urban fish pond ecosystems of the Chota Nagpur Plateau in Bankura, India.18. Appl Water Sci (2018) 8: 84. https://doi.org/10.1007/s13201-018-0726-6
- Das, H.P. 1978. Studies on the grey mullet, *Mugil chiphallus* (Linnaeus) from the Goa water, University of Bombay, Maharashtra. Ph.D Thesis; 223 pp.

- Das, S. and Patra, A.K. 2013. Studies on the sexual variation in allometric condition of Indian Major Carp, Labeo rohita (HAMILTON). Indian J.L. Sci. 3(1): 75-78 pp.
- Das, S., Patra, A.K. and Sar U.K. 2014. Obseration on the conditional factor and allometry of female Indian major carp, Labeo rohita (HAMILTON). International Journal of Current ResearchVol. 6, Issue, 07, pp.7343-7347, July, 2014.
- Das, S.K., 2002. Primary production and zooplankton biodiversity in brackish water shrimp culture pond. J. Ecobiol., 14: 267-271 pp. http://wgbis.ces.iisc.ernet.in/energy/water/paper/Tr -115/index.htm
- Dasgupta, M. 2004. Relative lengths of intenstine of some freshwater fish in relation to their food and feeding habits. Indian journal of fisheries, Vol.51, No.3, pp 381-384 pp.
- Dash, S., Ajay Kumar Patra, A. K., Adhikari, S. 2011. Primary productivity of Kharasrota river (India). The Academy of Environmental Biology, India. *J. Ecophysiol. Occup. Hlth.* 11 (2011) 219-225
- Datta, N.C., Das, M. 1983. Observation on the food and feeding habits of some flat fishes of Orissa coast. Indian J. Fish. 30(2); 241-248 pp.
- Datta, N.C., Mandal, N., Bandapadhyaya, B.K. 1884. Seasonal variation of primary productivity in relation to some physico-chemical property of a fresh water pond. Calcutta Int. J. Acad Ichthyol 5: 113-120 pp.
- Davie, T. 2003. Fundamental of Hydrology Routledge, Taylor & Francis Group, London, New York (2003): 125 -150 pp.
- Day, F. 1878. The fish of India, being a Natural History of the fish known to inhabit the freshwater of India, Burma and Ceylon. Atlas in 4th part, London William Dawson and Sons: 777 pp.
- De, A.K. 2003. Environmental Chemistry, 5th ed., New Age International Limitted: New Delhi. 192 pp.
- De, A.K. 2003. (5th ed.), Environmental Chemistry, New Age International Publisher, New Delhi(2003) 190, 215, 242–244 pp.

- Delince, G. 1992. The Ecology of the fish pond ecosystem, Kunwer Academic Publisers. London, pp 230.
- Desai, V.R. 1970. Studies on the fishery and biology of Tor tor from the river Narmada. J.Inland. Fish.Soc.India, Vol.(2):101-112 pp.
- Dwivedi, B.K. and Pandey, G.C. 2002. Physicochemical factors and algal diversity of two ponds in Faizabad, India Poll. Res. 21(3), 2002, 361-370
- Dwivedi, S.N.; Bohra, O.P.; Reddy, D.V. and Pillai, K.M. 1977. Diurnal observation of abiotic factors at Kakinada Bay, Feeder channel and *Stocking pond of Brackish water fish farm, Kakinada (A.P. Comp. Physiol. Ecol.* 2(4) :248-250 pp.
 - Edem, D.O. 2009. Vitamin A: A review. Asian J. Clin. Nutr., 1: 65-82 pp.
 - Egan, H., Krik, R.S., Sawyer, R. 1997. Pearsons chemical analysis of foods. 9th ed., Longan, London: 634 pp.
 - Ekpo, I.E., Essien-Ibok, M.A., Nkwoji J.N. 2014. Food and feeding habits and condition factor of fish species in Qua Iboe River estuary, Akwa Ibom State, southeastern Nigeria. Int J Fish Aquat Stu. 2014; 2(2): 38-46 pp
 - Ekubo, A. A. and Abowei, J. F. N. 2011. Review of some water quality management principles in culture fisheries, Research Journal of Applied Sciences, Engineering and Technology, 3(2), pp 1342-1357 pp.
 - Ekubo, A.A. and Abowei, J. F. N. 2011. Review of some water quality management principles in culture fisheries, Research Journal of Applied Sciences, Engineering and Technology., 3(2): 1342-1357 pp.
 - Eliott, J.P. and Bellwood. D.R. 2003. Alimentary tract morphology and diet in three coral reef fish families. Journal of Fish Biology, Vol.63, No.6.1598-1609 pp.
 - Elliot, J.M. 1976. Body composition of Brown trout (Salmo trutta) in relation to temperature and ration size. J.Anim.Ecol.45:273-289 pp.
 - EPA. (2012). 5.8 Total Solids. In Water: Monitoring and Assessment. Retrieved from http://water.epa.gov/type/rsl/monitoring/vms58.cfm

- Evans, D.H. 2000. The Physiology of Fish . Tylor and Francis Publication, CRC press, pp 51-54 pp.
- Ewing, M. and Dorris T. 1970. Algal community structure in artificial ponds subjected to continuous organic enrichment. American Midl. Natur.03: 465-582 pp.
- FAO. 2003. Aquaculture production. Year book of fisheries statistics, Vol.96. Food and Agriculture Organization of the United Nations, Rome Italy.
- FAO. 2012. The State of the World Fisheries and Aquaculture 2012. Rome: FAO
- FAO. 2013. FAOSTAT. Food and Agriculture Organisation of the United Nations. Rome.
- FAO. 2016. The State of World Fisheries and Aquaculture 2016. Contributing to food security and nutrition for all. Rome. 200 pp.
- Fish Statistics, 2017. Directorate of Fisheries, Government of Odisha.
- Folch, J., Lees, M. and Sladane-Stanley, G.H.A. 1957. Simple method for the isolation and purification of total lipid from animal tissues, J. Biol. Chem. 226: 497-509 pp.
- Fore, S.L. and Graft, C. 2002. Using Diatoms ton assess thee Biological condition of large river in Idaho, U.S.A. Fresh water Biology, 47: 2015-2037 pp.
- Fritsch, F.E. 1965. Some aspects of the ecology of fres water algae. J. Ecol. 19: 233-272 pp.
- Frose R 1998. Length weight relationship of 18 less studied fish species. J. Applied Icthyol. 1998; 14:117-118.
- Martin Smith KH. 1996 Length/weight relationships of fishes in a diverse tropical freshwater community, Sabah, Malaysia. J Fish Biol. 1996; 49:731-734.
- Frost , T.M., Lewis, W.M., Jr., Saunders, J.F. III., Unger, P.A., Epp, R.W., Creassa, B.C. and Weibezahn, F.H. 1981. Factors determining zooplankton community structure in Lake Valencia, Venezuela Proc. Of Silver Jubilee Symposium of Tropical Ecology, Bhopal, India, 1981, Sec. 61: 68-69 pp.
- Gaarder, T., and Gran, H. H. 1927. Investigation of the production of plankton in the Oslo fjord. Rapp. P.-v. Réun., Cons. perm. int. Explor. Mer, 42: 1-8.

- Ganapati, S.V. 1949. On a case of surface congregation of carps in isolated rock pools in the stream bed at Mettur Dam. J.zool.Soc.India 1:44-48 pp.
- Ganapati, S.V. and Chako, P.I. 1951. Investigation on plankton production in ponds Chetput fish farm, Madras. The limnology of four ponds.proc.Ini.Ass Theo. & App. Limn2:11-12 pp.
- Ganapati, S.V., Chacko, P.I., Srinivasan, R. 1953. Hydrobiological conditions of the Gangadhareswarer Temple Tank, Madras. *J. Asiatic. Soc. Sci.*, 19: 149-158 pp.
- Ghaffari, H., Ardalan, A.A., Sahafi, H.H., Babaei, M.M. 2011. Annual Changes in Gonadosomatic Index (GSI), Hepatosomatic Index (HIS) and Condition Factor (K) of Large scale Tonguesole Cynoglossus arel (Bloch & Schneider, 1801) In The Coastal Waters of Bandar Abbas, Persian Gulf. J of Applied Sci. Res. 2011; 5:1640-1646 pp.
- Ghosh, A. 2006. Fish of the Hooghly Matlah Estuary .CIFRI (ICAR) Publication, 1-110 pp.
- Gille, S.T. 2002. Warming of the Southern Ocean Since the 1950s. DOI:10 1126/science. 1065863. *Science* 15 Feb 2002: Vol. 295, Issue 5558, 1275-1277 pp.
- Giripunje, M. D., Fulke, A.B., Khairnar, K., Meshram, P. U., Paunikar, W.N.2013. A review of phytoplankton ecology in freshwater lakes of India. Romanian Limnogeographical Association. Lakes, reservoirs and ponds, vol. 7(2): 127-141 pp.
- Glynn, P.D. and Plummer, L.N. 2009. Geochemistry and the Understanding of Groundwater Systems. Article December 2009. Citations 40 R. https://www.researchgate.net/publication/241585914
- Goel, P.K., Kulkarni, A.Y. and Katavkar, S.D. 1988. Species diversity in phytoplankton communities in a few freshwater bodies in south western Mahsrastra. Geobios. 15(4): 150-156 pp.
- Golterman, H.L.1975. Physiological Limnology. Elsveir Scientific Cubl.Co., N.Y. 489 pp.

- Green, Roger, H. and Gran, L. Vascotto. 1978. A method of analysis of environmental factors contolling pattern of species composition aquatic communites, WATER RES. 12 (8): 583-590 pp.
- Greenwood, J.G. 1982, Dominance, frequency and species richness patterns in occurance of calcnoid copepods in Moreton Bay. Queensland, Austalia. Hydrobiologea 87 (3): 217-225 pp.
- Gupta, N., Pandey, P. and Hussain, J. 2017. Effect of physicochemical and biological parameters on the quality of river water of Narmada, Madhya Pradesh, India: Water Science: Volume 31: 11-23 pp.
- Gupta, T.R. and Sharma, A. 1995. Impact of sewage on the Hydrobiology of Tungabhadra River at Harihar, Karnataka. In: Ecology of polluted water volume-2 by Arvind Kumar (2002). A.P.H. Publishing Corporation .
- Hart, T. J. 1946. Report on trawling surveys on the Patagonian continental shelf. Discovery Rep., 23, 223-308 pp.
 - Harvey, H. W., Cooper, L. H. N., Lebour, M. V. 1935. Plankton production and its control, *J. Mar. Biol. Assoc UK*, 1935, vol. 20 pg. 407-441 pp.
- Hassan, A., Kuwahara, S. and Hurihidayat, E. 2002. Gonadosomatic indes and testis morphology of common carp *Cyprinus carpio* in rivers contaminated with estrogenic chemicals. J. Vet. Med. Sci. 64(10): 921-926 pp.
- Hassan, M. 1996. Influence of pond utilization with broiler dropping on the growth performance and meat quality of major carps. University of Agriculture, Faisalabad. Ph.D. thesis: 195 pp.
- Hatikakoty, G. 2002. Studies on certain aspects of the biology and habitat ecology of *Oreochromis mossambicus* (Peters) from a domestic pond in Upper Assam Dibrugarh University, Dibrugarh, ph.D thesis: 133 pp.
- Hazarika, L.P. 2013. A study of certain physico-chemical characteristics of Satajan wetland with special reference to fish diversity indices, Assam, India. Pelagia Research Library, *Euro. J. exp. Bio.*, 2013, 3(4):173-180 pp.

- Herbert, H.H. and Anderson, B.T. 1971. Predicting the diel oxygen minimum in ponds containing microphytesm, progressive fish culturist. 133 (I: 45 -47 pp.).
- Hernandez, M.D., Egea, M.A., Ruada, F.M., Martinez, F.J., Gracia, G.B. 2003. Seasonal condition and body composition changes in sharp snout seabrem (*Diplodos puntazzo*) raised in captivity. Aquaculture 220; 569-580 pp.
- Hille, S. A. 1982. Literature review of blood chemistry of rainbow trout, Salmo gairdneir. Journal of Fish Biology 20: 535-569 pp.
- Hontela, A. and Stacey, N.E. 1990. Cyprinidae. In: Reproductive Seasonality in Teleosts: Environmental Influences (Eds. A.D. Munro, A.P. Scot and T.T. Lam). CRC Press, Boca Raton, FL, USA, pp. 53–78 pp.
- Hopkins, C. L. 1979. Reproduction of Galaxias fasciatus Gray (Salmoniformes; Galaxiidae). New Zealand journal of marine and freshwater research, Vol. 13, No. 2: 230 pp.
- Hossain, M.I., Ahmed, S., Reza, M.S., Hossain, M.Y., Islam, M.N., Jesmine, A. and R. Islam. 2013. Effects of organic fertilizer and supplementary feeds on growth performance of silver carp (Hypophthalmichthys molitrix) and bata (Cirrhinus reba) fry in nursery ponds. International Journal of Research in Applied, Natural and Social Sciences (IJRANSS) 1(2): 117- 124 pp
- Hossain, M.I., Khatun, M., Kamal, B.M.M., Habib, K.A., Tumpa, A.S., Subba, B.R., Hossain, M.Y. 2014. Effects of seasonal variation on growth performance of mirror carp (Cyprinus carpio Ver. Specularis) in earthen nursery ponds. Our Nature. 12(1): 8-18 pp.
- Hotzel, G. and Croome, R. 1999. A phytoplankton monitoring manual for Australian rivers, Water 26(4) 44: Land and Water 26(4) Land and WAter Resources Research and Development Corporation, Canberra. 55 pp.
- Howarth, R.W., and A.F. Michaels. 2000. The measurement of primary production in aquatic ecosystems. Pages 72-85 in: O. Sala, R. Jackson, H. Mooney and R.W. Howarth (eds.), Methods in Ecosytem Science, Springer, NY.

- html document, Vikapaedia. 2018. Chemical composition of fish, Central Institute of Fisheries Technology (ICAR), Cochin
- Hussain, M.G., 2009. A future for the tilapia in Bangladesh. *Aqua Culture Asia, Pacific*, 5(3); 38-40 pp.
 - Hutchinson, G.E., 1957. A treaties on Limnology. Volume I. Geography, Physics and Chemistry. John Wiley and Sons., Inc. New York. 1015 pp.
- ICAR- CIFA. 2017. Annual Report 2016-2017. ICAR- Central Intitute of Freshwater Aquaculture, Bhubaneswar India. 176 pp.
- Idvisi, N., Luthy, S., Capo, T. R., Serafy, J. E. 2003. Behaviour, Oxygen Consumption and survival of stressed Juvenile Sailfish (Istrophores platypterus) in capacity.Marine and fresh water behaviour and physiology 36: 51-57pp.
- International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064 Impact Factor (2012): 3.358 Volume 3 Issue 7, July 2014 www.ijsr.net Licensed Under Creative Commons Attribution CC BY Study of Waste Water Characteristics and its pollution for the stretch of Krishna River from Sangli to Haripur Wagh C.H1, Kamat R.S2
 - is responsible for 90-95% of the acoustic energy reflected from the fish
 - Islam, M.R., Sultana, N., Hossain, M. B. and Mondal, S. 2012. Estimation of Fecundity and Gonadosomatic Index (GSI) of Gangetic Whiting, *Sillaginopsis panijus* (Hamilton, 1822) from the Meghna River Estuary, Bangladesh . World Applied Sciences Journal 17 (10): 1253-1260 pp.
 - Islam, N.M. and Joddar, M.A.R. 2005. Seasonal variation of the proximate composition of freshwater Gobi, Glossogobius giuris from the river Padma. Pakistan Journal Biological Sciences 8(4):532-536 pp.
 - Jacob J. 1978. Coexistance of similar zooplankton species by differential adaptation to reproduction and escape in environment either fluctuating food or enemy densities. III. Laboratory experiments Oecologia (Berl). 35 (1): 35-54 pp.
 - Jacob, P.K. 2005. Studies on some aspects of reproduction of female Anabas Testudineus (Bloch), Thesis submitted to CochinUniversity of Science and Technology, pp.9.

- Jacquot, R. 1961. Organic constituents of fish and other Aquatic Animals In: Fishes Food (Ed.Borgstrom G) Academics Press, New York and London: 209 pp.
- Jafri, A.K. and Khawaja, D.K. 1964. Studies on the biochemical composition of fresh water fish. Fish technol,(2):148-157 pp.
- Jafri, A.K., Khawaja, D.K. 1964. Studies on biochemical composition of fresh water fish. Fish Technol, (2): 148-157 pp.
- Jayaram, K. C. 1999. The fresh water fish of the Indian region, Narendra publishing house, Delhi. India: 551 pp. 27:p. 551,18pls.
- Jayaram, K.C. 2002. The freshwater fish of the Indian region, Narendra Publishing House, Delhi:245 pp.
- Jayaram, K.C. 2002. The freshwater fishes of the Indian region, Narendra Publishing House, Delhi:245p.
- Jhingran, V. G. & R. S. V. Pullin, 1985. A hatchery manual for the Common, Chinese and Indian Major Carps. Asian Development Bank, International Center for Living Aquatic Resource Management; 250pp.
- Jhingran, V.G. 1952. General length-weight relationship of the three Indian major carp of India. Proc Nat Inst Sci India 18(5):449-460pp.
- Jhingran, V.G. 1991. Fish and Fisheries of India. Revised and enlarged 3rd edition. Hindustan Publishing Corporation, New Delhi, 727 pp.
- Jhingran, V.G. and Pullin, R.S.V., 1985. A hatchery manual for the common Chinese and Indian major carps. ICLARM, Manila.
- Job, T.J. 1940. An investigation on the nutrition of the Perches of the Madras Coast. Rec Indian Mus 42:289-364 pp.
- John, V. 1978. Hydrobiological studies on the river Kallayi in Kerala, Indian *J. Fish*. 23(1-2): 72-74 pp.
- Johnstone, J. 1918. The value of the herring as food. Nature (London) 102: 06-07 pp.
- Joo, H.J., Kim, K.Y, Yim, Y.H., Jin, Y.X., Kim, H., Kim, M.Y., Paik, Y.K. 2010. Contribution of the peroxisomal acox gene to the dynamic balance of daumone

- production in Caenorhabditis elegans. The Journal of Biological Chemistry 285:29319–29325 pp.
- Jorgesen, E.H., Johansen, S.J.S. and Jobling, M. 1997. Seasonal patterns of growth, lipid deposition, and lipid depletion in anadromous Arctic charr. Journal of Fish Biology.51:312-326 pp.
- Jyothi,B., Sudhakar, G., and Venkateswaralu, V. 1990. Ecological evaluation of Chlorococcalian blooms – A comparative account. J. Indian Bot. Soc. 69: 23-32 pp.
- Jyoti, M.K. and Sehgal, H. 1979. Ecology of Rotifers of Surinsar a subtropical, freshwater lake in Jammu (J&K), India. Hydrobiologia. 65: 23-32 pp.
- Jyrwa, L.B. and Bhuyan, B.N. Seasonal variation in tissue biochemical composition of chocolate mahseer (*Neolissochilus hexagonolepis*) UNDER THE CLIMATIC CONDITION OF MEGHALAYA, INDIA. I.J.S.N., VOL.7 (2) 2016: 413-415 pp. ISSN 2229 – 6441
- Kamanga, L.J., Maluwa, A.O. and Kaunda, E. 2002. Effect of temperature on gonadosomatic index of Oreochromis karongae. Aquafish Technical Report 1:21-24 pp.
- Kandemir, S. and Polat, N. 2007. Seasonal variation of total lipid and total fatty acid in muscle and liver of rainbow trout (Oncorhynchus mykiss W) reared in Derbent dam lake, Turkish Journal of fisheries and Aquatic Sciences 7:27-31pp.
- Kar ,D. 2007. Fundamental of Limnology and Aquaculture and Biotechnology. Daya Publishing House. New Delhi. 609 pp.
- Kataria, H.C., Singh, A. and Pandey, S.C. 2006. Studies on water quality of Dahod Dam, India. Poll. Res. 25(3), 2006, 553–556 pp.
 - Kautsky et al. 1991, Reynisson 1993).
- Kaviraj, A., and Bhunyia, F. and Saha, N.C. 2004. Contribution to the biology of Lagras tooth carp, Aphanius vladykovi in central Iran. Environmental Biology of Fish 71 (2): 165-169 pp.

- Keivany, Y. and Soofiani, N. 2004. Contribution to the biology of Lagras tooth carp, Aphanius vladykovi in central Iran.Environmental Biology of Fish 71(2): 165-169 pp.
- Kestemont, P., Rinchard, J., Fesy, V. and Fostier, A. 1999. Spawning migration, sexual maternity and sex steroid level in female roach Rutilus rutilus from the river Meuse. Aquatic Science 61:111-121 pp.
- Khalil, B., Ibrahim, F. 2016. Food and feeding habits of *Cynoglossu arel* (Family: Cynoglossidae) from Karachi Coast, Pakistan International Journal of Fauna and Biological Studies 2016; 3(1): 91-96
- Khan, H. and Hussain, A. 1945. The length-weight relationship of L.rohita and C mrigala. Proc. India Acad. Sci. 20(6):224-228 pp.
- Khan, R. A. 1972: Studies on the biology of some important major carps, Ph.D. The "sis, Aligarh Muslim University, Aligarh. 185 pp.
- Khanna D.R., Badola, S.P., Dobriyal, A.K., 1993. Plankton ecology of the river Ganga at Chadighat, Hardwar. In Advances in Limnology (Ed. Singh, H.R.). Narendra Publishing House. 171 174 pp.
- Khanna, D.R. and Singh, S.2002. Pond and fish ecology and economy. Daya Publishing House, Delhi. ISBN.81-7035-281-9,1-86 pp.
- Kime, D.E. (1998). Endocrine disruption in fish. Kluwer Academic Publication, London:396pp.
- King,R.P. 1998. Physico-chemical indices of fisheries potential of Nigerian rainforest pond. J. Aqua. Sci., 13: 49 -54 pp.
- Koka, H.U. 2002. The determination of gonadosomatic index and flesh productivity in Scorpaena sp. Turkish Journal of Veterinary and Animal Sciences 26:61-64 pp.
- Kortet, R., Taskiner, J. Sinsalo, T. and Jokinen, I., 2003. Breeding related seasonal change in immune competence health state and condition of Cyprinid fish (Rutilus rutilus). Biological Journal Linnean Society 78:17-27 pp.

- Koutrakis, E.T. and Tsikliras, A.C., 2003. Length- weight relationships of fishes from three northern Agean estuarine systems (Greece). J. Appl. Ichthyol. 19: 258-260 pp.
- Krishna, C.H., Rao. J. C. S., Veeraiah, K. Diversity of larvivorous fish fauna in Lake Kolleru (AP), India. Int J Fauna Bio Stud 2016; 3(3): 24-8 pp.Kudesia, C.P. 1980. Water pollution. Pragati prakashan, Meerut, India. 246 pp.
- Kudesia, V.P. 1980. Water pollution. Pragati prakashan, Meerut, India . 246 pp.
- Kukucz, J.T. 1962. Effects of biological factor (sex, seasonal race, Spawning migration) on Fat, Protein, Water and their distribution in sea trout. In: fish nutrition, edited by E. Heen and R. Kruzer Fishing News (Books) Ltd, England: 447 pp.
- Kulkarni, A.Y., Khatavkar, S.D.and Goel, P.K. 1983. Studies on Physicochemical characteristics of the water bodies at Aundh in south western Maharashtra with reference to the stress of human activities, Indian J. Envi. Protection, 8(2): 109-114 pp.
- Kumar, F. and Siddhiqui, M.S.1989. Food and feeding habits of *Labeo calbasu* in north Indian waters. Acta Ichthyological at Piscatoria 19(1):34-50 pp.
- Kumar, N.J.L., Das, M., Mukherji, R. and Kumar, R.N. 2011. Assessment of zooplankton diversity of a tropical wetland system. International Journal of Pharmacy & Life Sciences, 2011, 2(8), 983-990 pp.
- Kumari, S., Khan, J. A., Thakur, M.S. 2018. Studyon Phytoplankton, Zooplankton and Ichthyo Fauna of Motia Lake. Research & Reviews: Journal of Zoological Sciences. e-ISSN: 2321-6190 p-ISSN: 2347-2294. RRJZS, 2018: Volume 6, Issue 2
- Lam, T.J. 1983. Environmental influences on gonadal activity in fish. In: Fish physiology IXB, pp. 65–116. W.S. Hoar & D.J. Randall (eds). Academic Press, New York.
- Lasksr, S. and Gupta, S. 2009. Phytoplankton diversity and dynamics of Chatla floodplain lake, Barak Valley, Assam, North East India. Journal of Environmental Biology November 2009, 30(6) 1007-1012 pp.

- Le Cren, E.D. 1951. The length-weight relationship and seasonal cycle in gonad weight and condition in *Perca fluviatillis*. Journal of Animal Ecology, Vol.20.201-219pp
- Lehman, P.W. 2007. The influence of phytoplankton community composition on primary productivity along the riverine to freshwater tidal continuum in the San Joaquin River, California. Estuary Coasts 30:82–93 pp.
- Lloyd, M. and Ghelardi R. J. 1964. A table for calculating the equitability component of species diversity. J. Animal Ecol. 33:217-225 pp.
- Lone, K.P. and Hussain, A. 2009. Seasonal and age-related variations in the ovaries of *Labeo rohita* (Hamilton, 1822): A detailed gross and histological study of gametogenesis, maturation and fecundity. *Pakistan J. Zool.*, **41**: 217-234.
- Love, R.M. 1960 Water content of Cod (*Gadus callarias* L.) muscle. Nature. (London) 185:692-701 pp.
- Love, R.M. 1970. The chemical biology of fish. Academic Press, London, UK
- Love, R.M., Robertson, I. and Strachan, I. 1968. Studies on the North sea Cod VI. Effect of Starvation. J. Sci. Fd. Agric. 19:415-422 pp.
- Lovern, J.A. and Wood, H. 1937. Variations in the chemical composition of the Herrings. J. Mar, Biol. Ass. UK 22:181-293 pp.
- Lowry, O. H., Rosebrough, N. J., Farr, A. L., and Randall, R. J. 1951. Protein measurement with the Folin phenol reagent. J. Biol. Chem. 193, 265–275.
- Lucinda C. and Martin N. 1999. Oxford English Mini Dictionary . Oxford English Mini Dictionary. Oxford University Press Inc, New York, 200 535.
- Mahajan, C.L., Surendra, D.S., and Ashok, K.S. 1980. A comparative ecosystem study of Bharatpur and Ramgarh lakes in Rajasthan with special reference to productivity. Proc. Symp. Env. Biol. 51- 58 pp.
- Mane, A., Pattnaik, S., Jadhav, R., Jena, A.K. 2017. <u>Pond Coloration, Interpretation and Possible Measures of Rectification for sustainable Aquaculture practice</u>. Aquaculture Times. Vol.3(3)- 2017. 06-08 pp.

- Marais, F. K. (1990) Body composition of ten marine migrants and one freshwater fish species caught in estuaries of the Eastern Cape, South Africa, South African Journal of Marine Science, 9:1, 135-140 pp.
- Marcu A, Nichita I, Nicula M, Marcu A, Kelciov B. 2010.Studies Regarding the Meat Quality
- Margalef, R. 1951. Diversidad de especies en las comunidades naturales. Publicaciones del Instituto de Biología Aplicada. 9: 5-27 pp.
- Mathew, P. M. 1977. Primary productivity of Govindgarh lake . Ind. J. Anim. Sci. 47: 349-356.
- Mathew, P.M. 1978. Limnological investigation on the plankton of Govindgarh lake and its correlation with physico-chemical factors. In Saigal, B.N. (ed.). The Ecology and Fisheries of Reservoir. 46-65, ICAR, CIFRI, Barrackpore.
- McBride, J.R., Maclead,R.A. 1956. The sodium and potassium content of British Columbia sea foods. II. Some commercially important fresh fish. *Prog Rep Pacif Cst Stns* 105: 19-21.
- McBride, J.R., MacLeod, R.A. and Idler, D.R. 1959. Proximate analysis of pacific Herring (*Clupea pallasii*) and evaluation of tester's fat factor. J. Fish Red Bd. Canada 16(5):679-684 pp.
- McDonald, K. 2003. The abundance of herbivorous and predatory fishes in relation to *Diadema antillarum* along the west coast of Dominica.ITME Research Reports. 11-21 pp.
- MDEQ(Michigan Department of Environmental Quality).2017. "Reconnaissance sampling of perfluorinated compounds in michigan surface waters and fish, 2010-2014." Water Resources Division Staff Report. MI/DEQ/WRD-15/019. First published on June 2015 and revised on April 6, 2017.
- MDEQ. (n.d.). Total Suspended Solids. In Michigan Department of Environmental Quality. Retrieved from http://www.michigan.gov/documents/deq/wb-npdes-totalSuspendedSolids_247238_7.pdf
 - mended by Foote (1987) for clupeoids:

- Menon, M.D. and Chacko, P.I. 1956. Food and feeding habits of freshwater fish of Madras State, India, I.P.F.C.proc., Section 11:33-39 pp.
- Michael, P. 1984. Ecological methods for field and laboratory investigations. Tata. Mc Graw Hill Publishing Company Limited. New Delhi. 404pp.
- Milroy, T.H. 1908. Changes in the chemical composition of the herring during reproductive period. Bio.Chem. J. 366-389 pp.
- Mishra, K.S. 1959. An aid to the identification of the common commercial fish of Indian and Pakistan . Rec. Indian Museum 57:1-4 pp.
- Mishra, V., Sharma, S.K., Sharma, B.K., Upadhyay, B. and Choubey, S. 2012. Phytoplankton, Primary Productivity and Certain Physico-Chemical Parameters of Goverdhan Sagar Lake of Udaipur, Rajasthan. Universal Journal of Environmental Research and Technology. ISSN 2249 0256. Volume 2, Issue 6: 569-574 pp.
- Mishra, V.K., and Tripathy, B.D. 2008. Concurrent removal and accumulation of heavy metals by the three aquatic macrophytes. Bioresour. Technol. 99(15):7091–7097 pp.
- Moghaddam, H.N., Mesgaran, M.D., Najafabadi, H.J. and Najafabadi, R.J. 2007. Determination of chemical composition, mineral contents and protein quality of Iranian Kilka fish meal. Int. J. Poult. Sci., 6: 354-361 pp.
- Mohanta,B. K. 2000. Studies on The Water Quality of river Samachha kandana at Keonjhar Ghat, Odissa, India, Ph.D. Thesis, Utkal University, Bhubaneswar.
 - Mohanty, B. P., Mahanty, A., Ganguly, S., Mitra, T., Karunakaran, D., Anandan, R. (2017). Nutritional composition of food fish and their importance in providing food and nutritional security. Food Chemistry. doi: https://doi.org/10.1016/j.foodchem.2017.11.039
 - Mohapatra, S. and Patra, A.K. 2012. Studies on dissolved oxygen content of Bay of Bengal at Puri sea-shore in Odisha. International journal of advanced scientific and technical research Issue 2 volume 6, December 2012. 235-243 pp.

- Mohapatra, B.C., Moharana, N.K., AD Sahu A.D., Mahapatra, M., Jena S.K., Priyadarsini, S. and Bhoi S.P. 2018. Indian major carp seed rearing practices in ponds of tribal farmers of Ganjam district, Odisha, India, International Journal of Fisheries and Aquatic Studies 2018; 6(2): 296-299.
- Moses, B. S. 1983 .Introduction to Tropical Fisheries, Ibadan university Press, UNESCO
- Muniyellappa, R. M. 2018. Water Quality Monitoring of Magadi Hill Range Lakes and Reservoirs of India. Science Publicing Group. Hydrology. 2018; 6(1): 18-31 pp.
- Munwar, M.1974. Limnological studies on Freshwater ponds of Hyderabad, India IV. The Biocenose. Periodicity and species composition of unicellular and colonial in polluted unpolluted environment. Hydrobiologia.
- Murphy, S.F. 2014.General Information on Dissolved Oxygen. BASIN. City of Boulder/USGS Water Quality Monitoring. Last Page Update Monday April 23, 2007. http://bcn.boulder.co.us/basin/data/BACT/info/DO.html.
- Naik, A. 2014. Studies on the seasonal variations in certain limnological aspects of river Mahanadi in the district of Subarnapur (Odisha). Thesis submitted to Sambalpur University, Burla, Sambalpur, Odisha. 24-100 pp.
 - Naik,S. C., and A.K., Patra 2014. Seasonal climate change of water quality indices and on feeding habit and bioindices of *Cirrhinus mrigala:* International Journal of Bioassay4.6 (2015) ,4254-4261 pp.
 - Nair, C.K.H and Prabhoo ,N.R. 1980. Primary productivity and certain limnological features of the Neyyar reservoir in Kerala. *Proc. Symp. Environ. Biol. Tri*vendrum. 77-81 pp.
 - Nansimole, A., Sruthi, S., Devi, G.T.V., Radhakrishnan, T. 2014. First report on fishery resources from four estuaries in Trivandrum district, Kerala, India. International Journal of Scientific Research. 2014; 3(12):129-131
 - Nargis, A.2006. Seasonal variation in the chemical omposition of body flesh of *Anabas testidineus* (Bloch). Bangladesh J. Sci. India, Res. 41(3-4):219-226 pp.

- Nas, B., & Berktay, A. (2006) Groundwater contamination by nitrates in the city of Konya, (Turkey): A GIS perspective. Journal of Environmental Management, 79, 30–37 pp.
- Nas, B., Berktay, A. 2006. Groundwater contamination by nitrates in the city of Konya (Turkey): a GIS perspective, J. Environ. Manag., 79 (2006), 30-37 pp.
- Nasar, S.A.K. and DattaMunshi, J.S. 1975. Study on production in a freshwater pond. *Jap. J. Ecol.* 25 (1): 21-24 pp.
- Natarajan, A.V. and Jhingran, V.G. (1961): Index of Preponderance- method of grading the food elements in the stomach analysis of fish. Indian J. Fish., 8: 54-59 pp.
- National Agricultural Extension and Research, 1996. Water Quality Management in Fish Culture, Extension Bulletin No. 98 Fisheries Series No 3 Published by Liaison Services Ahmadu Bello University, Zaria.
 - National Agricultural Extention and research. 1996. Water Quality Management in Fish Culture, ExtensionBulletin No.98 Fisheries Series No 3 Published by Liaison Services Ahmadu Bello University, Zaria.
 - Natrajan, A.V. and Jhingran, A.G. 1996. Index of preponderance- a method of grading the food elements in the stomach analysis of fish. Indian J. Fish.8:54-59pp.
 - Navakova, M.P. and Puncochar, P. 1976. Phytoplankton composition and chemical characteristic of water in cascade of ponds and their inflow. Arch. Hydrbiol. 49: 450-471.
 - Nayak, I.D. and Patra, A.K. 1982. Limno biotic survey of river Mahanadi during winter. Geobiolos New Reports 1: 20-23. 199.
 - Nayak, L.D. 1986. Studies in limnological factors of river Mahanadi at Sambalpur. Ph.D. thesis, Sambalpur University, India.
 - NEERI. 1988. Manual on water and waste water analysis. National Env. En. Res. Inst., Napur, India. B-1-251pp.
 - Nelson RJ & Demas GE (1996) Seasonal changes in immune function. Quarterly Review of Biology 71, 511–548 pp.

- Nelson, R.J. and Demas, G.E. (1996) Seasonal change in immune function. Quarter Review of Biology 71: 511-548 pp.
- Nguyen, H.Q., Kanwar, R.S., Hoover, N.L., Dixon, P., Hobbs, J., Pederson, C. 2013. Long-term effects of poultry manure application on nitrate leaching in tile drain water. 2013; 56: 91–101 pp. [Google Scholar]
- Nyamangara, J., Jeke, N., Rurinda, J. 2013. Long-term nitrate and phosphate loading of river water in the Upper Manyame Catchment, Zimbabwe. Water SA 39(5):637–642. doi:10.4314/w.
- Odhiambo, T.M., 2013. Effects of weather and climate variability on fishing activities and fishers' adaptive capacity in MBITA division Homa Bay County, Kenya. A thesis submitted in partial fulfillment for the degree OF Masters OF Arts (Geography) In the School of Humanities and Social Sciences of Kenyatta University. April 2013. 72-73pp.
- Odo, E.G., Onoja U.S. and Onyishi C.G.(2012) . The biology of *Parachanna obscura* (Osteichthyes: Channidae) in Anambra River, Nigeria, International Journal of Fisheries and Aquaculture Vol.4 (8),pp.154 -169, September 2012.
- Odum, E.P. 1971. Fundamentals of ecology. 3rd edition. W.B.Saunders and Company, Philadelphia and London: 546.
- Odum, H.T., 1956. Primary production in flowing water. *Limnol. Oceanogr.* 1,102–117pp. of the fish flesh and bones as well as seawater, the gas-filled swim bladder
- Ojewola, G.S. and Annah, S.I. 2006. Nutritive and Economic Value of Danish Fish Meal, Crayfish Dust Meal and Shrimp Waste Meal Inclusion in Broiler Diets . *International Journal of Poultry Science*, 5: 390-394pp.
- Ona 1996), or through systematic changes in the acoustic reflection prop- of the specie *Cyprinus carpio*. Lucrari Stiinłifice Medicina Veterinara, XLII: 265-270.
- Ona,E.1990. Physiological factors causing natural variations in acoustic strength of fish.J.Mar. Biol.Assoc. U.K. 70: 107-127 pp.

- Padhy, R., Ghadei, B.R., Biswal, N.Priyadarshini, S., Sahoo, B., Mohanty, B.K. 2018.
 Analysis of Water Quality of Pond Water of Berhampur Town, Odisha, IJSRR 2018 7(4). 368-375 pp.
 - Padmakumara, K.B. 2010 . Algal blooms and zooplankton standing crop along the southwest coast of India. Thesis submitted to Cochin University of Science and Technology for partial fulfillment of Ph.D. Degree. November 2010.85-94 pp.
 - Padmakumara, K.B. 2010. Algal blooms and zooplankton standing crop along the southwest coast of India. Thesis submitted to Cochin University of Science and Technology for partial fulfillment of Ph.D. Degree. November 2010.85-94 pp.
- Pandey, B.N.; Das, P.K.L. and Jha, A.K. 1992. Physicochemical analysis of drinking water of Purnea District, Bihar. Acta. *Ecological*.14 (2): 108 114 pp.
 - Pandey, B.N., DattaMunshi, J.S., Chaubey, B.J., Pandey. 1976. Seasonal variation in body composition in relation to breeding cycle of an air breathing fish, *Heteropneustes fossilis* (Bloch). Z.inland Fish Soc. India 8; 91-96 pp.
 - Pandey, H.K. and Singh, J.S. 1978. Preliminary observations on phytoplankton productivity in Nainital and Bhimtal lakes. In: Glimpses of Ecology. (Ed. J.S. Singh and B.Gopal) R. Mishra Commemoration volume. Int. Sci. Pub. Jaipur, India. pp. 335-340 pp.
 - Panicker, A.C. 2000. Ecological impact of tilapia, Oreochromis mossambicus (Peters) on the indigenous fish species in two reservoirs of Kerala. Ph.D. Thesis, University of Kerala, 2000.
 - Panigrahi, A.K., Rath, S. and Mishra, B.N. 1979. Age related change in DNA, RNA, protein and free amino acid content in a fresh water fish, *Tilapia mossambica* (Peter), Indian J. Expt. Biol. 17:699-705 pp.
 - Parameswaran, S. 1975. Investigations on the biology of some fish of the genus *Channa*. Ph.D. thesis, Magadhu University, Bodh Gaya, 1-299 pp.
- Patra, S., 2002. Fish culture of certain major carp in some ponds with reference to hypophysation at Sambalpur in Odissa. Phd thesis, Sambalpur University, Sambalpur, Odissa, India.

- Perlman, H. 2014. March. Turbidity. In The USGS Water Science School. Retrieved from http://water.usgs.gov/edu/turbidity.html
- Peterson, R.H. and Harmon, P.R. 2005. Changes in condition factor and gonadosomatic index in maturing and non maturing Atlantic salmon in Bay of Fundy sea cages.

 Aquaculture research 8:53-59 pp.
- PIB, 2017. Press Information Bureau, Government of India, Ministry of Agriculture & Farmers Welfare, 21-November-2017 17:25 IST).
- Pillay, T.V.R. 1954. The biology of *Liza tade* with notes on its fishery in Bengal. Ibid. Vol. 20.187-217 pp.
- Pradhan, S.C. 2014. An approach to seasonal variation on anatomical and haematological parameters of Indian major carps. Thesis submitted to Utkal University, Vanivihar, Bhubaneswar, Odisha. 3-248 pp.
- Pradhan, S.C., Patra, A.K. and Mohanty, K.C. 2012 .Biochmical studies of Muscle and Liver of *Labeo rohita*(Ham.) in relation to season and sex . International Journal of Current Research Vol. 4, Issue.12: 228-234 pp.
- Prusty, A.K., Sahoo, N.P., Pal, A.K. and Kumar, S. 2007. Effect of dietary tannin on growth and haematoimmunological parameter of *Labeo rohita* fingerlings. Animal feed Science and Technology. 136(1-2):96-100 pp.
- Rajaguru, A. (1992). Biology of two co-occuring tongue fish of genus *Cynoglossus* from Indian water. Fishery Bulletin 90(2):329-367 pp.
- Ramchandranair, K.G. and Gopakumar, K. 1981. Influence of sex, spawning, starvation and water temperature on fatty acid Composition in *Tilapiamossambica*. Fish Technol 18:123-127 pp.
 - reasons has been attributed to variations in the target strength of the fish.
- Reheman, S., Islam, M.L., Mondal, S. and Alam, M.J. 2002. Observation on the fecundity and gonadosomatic index of grey mullet *Liza parsia*. J. Biological Science, Vol. 2(10), 690-693 pp.
- Russel, F.S. and Yonge, M. 2002. Advances in marine biology, Academic Press, London, pp 207-210 pp .

- Saha, L.C. and Singh, N.K. 1981. Effect of malathion on the primary productivity of phytoplankton in a freshwater pond. Comp. Physiol. Ecol.6(1):17-18 pp.
- Sahni, K. and Yadav, S. 2012. Seasonal Variations in Physico-Chemical Parameter of Bharawas Pond, Rewari, Haryana. Asian *J. Exp. Sci.*, 26 (1): 61-64 pp.
- Sahu, P.K. Jena, JK Das, PC Mondal, S., Das, R., 2007. Production performance of *Labeo calbus*(Hamilton) in polyculture with three Indian major carps *Catla catla* (Hamilton) and *Cirrhinus mrigala* (Hamilton) with provision of fertilizers, feed and periphytic substrate as varied inputs Aquaculture, 262: 333-339 pp.
- Salam, A. and Davies, P.M.C. 1994. Body composition of Northern Pike (*Esox licius* L.) in relation to body size and condition factor. Fish Res.19:193-204 pp.
- Salathia N, et al. 2007. Indel arrays: An affordable alternative for genotyp-ing. Plant Journal 51: 727-737 pp.
- Sanchez-Alonso, I., Jimenez-Escrig, A., Saura- Calixto, F. and Borderias, A.J. 2007. Effegt of grape antioxidant dietary fiber on the prevention of lipid oxidation in minced fish: Evaluation of different methodologies. Food Chem. 101: 372- 378 pp.
- Santhosh, B. and Singh, N.P. 2007. Guidelines for water quality management for fish culture in Tripura, ICAR Research Complex for NEH Region, Tripura Centre, Publication no. 29.
- Sargent, J.R. 1997. Fish oils and human diet. British Journal of Nutrition. 78(1): S5- S13.

 Sarkar, U.K. and Deepak ,P.K. 2009. The diet of clown knife fish *Notopterous cheetala* from different wild population. Electronic J. of Ichthyology ,Vol.1. 11-20pp.
- Sawyer C.N., Mccarty, P.L., Parkin G.F. 2003. Chemistry for environmental engineering and science, 5th edn. McGraw-Hill, New York, 752 pp.
- Saxena, M.M., 1987. Environmental Analysis- Water, Soil and Air. Agro Botanical Publisher (India).

- Seddiqui A.O. and Nassem S.M. 1979. The haematology of Rohu, *Labeo rohita*., Journal of fish Biology 14: 199 204.
- Shankar, K.M., Mohan, C.V., Nandeesha, M.C. 1998. Promotion of substrate-based microbial biofilms in ponds a low cost technology to boost fish production. NAGA (ICLARM) 21:18–22 pp.
- Sharif, A.S.M., Islam M.S., Hoque, M.N., Bhuyan.M.S.2017.Spatial and temporal environmental effect of lower Meghna River & its estuary on phytoplankton, Bangladesh. I J Fauna and Bio. Stud. 2017; 4(2):13-22 pp.
- Sharma, K.D., Lal, N. and Pathak, P.D. 1981 .Water quality of sewage drains entering Yamuna at Agra. *Indian J. Environ Hlth*, 23, 1981, 118-122 pp.
- Shaw, G.E. and Shebbeare, E.O. (1937). The fish of Northern Bengal. J. Roy. Asiatic Soc. Bengal Sci. 111:1-137 pp.
- Shruthi, M. S. and Rajashekhar, M. r. 2013. Ecological observations on the phytoplankton of Nethravati Gurupura estuary, south west coast of India J. Mar. Biol. Ass. India, 55 (2), 41- 47 pp., July-December 2013
- Singh, A., Singh, I.J., Ram, R.N. 2005. Seasonal ovarian development in *Labeo dayocheilus* during active reproductive phase under captive and wild condition. Journal of environmental biology 29(2):169-174.
- Singh, A.K. and Singh, D.K. 1999. A comparative study of the phytoplanktonic primary production of river Ganga and pond of Patna (Bihar), India. J. Environ. Biol. 20, 263-270 pp.
- Sinha, D.K., Ray, S.P. and Dutta Munshi, J.S. 1990. Primary productivity of a rivulet, a derelict and a managed fish pond of Dumka, Bihar. Environ. Ecol. 8(1); 78-81 pp.
- Sreenivasan, A. 1976. Limnological studies and primary production in temple pond ecosystem. Hydrobiologia, 48, 117-123 (1976).
- Sreenivasan, A., 1974. Limnogical feature of a tropical impoundment, Bhawani Sagar Reservoir (Tamilnadu, India, Int. Revueges. Hydrobial. 59(3:327-342 pp.).

- Sreenivasan, A., 1979. Limnogical survey of Kauvery river system with particular reference to pollution indicators Tch. Report. MAB. Projector-5.
- Stone, N. Shelton, J.L., Haggard, B.E. and Thomforde, H.K., 2013. Interpretation of Water Analysis Reports for fish culture. SRAC Publication No. 4606, July 2013, 6 pp.
- Stoumboudi, M., Villock, W. and Abraham, J.N. 2005. Gonadosomatic index in Barbus longiceps versus spermatozoan index in parental males. Journal of Fish Biology 45(6): 865-875 pp.
- Stumm, W. & Morgan, J.J. 1981. Aquatic chemistry: An introduction emphasizing chemical equilibrium in natural water. J Wiley and Sons, New York.
- Sukumaran, P.K. and A.K. Das, 2002. Plankton abundance in relation to physicochemical features in a peninsular man-made lake. Environ. Ecol., 20: 873-879 pp.
- Tafa, B., & Assefa, E. 2014. Detection of Copper and Zinc (Heavy Metals) in Water of Lake Chamo, Arbaminch Ethiopia. *World Journal of Chemical Education*, 2(3), 42-47 pp.
- Takamura, K., Sugaya, Y., Takamura, N., Hanazato, T., Yasuno, M. & Iwakuma, T. 1989. Primary production of phytoplankton and standing crops of zooplankton and zoobenthos in hypertrophic Lake Teganuma. Hydrobiologia, 173, 173-184 pp.
- Talling, J.F. 2010. pH, The CO₂ systemand fresh water science. Fresh water Biological Association. DOI: 10. 1608 FRJ- 3.2.156. 133-146 pp.
- Terrie K. Boguski, P.E. 2006. Understanding Units of Measurement. Kansas State University. 104 Ward Hall. Manhattan K.S. 66506. 785-532-6519. Issue 2 October 2006. www.engg.ksu.edu/CHSR/
 - ters, was adopted by the International Council for the Exploration of the
- Thapa, G.B. and Pal, J. 2014. Evaluation of physico-chemical characters of Singhia and Budhi rivers in Sunsari and Morang Industrial corridor. Nepal. Int. J. Adv. Res. Biol. Sci. 1(8): (2014): 104–112 pp.

- U.S.EPA (United States Environmental Protection Agency) (1986). Quality Criteria for Water EPA 440/5-86-001. 1 May 1986. Office of Water Regulations and Standards, Washington D.C., USA.
 - Using the pre-seining echo-integration technique, Hamre and
- Verma, P.U., Gupta, U. C., Adiyecha, R.P. and Solanki, H.A. 2014. Seasonal variation in the phytoplankton biodiversity of Chandlodia lake. International Journal of Innovative Research in Science, Engineering and Technology (An ISO 3297: 2007 Certified Organization) Vol. 3, Issue 1, January 2014, ISSN: 2319-8753: 8466-8471 pp.
- Verma, S.R., Sharma, P., Tyagi, A., Rani, S., Gupta, A.K., Dalela, R.C. 1984. Pollution and saprobic status of eastern Kalinadi. Limnologia, 15 (1984), 69-133 pp.
 - Voznaya, N.F., 1981. Chemistry of Water and Microbiology, Moscow: Mir Publishers.
- Wagh C.H., Kamat, R.S. 2014. Study of Waste Water Characteristics and its pollution for the stretch of Krishna River from Sangli to Haripur. International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064: 3.358 Volume 3 Issue 7, July 2014. 93 101 pp.www.ijsr.net
 - Wani, I.A. and Subla, Physicochemical features of two shallow Himalayan lakes. *Bull Eviron. Sci.*, 8, 1990, 33-49 pp.
 - Welch, P.S. 1962. Limnology, 2nd ed. New York, Mc Graw Hill Book, Co., Inc., New York, I XI: 438.
 - WHO. 2011. Hardness in Drinking-water: Background document for development of WHO Guidelines for Drinking-water Quality. WHO/HSE/WSH/10.01/10/Rev/1
 - Winer, J.G. and Duthie, H.C. 2000. Epithic diatoms as indicator of stream total N and total P concentration. Journal of the North American Benthological Society, 19: 32-49 pp.